

Jrgen Wojtaszewski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1525916/jorgen-wojtaszewski-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

9,518
citations

52
h-index

95
g-index

184
ext. papers

10,950
ext. citations

5.3
avg, IF

6.25
L-index

#	Paper	IF	Citations
166	Clenbuterol exerts antidiabetic activity through metabolic reprogramming of skeletal muscle cells.. <i>Nature Communications</i> , 2022 , 13, 22	17.4	1
165	Factors Mediating Exercise-induced Organ Crosstalk.. <i>Acta Physiologica</i> , 2022 , e13766	5.6	2
164	Comment on De Wendt et al. Contraction-Mediated Glucose Transport in Skeletal Muscle Is Regulated by a Framework of AMPK, TBC1D1/4, and Rac1. <i>Diabetes</i> 2021;70:2796-2809.. <i>Diabetes</i> , 2022 , 71, e3-e4	0.9	1
163	Exercise-Regulated Skeletal Muscle Glucose Uptake. <i>Physiology in Health and Disease</i> , 2022 , 115-136	0.2	
162	Interactions between insulin and exercise. <i>Biochemical Journal</i> , 2021 , 478, 3827-3846	3.8	0
161	Functional sympatholysis in mouse skeletal muscle involves sarcoplasmic reticulum swelling in arterial smooth muscle cells. <i>Physiological Reports</i> , 2021 , 9, e15133	2.6	
160	Personalized phosphoproteomics identifies functional signaling. <i>Nature Biotechnology</i> , 2021 ,	44.5	8
159	Physical activity attenuates postprandial hyperglycaemia in homozygous TBC1D4 loss-of-function mutation carriers. <i>Diabetologia</i> , 2021 , 64, 1795-1804	10.3	3
158	The many actions of insulin in skeletal muscle, the paramount tissue determining glycemia. <i>Cell Metabolism</i> , 2021 , 33, 758-780	24.6	28
157	Post-exercise recovery for the endurance athlete with type 1 diabetes: a consensus statement. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 304-317	18.1	8
156	Measurement of Insulin- and Contraction-Stimulated Glucose Uptake in Isolated and Incubated Mature Skeletal Muscle from Mice. <i>Journal of Visualized Experiments</i> , 2021 ,	1.6	1
155	AXIN1 knockout does not alter AMPK/mTORC1 regulation and glucose metabolism in mouse skeletal muscle. <i>Journal of Physiology</i> , 2021 , 599, 3081-3100	3.9	2
154	Effect of exercise training on skeletal muscle protein expression in relation to insulin sensitivity: Per-protocol analysis of a randomized controlled trial (GO-ACTIVE). <i>Physiological Reports</i> , 2021 , 9, e14850	2.6	0
153	Is GLUT4 translocation the answer to exercise-stimulated muscle glucose uptake?. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 320, E240-E243	6	12
152	Small Amounts of Dietary Medium-Chain Fatty Acids Protect Against Insulin Resistance During Caloric Excess in Humans. <i>Diabetes</i> , 2021 , 70, 91-98	0.9	4
151	Pharmacological but not physiological GDF15 suppresses feeding and the motivation to exercise. <i>Nature Communications</i> , 2021 , 12, 1041	17.4	23
150	Blinded by the reference protein?. <i>Journal of Applied Physiology</i> , 2020 , 128, 1462-1463	3.7	2

149	Inducible deletion of skeletal muscle AMPK reveals that AMPK is required for nucleotide balance but dispensable for muscle glucose uptake and fat oxidation during exercise. <i>Molecular Metabolism</i> , 2020 , 40, 101028	8.8	15
148	Colchicine treatment impairs skeletal muscle mitochondrial function and insulin sensitivity in an age-specific manner. <i>FASEB Journal</i> , 2020 , 34, 8653-8670	0.9	5
147	Effects of High-Intensity Exercise Training on Adipose Tissue Mass, Glucose Uptake and Protein Content in Pre- and Post-menopausal Women. <i>Frontiers in Sports and Active Living</i> , 2020 , 2, 60	2.3	3
146	Quantification of exercise-regulated ubiquitin signaling in human skeletal muscle identifies protein modification cross talk via NEDDylation. <i>FASEB Journal</i> , 2020 , 34, 5906-5916	0.9	10
145	Housing temperature influences exercise training adaptations in mice. <i>Nature Communications</i> , 2020 , 11, 1560	17.4	23
144	Pharmacological targeting of $\beta 4$ nicotinic receptors improves peripheral insulin sensitivity in mice with diet-induced obesity. <i>Diabetologia</i> , 2020 , 63, 1236-1247	10.3	3
143	Coingestion of protein and carbohydrate in the early recovery phase, compared with carbohydrate only, improves endurance performance despite similar glycogen degradation and AMPK phosphorylation. <i>Journal of Applied Physiology</i> , 2020 , 129, 297-310	3.7	7
142	Perfusion controls muscle glucose uptake by altering the rate of glucose dispersion in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 318, E311-E312	6	3
141	Circulating Follistatin and Activin A and Their Regulation by Insulin in Obesity and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	10
140	A Single Bout of One-Legged Exercise to Local Exhaustion Decreases Insulin Action in Nonexercised Muscle Leading to Decreased Whole-Body Insulin Action. <i>Diabetes</i> , 2020 , 69, 578-590	0.9	9
139	Prior exercise in humans redistributes intramuscular GLUT4 and enhances insulin-stimulated sarcolemmal and endosomal GLUT4 translocation. <i>Molecular Metabolism</i> , 2020 , 39, 100998	8.8	12
138	The p21-activated kinase 2 (PAK2), but not PAK1, regulates contraction-stimulated skeletal muscle glucose transport. <i>Physiological Reports</i> , 2020 , 8, e14460	2.6	6
137	Growth Factor-Dependent and -Independent Activation of mTORC2. <i>Trends in Endocrinology and Metabolism</i> , 2020 , 31, 13-24	8.8	14
136	Insulin-induced membrane permeability to glucose in human muscles at rest and following exercise. <i>Journal of Physiology</i> , 2020 , 598, 303-315	3.9	21
135	Glucometabolic consequences of acute and prolonged inhibition of fatty acid oxidation. <i>Journal of Lipid Research</i> , 2020 , 61, 10-19	6.3	15
134	Mechanisms Underlying Absent Training-Induced Improvement in Insulin Action in Lean, Hyperandrogenic Women With Polycystic Ovary Syndrome. <i>Diabetes</i> , 2020 , 69, 2267-2280	0.9	5
133	The insulin-sensitizing effect of a single exercise bout is similar in type I and type II human muscle fibres. <i>Journal of Physiology</i> , 2020 , 598, 5687-5699	3.9	7
132	Thyroid hormone receptor β in skeletal muscle is essential for T3-mediated increase in energy expenditure. <i>FASEB Journal</i> , 2020 , 34, 15480-15491	0.9	10

131	Insulin-stimulated glucose uptake partly relies on p21-activated kinase (PAK)2, but not PAK1, in mouse skeletal muscle. <i>Journal of Physiology</i> , 2020 , 598, 5351-5377	3.9	10
130	Epigenome- and Transcriptome-wide Changes in Muscle Stem Cells from Low Birth Weight Men. <i>Endocrine Research</i> , 2020 , 45, 58-71	1.9	4
129	Fatty acid type-specific regulation of SIRT1 does not affect insulin sensitivity in human skeletal muscle. <i>FASEB Journal</i> , 2019 , 33, 5510-5519	0.9	3
128	Current advances in our understanding of exercise as medicine in metabolic disease. <i>Current Opinion in Physiology</i> , 2019 , 12, 12-19	2.6	28
127	Exercise Induction of Key Transcriptional Regulators of Metabolic Adaptation in Muscle Is Preserved in Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 4909-4920	5.6	6
126	TBC1D4 Is Necessary for Enhancing Muscle Insulin Sensitivity in Response to AICAR and Contraction. <i>Diabetes</i> , 2019 , 68, 1756-1766	0.9	27
125	AMPK and TBC1D1 Regulate Muscle Glucose Uptake After, but Not During, Exercise and Contraction. <i>Diabetes</i> , 2019 , 68, 1427-1440	0.9	39
124	Molecular Mechanisms in Skeletal Muscle Underlying Insulin Resistance in Women Who Are Lean With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1841-1854	5.6	30
123	Phosphoproteomics reveals conserved exercise-stimulated signaling and AMPK regulation of store-operated calcium entry. <i>EMBO Journal</i> , 2019 , 38, e102578	13	22
122	Rapid radiochemical filter paper assay for determination of hexokinase activity and affinity for glucose-6-phosphate. <i>Journal of Applied Physiology</i> , 2019 , 127, 661-667	3.7	3
121	Cytosolic ROS production by NADPH oxidase 2 regulates muscle glucose uptake during exercise. <i>Nature Communications</i> , 2019 , 10, 4623	17.4	81
120	Effect of bariatric surgery on plasma GDF15 in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E615-E621	6	13
119	Metformin does not compromise energy status in human skeletal muscle at rest or during acute exercise: A randomised, crossover trial. <i>Physiological Reports</i> , 2019 , 7, e14307	2.6	10
118	Effects of one-legged high-intensity interval training on insulin-mediated skeletal muscle glucose homeostasis in patients with type 2 diabetes. <i>Acta Physiologica</i> , 2019 , 226, e13245	5.6	12
117	β-Agonist Induces Net Leg Glucose Uptake and Free Fatty Acid Release at Rest but Not During Exercise in Young Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 647-657	5.6	4
116	ADAMTS9 Regulates Skeletal Muscle Insulin Sensitivity Through Extracellular Matrix Alterations. <i>Diabetes</i> , 2019 , 68, 502-514	0.9	11
115	Exercise training reduces the insulin-sensitizing effect of a single bout of exercise in human skeletal muscle. <i>Journal of Physiology</i> , 2019 , 597, 89-103	3.9	31
114	Identifying the Heterotrimeric Complex Stoichiometry of AMPK in Skeletal Muscle by Immunoprecipitation. <i>Methods in Molecular Biology</i> , 2018 , 1732, 203-213	1.4	1

113	Kinase Activity Determination of Specific AMPK Complexes/Heterotrimers in the Skeletal Muscle. <i>Methods in Molecular Biology</i> , 2018 , 1732, 215-228	1.4	2
112	Effects of menopause and high-intensity training on insulin sensitivity and muscle metabolism. <i>Menopause</i> , 2018 , 25, 165-175	2.5	13
111	Glucose metabolism and metabolic flexibility in cultured skeletal muscle cells is related to exercise status in young male subjects. <i>Archives of Physiology and Biochemistry</i> , 2018 , 124, 119-130	2.2	10
110	Exercise-induced molecular mechanisms promoting glycogen supercompensation in human skeletal muscle. <i>Molecular Metabolism</i> , 2018 , 16, 24-34	8.8	32
109	Serum Is Not Necessary for Prior Pharmacological Activation of AMPK to Increase Insulin Sensitivity of Mouse Skeletal Muscle. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	3
108	Quantitative proteomic characterization of cellular pathways associated with altered insulin sensitivity in skeletal muscle following high-fat diet feeding and exercise training. <i>Scientific Reports</i> , 2018 , 8, 10723	4.9	22
107	Rac1 muscle knockout exacerbates the detrimental effect of high-fat diet on insulin-stimulated muscle glucose uptake independently of Akt. <i>Journal of Physiology</i> , 2018 , 596, 2283-2299	3.9	24
106	Intact regulation of muscle expression and circulating levels of myokines in response to exercise in patients with type 2 diabetes. <i>Physiological Reports</i> , 2018 , 6, e13723	2.6	18
105	AMPK in skeletal muscle function and metabolism. <i>FASEB Journal</i> , 2018 , 32, 1741-1777	0.9	172
104	Rac1 and AMPK Account for the Majority of Muscle Glucose Uptake Stimulated by Ex Vivo Contraction but Not In Vivo Exercise. <i>Diabetes</i> , 2017 , 66, 1548-1559	0.9	37
103	Activation of Skeletal Muscle AMPK Promotes Glucose Disposal and Glucose Lowering in Non-human Primates and Mice. <i>Cell Metabolism</i> , 2017 , 25, 1147-1159.e10	24.6	139
102	Mammalian target of rapamycin complex 2 regulates muscle glucose uptake during exercise in mice. <i>Journal of Physiology</i> , 2017 , 595, 4845-4855	3.9	30
101	Variable reliability of surrogate measures of insulin sensitivity after Roux-en-Y gastric bypass. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017 , 312, R797-R805	3.2	11
100	Activation of AMP-activated protein kinase rapidly suppresses multiple pro-inflammatory pathways in adipocytes including IL-1 receptor-associated kinase-4 phosphorylation. <i>Molecular and Cellular Endocrinology</i> , 2017 , 440, 44-56	4.4	61
99	Endothelial mechanotransduction proteins and vascular function are altered by dietary sucrose supplementation in healthy young male subjects. <i>Journal of Physiology</i> , 2017 , 595, 5557-5571	3.9	13
98	Exercise Increases Human Skeletal Muscle Insulin Sensitivity via Coordinated Increases in Microvascular Perfusion and Molecular Signaling. <i>Diabetes</i> , 2017 , 66, 1501-1510	0.9	96
97	Intact initiation of autophagy and mitochondrial fission by acute exercise in skeletal muscle of patients with Type 2 diabetes. <i>Clinical Science</i> , 2017 , 131, 37-47	6.5	22
96	Opposite Regulation of Insulin Sensitivity by Dietary Lipid Versus Carbohydrate Excess. <i>Diabetes</i> , 2017 , 66, 2583-2595	0.9	37

95	Exercise-stimulated glucose uptake - regulation and implications for glycaemic control. <i>Nature Reviews Endocrinology</i> , 2017 , 13, 133-148	15.2	201
94	Enhanced Muscle Insulin Sensitivity After Contraction/Exercise Is Mediated by AMPK. <i>Diabetes</i> , 2017 , 66, 598-612	0.9	94
93	mTORC2 and AMPK differentially regulate muscle triglyceride content via Perilipin 3. <i>Molecular Metabolism</i> , 2016 , 5, 646-655	8.8	37
92	Role of AMP-Activated Protein Kinase for Regulating Post-exercise Insulin Sensitivity. <i>Exs</i> , 2016 , 107, 81-126		16
91	Rac1 governs exercise-stimulated glucose uptake in skeletal muscle through regulation of GLUT4 translocation in mice. <i>Journal of Physiology</i> , 2016 , 594, 4997-5008	3.9	71
90	Role of AMPK in regulation of LC3 lipidation as a marker of autophagy in skeletal muscle. <i>Cellular Signalling</i> , 2016 , 28, 663-74	4.9	45
89	Intact Regulation of the AMPK Signaling Network in Response to Exercise and Insulin in Skeletal Muscle of Male Patients With Type 2 Diabetes: Illumination of AMPK Activation in Recovery From Exercise. <i>Diabetes</i> , 2016 , 65, 1219-30	0.9	47
88	Globular adiponectin controls insulin-mediated vasoreactivity in muscle through AMPK. <i>Vascular Pharmacology</i> , 2016 , 78, 24-35	5.9	23
87	BMSH Stimulates Glucose Uptake in Mouse Muscle and Phosphorylates Rab-GTPase-Activating Protein TBC1D1 Independently of AMPK. <i>PLoS ONE</i> , 2016 , 11, e0157027	3.7	5
86	Metabolic and Transcriptional Changes in Cultured Muscle Stem Cells from Low Birth Weight Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2254-64	5.6	7
85	Regulation of autophagy in human skeletal muscle: effects of exercise, exercise training and insulin stimulation. <i>Journal of Physiology</i> , 2016 , 594, 745-61	3.9	57
84	Benzimidazole derivative small-molecule 991 enhances AMPK activity and glucose uptake induced by AICAR or contraction in skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 311, E706-E719	6	40
83	The Cancer Drug Dasatinib Increases PGC-1 α in Adipose Tissue but Has Adverse Effects on Glucose Tolerance in Obese Mice. <i>Endocrinology</i> , 2016 , 157, 4184-4191	4.8	1
82	Decreased spontaneous activity in AMPK α muscle specific kinase dead mice is not caused by changes in brain dopamine metabolism. <i>Physiology and Behavior</i> , 2016 , 164, 300-5	3.5	4
81	Rac1 in Muscle Is Dispensable for Improved Insulin Action After Exercise in Mice. <i>Endocrinology</i> , 2016 , 157, 3009-15	4.8	11
80	New Nordic Diet-Induced Weight Loss Is Accompanied by Changes in Metabolism and AMPK Signaling in Adipose Tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3509-19	5.6	33
79	Leukemia inhibitory factor increases glucose uptake in mouse skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 309, E142-53	6	22
78	AMPK α is essential for acute exercise-induced gene responses but not for exercise training-induced adaptations in mouse skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 309, E900-14	6	23

77	Human muscle fiber type-specific insulin signaling: impact of obesity and type 2 diabetes. <i>Diabetes</i> , 2015 , 64, 485-97	0.9	105
76	Enhanced insulin signaling in human skeletal muscle and adipose tissue following gastric bypass surgery. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015 , 309, R510-24	3.2	39
75	Effects of Exercise Training on Regulation of Skeletal Muscle Glucose Metabolism in Elderly Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 866-72	6.4	23
74	PT-1 selectively activates AMPK- α complexes in mouse skeletal muscle, but activates all three α subunit complexes in cultured human cells by inhibiting the respiratory chain. <i>Biochemical Journal</i> , 2015 , 467, 461-72	3.8	41
73	Epinephrine-stimulated glycogen breakdown activates glycogen synthase and increases insulin-stimulated glucose uptake in epitrochlearis muscles. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 308, E231-40	6	19
72	Human muscle fibre type-specific regulation of AMPK and downstream targets by exercise. <i>Journal of Physiology</i> , 2015 , 593, 2053-69	3.9	65
71	AMPK α s critical for enhancing skeletal muscle fatty acid utilization during in vivo exercise in mice. <i>FASEB Journal</i> , 2015 , 29, 1725-38	0.9	55
70	Prior AICAR stimulation increases insulin sensitivity in mouse skeletal muscle in an AMPK-dependent manner. <i>Diabetes</i> , 2015 , 64, 2042-55	0.9	87
69	Two weeks of metformin treatment induces AMPK-dependent enhancement of insulin-stimulated glucose uptake in mouse soleus muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E1099-109	6	47
68	Acute exercise and physiological insulin induce distinct phosphorylation signatures on TBC1D1 and TBC1D4 proteins in human skeletal muscle. <i>Journal of Physiology</i> , 2014 , 592, 351-75	3.9	81
67	Exercise physiology: from performance studies to muscle physiology and cardiovascular adaptations. <i>Journal of Applied Physiology</i> , 2014 , 117, 943-4	3.7	2
66	Early enhancements of hepatic and later of peripheral insulin sensitivity combined with increased postprandial insulin secretion contribute to improved glycemic control after Roux-en-Y gastric bypass. <i>Diabetes</i> , 2014 , 63, 1725-37	0.9	192
65	GLP-1 increases microvascular recruitment but not glucose uptake in human and rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E355-62	6	40
64	Is contraction-stimulated glucose transport feedforward regulated by Ca ²⁺ ?. <i>Experimental Physiology</i> , 2014 , 99, 1562-8	2.4	9
63	Contraction-stimulated glucose transport in muscle is controlled by AMPK and mechanical stress but not sarcoplasmic reticulum Ca(2+) release. <i>Molecular Metabolism</i> , 2014 , 3, 742-53	8.8	54
62	Acute mTOR inhibition induces insulin resistance and alters substrate utilization in vivo. <i>Molecular Metabolism</i> , 2014 , 3, 630-41	8.8	57
61	Akt and Rac1 signaling are jointly required for insulin-stimulated glucose uptake in skeletal muscle and downregulated in insulin resistance. <i>Cellular Signalling</i> , 2014 , 26, 323-31	4.9	101
60	AMPK controls exercise endurance, mitochondrial oxidative capacity, and skeletal muscle integrity. <i>FASEB Journal</i> , 2014 , 28, 3211-24	0.9	142

59	Rac1--a novel regulator of contraction-stimulated glucose uptake in skeletal muscle. <i>Experimental Physiology</i> , 2014 , 99, 1574-80	2.4	22
58	Increased skeletal muscle capillarization enhances insulin sensitivity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 307, E1105-16	6	34
57	Enhanced voluntary wheel running in GPRC6A receptor knockout mice. <i>Physiology and Behavior</i> , 2013 , 118, 144-51	3.5	15
56	Exercise, GLUT4, and skeletal muscle glucose uptake. <i>Physiological Reviews</i> , 2013 , 93, 993-1017	47.9	654
55	Rac1 is a novel regulator of contraction-stimulated glucose uptake in skeletal muscle. <i>Diabetes</i> , 2013 , 62, 1139-51	0.9	103
54	Effect of birth weight and 12 weeks of exercise training on exercise-induced AMPK signaling in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 304, E1379-90	6	32
53	Effect of long-term voluntary exercise wheel running on susceptibility to bacterial pulmonary infections in a mouse model. <i>PLoS ONE</i> , 2013 , 8, e82869	3.7	5
52	Carboxylesterase 1 gene duplication and mRNA expression in adipose tissue are linked to obesity and metabolic function. <i>FASEB Journal</i> , 2013 , 27, 701.6	0.9	
51	AMPK regulates contraction-induced glucose uptake in situ but not ex vivo. <i>FASEB Journal</i> , 2013 , 27, 1202.12	0.9	
50	A novel AMPK activator, PT-1, increases gamma1 AMPK-associated activity, but not gamma3 AMPK-associated activity or glucose transport. <i>FASEB Journal</i> , 2013 , 27, 1169.3	0.9	
49	Exercise-induced up-regulation of skeletal muscle Nampt protein is independent of AMP-activated protein kinase. <i>FASEB Journal</i> , 2013 , 27, lb806	0.9	
48	Rac1 is a novel regulator of stretch-induced glucose uptake in muscle. <i>FASEB Journal</i> , 2013 , 27, 1152.7	0.9	
47	EMG-normalised kinase activation during exercise is higher in human gastrocnemius compared to soleus muscle. <i>PLoS ONE</i> , 2012 , 7, e31054	3.7	18
46	Lipid-induced insulin resistance affects women less than men and is not accompanied by inflammation or impaired proximal insulin signaling. <i>Diabetes</i> , 2011 , 60, 64-73	0.9	96
45	AMP-activated protein kinase (AMPK) beta1beta2 muscle null mice reveal an essential role for AMPK in maintaining mitochondrial content and glucose uptake during exercise. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 16092-7	11.5	313
44	Effect of antioxidant supplementation on insulin sensitivity in response to endurance exercise training. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 300, E761-70	6	61
43	A new method to study changes in microvascular blood volume in muscle and adipose tissue: real-time imaging in humans and rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H450-8	5.2	61
42	Identification of a novel phosphorylation site on TBC1D4 regulated by AMP-activated protein kinase in skeletal muscle. <i>American Journal of Physiology - Cell Physiology</i> , 2010 , 298, C377-85	5.4	73

41	Knockout of the predominant conventional PKC isoform, PKC α , in mouse skeletal muscle does not affect contraction-stimulated glucose uptake. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E340-8	6	18
40	Dysregulation of glycogen synthase COOH- and NH ₂ -terminal phosphorylation by insulin in obesity and type 2 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4547-56	5.6	52
39	Genetic disruption of AMPK signaling abolishes both contraction- and insulin-stimulated TBC1D1 phosphorylation and 14-3-3 binding in mouse skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E665-75	6	123
38	Reduced malonyl-CoA content in recovery from exercise correlates with improved insulin-stimulated glucose uptake in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 296, E787-95	6	15
37	Genetic and metabolic effects on skeletal muscle AMPK in young and older twins. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E956-64	6	25
36	A-769662 activates AMPK β 1-containing complexes but induces glucose uptake through a PI3-kinase-dependent pathway in mouse skeletal muscle. <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 297, C1041-52	5.4	80
35	Genetic impairment of AMPK α 2 signaling does not reduce muscle glucose uptake during treadmill exercise in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E924-34	6	76
34	AMPK and the biochemistry of exercise: implications for human health and disease. <i>Biochemical Journal</i> , 2009 , 418, 261-75	3.8	296
33	AMPK α 1 activation is required for stimulation of glucose uptake by twitch contraction, but not by H ₂ O ₂ , in mouse skeletal muscle. <i>PLoS ONE</i> , 2008 , 3, e2102	3.7	71
32	Role of Akt substrate of 160 kDa in insulin-stimulated and contraction-stimulated glucose transport. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007 , 32, 557-66	3	141
31	Exercise improves phosphatidylinositol-3,4,5-trisphosphate responsiveness of atypical protein kinase C and interacts with insulin signalling to peptide elongation in human skeletal muscle. <i>Journal of Physiology</i> , 2007 , 582, 1289-301	3.9	33
30	Possible CaMKK-dependent regulation of AMPK phosphorylation and glucose uptake at the onset of mild tetanic skeletal muscle contraction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 292, E1308-17	6	161
29	Effects of endurance exercise training on insulin signaling in human skeletal muscle: interactions at the level of phosphatidylinositol 3-kinase, Akt, and AS160. <i>Diabetes</i> , 2007 , 56, 2093-102	0.9	137
28	Effects of acute exercise and training on insulin action and sensitivity: focus on molecular mechanisms in muscle. <i>Essays in Biochemistry</i> , 2006 , 42, 31-46	7.6	65
27	5 α -AMP activated protein kinase expression in human skeletal muscle: effects of strength training and type 2 diabetes. <i>Journal of Physiology</i> , 2005 , 564, 563-73	3.9	125
26	Knockout of the α 2 but not α 1 5 α -AMP-activated protein kinase isoform abolishes 5-aminoimidazole-4-carboxamide-1- β -D-ribofuranoside but not contraction-induced glucose uptake in skeletal muscle. <i>Journal of Biological Chemistry</i> , 2004 , 279, 1070-9	5.4	436
25	5 α -AMP-activated protein kinase activity and protein expression are regulated by endurance training in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004 , 286, E411-7	6	117
24	Differential effect of bicycling exercise intensity on activity and phosphorylation of atypical protein kinase C and extracellular signal-regulated protein kinase in skeletal muscle. <i>Journal of Physiology</i> , 2004 , 560, 909-18	3.9	31

23	Muscle- and fibre type-specific expression of glucose transporter 4, glycogen synthase and glycogen phosphorylase proteins in human skeletal muscle. <i>Pflugers Archiv European Journal of Physiology</i> , 2004 , 447, 452-6	4.6	33
22	Strength training increases insulin-mediated glucose uptake, GLUT4 content, and insulin signaling in skeletal muscle in patients with type 2 diabetes. <i>Diabetes</i> , 2004 , 53, 294-305	0.9	417
21	5QAMP-activated protein kinase activity and subunit expression in exercise-trained human skeletal muscle. <i>Journal of Applied Physiology</i> , 2003 , 94, 631-41	3.7	120
20	Regulation of 5QAMP-activated protein kinase activity and substrate utilization in exercising human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 284, E813-22	6	242
19	Invited review: effect of acute exercise on insulin signaling and action in humans. <i>Journal of Applied Physiology</i> , 2002 , 93, 384-92	3.7	94
18	Oral creatine supplementation facilitates the rehabilitation of disuse atrophy and alters the expression of muscle myogenic factors in humans. <i>Journal of Physiology</i> , 2001 , 536, 625-33	3.9	217
17	Glycogen synthase localization and activity in rat skeletal muscle is strongly dependent on glycogen content. <i>Journal of Physiology</i> , 2001 , 531, 757-69	3.9	105
16	Glucose, exercise and insulin: emerging concepts. <i>Journal of Physiology</i> , 2001 , 535, 313-22	3.9	173
15	GLUT-4 translocation in skeletal muscle studied with a cell-free assay: involvement of phospholipase D. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001 , 281, E608-18	6	23
14	Marathon running transiently increases c-Jun NH2-terminal kinase and p38 activities in human skeletal muscle. <i>Journal of Physiology</i> , 2000 , 526 Pt 3, 663-9	3.9	82
13	Caffeine ingestion does not alter carbohydrate or fat metabolism in human skeletal muscle during exercise. <i>Journal of Physiology</i> , 2000 , 529 Pt 3, 837-47	3.9	144
12	Isoform-specific and exercise intensity-dependent activation of 5QAMP-activated protein kinase in human skeletal muscle. <i>Journal of Physiology</i> , 2000 , 528 Pt 1, 221-6	3.9	327
11	DOPA, dopamine, and DOPAC concentrations in the rat gastrointestinal tract decrease during fasting. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000 , 279, E815-22	6	32
10	Exercise and insulin cause GLUT-4 translocation in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999 , 277, E733-41	6	95
9	Exercise modulates postreceptor insulin signaling and glucose transport in muscle-specific insulin receptor knockout mice. <i>Journal of Clinical Investigation</i> , 1999 , 104, 1257-64	15.9	160
8	Effects of hyperinsulinemia and hyperglycemia on insulin receptor function and glycogen synthase activation in skeletal muscle of normal man. <i>Metabolism: Clinical and Experimental</i> , 1991 , 40, 830-5	12.7	17
7	Diabetes, insulin and exercise. <i>Sports Medicine</i> , 1986 , 3, 275-88	10.6	13
6	The effect of training on responses of beta-endorphin and other pituitary hormones to insulin-induced hypoglycemia. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1985 , 54, 476-9		5

- 5 Skeletal muscle and hormonal adaptation to physical training in the rat: role of the sympatho-adrenal system. *Acta Physiologica Scandinavica*, **1985**, 123, 127-38 23
- 4 Endurance training augments the stimulatory effect of epinephrine on oxygen consumption in perfused skeletal muscle. *Acta Physiologica Scandinavica*, **1984**, 120, 613-5 17
- 3 Alpha and beta adrenergic effects on metabolism in contracting, perfused muscle. *Acta Physiologica Scandinavica*, **1982**, 116, 215-22 72
- 2 Muscle glucose metabolism following exercise in the rat: increased sensitivity to insulin. *Journal of Clinical Investigation*, **1982**, 69, 785-93 15.9 369
- 1 INFLUENCE OF THE SYMPATHO-ADRENAL SYSTEM ON MUSCLE METABOLISM DURING EXERCISE. *Clinical Physiology*, **1981**, 1, 54-59