Milo Charles Wiltbank

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1527266/milo-charles-wiltbank-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 104 4,374 34 h-index g-index citations papers 5,079 5.47 114 3.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
104	Effect of natural pre-luteolytic prostaglandin F2[bulses on the bovine luteal transcriptome during spontaneous luteal regression[] <i>Biology of Reproduction</i> , 2021 , 105, 1016-1029	3.9	O
103	Prevalence and risk factors related to anovular phenotypes in dairy cows. <i>Journal of Dairy Science</i> , 2021 , 104, 2369-2383	4	2
102	Factors That Optimize Reproductive Efficiency in Dairy Herds with an Emphasis on Timed Artificial Insemination Programs. <i>Animals</i> , 2021 , 11,	3.1	6
101	Pregnancy-induced changes in the transcriptome of the bovine corpus luteum during and after embryonic interferon-tau secretion <i>Biology of Reproduction</i> , 2021 , 105, 148-163	3.9	0
100	Hormonal combinations aiming to improve reproductive outcomes of Bos indicus cows submitted to estradiol/progesterone-based timed AI protocols. <i>Theriogenology</i> , 2021 , 169, 89-99	2.8	3
99	Effects of feeding rumen-protected methionine pre- and postpartum in multiparous Holstein cows: Lactation performance and plasma amino acid concentrations. <i>Journal of Dairy Science</i> , 2021 , 104, 7583	- 1 603	6
98	Effect of route of administration of dinoprost tromethamine on plasma profiles of 13,14-dihydro-15-keto-prostaglandin F2Dand progesterone in lactating Holstein cows. <i>JDS Communications</i> , 2021 ,	1.4	1
97	Effects of feeding rumen-protected methionine pre- and postpartum on reproductive outcomes of multiparous Holstein cows. <i>Journal of Dairy Science</i> , 2021 , 104, 11210-11225	4	О
96	Oxytocin-induced prostaglandin F2-alpha release is low in early bovine pregnancy but increases during the second month of pregnancy <i>Biology of Reproduction</i> , 2020 , 102, 412-423	3.9	1
95	Progesterone-based timed AI protocols for Bos indicus cattle II: Reproductive outcomes of either EB or GnRH-type protocol, using or not GnRH at AI. <i>Theriogenology</i> , 2020 , 145, 86-93	2.8	9
94	Progesterone-based timed AI protocols for Bos indicus cattle I: Evaluation of ovarian function. <i>Theriogenology</i> , 2020 , 145, 126-137	2.8	7
93	Progesterone-based timed AI protocols for Bos indicus cattle III: Comparison of protocol lengths. <i>Theriogenology</i> , 2020 , 152, 29-35	2.8	2
92	Identification of stable genes in the corpus luteum of lactating Holstein cows in pregnancy and luteolysis: Implications for selection of reverse-transcription quantitative PCR reference genes. Journal of Dairy Science, 2020, 103, 4846-4857	4	5
91	Up-regulation of endometrial oxytocin receptor is associated with the timing of luteolysis in heifers with two and three follicular waves <i>Biology of Reproduction</i> , 2020 , 102, 316-326	3.9	2
90	Selection of fewer dominant follicles in Trio carriers given GnRH antagonist and luteinizing hormone action replaced by nonpulsatile human chorionic gonadotropin <i>Biology of Reproduction</i> , 2020 , 103, 1217-1228	3.9	1
89	Postovulatory treatment with GnRH on day 5 reduces pregnancy loss in recipients receiving an in litro produced expanded blastocyst. <i>Theriogenology</i> , 2020 , 141, 202-210	2.8	3
88	Development of a novel 21-day reinsemination program, ReBreed21, in Bos indicus heifers. <i>Theriogenology</i> , 2020 , 155, 125-131	2.8	1

(2017-2019)

87	Profiles of prostaglandin F2Imetabolite in dairy cattle during luteal regression and pregnancy: implications for corpus luteum maintenance Biology of Reproduction, 2019, 101, 76-90	3.9	13	
86	Interferon-Tau Exerts Direct Prosurvival and Antiapoptotic Actions in Luteinized Bovine Granulosa Cells. <i>Scientific Reports</i> , 2019 , 9, 14682	4.9	5	
85	Hormonal mechanisms regulating follicular wave dynamics I: Comparison of follicle growth profiles under different physiological conditions in heifers. <i>Theriogenology</i> , 2019 , 123, 194-201	2.8	7	
84	Trio, a novel bovine high fecundity allele: III. Acquisition of dominance and ovulatory capacity at a smaller follicle size. <i>Biology of Reproduction</i> , 2018 , 98, 350-365	3.9	5	
83	Trio a novel bovine high-fecundity allele: II. Hormonal profile and follicular dynamics underlying the high ovulation rate. <i>Biology of Reproduction</i> , 2018 , 98, 335-349	3.9	5	
82	Mechanisms for rescue of corpus luteum during pregnancy: gene expression in bovine corpus luteum following intrauterine pulses of prostaglandins E1 and F2\(\textit{Biology of Reproduction}\), 2018 , 98, 465-479	3.9	17	
81	Trio, a novel high fecundity allele: I. Transcriptome analysis of granulosa cells from carriers and noncarriers of a major gene for bovine ovulation rate. <i>Biology of Reproduction</i> , 2018 , 98, 323-334	3.9	11	
80	Optimizing timed AI protocols for Angus beef heifers: Comparison of induction of synchronized ovulation with estradiol cypionate or GnRH. <i>Theriogenology</i> , 2018 , 121, 7-12	2.8	2	
79	Proteomic analysis of follicular fluid in carriers and non-carriers of the Trio allele for high ovulation rate in cattle. <i>Reproduction, Fertility and Development</i> , 2018 , 30, 1643-1650	1.8	4	
78	Evolution of fixed-time AI in dairy cattle in Brazil. Animal Reproduction, 2018, 15, 940-951	1.7	6	
77	Mechanisms regulating follicle selection in ruminants: lessons learned from multiple ovulation models. <i>Animal Reproduction</i> , 2018 , 15, 660-679	1.7	6	
76	Physiological mechanisms involved in maintaining the corpus luteum during the first two months of pregnancy. <i>Animal Reproduction</i> , 2018 , 15, 805-821	1.7	8	
75	Embryo production in heifers with low or high dry matter intake submitted to superovulation. <i>Theriogenology</i> , 2017 , 92, 30-35	2.8	4	
74	Equine chorionic gonadotropin increases fertility of grazing dairy cows that receive fixed-time artificial insemination in the early but not later postpartum period. <i>Theriogenology</i> , 2017 , 98, 36-40	2.8	4	
73	Ovulation rate, antral follicle count, and circulating anti-Mllerian hormone in Trio allele carriers, a novel high fecundity bovine genotype. <i>Theriogenology</i> , 2017 , 101, 81-90	2.8	2	
7 ²	Follicular waves and hormonal profiles during the estrous cycle of carriers and non-carriers of the Trio allele, a major bovine gene for high ovulation and fecundity. <i>Theriogenology</i> , 2017 , 100, 100-113	2.8	6	
71	Effect of feeding rumen-protected methionine on productive and reproductive performance of dairy cows. <i>PLoS ONE</i> , 2017 , 12, e0189117	3.7	25	
70	Proposal of a new model for CL regression or maintenance during pregnancy on the basis of timing of regression of contralateral, accessory CL in pregnant cows. <i>Theriogenology</i> , 2017 , 89, 214-225	2.8	15	

69	Effects of propylene glycol or elevated luteinizing hormone during follicle development on ovulation, fertilization, and early embryo development. <i>Biology of Reproduction</i> , 2017 , 97, 550-563	3.9	2
68	Effect of uterine size on fertility of lactating dairy cows. <i>Theriogenology</i> , 2016 , 85, 1357-66	2.8	27
67	Effects of dry matter and energy intake on quality of oocytes and embryos in ruminants. <i>Reproduction, Fertility and Development</i> , 2016 , 29, 58-65	1.8	5
66	Short communication: Follicle superstimulation before ovum pick-up for in vitro embryo production in Holstein cows. <i>Journal of Dairy Science</i> , 2016 , 99, 9307-9312	4	10
65	Pivotal periods for pregnancy loss during the first trimester of gestation in lactating dairy cows. <i>Theriogenology</i> , 2016 , 86, 239-53	2.8	173
64	Progesterone supplementation after ovulation: effects on corpus luteum function and on fertility of dairy cows subjected to AI or ET. <i>Theriogenology</i> , 2015 , 84, 1215-24	2.8	20
63	Effect of a second treatment with prostaglandin F2Iduring the Ovsynch protocol on luteolysis and pregnancy in dairy cows. <i>Journal of Dairy Science</i> , 2015 , 98, 8644-54	4	60
62	Relationship between circulating anti-Mllerian hormone (AMH) and superovulatory response of high-producing dairy cows. <i>Journal of Dairy Science</i> , 2015 , 98, 169-78	4	53
61	Induction of chemokines and prostaglandin synthesis pathways in luteinized human granulosa cells: potential role of luteotropin withdrawal and prostaglandin F2[In regression of the human corpus luteum. <i>Reproductive Biology</i> , 2015 , 15, 247-56	2.3	6
60	The cow as an induced ovulator: timed AI after synchronization of ovulation. <i>Theriogenology</i> , 2014 , 81, 170-85	2.8	122
59	Lack of complete regression of the Day 5 corpus luteum after one or two doses of PGF2IIn nonlactating Holstein cows. <i>Theriogenology</i> , 2014 , 81, 389-95	2.8	27
58	In vivo embryo production in cows superovulated 1 or 2 days after ovum pick-up. <i>Reproduction, Fertility and Development</i> , 2014 , 26, 527-32	1.8	3
57	Effect of feed restriction on reproductive and metabolic hormones in dairy cows. <i>Journal of Dairy Science</i> , 2014 , 97, 754-63	4	21
56	Effects of acute feed restriction combined with targeted use of increasing luteinizing hormone content of follicle-stimulating hormone preparations on ovarian superstimulation, fertilization, and embryo quality in lactating dairy cows. <i>Journal of Dairy Science</i> , 2014 , 97, 764-78	4	10
55	Relationships between fertility and postpartum changes in body condition and body weight in lactating dairy cows. <i>Journal of Dairy Science</i> , 2014 , 97, 3666-83	4	68
54	Effects of deep-horn AI on fertilization and embryo production in superovulated cows and heifers. <i>Theriogenology</i> , 2013 , 80, 1074-81	2.8	14
53	Effect of increasing GnRH and PGF2Idose during Double-Ovsynch on ovulatory response, luteal regression, and fertility of lactating dairy cows. <i>Theriogenology</i> , 2013 , 80, 773-83	2.8	261
52	Effect of glucocorticoid-induced insulin resistance on follicle development and ovulation. <i>Biology of Reproduction</i> , 2013 , 88, 153	3.9	21

(2009-2013)

51	Gonadotropin-releasing hormone, estradiol, and inhibin regulation of follicle-stimulating hormone and luteinizing hormone surges: implications for follicle emergence and selection in heifers. <i>Biology of Reproduction</i> , 2013 , 88, 165	3.9	30
50	Estradiol and progesterone exhibit similar patterns of hepatic gene expression regulation in the bovine model. <i>PLoS ONE</i> , 2013 , 8, e73552	3.7	4
49	Effect of maternal methionine supplementation on the transcriptome of bovine preimplantation embryos. <i>PLoS ONE</i> , 2013 , 8, e72302	3.7	63
48	RNA-Seq analysis uncovers transcriptomic variations between morphologically similar in vivo- and in vitro-derived bovine blastocysts. <i>BMC Genomics</i> , 2012 , 13, 118	4.5	82
47	Patterns of gene expression in the bovine corpus luteum following repeated intrauterine infusions of low doses of prostaglandin F2alpha. <i>Biology of Reproduction</i> , 2012 , 86, 130	3.9	65
46	Improving fertility to timed artificial insemination by manipulation of circulating progesterone concentrations in lactating dairy cattle. <i>Reproduction, Fertility and Development</i> , 2011 , 24, 238-43	1.8	78
45	Managing the dominant follicle in lactating dairy cows. <i>Theriogenology</i> , 2011 , 76, 1568-82	2.8	66
44	Induction of mRNA for chemokines and chemokine receptors by prostaglandin F2[]s dependent upon stage of the porcine corpus luteum and intraluteal progesterone. <i>Endocrinology</i> , 2011 , 152, 2797-	8 0 5	20
43	Effect of decreasing intraluteal progesterone on sensitivity of the early porcine corpus luteum to the luteolytic actions of prostaglandin F2alpha. <i>Biology of Reproduction</i> , 2011 , 84, 26-33	3.9	17
42	The role of luteinizing hormone in regulating gene expression during selection of a dominant follicle in cattle. <i>Biology of Reproduction</i> , 2011 , 84, 369-78	3.9	67
41	Effect of Progesterone Concentration During Follicle Development on Subsequent Ovulation, Fertilization, and Early Embryo Development in Lactating Dairy Cows <i>Biology of Reproduction</i> , 2011 , 85, 685-685	3.9	8
40	Factors affecting fertilisation and early embryo quality in single- and superovulated dairy cattle. <i>Reproduction, Fertility and Development</i> , 2010 , 22, 151-8	1.8	90
39	Management of dry and transition cows to improve energy balance and reproduction. <i>Journal of Reproduction and Development</i> , 2010 , 56 Suppl, S22-8	2.1	26
38	Comparison among Different Doses of Prostaglandin F2alpha (PGF) on Luteal Function of the Day 5 Corpus Luteum (CL) in Nonlactating Holstein Cows <i>Biology of Reproduction</i> , 2010 , 83, 225-225	3.9	
37	Effect of Glucocorticoid Treatment to Induce Insulin Resistance on Follicle Development and Ovulation <i>Biology of Reproduction</i> , 2010 , 83, 600-600	3.9	
36	Managing the dominant follicle in high-producing dairy cows. <i>Society of Reproduction and Fertility Supplement</i> , 2010 , 67, 231-45		
35	Role of follicular estradiol-17beta in timing of luteolysis in heifers. <i>Biology of Reproduction</i> , 2009 , 81, 426-37	3.9	70
34	Effect of Organic Zinc, Manganese, Copper, and Cobalt on Follicular Growth, Embryo Quality, and Tissue Mineral Concentrations in Lactating Dairy Cows <i>Biology of Reproduction</i> , 2009 , 81, 490-490	3.9	1

33	Stage-Specific Responses in Gene Expression and Signaling Pathway Activation after Treatment with Prostaglandin F2 Alpha (PGF) and Interferon-Gamma (IFNG) in Bovine Corpus Luteum (CL) and Luteinizing Granulosa Cells <i>Biology of Reproduction</i> , 2009 , 81, 53-53	3.9	
32	A new presynchronization system (Double-Ovsynch) increases fertility at first postpartum timed AI in lactating dairy cows. <i>Theriogenology</i> , 2008 , 70, 208-15	2.8	388
31	DO ESTRADIOL AND PROGESTERONE REGULATE THEIR OWN METABOLISM?. <i>Biology of Reproduction</i> , 2007 , 77, 214-214	3.9	
30	Distinct regulation by steroids of messenger RNAs for FSHR and CYP19A1 in bovine granulosa cells. <i>Biology of Reproduction</i> , 2006 , 75, 217-25	3.9	85
29	Changes in reproductive physiology of lactating dairy cows due to elevated steroid metabolism. <i>Theriogenology</i> , 2006 , 65, 17-29	2.8	271
28	Acquisition of luteolytic capacity involves differential regulation by prostaglandin F2alpha of genes involved in progesterone biosynthesis in the porcine corpus luteum. <i>Domestic Animal Endocrinology</i> , 2005 , 28, 172-89	2.3	28
27	Length of progesterone exposure needed to resolve large follicle anovular condition in dairy cows. <i>Theriogenology</i> , 2005 , 63, 202-18	2.8	39
26	Reproductive hormones and follicular growth during development of one or multiple dominant follicles in cattle. <i>Biology of Reproduction</i> , 2005 , 72, 788-95	3.9	68
25	Follicular cysts occur after a normal estradiol-induced GnRH/LH surge if the corpus hemorrhagicum is removed. <i>Reproduction</i> , 2005 , 129, 737-45	3.8	21
24	Development and use of an ovarian synchronization model to study the effects of endogenous estrogen and nitric oxide on uterine blood flow during ovarian cycles in sheep. <i>Biology of Reproduction</i> , 2004 , 70, 1886-94	3.9	44
23	Acquisition of luteolytic capacity: changes in prostaglandin F2alpha regulation of steroid hormone receptors and estradiol biosynthesis in pig corpora lutea. <i>Biology of Reproduction</i> , 2004 , 70, 1333-9	3.9	32
22	Regulation of intraluteal production of prostaglandins. <i>Reproductive Biology and Endocrinology</i> , 2003 , 1, 91	5	67
21	Endothelial vasodilator production by uterine and systemic arteries. VIII. Estrogen and progesterone effects on cPLA2, COX-1, and PGIS protein expression. <i>Biology of Reproduction</i> , 2002 , 66, 468-74	3.9	41
20	Transcriptional regulation of the cyclooxygenase-2 gene changes from protein kinase (PK) A- to PKC-dependence after luteinization of granulosa cells. <i>Biology of Reproduction</i> , 2002 , 66, 1505-14	3.9	34
19	An alteration in the hypothalamic action of estradiol due to lack of progesterone exposure can cause follicular cysts in cattle. <i>Biology of Reproduction</i> , 2002 , 66, 1689-95	3.9	61
18	Differential regulation of prostaglandin endoperoxide synthase-2 transcription in ovine granulosa and large luteal cells. <i>Prostaglandins and Other Lipid Mediators</i> , 2001 , 65, 103-16	3.7	9
17	Follicular deviation and acquisition of ovulatory capacity in bovine follicles. <i>Biology of Reproduction</i> , 2001 , 65, 1403-9	3.9	230
16	Prostaglandin F(2alpha) receptor in the corpus luteum: recent information on the gene, messenger ribonucleic acid, and protein. <i>Biology of Reproduction</i> , 2001 , 64, 1041-7	3.9	49

LIST OF PUBLICATIONS

15	Transcriptional regulation of cyclooxygenase-2 gene in ovine large luteal cells. <i>Biology of Reproduction</i> , 2001 , 65, 1565-72	3.9	18
14	Actions of prostaglandin F2alpha and prolactin on intercellular adhesion molecule-1 expression and monocyte/macrophage accumulation in the rat corpus luteum. <i>Biology of Reproduction</i> , 2001 , 64, 890-7	3.9	7
13	Determination of transfection efficiency by direct polymerase chain reaction. <i>Analytical Biochemistry</i> , 1999 , 271, 108-11	3.1	5
12	Relationship between follicular development and the decline in the follicle-stimulating hormone surge in heifers. <i>Biology of Reproduction</i> , 1999 , 60, 72-7	3.9	35
11	Effect of time of artificial insemination on pregnancy rates, calving rates, pregnancy loss, and gender ratio after synchronization of ovulation in lactating dairy cows. <i>Journal of Dairy Science</i> , 1998 , 81, 2139-44	4	189
10	Prostaglandin F2alpha regulates distinct physiological changes in early and mid-cycle bovine corpora lutea. <i>Biology of Reproduction</i> , 1998 , 58, 346-52	3.9	146
9	Hormonal regulation of monocyte chemoattractant protein-1 messenger ribonucleic acid expression in corpora lutea. <i>Endocrinology</i> , 1997 , 138, 4517-20	4.8	56
8	Prostaglandin F2alpha induces expression of prostaglandin G/H synthase-2 in the ovine corpus luteum: a potential positive feedback loop during luteolysis. <i>Biology of Reproduction</i> , 1997 , 57, 1016-22	3.9	99
7	Reproductive management of lactating dairy cows using synchronization of ovulation. <i>Journal of Dairy Science</i> , 1997 , 80, 301-6	4	274
6	Quantification of mRNA using competitive RT-PCR with standard-curve methodology. <i>BioTechniques</i> , 1996 , 21, 862-6	2.5	99
5	Cell types and hormonal mechanisms associated with mid-cycle corpus luteum function. <i>Journal of Animal Science</i> , 1994 , 72, 1873-83	0.7	63
4	Regulation of cytochrome P450scc synthesis and activity in the ovine corpus luteum. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1994 , 51, 283-90	5.1	20
3	Proteins secreted from the early ovine conceptus block the action of prostaglandin F2 alpha on large luteal cells. <i>Biology of Reproduction</i> , 1992 , 46, 475-82	3.9	18
2	Regulation of the corpus luteum by protein kinase C. II. Inhibition of lipoprotein-stimulated steroidogenesis by prostaglandin F2 alpha. <i>Biology of Reproduction</i> , 1990 , 42, 239-45	3.9	63
1	Regulation of blood flow to the rabbit corpus luteum: effects of estradiol and human chorionic gonadotropin. <i>Endocrinology</i> , 1989 , 124, 605-11	4.8	29