

# Takaki Toda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/152754/publications.pdf>

Version: 2024-02-01

9  
papers

80  
citations

1478505

6  
h-index

1588992

8  
g-index

10  
all docs

10  
docs citations

10  
times ranked

107  
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel high-performance liquid chromatography-tandem mass spectrometry method for simultaneous quantification of BCR-ABL and Bruton's tyrosine kinase inhibitors and their three active metabolites in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1137, 121928.	2.3	24
2	Angiotensin II Receptor Blockers Inhibit the Generation of Epoxyeicosatrienoic Acid from Arachidonic Acid in Recombinant CYP2C9, CYP2J2 and Human Liver Microsomes. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 239-245.	2.5	14
3	Effects of Angiotensin II Receptor Blockers on Metabolism of Arachidonic Acid &via&/i>; CYP2C8. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 1975-1979.	1.4	11
4	An Liquid Chromatography-Tandem Mass Spectrometry Method for the Simultaneous Determination of Afatinib, Alectinib, Ceritinib, Crizotinib, Dacomitinib, Erlotinib, Gefitinib, and Osimertinib in Human Serum. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 772-779.	2.0	9
5	Simultaneous Determination Method of Epoxyeicosatrienoic Acids and Dihydroxyeicosatrienoic Acids by LC-MS/MS System. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 1673-1679.	1.4	8
6	Simultaneous Quantification of BCR-ABL and Bruton Tyrosine Kinase Inhibitors in Dried Plasma Spots and Its Application to Clinical Sample Analysis. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 386-393.	2.0	8
7	Interior Temperature and Relative Humidity of an Envelope During Mail Transport by the Japan Post in the Summer: Preliminary Study for a Stability Test of Dried Blood Spot Samples Sent as Regular Mail. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 628-633.	2.0	4
8	Pharmacokinetics of Testosterone Enanthate After Intramuscular Injection for Transgender Men. <i>Androgens: Clinical Research and Therapeutics</i> , 2020, 1, 15-21.	0.5	2
9	Effects of angiotensin II receptor blockers on serum levels of epoxyeicosatrienoic acids and dihydroxyeicosatrienoic acids in patients admitted to a cardiovascular center. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 887-894.	1.9	0