Bhumsuk Keam

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1531235/bhumsuk-keam-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

236 6,600 40 73 g-index

256 8,567 4.7 5.67 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
236	Hospice-Palliative Medicine as a Model of Value-Based Healthcare <i>Journal of Korean Medical Science</i> , 2022 , 37, e111	4.7	1
235	Gini's mean difference and the long-term prognostic value of nodal quanta classes after pre-operative chemotherapy in advanced breast cancer <i>Scientific Reports</i> , 2022 , 12, 2983	4.9	
234	Problems Related to the Act on Decisions on Life-Sustaining Treatment and Directions for Improvement. <i>The Korean Journal of Hospice and Palliative Care</i> , 2022 , 25, 1-11	0.5	2
233	Prognostic model in patients with metastatic urothelial carcinoma receiving immune checkpoint inhibitors after platinum failure <i>Current Problems in Cancer</i> , 2022 , 46, 100848	2.3	О
232	The Impact of COVID-19 on Cancer Care in a Tertiary Hospital in Korea: Possible Collateral Damage to Emergency Care <i>Epidemiology and Health</i> , 2022 , e2022044	5.6	1
231	Comparable Clinical Outcome Using Small or Large Gross Tumor Volume-to-Clinical Target Volume Margin Expansion in Neoadjuvant Chemoradiotherapy for Esophageal Squamous Cell Carcinoma. <i>Journal of Oncology</i> , 2022 , 2022, 1-10	4.5	
230	433 A phase 2 study of evorpacept (ALX148) in combination with pembrolizumab and chemotherapy in patients with advanced head and neck squamous cell carcinoma (HNSCC); ASPEN-04 2021 , 9, A463-A463		
229	439 A phase 2 study of evorpacept (ALX148) in combination with pembrolizumab in patients with advanced head and neck squamous cell carcinoma (HNSCC); ASPEN-03 2021 , 9, A469-A469		
228	Lymph Node Ratio after Neoadjuvant Chemotherapy for Stage II/III Breast Cancer: Prognostic Value Measured with Gini's Mean Difference of Restricted Mean Survival Times. <i>Cancer Informatics</i> , 2021 , 20, 11769351211051675	2.4	1
227	Soluble PD-L1 is a predictive and prognostic biomarker in advanced cancer patients who receive immune checkpoint blockade treatment. <i>Scientific Reports</i> , 2021 , 11, 19712	4.9	7
226	Temporal evolution of programmed death-ligand 1 expression in patients with non-small cell lung cancer. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 975-984	2.5	1
225	Genotypic and Phenotypic Characteristics of Hereditary Leiomyomatosis and Renal Cell Cancer Syndrome in Korean Patients. <i>Annals of Laboratory Medicine</i> , 2021 , 41, 207-213	3.1	1
224	Comprehensive Analysis of Mutation-Based and Expressed Genes-Based Pathways in Head and Neck Squamous Cell Carcinoma. <i>Processes</i> , 2021 , 9, 792	2.9	1
223	A phase II study of brentuximab vedotin in patients with relapsed or refractory Epstein-Barr virus-positive and CD30-positive lymphomas. <i>Haematologica</i> , 2021 , 106, 2277-2280	6.6	1
222	Difficulties Doctors Experience during Life-Sustaining Treatment Discussion after Enactment of the Life-Sustaining Treatment Decisions Act: A Cross-Sectional Study. <i>Cancer Research and Treatment</i> , 2021 , 53, 584-592	5.2	1
221	Analysis of the CLEAR study in patients (pts) with advanced renal cell carcinoma (RCC): Depth of response and efficacy for selected subgroups in the lenvatinib (LEN) + pembrolizumab (PEMBRO) and sunitinib (SUN) treatment arms <i>Journal of Clinical Oncology</i> , 2021 , 39, 4560-4560	2.2	6
220	Cabozantinib versus placebo in patients with radioiodine-refractory differentiated thyroid cancer who have progressed after prior VEGFR-targeted therapy: Results from the phase 3 COSMIC-311 trial <i>Journal of Clinical Oncology</i> , 2021 , 39, 6001-6001	2.2	1

219	Practical Considerations in Providing End-of-Life Care for Dying Patients and Their Family in the Era of COVID-19. <i>The Korean Journal of Hospice and Palliative Care</i> , 2021 , 24, 130-134	0.5	2
218	Effects of percutaneous injection laryngoplasty on voice and swallowing problems in cancer-related unilateral vocal cord paralysis. <i>Laryngoscope Investigative Otolaryngology</i> , 2021 , 6, 800-80	0 2 .8	О
217	A phase I study of IMC-001, a PD-L1 blocker, in patients with metastatic or locally advanced solid tumors. <i>Investigational New Drugs</i> , 2021 , 39, 1624-1632	4.3	
216	Impact of family caregivers' awareness of the prognosis on their quality of life/depression and those of patients with advanced cancer: a prospective cohort study. <i>Supportive Care in Cancer</i> , 2021 , 29, 397-407	3.9	7
215	Pan-cancer methylation analysis reveals an inverse correlation of tumor immunogenicity with methylation aberrancy. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 1605-1617	7.4	2
214	Clinical pattern of failure after a durable response to immune check inhibitors in non-small cell lung cancer patients. <i>Scientific Reports</i> , 2021 , 11, 2514	4.9	1
213	Discovery of acquired molecular signature on immune checkpoint inhibitors in paired tumor tissues. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 1755-1769	7.4	2
212	Programmed death-ligand 1 expression level as a predictor of EGFR tyrosine kinase inhibitor efficacy in lung adenocarcinoma. <i>Translational Lung Cancer Research</i> , 2021 , 10, 699-711	4.4	2
211	Real-World Clinical Outcomes and Prognostic Factors for Patients with Advanced Angiosarcoma who Received Systemic Treatment. <i>Cancer Research and Treatment</i> , 2021 , 53, 1195-1203	5.2	2
210	Acquired Resistance to Third-Generation EGFR Tyrosine Kinase Inhibitors in Patients With De Novo EGFR-Mutant NSCLC. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 1859-1871	8.9	2
209	Abstract CT103: Phase I study of LHC165 ⊞ spartalizumab (PDR001) in patients (pts) with advanced solid tumors 2021 ,		2
208	Outcomes and Biomarkers of Immune Checkpoint Inhibitor Therapy in Patients with Refractory Head and Neck Squamous Cell Carcinoma: KCSG HN18-12. <i>Cancer Research and Treatment</i> , 2021 , 53, 671	-56 7 7	4
207	Cabozantinib for radioiodine-refractory differentiated thyroid cancer (COSMIC-311): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2021 , 22, 1126-1138	21.7	31
206	Cancer Patients' Willingness to Take COVID-19 Vaccination: A Nationwide Multicenter Survey in Korea. <i>Cancers</i> , 2021 , 13,	6.6	14
205	Pralsetinib for patients with advanced or metastatic RET-altered thyroid cancer (ARROW): a multi-cohort, open-label, registrational, phase 1/2 study. <i>Lancet Diabetes and Endocrinology,the</i> , 2021 , 9, 491-501	18.1	41
204	Korean Version of the Patient Dignity Inventory: Translation and Validation in Patients With Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 416-424.e2	4.8	
203	Tumor LAG-3 and NY-ESO-1 expression predict durable clinical benefits of immune checkpoint inhibitors in advanced non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021 , 12, 619-630	3.2	3
202	Newly Identified Members of FGFR1 Splice Variants Engage in Cross-talk with AXL/AKT Axis in Salivary Adenoid Cystic Carcinoma. <i>Cancer Research</i> , 2021 , 81, 1001-1013	10.1	3

201	Role of concurrent chemoradiation on locally advanced unresectable adenoid cystic carcinoma. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 175-181	2.5	4	
200	Re-irradiation for recurrent or second primary head and neck cancer <i>Radiation Oncology Journal</i> , 2021 , 39, 279-287	2.5	1	
199	Care for critically and terminally ill patients and moral distress of physicians and nurses in tertiary hospitals in South Korea: A qualitative study <i>PLoS ONE</i> , 2021 , 16, e0260343	3.7	1	
198	Efficacy of cyclophosphamide, doxorubicin, and cisplatin for adenoid cystic carcinoma, and their relationship with the pre-chemotherapy tumor growth rate. <i>Chinese Clinical Oncology</i> , 2020 , 9, 15	2.3	5	
197	Cell-Mediated Immunogenicity of Influenza Vaccination in Patients With Cancer Receiving Immune Checkpoint Inhibitors. <i>Journal of Infectious Diseases</i> , 2020 , 222, 1902-1909	7	17	
196	Phase IA/IB study of single-agent tislelizumab, an investigational anti-PD-1 antibody, in solid tumors 2020 , 8,		30	
195	A multicenter, phase I, pharmacokinetic study of osimertinib in cancer patients with normal renal function or severe renal impairment. <i>Pharmacology Research and Perspectives</i> , 2020 , 8, e00613	3.1	1	
194	Gene Signature for Sorafenib Susceptibility in Hepatocellular Carcinoma: Different Approach with a Predictive Biomarker. <i>Liver Cancer</i> , 2020 , 9, 182-192	9.1	8	
193	The Impacts of Prognostic Awareness on Mood and Quality of Life Among Patients With Advanced Cancer. <i>American Journal of Hospice and Palliative Medicine</i> , 2020 , 37, 904-912	2.6	3	
192	Efficacy and Tolerability of Tremelimumab in Locally Advanced or Metastatic Urothelial Carcinoma Patients Who Have Failed First-Line Platinum-Based Chemotherapy. <i>Clinical Cancer Research</i> , 2020 , 26, 61-70	12.9	14	
191	Clinical activity of the RET inhibitor pralsetinib (BLU-667) in patients with RET fusion+ solid tumors Journal of Clinical Oncology, 2020 , 38, 109-109	2.2	37	
190	Randomized phase II study of axitinib versus observation in patients with recurred or metastatic adenoid cystic carcinoma <i>Journal of Clinical Oncology</i> , 2020 , 38, 6503-6503	2.2	10	
189	A phase II open-label, multicenter, study to evaluate the efficacy and safety of rivoceranib in subjects with recurrent or metastatic adenoid cystic carcinoma <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS6597-TPS6597	2.2	0	
188	Barriers to Counseling on Advance Directives Based on Counselors Experiences: Focus Group Interviews. <i>The Korean Journal of Hospice and Palliative Care</i> , 2020 , 23, 126-138	0.5		
187	Squamous cell carcinoma of head and neck: what internists should know. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 1031-1044	2.5	5	
186	Treatment strategy for papillary renal cell carcinoma type 2: a case series of seven patients treated based on next generation sequencing data. <i>Annals of Translational Medicine</i> , 2020 , 8, 1389	3.2		
185	Implication of the Life-Sustaining Treatment Decisions Act on End-of-Life Care for Korean Terminal Patients. <i>Cancer Research and Treatment</i> , 2020 , 52, 917-924	5.2	12	
184	Immunogenicity of Influenza Vaccination in Patients with Cancer Receiving Immune Checkpoint Inhibitors. <i>Clinical Infectious Diseases</i> , 2020 , 71, 422-425	11.6	18	

183	Severe late dysphagia after multimodal treatment of stage III/IV laryngeal and hypopharyngeal cancer. <i>Japanese Journal of Clinical Oncology</i> , 2020 , 50, 185-192	2.8	8
182	Combined blockade of polo-like kinase and pan-RAF is effective against NRAS-mutant non-small cell lung cancer cells. <i>Cancer Letters</i> , 2020 , 495, 135-144	9.9	3
181	Phase II study of durvalumab and tremelimumab in pulmonary sarcomatoid carcinoma: KCSG-LU16-07. <i>Thoracic Cancer</i> , 2020 , 11, 3482-3489	3.2	5
180	Hyperprogressive disease and its clinical impact in patients with recurrent and/or metastatic head and neck squamous cell carcinoma treated with immune-checkpoint inhibitors: Korean cancer study group HN 18-12. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 3359-3369	4.9	5
179	HLA-B27 association of autoimmune encephalitis induced by PD-L1 inhibitor. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 2243-2250	5.3	8
178	Safety and Clinical Activity of MEDI0562, a Humanized OX40 Agonist Monoclonal Antibody, in Adult Patients with Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2020 , 26, 5358-5367	12.9	27
177	Durvalumab alone and durvalumab plus tremelimumab versus chemotherapy in previously untreated patients with unresectable, locally advanced or metastatic urothelial carcinoma (DANUBE): a randomised, open-label, multicentre, phase 3 trial. <i>Lancet Oncology, The</i> , 2020 , 21, 1574-1	21.7 588	115
176	Treatment strategy and outcomes in locally advanced head and neck squamous cell carcinoma: a nationwide retrospective cohort study (KCSG HN13-01). <i>BMC Cancer</i> , 2020 , 20, 813	4.8	9
175	Tumor immune profiles noninvasively estimated by FDG PET with deep learning correlate with immunotherapy response in lung adenocarcinoma. <i>Theranostics</i> , 2020 , 10, 10838-10848	12.1	18
174	Anti-tumor effects of NK cells and anti-PD-L1 antibody with antibody-dependent cellular cytotoxicity in PD-L1-positive cancer cell lines 2020 , 8,		18
173	Clinical Application of Next-Generation Sequencing-Based Panel to Wild-Type Advanced Melanoma Identifies Key Oncogenic Alterations and Therapeutic Strategies. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 937-944	6.1	7
172	A phase 1 study of oral ASP5878, a selective small-molecule inhibitor of fibroblast growth factor receptors 1-4, as a single dose and multiple doses in patients with solid malignancies. <i>Investigational New Drugs</i> , 2020 , 38, 445-456	4.3	9
171	The efficacy of immune checkpoint inhibitors in anaplastic lymphoma kinase-positive non-small cell lung cancer. <i>Thoracic Cancer</i> , 2019 , 10, 2117-2123	3.2	4
	A phase II study of pembrolizumah and paclitavel in patients with selanced as seferations and sell-		
170	A phase II study of pembrolizumab and paclitaxel in patients with relapsed or refractory small-cell lung cancer. <i>Lung Cancer</i> , 2019 , 136, 122-128	5.9	19
170 169		5.9 4.9	19 26
	lung cancer. <i>Lung Cancer</i> , 2019 , 136, 122-128 Prognostic value of the association between MHC class I downregulation and PD-L1 upregulation in		
169	Prognostic value of the association between MHC class I downregulation and PD-L1 upregulation in head and neck squamous cell carcinoma patients. <i>Scientific Reports</i> , 2019 , 9, 7680 First-line Pembrolizumab Versus Pembrolizumab Plus Chemotherapy Versus Chemotherapy Alone in Non-small-cell Lung Cancer: A Systematic Review and Network Meta-analysis. <i>Clinical Lung</i>	4.9	26

165	A Phase II Study of Genexol-PM and Cisplatin as Induction Chemotherapy in Locally Advanced Head and Neck Squamous Cell Carcinoma. <i>Oncologist</i> , 2019 , 24, 751-e231	5.7	10
164	Immune-Checkpoint-Inhibitor-Induced Severe Autoimmune Encephalitis Treated by Steroid and Intravenous Immunoglobulin. <i>Journal of Clinical Neurology (Korea</i> , 2019 , 15, 259-261	1.7	16
163	Pemetrexed in the Treatment of Leptomeningeal Metastasis in Patients With EGFR-mutant Lung Cancer. <i>Clinical Lung Cancer</i> , 2019 , 20, e442-e451	4.9	10
162	Preclinical Modeling of Osimertinib for NSCLC With EGFR Exon 20 Insertion Mutations. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 1556-1566	8.9	15
161	Programmed cell death ligand-1-mediated enhancement of hexokinase 2 expression is inversely related to T-cell effector gene expression in non-small-cell lung cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 462	12.8	21
160	Efficacy of a Decision Aid Consisting of a Video and Booklet on Advance Care Planning for Advanced Cancer Patients: Randomized Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 940-948.e2	4.8	5
159	Evaluation of safety and tolerability of durvalumab (D) and tremelimumab (T) in combination with first-line chemotherapy in patients (pts) with esophageal squamous-cell carcinoma (ESCC) <i>Journal of Clinical Oncology</i> , 2019 , 37, 146-146	2.2	4
158	Interim analysis of ibrutinib plus paclitaxel for patients with metastatic urothelial carcinoma previously treated with platinum-based chemotherapy <i>Journal of Clinical Oncology</i> , 2019 , 37, 365-365	2.2	1
157	Clinical significance of rituximab infusion-related reaction in diffuse large B-cell lymphoma patients receiving R-CHOP. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 885-893	2.5	3
156	Poor prognostic factors in human papillomavirus-positive head and neck cancer: who might not be candidates for de-escalation treatment?. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 1313-1323	2.5	10
155	Clinical factors affecting progression-free survival with crizotinib in ALK-positive non-small cell lung cancer. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 1116-1124	2.5	3
154	Establishment of the Seoul National University Prospectively Enrolled Registry for Genitourinary Cancer (SUPER-GUC): A prospective, multidisciplinary, bio-bank linked cohort and research platform. <i>Investigative and Clinical Urology</i> , 2019 , 60, 235-243	1.9	10
153	The Risk of Herpes Zoster in Patients with Non-small Cell Lung Cancer according to Chemotherapy Regimens: Tyrosine Kinase Inhibitors versus Cytotoxic Chemotherapy. <i>Cancer Research and Treatment</i> , 2019 , 51, 169-177	5.2	3
152	Investigating the Feasibility of Targeted Next-Generation Sequencing to Guide the Treatment of Head and Neck Squamous Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2019 , 51, 300-312	5.2	23
151	Acquired Resistance of MET-Amplified Non-small Cell Lung Cancer Cells to the MET Inhibitor Capmatinib. <i>Cancer Research and Treatment</i> , 2019 , 51, 951-962	5.2	27
150	TRIUMPH Trial: One Small Step Could Become One Giant Leap for Precision Oncology in Head and Neck Cancer. <i>Cancer Research and Treatment</i> , 2019 , 51, 413-414	5.2	5
149	Alterations in PD-L1 Expression Associated with Acquisition of Resistance to ALK Inhibitors in ALK-Rearranged Lung Cancer. <i>Cancer Research and Treatment</i> , 2019 , 51, 1231-1240	5.2	9
148	The Prognostic Value of Albumin-to-Alkaline Phosphatase Ratio before Radical Radiotherapy in Patients with Non-metastatic Nasopharyngeal Carcinoma: A Propensity Score Matching Analysis. <i>Cancer Research and Treatment</i> , 2019 , 51, 1313-1323	5.2	20

(2018-2019)

147	Bevacizumab Plus Erlotinib Combination Therapy for Advanced Hereditary Leiomyomatosis and Renal Cell Carcinoma-Associated Renal Cell Carcinoma: A Multicenter Retrospective Analysis in Korean Patients. <i>Cancer Research and Treatment</i> , 2019 , 51, 1549-1556	5.2	17
146	Costs and clinical outcomes of patients with diffuse large B-cell lymphoma in first remission: role of PET/CT surveillance. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 894-901	2.5	
145	Clinicopathological and Preclinical Findings of NUT Carcinoma: A Multicenter Study. <i>Oncologist</i> , 2019 , 24, e740-e748	5.7	21
144	Clinical insights on outcomes of corticosteroid administration in immune checkpoint inhibitor-induced pneumonitis by retrospective case series analysis. <i>ESMO Open</i> , 2019 , 4, e000575	6	5
143	Differences in tumor microenvironments between primary lung tumors and brain metastases in lung cancer patients: therapeutic implications for immune checkpoint inhibitors. <i>BMC Cancer</i> , 2019 , 19, 19	4.8	40
142	Long-term oncological and functional outcomes of induction chemotherapy followed by (chemo)radiotherapy vs definitive chemoradiotherapy vs surgery-based therapy in locally advanced stage III/IV hypopharyngeal cancer: Multicenter review of 266 cases. <i>Oral Oncology</i> , 2019 , 89, 84-94	4.4	11
141	Safety and efficacy of immune checkpoint inhibitors for end-stage renal disease patients undergoing dialysis: a retrospective case series and literature review. <i>Investigational New Drugs</i> , 2019 , 37, 579-583	4.3	15
140	Significance of F-FDG PET Parameters According to Histologic Subtype in the Treatment Outcome of Stage III Non-small-cell Lung Cancer Undergoing Definitive Concurrent Chemoradiotherapy. <i>Clinical Lung Cancer</i> , 2019 , 20, e9-e23	4.9	10
139	Inhibition of MEK with trametinib enhances the efficacy of anti-PD-L1 inhibitor by regulating anti-tumor immunity in head and neck squamous cell carcinoma. <i>OncoImmunology</i> , 2019 , 8, e1515057	7.2	33
138	A Phase II Trial of Pazopanib in Patients with Metastatic Alveolar Soft Part Sarcoma. <i>Oncologist</i> , 2019 , 24, 20-e29	5.7	21
137	Pembrolizumab for the Treatment of Advanced Salivary Gland Carcinoma: Findings of the Phase 1b KEYNOTE-028 Study. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018 , 41, 1083-1088	2.7	88
136	Pembrolizumab in Asia-Pacific patients with advanced head and neck squamous cell carcinoma: Analyses from KEYNOTE-012. <i>Cancer Science</i> , 2018 , 109, 771-776	6.9	29
135	Generalization and representativeness of phase III immune checkpoint blockade trials in non-small cell lung cancer. <i>Thoracic Cancer</i> , 2018 , 9, 736-744	3.2	22
134	Attitudes toward early palliative care in cancer patients and caregivers: a Korean nationwide survey. <i>Cancer Medicine</i> , 2018 , 7, 1784-1793	4.8	9
133	Patient-reported outcomes following abiraterone acetate plus prednisone added to androgen deprivation therapy in patients with newly diagnosed metastatic castration-naive prostate cancer (LATITUDE): an international, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2018 , 19, 194-206	21.7	86
132	Cancer Pain Management Education Rectifies Patients' Misconceptions of Cancer Pain, Reduces Pain, and Improves Quality of Life. <i>Pain Medicine</i> , 2018 , 19, 2546-2555	2.8	13
131	Efficacy of Pemetrexed-based Chemotherapy in Comparison to Non-Pemetrexed-based Chemotherapy in Advanced, ALK+ Non-Small Cell Lung Cancer. <i>Yonsei Medical Journal</i> , 2018 , 59, 202-210	03	5
130	Low-dose nivolumab can be effective in non-small cell lung cancer: alternative option for financial toxicity. <i>ESMO Open</i> , 2018 , 3, e000332	6	32

129	Comparison of standard-dose 3-weekly cisplatin and low-dose weekly cisplatin for concurrent chemoradiation of patients with locally advanced head and neck squamous cell cancer: A multicenter retrospective analysis. <i>Medicine (United States)</i> , 2018 , 97, e10778	1.8	7
128	A phase 1/2 study evaluating the efficacy and safety of the oral CXCR4 inhibitor X4P-001 in combination with axitinib in patients with advanced renal cell carcinoma <i>Journal of Clinical Oncology</i> , 2018 , 36, 4510-4510	2.2	5
127	A phase II study of pembrolizumab and paclitaxel in refractory extensive disease small cell lung cancer <i>Journal of Clinical Oncology</i> , 2018 , 36, 8575-8575	2.2	6
126	MORPHEUS: A phase Ib/II multi-trial platform evaluating the safety and efficacy of cancer immunotherapy (CIT)-based combinations in patients (pts) with non-small cell lung cancer (NSCLC) <i>Journal of Clinical Oncology</i> , 2018 , 36, TPS9105-TPS9105	2.2	3
125	Intratumoral heterogeneity characterized by pretreatment PET in non-small cell lung cancer patients predicts progression-free survival on EGFR tyrosine kinase inhibitor. <i>PLoS ONE</i> , 2018 , 13, e0189	9 3 . <u>8</u> 6	28
124	Experiences and Opinions Related to End-of-Life Discussion: From Oncologists' and Resident Physicians' Perspectives. <i>Cancer Research and Treatment</i> , 2018 , 50, 614-623	5.2	18
123	The Effect of Hospice Consultation on Aggressive Treatment of Lung Cancer. <i>Cancer Research and Treatment</i> , 2018 , 50, 720-728	5.2	9
122	Comprehensive analysis of mutation and expression based pathways in head and neck squamous cell carcinoma <i>Journal of Clinical Oncology</i> , 2018 , 36, e18015-e18015	2.2	
121	Post-treatment neutrophil-to-lymphocyte ratio at week 6 is prognostic in patients with advanced non-small cell lung cancers treated with anti-PD-1 antibody. <i>Cancer Immunology, Immunotherapy</i> , 2018 , 67, 459-470	7.4	82
120	Dabrafenib and Trametinib Treatment in Patients With Locally Advanced or Metastatic BRAF V600-Mutant Anaplastic Thyroid Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 7-13	2.2	376
119	The Impact of Skin Problems on the Quality of Life in Patients Treated with Anticancer Agents: A Cross-Sectional Study. <i>Cancer Research and Treatment</i> , 2018 , 50, 1186-1193	5.2	6
118	Comparison of Native Escherichia coli L-Asparaginase versus Pegylated Asparaginase, in Combination with Ifosfamide, Methotrexate, Etoposide, and Prednisolone, in Extranodal NK/T-Cell Lymphoma, Nasal Type. <i>Cancer Research and Treatment</i> , 2018 , 50, 670-680	5.2	4
117	Efficacy of BGJ398, a Fibroblast Growth Factor Receptor 1-3 Inhibitor, in Patients with Previously Treated Advanced Urothelial Carcinoma with Alterations. <i>Cancer Discovery</i> , 2018 , 8, 812-821	24.4	145
116	Feasibility of an eight-week outpatient-based pulmonary rehabilitation program for advanced lung cancer patients undergoing cytotoxic chemotherapy in Korea. <i>Thoracic Cancer</i> , 2018 , 9, 1069-1073	3.2	4
115	Efficacy and safety of pembrolizumab in recurrent/metastatic head and neck squamous cell carcinoma: pooled analyses after long-term follow-up in KEYNOTE-012. <i>British Journal of Cancer</i> , 2018 , 119, 153-159	8.7	209
114	Clinical trial of nintedanib in patients with recurrent or metastatic salivary gland cancer of the head and neck: A multicenter phase 2 study (Korean Cancer Study Group HN14-01). <i>Cancer</i> , 2017 , 123, 1958-1	6 64	28
113	Comparative analysis of PD-L1 expression between primary and metastatic pulmonary adenocarcinomas. <i>European Journal of Cancer</i> , 2017 , 75, 141-149	7.5	66
112	MET exon 14 skipping mutation in triple-negative pulmonary adenocarcinomas and pleomorphic carcinomas: An analysis of intratumoral MET status heterogeneity and clinicopathological characteristics. <i>Lung Cancer</i> , 2017 , 106, 131-137	5.9	25

111	Novel JAK3-Activating Mutations in Extranodal NK/T-Cell Lymphoma, Nasal Type. <i>American Journal of Pathology</i> , 2017 , 187, 980-986	5.8	37	
110	Superior Treatment Response and In-field Tumor Control in Epidermal Growth Factor Receptor-mutant Genotype of Stage III Nonsquamous Non-Small cell Lung Cancer Undergoing Definitive Concurrent Chemoradiotherapy. <i>Clinical Lung Cancer</i> , 2017 , 18, e169-e178	4.9	13	
109	Optimal timing of influenza vaccination during 3-week cytotoxic chemotherapy cycles. <i>Cancer</i> , 2017 , 123, 841-848	6.4	20	
108	Genomic landscape associated with potential response to anti-CTLA-4 treatment in cancers. <i>Nature Communications</i> , 2017 , 8, 1050	17.4	75	
107	Korean Cancer Patients' Awareness of Clinical Trials, Perceptions on the Benefit and Willingness to Participate. <i>Cancer Research and Treatment</i> , 2017 , 49, 1033-1043	5.2	10	
106	Clonal History and Genetic Predictors of Transformation Into Small-Cell Carcinomas From Lung Adenocarcinomas. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3065-3074	2.2	229	
105	Prognostic Impact of Newly Proposed M Descriptors in TNM Classification of Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 520-528	8.9	15	
104	Genomic determinants of response to pembrolizumab in head and neck squamous cell carcinoma (HNSCC) <i>Journal of Clinical Oncology</i> , 2017 , 35, 6009-6009	2.2	36	
103	Efficacy of dabrafenib (D) and trametinib (T) in patients (pts) with BRAF V600Ethutated anaplastic thyroid cancer (ATC) <i>Journal of Clinical Oncology</i> , 2017 , 35, 6023-6023	2.2	14	
102	Changes in programmed death-ligand 1 expression during cisplatin treatment in patients with head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2017 , 8, 97920-97927	3.3	49	
101	KRAS G12C mutation as a poor prognostic marker of pemetrexed treatment in non-small cell lung cancer. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 514-522	2.5	12	
100	Phase II Study of Irinotecan and Cisplatin Combination Chemotherapy in Metastatic, Unresectable Esophageal Cancer. <i>Cancer Research and Treatment</i> , 2017 , 49, 416-422	5.2	24	
99	Prognostic impact of AJCC response criteria for neoadjuvant chemotherapy in stage II/III breast cancer patients: breast cancer subtype analyses. <i>BMC Cancer</i> , 2016 , 16, 515	4.8	10	
98	Effect of induction chemotherapy on survival in locally advanced head and neck squamous cell carcinoma treated with concurrent chemoradiotherapy: Single center experience. <i>Head and Neck</i> , 2016 , 38, 277-84	4.2	10	
97	Predictive and prognostic value of PET/CT imaging post-chemoradiotherapy and clinical decision-making consequences in locally advanced head & neck squamous cell carcinoma: a retrospective study. <i>BMC Cancer</i> , 2016 , 16, 116	4.8	25	
96	Reduced Dose Intensities of Doxorubicin in Elderly Patients with DLBCL in Rituximab Era. <i>Cancer Research and Treatment</i> , 2016 , 48, 304-11	5.2	8	
95	Phase I Study of Random Healthy Donor-Derived Allogeneic Natural Killer Cell Therapy in Patients with Malignant Lymphoma or Advanced Solid Tumors. <i>Cancer Immunology Research</i> , 2016 , 4, 215-24	12.5	90	
94	Prognostic implication of serum hepatocyte growth factor in stage II/III breast cancer patients who received neoadjuvant chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 707-1	14 ^{4.9}	7	

93	Factors Related to the Differential Preference for Cardiopulmonary Resuscitation Between Patients With Terminal Cancer and That of Their Respective Family Caregivers. <i>American Journal of Hospice and Palliative Medicine</i> , 2016 , 33, 20-6	2.6	9
92	Change in PD-L1 Expression After Acquiring Resistance to Gefitinib in EGFR-Mutant Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2016 , 17, 263-270.e2	4.9	82
91	Targeting Adenine Nucleotide Translocase-2 (ANT2) to Overcome Resistance to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor in Non-Small Cell Lung Cancer. <i>Molecular Cancer Therapeutics</i> , 2016 , 15, 1387-96	6.1	15
90	Pan-Cancer Immunogenomic Perspective on the Tumor Microenvironment Based on PD-L1 and CD8 T-Cell Infiltration. <i>Clinical Cancer Research</i> , 2016 , 22, 2261-70	12.9	164
89	Clinical application of genomic profiling to find druggable targets for adolescent and young adult (AYA) cancer patients with metastasis. <i>BMC Cancer</i> , 2016 , 16, 170	4.8	24
88	Identification of genomic mutations associated with clinical outcomes of induction chemotherapy in patients with head and neck squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 873-83	4.9	13
87	Efficacy of BGJ398, a fibroblast growth factor receptor (FGFR) 1-3 inhibitor, in patients (pts) with previously treated advanced/metastatic urothelial carcinoma (mUC) with FGFR3 alterations <i>Journal of Clinical Oncology</i> , 2016 , 34, 4517-4517	2.2	17
86	Biomarkers and response to pembrolizumab (pembro) in recurrent/metastatic head and neck squamous cell carcinoma (R/M HNSCC) <i>Journal of Clinical Oncology</i> , 2016 , 34, 6010-6010	2.2	18
85	Efficacy and safety of pembrolizumab in recurrent/metastatic head and neck squamous cell carcinoma (R/M HNSCC): Pooled analyses after long-term follow-up in KEYNOTE-012 <i>Journal of Clinical Oncology</i> , 2016 , 34, 6012-6012	2.2	28
84	Preliminary results for the advanced salivary gland carcinoma cohort of the phase 1b KEYNOTE-028 study of pembrolizumab <i>Journal of Clinical Oncology</i> , 2016 , 34, 6017-6017	2.2	5
83	Phase II trial of nintedanib in patients with recurrent or metastatic salivary gland cancer: A multicenter phase II study <i>Journal of Clinical Oncology</i> , 2016 , 34, 6090-6090	2.2	1
82	Pembrolizumab for advanced papillary or follicular thyroid cancer: preliminary results from the phase 1b KEYNOTE-028 study <i>Journal of Clinical Oncology</i> , 2016 , 34, 6091-6091	2.2	32
81	A phase II study of vandetanib in patients with non-small cell lung cancer harboring RET rearrangement <i>Journal of Clinical Oncology</i> , 2016 , 34, 9013-9013	2.2	11
80	An international, multicenter, randomized, double-blind, placebo-controlled, parallel-group phase 2 study of palbociclib (an oral CDK4/6 inhibitor) plus cetuximab in patients with recurrent/metastatic (R/M) squares cell carcinoma of the head and neck (SCCHN) Journal of Clinical Oncology, 2016,	2.2	1
79	PD-L1 expression is associated with epithelial-mesenchymal transition in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 15901-14	3.3	101
78	Programmed death ligand-1 expression and its prognostic role in esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , 2016 , 22, 8389-8397	5.6	19
77	Nutritional status in the era of target therapy: poor nutrition is a prognostic factor in non-small cell lung cancer with activating epidermal growth factor receptor mutations. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 1140-1149	2.5	23
76	Gefitinib-Induced Interstitial Lung Disease in Korean Lung Cancer Patients. <i>Cancer Research and Treatment</i> , 2016 , 48, 88-97	5.2	12

Korean Cancer Patients (Awareness of Clinical Trials: Perceptions on the benefit and willingness to participate <i>Journal of Clinical Oncology</i> , 2016 , 34, 10067-10067 Diagnosis of Secondary Peripheral Neurolymphomatosis: A Multi-Center Experience. <i>Blood</i> , 2016 , 128, 4222-4222	2.2	
	2.2	
	2.2	
Prognostic implications of and status in esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , 2016 , 22, 9803-9812	5.6	11
The Effect of Induction Chemotherapy Using Docetaxel, Cisplatin, and Fluorouracil on Survival in Locally Advanced Head and Neck Squamous Cell Carcinoma: A Meta-Analysis. <i>Cancer Research and Treatment</i> , 2016 , 48, 907-16	5.2	27
Induction chemotherapy in head and neck squamous cell carcinoma of the paranasal sinus and nasal cavity: a role in organ preservation. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 570-8	2.5	26
Molecular Targeted Therapies for the Treatment of Leptomeningeal Carcinomatosis: Current Evidence and Future Directions. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	23
Pretreatment albumin-to-globulin ratio as a predictive marker for tyrosine kinase inhibitor in non-small cell lung cancer. <i>Cancer Biomarkers</i> , 2016 , 16, 425-33	3.8	13
Serum Neuron-Specific Enolase Levels Predict the Efficacy of First-Line Epidermal Growth Factor Receptor (EGFR) Tyrosine Kinase Inhibitors in Patients With Non-Small Cell Lung Cancer Harboring EGFR Mutations. <i>Clinical Lung Cancer</i> , 2016 , 17, 245-252.e1	4.9	15
EML4-ALK enhances programmed cell death-ligand 1 expression in pulmonary adenocarcinoma via hypoxia-inducible factor (HIF)-1∃ and STAT3. <i>OncoImmunology</i> , 2016 , 5, e1108514	7.2	88
Antitumor Activity of Pembrolizumab in Biomarker-Unselected Patients With Recurrent and/or Metastatic Head and Neck Squamous Cell Carcinoma: Results From the Phase Ib KEYNOTE-012 Expansion Cohort. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3838-3845	2.2	525
Molecular Changes Associated with Acquired Resistance to Crizotinib in ROS1-Rearranged Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2015 , 21, 2379-87	12.9	89
Ifosfamide, methotrexate, etoposide, and prednisolone (IMEP) plus L-asparaginase as a first-line therapy improves outcomes in stage III/IV NK/T cell-lymphoma, nasal type (NTCL). <i>Annals of Hematology</i> , 2015 , 94, 437-44	3	27
Clinicopathologic analysis of programmed cell death-1 and programmed cell death-ligand 1 and 2 expressions in pulmonary adenocarcinoma: comparison with histology and driver oncogenic alteration status. <i>Modern Pathology</i> , 2015 , 28, 1154-66	9.8	121
Current status of chemotherapy use and clinical outcome in octogenarians with advanced non-small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015 , 141, 1073-81	4.9	6
A Randomized, Multicenter, Phase II Study of Cetuximab With Docetaxel and Cisplatin as Induction Chemotherapy in Unresectable, Locally Advanced Head and Neck Cancer. <i>Oncologist</i> , 2015 , 20, 1119-20	5.7	17
A Possible Association Between Thyroid Cancer and Breast Cancer. <i>Thyroid</i> , 2015 , 25, 1330-8	6.2	40
Radioactive Iodine Therapy Did Not Significantly Increase the Incidence and Recurrence of Subsequent Breast Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3486-93	5.6	15
	Prognostic implications of and status in esophageal squamous cell carcinoma. World Journal of Gastroenterology, 2016, 22, 9803-9812 The Effect of Induction Chemotherapy Using Docetaxel, Cisplatin, and Fluorouracil on Survival in Locally Advanced Head and Neck Squamous Cell Carcinoma: A Meta-Analysis. Cancer Research and Treatment, 2016, 48, 907-16 Induction chemotherapy in head and neck squamous cell carcinoma of the paranasal sinus and nasal cavity: a role in organ preservation. Korean Journal of Internal Medicine, 2016, 31, 570-8 Molecular Targeted Therapies for the Treatment of Leptomeningeal Carcinomatosis: Current Evidence and Future Directions. International Journal of Molecular Sciences, 2016, 17, Pretreatment albumin-to-globulin ratio as a predictive marker for tyrosine kinase inhibitor in non-small cell lung cancer. Cancer Biomarkers, 2016, 16, 425-33 Serum Neuron-Specific Enolase Levels Predict the Efficacy of First-Line Epidermal Growth Factor Receptor (EGFR) Tyrosine Kinase Inhibitors in Patients With Non-Small Cell Lung Cancer Harboring EGFR Mutations. Clinical Lung Cancer, 2016, 17, 245-252.e1 EML4-ALK enhances programmed cell death-ligand 1 expression in pulmonary adenocarcinoma via hypoxia-inducible factor (HIF)-1B and STAT3. Oncolmmunology, 2016, 5, e1108514 Antitumor Activity of Pembrolizumab in Biomarker-Unselected Patients With Recurrent and/or Metastatic Head and Neck Squamous Cell Carcinoma: Results From the Phase lb KEYNOTE-012 Expansion Cohort. Journal of Clinical Oncology, 2016, 34, 3838-3845 Molecular Changes Associated with Acquired Resistance to Crizotinib in ROS1-Rearranged Non-Small Cell Lung Cancer. Clinical Cancer Research, 2015, 21, 2379-87 Ifosfamide, methotrexate, etoposide, and prednisolone (IMEP) plus L-asparaginase as a first-line therapy improves outcomes in stage Ill/IV NK/T cell-lymphoma, nasal type (NTCL). Annals of Hematology, 2015, 94, 437-44 Clinicopathologic analysis of programmed cell death-1 and programmed cell death-ligand 1 and 2 expressions in pulmona	Prognostic implications of and status in esophageal squamous cell carcinoma. World Journal of Gastroenterology, 2016, 22, 9803-9812 The Effect of Induction Chemotherapy Using Docetaxel, Cisplatin, and Fluorouracil on Survival in Locally Advanced Head and Neck Squamous Cell Carcinoma: A Meta-Analysis. Cancer Research and Treatment, 2016, 48, 907-16 Induction chemotherapy in head and neck squamous cell carcinoma of the paranasal sinus and nasal cavity: a role in organ preservation. Korean Journal of Internal Medicine, 2016, 31, 570-8 Molecular Targeted Therapies for the Treatment of Leptomeningeal Carcinomatosis: Current Evidence and Future Directions. International Journal of Molecular Sciences, 2016, 17, Pretreatment albumin-to-globulin ratio as a predictive marker for tyrosine kinase inhibitor in non-small cell lung cancer. Cancer Biomarkers, 2016, 16, 425-33 Serum Neuron-Specific Enolase Levels Predict the Efficacy of First-Line Epidermal Growth Factor Receptor (EGFR) Tyrosine Kinase Inhibitors in Patients With Non-Small Cell Lung Cancer Harboring EGFR Mutations. Clinical Lung Cancer, 2016, 17, 245-252.e1 EML4-ALK enhances programmed cell death-ligand 1 expression in pulmonary adenocarcinoma via hypoxia-inducible factor (HIF)-IB and STAT3. Oncolmmunology, 2016, 5, e1108514 Antitumor Activity of Pembrolizumab in Biomarker-Unselected Patients With Recurrent and/or Metastatic Head and Neck Squamous Cell Carcinoma: Results From the Phase Ib KEYNOTE-012 Expansion Cohort. Journal of Clinical Concology, 2016, 34, 3838-3845 Molecular Changes Associated with Acquired Resistance to Crizotinib in ROS1-Rearranged Non-Small Cell Lung Cancer. Clinical Cancer Research, 2015, 21, 2379-87 12-9 Ifosfamide, methotrexate, etoposide, and prednisolone (IMEP) plus L-asparaginase as a first-line therapy improves outcomes in stage III/IV NK/T cell-lymphoma, nasal type (NTCL). Annals of Hematology, 2015, 94, 437-44 Clinicopathologic analysis of programmed cell death-1 and programmed cell death-ligand 1 and 2 expressions in

57	ABCB1 polymorphism as prognostic factor in breast cancer patients treated with docetaxel and doxorubicin neoadjuvant chemotherapy. <i>Cancer Science</i> , 2015 , 106, 86-93	6.9	50
56	An NMR metabolomics approach for the diagnosis of leptomeningeal carcinomatosis in lung adenocarcinoma cancer patients. <i>International Journal of Cancer</i> , 2015 , 136, 162-71	7.5	32
55	Quality of life changes and intensive care preferences in terminal cancer patients. <i>Palliative and Supportive Care</i> , 2015 , 13, 1309-16	2.5	10
54	Total Lesion Glycolysis in Positron Emission Tomography Can Predict Gefitinib Outcomes in Non-Small-Cell Lung Cancer with Activating EGFR Mutation. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 11	89 ⁸ 94	22
53	Phase 2 study of dovitinib in patients with metastatic or unresectable adenoid cystic carcinoma. <i>Cancer</i> , 2015 , 121, 2612-7	6.4	44
52	Cancer Treatment near the End-of-Life Becomes More Aggressive: Changes in Trend during 10 Years at a Single Institute. <i>Cancer Research and Treatment</i> , 2015 , 47, 555-63	5.2	40
51	Predictive and Prognostic Value of Ribonucleotide Reductase Regulatory Subunit M1 and Excision Repair Cross-Complementation Group 1 in Advanced Urothelial Carcinoma (UC) Treated with First-Line Gemcitabine Plus Platinum Combination Chemotherapy. <i>PLoS ONE</i> , 2015 , 10, e0133371	3.7	7
50	The Impact of PBRM1 Expression as a Prognostic and Predictive Marker in Metastatic Renal Cell Carcinoma. <i>Journal of Urology</i> , 2015 , 194, 1112-9	2.5	17
49	MET amplification, protein expression, and mutations in pulmonary adenocarcinoma. <i>Lung Cancer</i> , 2015 , 90, 381-7	5.9	39
48	Mechanisms of Acquired Resistance to AZD9291: A Mutation-Selective, Irreversible EGFR Inhibitor. Journal of Thoracic Oncology, 2015 , 10, 1736-44	8.9	160
47	Neutrophil to lymphocyte ratio improves prognostic prediction of International Prognostic Index for patients with diffuse large B-cell lymphoma treated with rituximab, cyclophosphamide, doxorubicin, vincristine and prednisone. <i>Leukemia and Lymphoma</i> , 2015 , 56, 2032-8	1.9	33
46	Phase II clinical and exploratory biomarker study of dacomitinib in recurrent and/or metastatic esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 44971-84	3.3	10
45	Locoregionally advanced nasopharyngeal carcinoma treated with intensity-modulated radiotherapy plus concurrent weekly cisplatin with or without neoadjuvant chemotherapy. <i>Radiation Oncology Journal</i> , 2015 , 33, 98-108	2.5	18
44	Clinical efficacy of erlotinib, a salvage treatment for non-small cell lung cancer patients following gefitinib failure. <i>Korean Journal of Internal Medicine</i> , 2015 , 30, 891-8	2.5	8
43	The Impact of Molecularly Targeted Treatment on Direct Medical Costs in Patients with Advanced Non-small Cell Lung Cancer. <i>Cancer Research and Treatment</i> , 2015 , 47, 182-8	5.2	3
42	Pemetrexed Singlet Versus Nonpemetrexed-Based Platinum Doublet as Second-Line Chemotherapy after First-Line Epidermal Growth Factor Receptor (EGFR) Tyrosine Kinase Inhibitor Failure in Non-Small Cell Lung Cancer Patients with EGFR Mutations. Cancer Research and Treatment	5.2	17
41	Effects of the education program for patients with cancer pain <i>Journal of Clinical Oncology</i> , 2015 , 33, 193-193	2.2	
40	In vitro anticancer activity of PI3K alpha selective inhibitor BYL719 in head and neck cancer. Anticancer Research, 2015, 35, 175-82	2.3	26

(2013-2014)

39	inhibitor in patients with non-small cell lung cancer. <i>International Journal of Clinical Oncology</i> , 2014 , 19, 594-600	4.2	73
38	The gefitinib dose reduction on survival outcomes in epidermal growth factor receptor mutant non-small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 2135-42	4.9	15
37	The presence of extrathoracic metastasis is more prognostic of survival than Masaoka stage (IVa/IVb) in metastatic thymic epithelial tumor: a retrospective cohort study. <i>Lung Cancer</i> , 2014 , 85, 320	-5 .9	5
36	Additional prognostic role of EGFR activating mutations in lung adenocarcinoma patients with brain metastasis: integrating with lung specific GPA score. <i>Lung Cancer</i> , 2014 , 86, 363-8	5.9	15
35	Epidermal growth factor receptor tyrosine kinase inhibitors vs conventional chemotherapy in non-small cell lung cancer harboring wild-type epidermal growth factor receptor: a meta-analysis. JAMA - Journal of the American Medical Association, 2014, 311, 1430-7	27.4	107
34	Clinical significance of downstaging in patients with limited-disease small-cell lung cancer. <i>Clinical Lung Cancer</i> , 2014 , 15, e1-6	4.9	1
33	Lamivudine prophylaxis for hepatitis B virus carrier patients with breast cancer during adjuvant chemotherapy. <i>Breast Cancer</i> , 2014 , 21, 387-93	3.4	12
32	Nomogram Predicting Clinical Outcomes in Non-small Cell Lung Cancer Patients Treated with Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors. <i>Cancer Research and Treatment</i> , 2014 , 46, 323-30	5.2	17
31	Adenoid cystic carcinoma of the breast: a case series of six patients and literature review. <i>Cancer Research and Treatment</i> , 2014 , 46, 93-7	5.2	24
30	Cancer care near the end of life (EOL) in the era of molecular-targeted agents: Changes of trend during 10 years at single institution <i>Journal of Clinical Oncology</i> , 2014 , 32, 9543-9543	2.2	
29	Effect of induction chemotherapy (IC) on survival in locally advanced head and neck squamous cell carcinoma (LA-HNSCC) treated with chemoradiotherapy: Single center experience <i>Journal of Clinical Oncology</i> , 2014 , 32, e17032-e17032	2.2	
28	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives. <i>Supportive Care in Cancer</i> , 2013 , 21, 1437-44	3.9	43
27	Predictive value of FDG PET/CT for pathologic axillary node involvement after neoadjuvant chemotherapy. <i>Breast Cancer</i> , 2013 , 20, 167-73	3.4	14
26	Total lesion glycolysis in positron emission tomography is a better predictor of outcome than the International Prognostic Index for patients with diffuse large B cell lymphoma. <i>Cancer</i> , 2013 , 119, 1195-	202	117
25	Clinical usefulness of AJCC response criteria for neoadjuvant chemotherapy in breast cancer. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2242-9	3.1	12
24	Surrogate decision-making in Korean patients with advanced cancer: a longitudinal study. Supportive Care in Cancer, 2013 , 21, 183-90	3.9	30
23	Tumor burden is predictive of survival in patients with non-small-cell lung cancer and with activating epidermal growth factor receptor mutations who receive gefitinib. <i>Clinical Lung Cancer</i> , 2013 , 14, 383-9	4.9	53
22	Clinical outcomes of radiation-based locoregional therapy in locally advanced head and neck squamous cell carcinoma patients not responding to induction chemotherapy. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013 , 116, 55-60	2	7

21	Erlotinib versus gefitinib for control of leptomeningeal carcinomatosis in non-small-cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 1069-74	8.9	88
20	Heterogeneity of genetic changes associated with acquired crizotinib resistance in ALK-rearranged lung cancer. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 415-22	8.9	126
19	A randomized, multicenter, open phase II study of cetuximab with docetaxel, cisplatin as induction chemotherapy in unresectable, locally advanced head and neck squamous cell carcinoma (LA-HNSCC) <i>Journal of Clinical Oncology</i> , 2013 , 31, 6069-6069	2.2	2
18	Solitary Splenic Metastasis from Head and Neck Cancer: A Case Report. <i>Korean Journal of Medicine</i> , 2013 , 85, 324	0.5	1
17	How Molecular Understanding Affects to Prescribing Patterns and Clinical Outcome of Gefitinib in Non-small Cell Lung Cancer? 10 Year Experience of Single Institution. <i>Cancer Research and Treatment</i> , 2013 , 45, 178-85	5.2	11
16	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives 2013 , 21, 1437		1
15	Predictive value of ribonucleotide reductase regulatory subunit M1 (RRM1) and excision cross-complementing-1 (ERCC1) in advanced urothelial carcinoma (UC) treated with first-line gemcitabine (G) and platinum (P)-based chemotherapy (CT) Journal of Clinical Oncology, 2013, 31, e1	2.2 5614-e	15614
14	Clinical significance of downstaging in patients treated with chemoradiotherapy for limited-disease small cell lung cancer <i>Journal of Clinical Oncology</i> , 2013 , 31, e18555-e18555	2.2	
13	Clinical outcome of central nervous system metastases from breast cancer: differences in survival depending on systemic treatment. <i>Journal of Neuro-Oncology</i> , 2012 , 106, 303-13	4.8	52
12	Rare and complex mutations of epidermal growth factor receptor (EGFR) and efficacy of tyrosine kinase inhibitor (TKI) in patients with non-small cell lung cancer (NSCLC) <i>Journal of Clinical Oncology</i> , 2012 , 30, 7566-7566	2.2	
11	Response of chemoradiation therapy after induction chemotherapy failure in locally advanced head and neck squamous cell carcinoma (LA-HNSCC) <i>Journal of Clinical Oncology</i> , 2012 , 30, 5552-5552	2.2	
10	Ki-67 can be used for further classification of triple negative breast cancer into two subtypes with different response and prognosis. <i>Breast Cancer Research</i> , 2011 , 13, R22	8.3	158
9	Why, when, and how to prevent hepatitis B virus reactivation in cancer patients undergoing chemotherapy. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2011 , 9, 465-77	7.3	20
8	Nomogram predicting clinical outcomes in breast cancer patients treated with neoadjuvant chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 1301-8	4.9	24
7	Early metabolic response using FDG PET/CT and molecular phenotypes of breast cancer treated with neoadjuvant chemotherapy. <i>BMC Cancer</i> , 2011 , 11, 452	4.8	52
6	Clinical significance of axillary nodal ratio in stage II/III breast cancer treated with neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2009 , 116, 153-60	4.4	39
5	Modified FOLFOX-6 chemotherapy in advanced gastric cancer: Results of phase II study and comprehensive analysis of polymorphisms as a predictive and prognostic marker. <i>BMC Cancer</i> , 2008 , 8, 148	4.8	56
4	Aggressiveness of cancer-care near the end-of-life in Korea. <i>Japanese Journal of Clinical Oncology</i> , 2008 , 38, 381-6	2.8	85

LIST OF PUBLICATIONS

3	A Phase II study of 5-fluorouracil and cisplatin systemic chemotherapy for inoperable hepatocellular carcinoma with \oplus fetoprotein as a predictive and prognostic marker. <i>Molecular Medicine Reports</i> , 2008 , 1, 415-22	2.9	8
2	Pneumatosis intestinalis with pneumoperitoneum mimicking intestinal perforation in a patient with myelodysplastic syndrome after hematopoietic stem cell transplantation. <i>Korean Journal of Internal Medicine</i> , 2007 , 22, 40-4	2.5	6
1	Prognostic impact of clinicopathologic parameters in stage II/III breast cancer treated with neoadjuvant docetaxel and doxorubicin chemotherapy: paradoxical features of the triple negative breast cancer. <i>BMC Cancer</i> , 2007 , 7, 203	4.8	111