

Haibo Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1531497/publications.pdf>

Version: 2024-02-01

122
papers

1,855
citations

304743

22
h-index

377865

34
g-index

128
all docs

128
docs citations

128
times ranked

2123
citing authors

#	ARTICLE	IF	CITATIONS
1	Wnt Signaling Activates TP53-Induced Glycolysis and Apoptosis Regulator and Protects Against Cisplatin-Induced Spiral Ganglion Neuron Damage in the Mouse Cochlea. <i>Antioxidants and Redox Signaling</i> , 2019, 30, 1389-1410.	5.4	112
2	PRDX1 activates autophagy via the PTEN-AKT signaling pathway to protect against cisplatin-induced spiral ganglion neuron damage. <i>Autophagy</i> , 2021, 17, 4159-4181.	9.1	91
3	Dietary Fiber Intake Regulates Intestinal Microflora and Inhibits Ovalbumin-Induced Allergic Airway Inflammation in a Mouse Model. <i>PLoS ONE</i> , 2016, 11, e0147778.	2.5	80
4	Meclofenamic Acid Reduces Reactive Oxygen Species Accumulation and Apoptosis, Inhibits Excessive Autophagy, and Protects Hair Cell-Like HEI-OC1 Cells From Cisplatin-Induced Damage. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 139.	3.7	73
5	Tuberous sclerosis complex-mediated mTORC1 overactivation promotes age-related hearing loss. <i>Journal of Clinical Investigation</i> , 2018, 128, 4938-4955.	8.2	55
6	c-Myb knockdown increases the neomycin-induced damage to hair-cell-like HEI-OC1 cells in vitro. <i>Scientific Reports</i> , 2017, 7, 41094.	3.3	54
7	PINK1 Protects Auditory Hair Cells and Spiral Ganglion Neurons from Cisplatin-induced Ototoxicity via Inducing Autophagy and Inhibiting JNK Signaling Pathway. <i>Free Radical Biology and Medicine</i> , 2018, 120, 342-355.	2.9	53
8	The Three-Dimensional Culture System with Matrigel and Neurotrophic Factors Preserves the Structure and Function of Spiral Ganglion Neuron <i>In Vitro</i> . <i>Neural Plasticity</i> , 2016, 2016, 1-15.	2.2	52
9	A Three-Dimensional Culture System with Matrigel Promotes Purified Spiral Ganglion Neuron Survival and Function <i>In Vitro</i> . <i>Molecular Neurobiology</i> , 2018, 55, 2070-2084.	4.0	46
10	Allicin protects auditory hair cells and spiral ganglion neurons from cisplatin - Induced apoptosis. <i>Neuropharmacology</i> , 2017, 116, 429-440.	4.1	45
11	Curcumin attenuates peroxynitrite-induced neurotoxicity in spiral ganglion neurons. <i>NeuroToxicology</i> , 2011, 32, 150-157.	3.0	38
12	<i>Listeria monocytogenes</i> upregulates mitochondrial calcium signalling to inhibit LC3-associated phagocytosis as a survival strategy. <i>Nature Microbiology</i> , 2021, 6, 366-379.	13.3	33
13	Activation of NLRX1-mediated autophagy accelerates the ototoxic potential of cisplatin in auditory cells. <i>Toxicology and Applied Pharmacology</i> , 2018, 343, 16-28.	2.8	31
14	Forskolin protects against cisplatin-induced ototoxicity by inhibiting apoptosis and ROS production. <i>Biomedicine and Pharmacotherapy</i> , 2018, 99, 530-536.	5.6	30
15	RNA-sequencing study of peripheral blood mononuclear cells in sporadic MÃ©niÃ©re's disease patients: possible contribution of immunologic dysfunction to the development of this disorder. <i>Clinical and Experimental Immunology</i> , 2018, 192, 33-45.	2.6	30
16	Treatment of Orbital Complications Following Acute Rhinosinusitis in Children. <i>Balkan Medical Journal</i> , 2016, 33, 401-406.	0.8	29
17	Identification of a novel missense mutation in the <i>WFS1</i> gene as a cause of autosomal dominant nonsyndromic sensorineural hearing loss in all frequencies. <i>American Journal of Medical Genetics, Part A</i> , 2014, 164, 3052-3060.	1.2	28
18	The Effect of Interphase Gap on Neural Response of the Electrically Stimulated Cochlear Nerve in Children With Cochlear Nerve Deficiency and Children With Normal-Sized Cochlear Nerves. <i>Ear and Hearing</i> , 2020, 41, 918-934.	2.1	28

#	ARTICLE	IF	CITATIONS
19	NLRX1 accelerates cisplatin-induced ototoxicity in HEI-OC1 cells via promoting generation of ROS and activation of JNK signaling pathway. <i>Scientific Reports</i> , 2017, 7, 44311.	3.3	25
20	Cisplatin-Induced Stria Vascularis Damage Is Associated with Inflammation and Fibrosis. <i>Neural Plasticity</i> , 2020, 2020, 1-13.	2.2	25
21	Facilitation of facial nerve regeneration using chitosan- β -glycerophosphate-nerve growth factor hydrogel. <i>Acta Oto-Laryngologica</i> , 2016, 136, 585-591.	0.9	24
22	Activation of Rictor/mTORC2 signaling acts as a pivotal strategy to protect against sensorineural hearing loss. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2107357119.	7.1	24
23	Extended high-frequency audiometry in healthy adults with different age groups. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2021, 50, 52.	1.9	23
24	Otitis Media in Sperm-Associated Antigen 6 (Spag6)-Deficient Mice. <i>PLoS ONE</i> , 2014, 9, e112879.	2.5	23
25	Paeoniflorin protects spiral ganglion neurons from cisplatin-induced ototoxicity: Possible relation to PINK1/BAD pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 5098-5107.	3.6	21
26	PINK1 Protects Against Gentamicin-Induced Sensory Hair Cell Damage: Possible Relation to Induction of Autophagy and Inhibition of p53 Signal Pathway. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 403.	2.9	20
27	STK33 overexpression in hypopharyngeal squamous cell carcinoma: possible role in tumorigenesis. <i>BMC Cancer</i> , 2015, 15, 13.	2.6	19
28	Mutation Analysis of the Common Deafness Genes in Patients with Nonsyndromic Hearing Loss in Linyi by SNPscan Assay. <i>BioMed Research International</i> , 2016, 2016, 1-7.	1.9	19
29	A Novel Nonsense Mutation of <i>POU4F3</i> Gene Causes Autosomal Dominant Hearing Loss. <i>Neural Plasticity</i> , 2016, 2016, 1-10.	2.2	19
30	Long-term outcomes of triple semicircular canal plugging for the treatment of intractable Meniere's disease: A single center experience of 361 cases. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2020, 29, 315-322.	2.0	19
31	Mitochondrial tRNA mutations in 887 Chinese subjects with hearing loss. <i>Mitochondrion</i> , 2020, 52, 163-172.	3.4	19
32	Role and mechanism of Twist1 in modulating the chemosensitivity of FaDu cells. <i>Molecular Medicine Reports</i> , 2014, 10, 53-60.	2.4	18
33	Protective Effect of Edaravone on Glutamate-Induced Neurotoxicity in Spiral Ganglion Neurons. <i>Neural Plasticity</i> , 2016, 2016, 1-10.	2.2	18
34	Spag6 Mutant Mice Have Defects in Development and Function of Spiral Ganglion Neurons, Apoptosis, and Higher Sensitivity to Paclitaxel. <i>Scientific Reports</i> , 2017, 7, 8638.	3.3	18
35	Alliin Protects against Cisplatin-Induced Stria Vascularis Damage: Possible Relation to Inhibition of Caspase-3 and PARP-1-AIF-Mediated Apoptotic Pathways. <i>Orl</i> , 2019, 81, 202-214.	1.1	18
36	Bidirectional Transport of IgE by CD23 in the Inner Ear of Patients with Meniere's Disease. <i>Journal of Immunology</i> , 2022, 208, 827-838.	0.8	18

#	ARTICLE	IF	CITATIONS
37	Alliin protects against cisplatin-induced vestibular dysfunction by inhibiting the apoptotic pathway. <i>European Journal of Pharmacology</i> , 2017, 805, 108-117.	3.5	17
38	Expression of Surfactant Protein A during LPS-induced Otitis Media with Effusion in Mice. <i>Otolaryngology - Head and Neck Surgery</i> , 2015, 153, 433-439.	1.9	16
39	STK33 alleviates gentamicin-induced ototoxicity in cochlear hair cells and House Ear Institute Organ of Corti I cells. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5286-5299.	3.6	16
40	Hearing Loss and Cognition Among Older Adults in a Han Chinese Cohort. <i>Frontiers in Neuroscience</i> , 2019, 13, 632.	2.8	16
41	The Effects of GJB2 or SLC26A4 Gene Mutations on Neural Response of the Electrically Stimulated Auditory Nerve in Children. <i>Ear and Hearing</i> , 2020, 41, 194-207.	2.1	16
42	The Effect of Pulse Polarity on Neural Response of the Electrically Stimulated Cochlear Nerve in Children With Cochlear Nerve Deficiency and Children With Normal-Sized Cochlear Nerves. <i>Ear and Hearing</i> , 2020, 41, 1306-1319.	2.1	15
43	GJB2, SLC26A4, and mitochondrial DNA12S rRNA hot-spots in 156 subjects with non-syndromic hearing loss in Tengzhou, China. <i>Acta Oto-Laryngologica</i> , 2016, 136, 800-805.	0.9	14
44	Triple semicircular canal plugging: a novel modality for the treatment of intractable Meniere's disease. <i>Acta Oto-Laryngologica</i> , 2016, 136, 1230-1235.	0.9	13
45	Novel compound heterozygous mutations in MYO7A gene associated with autosomal recessive sensorineural hearing loss in a Chinese family. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 83, 179-185.	1.0	13
46	Prevalence of Mutations in Deafness-Causing Genes in Cochlear Implanted Patients with Profound Nonsyndromic Sensorineural Hearing Loss in Shandong Province, China. <i>Annals of Human Genetics</i> , 2017, 81, 258-266.	0.8	13
47	Protection of Spiral Ganglion Neurons and Prevention of Auditory Neuropathy. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1130, 93-107.	1.6	13
48	PDK1 promotes metastasis by inducing epithelial-mesenchymal transition in hypopharyngeal carcinoma via the Notch1 signaling pathway. <i>Experimental Cell Research</i> , 2020, 386, 111746.	2.6	13
49	c-Myb protects cochlear hair cells from cisplatin-induced damage via the PI3K/Akt signaling pathway. <i>Cell Death Discovery</i> , 2022, 8, 78.	4.7	13
50	PARP-1-modulated AIF translocation is involved in streptomycin-induced cochlear hair cell death. <i>Acta Oto-Laryngologica</i> , 2016, 136, 545-550.	0.9	12
51	Resveratrol treatment inhibits acute pharyngitis in the mice model through inhibition of PGE2/COX-2 expression. <i>Saudi Journal of Biological Sciences</i> , 2018, 25, 1468-1472.	3.8	12
52	Identification of a novel mutation in SLC26A4 gene in a Chinese family with enlarged vestibular aqueduct syndrome. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 85, 75-79.	1.0	11
53	The expression of NLRX1 in C57BL/6 mice cochlear hair cells: Possible relation to aging- and neomycin-induced deafness. <i>Neuroscience Letters</i> , 2016, 616, 138-146.	2.1	11
54	Three MYO15A Mutations Identified in One Chinese Family with Autosomal Recessive Nonsyndromic Hearing Loss. <i>Neural Plasticity</i> , 2018, 2018, 1-8.	2.2	11

#	ARTICLE	IF	CITATIONS
55	Five Novel Mutations in LOXHD1 Gene Were Identified to Cause Autosomal Recessive Nonsyndromic Hearing Loss in Four Chinese Families. <i>BioMed Research International</i> , 2020, 2020, 1-9.	1.9	11
56	Expression of prestin in OHCs is reduced in Spag6 gene knockout mice. <i>Neuroscience Letters</i> , 2015, 592, 42-47.	2.1	10
57	Paeoniflorin reduces neomycin-induced ototoxicity in hair cells by suppression of reactive oxygen species generation and extracellularly regulated kinase signalization. <i>Toxicology Letters</i> , 2018, 285, 9-19.	0.8	10
58	Correlation between auditory-vestibular functions and estrogen levels in postmenopausal patients with Meniere's disease. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22626.	2.1	10
59	Asymmetrical effects of deafness-associated mitochondrial DNA 7516delA mutation on the processing of RNAs in the H-strand and L-strand polycistronic transcripts. <i>Nucleic Acids Research</i> , 2020, 48, 11113-11129.	14.5	10
60	Usefulness of radiological findings for predicting cochlear implantation outcomes in children with cochlear nerve deficiency: a pilot study. <i>Acta Oto-Laryngologica</i> , 2016, 136, 1051-1057.	0.9	9
61	Objective vestibular function changes in children following cochlear implantation. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2022, 32, 29-37.	2.0	9
62	Combining Use of Captopril and Losartan Attenuates the Progress of Streptococcus pneumoniae-Induced Tympanosclerosis through the Suppression of TGF- β 21 Expression. <i>PLoS ONE</i> , 2014, 9, e111620.	2.5	8
63	Cyclic Tensile Strain on Vocal Fold Fibroblasts Inhibits Cigarette Smoke-Induced Inflammation: Implications for Reinke Edema. <i>Journal of Voice</i> , 2015, 29, 13-21.	1.5	8
64	Cochlear Implantation in a Patient with a Novel <i>POU3F4</i> Mutation and Incomplete Partition Type-III Malformation. <i>Neural Plasticity</i> , 2020, 2020, 1-9.	2.2	8
65	Role of the macula densa sodium glucose cotransporter type 1-neuronal nitric oxide synthase-tubuloglomerular feedback pathway in diabetic hyperfiltration. <i>Kidney International</i> , 2022, 101, 541-550.	5.2	8
66	The alterations of inducible nitric oxide synthase in the mouse brainstem during herpes simplex virus type 1-induced facial palsy. <i>Neurological Research</i> , 2012, 34, 304-313.	1.3	7
67	Epithelial cell adhesion molecule is overexpressed in hypopharyngeal carcinoma and suppresses the metastasis and proliferation of the disease when downregulated. <i>Oncology Letters</i> , 2014, 8, 175-182.	1.8	7
68	STK33 potentiates the malignancy of hypopharyngeal squamous carcinoma: Possible relation to calcium. <i>Cancer Biology and Therapy</i> , 2016, 17, 976-984.	3.4	7
69	Artemin transiently increases iNOS expression in primary cultured trigeminal ganglion neurons. <i>Neuroscience Letters</i> , 2017, 660, 34-38.	2.1	7
70	Valproic Acid Promotes Survival of Facial Motor Neurons in Adult Rats After Facial Nerve Transection: a Pilot Study. <i>Journal of Molecular Neuroscience</i> , 2018, 64, 512-522.	2.3	7
71	Mutation spectrum and hotspots of the common deafness genes in 314 patients with nonsyndromic hearing loss in Heze area, China. <i>Acta Oto-Laryngologica</i> , 2019, 139, 612-617.	0.9	7
72	Revision surgery after triple semicircular canal plugging and morphologic changes of vestibular organ. <i>Scientific Reports</i> , 2019, 9, 19397.	3.3	7

#	ARTICLE	IF	CITATIONS
73	Tprn is essential for the integrity of stereociliary rootlet in cochlear hair cells in mice. <i>Frontiers of Medicine</i> , 2019, 13, 690-704.	3.4	7
74	Identification of two novel mutations in POU4F3 gene associated with autosomal dominant hearing loss in Chinese families. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 6978-6987.	3.6	7
75	The effect of balloon dilatation eustachian tuboplasty combined with grommet insertion on the structure and function of the eustachian tube in patients with refractory otitis media with effusion. <i>Annals of Palliative Medicine</i> , 2021, 10, 7662-7670.	1.2	7
76	Efficacy of surgical repair for the functional restoration of injured facial nerve. <i>BMC Surgery</i> , 2021, 21, 32.	1.3	7
77	Glutathione Peroxidase 1 Protects Against Peroxynitrite-Induced Spiral Ganglion Neuron Damage Through Attenuating NF- κ B Pathway Activation. <i>Frontiers in Cellular Neuroscience</i> , 2022, 16, 841731.	3.7	7
78	Notch1 serves as a prognostic factor and regulates metastasis via regulating EGFR expression in hypopharyngeal squamous cell carcinoma. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 7395-7405.	2.0	6
79	Platelet-rich plasma can release nutrient factors to promote facial nerve crush injury recovery in rats. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2019, 40, 1209-1217.	1.1	6
80	Impact of hyperlipidemia as a coexisting factor on the prognosis of idiopathic sudden sensorineural hearing loss: A propensity score matching analysis. <i>Clinical Otolaryngology</i> , 2020, 45, 2-11.	1.2	6
81	Therapeutic Effect on Idiopathic Sudden Sensorineural Hearing Loss with Duration of Onset More Than 3 Months. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2013, 65, 61-65.	0.9	5
82	A novel MYH14 mutation in a Chinese family with autosomal dominant nonsyndromic hearing loss. <i>BMC Medical Genetics</i> , 2020, 21, 154.	2.1	5
83	Attention based convolutional network for automatic sleep stage classification. <i>Biomedizinische Technik</i> , 2021, 66, 335-343.	0.8	5
84	Influence of Cochlear Implantation on Vestibular Function in Children With an Enlarged Vestibular Aqueduct. <i>Frontiers in Neurology</i> , 2021, 12, 663123.	2.4	5
85	Characterization of EGR-1 Expression in the Auditory Cortex Following Kanamycin-Induced Hearing Loss in Mice. <i>Journal of Molecular Neuroscience</i> , 2021, 71, 2260-2274.	2.3	5
86	Accumulated ROS Activates HIF-1 α -Induced Glycolysis and Exerts a Protective Effect on Sensory Hair Cells Against Noise-Induced Damage. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 806650.	3.5	5
87	Regulation of Spiral Ganglion Neuron Regeneration as a Therapeutic Strategy in Sensorineural Hearing Loss. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 829564.	2.9	5
88	Idiopathic Sudden Sensorineural Hearing Loss in Different Ages: Prognosis of Patients With Initial Total Hearing Loss. <i>Frontiers in Psychology</i> , 2022, 13, 818967.	2.1	5
89	MG132 reverse the malignant characteristics of hypopharyngeal cancer. <i>Molecular Medicine Reports</i> , 2014, 9, 2587-2591.	2.4	4
90	Association between the mitochondrial DNA 4977 common deletion in the hair shaft and hearing loss in presbycusis. <i>Molecular Medicine Reports</i> , 2015, 11, 1127-1131.	2.4	4

#	ARTICLE	IF	CITATIONS
91	The alteration of SHARPIN expression in the mouse brainstem during herpes simplex virus 1-induced facial palsy. <i>Neuroscience Letters</i> , 2015, 586, 50-54.	2.1	4
92	A novel mutation in PAX3 associated with Waardenburg syndrome type I in a Chinese family. <i>Acta Oto-Laryngologica</i> , 2016, 136, 439-445.	0.9	4
93	Increased expression of transcription factor Bcl-6 in chronic rhinosinusitis with nasal polyps. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 391-399.	1.6	4
94	The correlation analysis of intralabyrinthine haemorrhage magnetic resonance imaging with hearing loss and prognosis: A retrospective analysis of 207 cases. <i>Clinical Otolaryngology</i> , 2019, 44, 1096-1100.	1.2	4
95	Wnt Signaling Protects against Paclitaxel-Induced Spiral Ganglion Neuron Damage in the Mouse Cochlea <i>In Vitro</i> . <i>BioMed Research International</i> , 2019, 2019, 1-12.	1.9	4
96	Solute carrier family 4 member 1 might participate in the pathogenesis of Meniere's disease in a murine endolymphatic hydrop model. <i>Acta Oto-Laryngologica</i> , 2019, 139, 966-976.	0.9	4
97	Effects of local application of methylprednisolone delivered by the C/GP-hydrogel on the recovery of facial nerves. <i>Acta Oto-Laryngologica</i> , 2015, 135, 1178-84.	0.9	4
98	Efficacy of Resection of Lateral Wall of Endolymphatic Sac for Treatment of Meniere's Disease. <i>Frontiers in Neurology</i> , 2022, 13, 827462.	2.4	4
99	Clinical Value of 3D-FLAIR MRI in Idiopathic Sudden Sensorineural Hearing Loss. <i>ACS Chemical Neuroscience</i> , 2022, 13, 151-157.	3.5	4
100	The injury of marginal mandibular branch unexpectedly promotes the repair of buccal branch of facial nerve in a rat model. <i>Acta Oto-Laryngologica</i> , 2016, 136, 956-963.	0.9	3
101	Different discharge properties of facial nucleus motoneurons following neurotmesis in a rat model. <i>Neuroscience Letters</i> , 2016, 629, 180-185.	2.1	3
102	Planar Cell Polarity Defects and Hearing Loss in Sperm-Associated Antigen 6 (Spag6)-Deficient Mice. <i>American Journal of Physiology - Cell Physiology</i> , 2020, 320, C132-C141.	4.6	3
103	Dexamethasone protects the hearing of Meniere's disease patients after triple semicircular canal plugging. <i>Acta Oto-Laryngologica</i> , 2020, 140, 803-807.	0.9	3
104	Neuroprotective Effect of Brimonidine against Facial Nerve Crush Injury in Rats via Suppressing GFAP/PAF Activation and Neuroinflammation. <i>Orl</i> , 2021, 83, 449-456.	1.1	3
105	Sperm-associated antigen 6 (Spag6) mutation leads to vestibular dysfunction in mice. <i>Journal of Pharmacological Sciences</i> , 2021, 147, 325-330.	2.5	3
106	SMPX Deficiency Causes Stereocilia Degeneration and Progressive Hearing Loss in CBA/CaJ Mice. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 750023.	3.7	3
107	Overexpression of Smac/DIABLO in Hep-2 Cell Line: Possible Role in Potentiating the Sensitivity of Chemotherapeutic Drugs. <i>Tumori</i> , 2010, 96, 310-315.	1.1	2
108	Novel compound heterozygous mutations in SLC26A4 gene in a Chinese Han family with enlarged vestibular aqueduct. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 90, 170-174.	1.0	2

#	ARTICLE	IF	CITATIONS
109	Effect of Epineurial Neuroorrhaphy on Restoration of Facial Nerve Injuries with Different Levels of Neurotmesis in a Rat Model: A Pilot Study. <i>World Neurosurgery</i> , 2018, 112, e14-e22.	1.3	2
110	Intraoperative auditory brainstem response monitoring during semicircular canal plugging surgery in treatment of Meniere's disease. <i>Acta Oto-Laryngologica</i> , 2021, 141, 73-77.	0.9	2
111	Claudin h Is Essential for Hair Cell Morphogenesis and Auditory Function in Zebrafish. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 663995.	3.7	2
112	Imaging Analysis of Patients With Meniere's Disease Treated With Endolymphatic Sac-Mastoid Shunt Surgery. <i>Frontiers in Surgery</i> , 2021, 8, 673323.	1.4	2
113	Comparison of the Pathway to the Inner Ear Between Postauricular and Intramuscular Injection of Dexamethasone in Guinea Pigs. <i>Frontiers in Neurology</i> , 2022, 13, 811626.	2.4	2
114	Thromboelastography predicting the prognosis of sudden sensorineural hearing loss. <i>Clinical Otolaryngology</i> , 2022, 47, 724-731.	1.2	2
115	The value of drug-induced sleep computed tomography in diagnosis of obstructive sleep apnea syndrome: a pilot study. <i>Acta Oto-Laryngologica</i> , 2019, 139, 895-901.	0.9	1
116	Long-term efficacy of triple semicircular canal plugging in the treatment of patients with ipsilateral delayed endolymphatic hydrops. <i>Scientific Reports</i> , 2021, 11, 3156.	3.3	1
117	Focusing on the clinical diagnosis and risk of hairy polyp: a report of 7 cases. <i>Turkish Journal of Pediatrics</i> , 2018, 60, 460.	0.6	1
118	The role of great auricular-facial nerve neuroorrhaphy in facial nerve damage. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 12970-6.	1.3	1
119	The Alterations and Significance of Intercellular Adhesion Molecule-1 in Mouse Brainstem During Herpes Simplex Virus Type 1-Induced Facial Palsy. <i>Applied Biochemistry and Biotechnology</i> , 2022, 194, 3483-3493.	2.9	1
120	The auditory characteristics of children with inner auditory canal stenosis. <i>Acta Oto-Laryngologica</i> , 2016, 136, 687-691.	0.9	0
121	Granular B-acute lymphoblastic leukemia: Ultrastructural characterization of cytoplasmic granules. <i>Leukemia Research</i> , 2018, 73, 105-107.	0.8	0
122	Study on facial nerve activation pathway based on nanometric magnetic beads. <i>Materials Express</i> , 2020, 10, 1808-1815.	0.5	0