

David Hammond

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1531834/david-hammond-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

390
papers

13,637
citations

57
h-index

104
g-index

415
ext. papers

16,159
ext. citations

4.1
avg, IF

7.18
L-index

#	Paper	IF	Citations
390	Health warning messages on tobacco products: a review. <i>Tobacco Control</i> , 2011 , 20, 327-37	5.3	734
389	Electronic nicotine delivery systems: international tobacco control four-country survey. <i>American Journal of Preventive Medicine</i> , 2013 , 44, 207-15	6.1	497
388	Nutrition labels on pre-packaged foods: a systematic review. <i>Public Health Nutrition</i> , 2011 , 14, 1496-506	3.3	486
387	Design and methods of the Population Assessment of Tobacco and Health (PATH) Study. <i>Tobacco Control</i> , 2017 , 26, 371-378	5.3	429
386	Text and graphic warnings on cigarette packages: findings from the international tobacco control four country study. <i>American Journal of Preventive Medicine</i> , 2007 , 32, 202-9	6.1	327
385	Effectiveness of cigarette warning labels in informing smokers about the risks of smoking: findings from the International Tobacco Control (ITC) Four Country Survey. <i>Tobacco Control</i> , 2006 , 15 Suppl 3, iii19-25	5.3	296
384	The conceptual framework of the International Tobacco Control (ITC) Policy Evaluation Project. <i>Tobacco Control</i> , 2006 , 15 Suppl 3, iii3-11	5.3	274
383	Impact of graphic and text warnings on cigarette packs: findings from four countries over five years. <i>Tobacco Control</i> , 2009 , 18, 358-64	5.3	250
382	Assessment of validity of self-reported smoking status. <i>Health Reports</i> , 2012 , 23, 47-53	4.7	245
381	Methods of the International Tobacco Control (ITC) Four Country Survey. <i>Tobacco Control</i> , 2006 , 15 Suppl 3, iii12-8	5.3	244
380	Impact of the graphic Canadian warning labels on adult smoking behaviour. <i>Tobacco Control</i> , 2003 , 12, 391-5	5.3	233
379	Socioeconomic disparities in quit intentions, quit attempts, and smoking abstinence among smokers in four western countries: findings from the International Tobacco Control Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2010 , 12 Suppl, S20-33	4.9	220
378	Graphic Canadian cigarette warning labels and adverse outcomes: evidence from Canadian smokers. <i>American Journal of Public Health</i> , 2004 , 94, 1442-5	5.1	218
377	How reactions to cigarette packet health warnings influence quitting: findings from the ITC Four-Country survey. <i>Addiction</i> , 2009 , 104, 669-75	4.6	216
376	Tobacco denormalization and industry beliefs among smokers from four countries. <i>American Journal of Preventive Medicine</i> , 2006 , 31, 225-32	6.1	185
375	The impact of cigarette pack design, descriptors, and warning labels on risk perception in the U.S. <i>American Journal of Preventive Medicine</i> , 2011 , 40, 674-82	6.1	163
374	Smoking behaviour among young adults: beyond youth prevention. <i>Tobacco Control</i> , 2005 , 14, 181-5	5.3	154

373	The COMPASS study: a longitudinal hierarchical research platform for evaluating natural experiments related to changes in school-level programs, policies and built environment resources. <i>BMC Public Health</i> , 2014 , 14, 331	4.1	149
372	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. <i>BMJ, The</i> , 2019 , 365, l2219	5.9	144
371	Socioeconomic and country variations in knowledge of health risks of tobacco smoking and toxic constituents of smoke: results from the 2002 International Tobacco Control (ITC) Four Country Survey. <i>Tobacco Control</i> , 2006 , 15 Suppl 3, iii65-70	5.3	138
370	Smoking topography, brand switching, and nicotine delivery: results from an in vivo study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1370-5	4	133
369	Can pictorial warning labels on cigarette packages address smoking-related health disparities? Field experiments in Mexico to assess pictorial warning label content. <i>Cancer Causes and Control</i> , 2012 , 23 Suppl 1, 69-80	2.8	125
368	Do smokers know how to quit? Knowledge and perceived effectiveness of cessation assistance as predictors of cessation behaviour. <i>Addiction</i> , 2004 , 99, 1042-8	4.6	124
367	The impact of pictures on the effectiveness of tobacco warnings. <i>Bulletin of the World Health Organization</i> , 2009 , 87, 640-3	8.2	122
366	Cigarette pack design and perceptions of risk among UK adults and youth. <i>European Journal of Public Health</i> , 2009 , 19, 631-7	2.1	122
365	The near-universal experience of regret among smokers in four countries: findings from the International Tobacco Control Policy Evaluation Survey. <i>Nicotine and Tobacco Research</i> , 2004 , 6 Suppl 3, S341-51	4.9	114
364	The impact of cigarette package design on perceptions of risk. <i>Journal of Public Health</i> , 2009 , 31, 345-53	3.5	111
363	Perceived effectiveness of pictorial health warnings among Mexican youth and adults: a population-level intervention with potential to reduce tobacco-related inequities. <i>Cancer Causes and Control</i> , 2012 , 23 Suppl 1, 57-67	2.8	109
362	Adherence to and reasons for premature discontinuation from stop-smoking medications: data from the ITC Four-Country Survey. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 94-102	4.9	107
361	Awareness, trial, and current use of electronic cigarettes in 10 countries: Findings from the ITC project. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 11691-704	4.6	106
360	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. <i>Tobacco Control</i> , 2019 , 28, 629-635	5.3	103
359	Electronic cigarette use and smoking initiation among youth: a longitudinal cohort study. <i>Cmaj</i> , 2017 , 189, E1328-E1336	3.5	102
358	The Influence of Sugar-Sweetened Beverage Health Warning Labels on Parents' Choices. <i>Pediatrics</i> , 2016 , 137, e20153185	7.4	98
357	Pictorial health warnings on cigarette packs in the United States: an experimental evaluation of the proposed FDA warnings. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 93-102	4.9	90
356	Cigarette yields and human exposure: a comparison of alternative testing regimens. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1495-501	4	89

355	The impact of price and nutrition labelling on sugary drink purchases: Results from an experimental marketplace study. <i>Appetite</i> , 2018 , 121, 129-137	4.5	89
354	Mediational pathways of the impact of cigarette warning labels on quit attempts. <i>Health Psychology</i> , 2014 , 33, 1410-20	5	87
353	Path analysis of warning label effects on negative emotions and quit attempts: A longitudinal study of smokers in Australia, Canada, Mexico, and the US. <i>Social Science and Medicine</i> , 2018 , 197, 226-234	5.1	87
352	Estimating the impact of pictorial health warnings and "plain" cigarette packaging: evidence from experimental auctions among adult smokers in the United States. <i>Health Policy</i> , 2011 , 102, 41-8	3.2	86
351	Smokers' reactions to cigarette package warnings with graphic imagery and with only text: a comparison between Mexico and Canada. <i>Salud Publica De Mexico</i> , 2007 , 49 Suppl 2, S233-40	1.7	80
350	Beyond light and mild: cigarette brand descriptors and perceptions of risk in the International Tobacco Control (ITC) Four Country Survey. <i>Addiction</i> , 2011 , 106, 1166-75	4.6	73
349	Health knowledge and perception of risks among Chinese smokers and non-smokers: findings from the Wave 1 ITC China Survey. <i>Tobacco Control</i> , 2010 , 19 Suppl 2, i18-23	5.3	73
348	Deadly in pink: the impact of cigarette packaging among young women. <i>Tobacco Control</i> , 2011 , 20, 353-60	5.3	73
347	Prevalence and forms of cannabis use in legal vs. illegal recreational cannabis markets. <i>International Journal of Drug Policy</i> , 2020 , 76, 102658	5.5	71
346	Use of and beliefs about light cigarettes in four countries: findings from the International Tobacco Control Policy Evaluation Survey. <i>Nicotine and Tobacco Research</i> , 2004 , 6 Suppl 3, S311-21	4.9	71
345	Electronic cigarettes in Canada: prevalence of use and perceptions among youth and young adults. <i>Canadian Journal of Public Health</i> , 2014 , 105, e97-e102	3.2	69
344	Socio-economic status and smoking in Canada, 1999-2006: has there been any progress on disparities in tobacco use?. <i>Canadian Journal of Public Health</i> , 2010 , 101, 73-8	3.2	69
343	Impact of female-oriented cigarette packaging in the United States. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 579-88	4.9	68
342	The impact of cigarette pack shape, size and opening: evidence from tobacco company documents. <i>Addiction</i> , 2013 , 108, 1658-68	4.6	63
341	Changes in effectiveness of cigarette health warnings over time in Canada and the United States, 2002-2011. <i>Nicotine and Tobacco Research</i> , 2014 , 16, 536-43	4.9	60
340	What happened to smokers' beliefs about light cigarettes when "light/mild" brand descriptors were banned in the UK? Findings from the International Tobacco Control (ITC) Four Country Survey. <i>Tobacco Control</i> , 2008 , 17, 256-62	5.3	59
339	Influences of Self-Efficacy, Response Efficacy, and Reactance on Responses to Cigarette Health Warnings: A Longitudinal Study of Adult Smokers in Australia and Canada. <i>Health Communication</i> , 2016 , 31, 1517-26	3.2	59
338	How do consumers perceive differences in risk across nicotine products? A review of relative risk perceptions across smokeless tobacco, e-cigarettes, nicotine replacement therapy and combustible cigarettes. <i>Tobacco Control</i> , 2017 , 26, e49-e58	5.3	58

337	Use of JUUL E-cigarettes Among Youth in the United States. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 827-832	4.9	58
336	Cigarette brands with flavour capsules in the filter: trends in use and brand perceptions among smokers in the USA, Mexico and Australia, 2012-2014. <i>Tobacco Control</i> , 2016 , 25, 275-83	5.3	57
335	Do larger pictorial health warnings diminish the need for plain packaging of cigarettes?. <i>Addiction</i> , 2012 , 107, 1159-67	4.6	57
334	Constituents in tobacco and smoke emissions from Canadian cigarettes. <i>Tobacco Control</i> , 2008 , 17 Suppl 1, i24-31	5.3	57
333	The impact of cigarette warning labels and smoke-free bylaws on smoking cessation: evidence from former smokers. <i>Canadian Journal of Public Health</i> , 2004 , 95, 201-4	3.2	56
332	Perceptions of tobacco health warnings in China compared with picture and text-only health warnings from other countries: an experimental study. <i>Tobacco Control</i> , 2010 , 19 Suppl 2, i69-77	5.3	55
331	Revising the machine smoking regime for cigarette emissions: implications for tobacco control policy. <i>Tobacco Control</i> , 2007 , 16, 8-14	5.3	55
330	Smokers' responses toward cigarette pack warning labels in predicting quit intention, stage of change, and self-efficacy. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 248-53	4.9	54
329	Consumer preferences for electronic cigarettes: results from a discrete choice experiment. <i>Tobacco Control</i> , 2016 , 25, e30-6	5.3	54
328	Who is using e-cigarettes in Canada? Nationally representative data on the prevalence of e-cigarette use among Canadians. <i>Preventive Medicine</i> , 2015 , 81, 180-3	4.3	53
327	Secret science: tobacco industry research on smoking behaviour and cigarette toxicity. <i>Lancet, The</i> , 2006 , 367, 781-7	4.0	53
326	Cigarettes sold in China: design, emissions and metals. <i>Tobacco Control</i> , 2010 , 19 Suppl 2, i47-53	5.3	51
325	The effect of cigarette branding and plain packaging on female youth in the United Kingdom. <i>Journal of Adolescent Health</i> , 2013 , 52, 151-7	5.8	50
324	Consumer perceptions of cigarette pack design in France: a comparison of regular, limited edition and plain packaging. <i>Tobacco Control</i> , 2012 , 21, 502-6	5.3	50
323	Taxes and front-of-package labels improve the healthiness of beverage and snack purchases: a randomized experimental marketplace. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 46	8.4	48
322	Tobacco packaging and mass media campaigns: research needs for Articles 11 and 12 of the WHO Framework Convention on Tobacco Control. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 817-31	4.9	48
321	Does nutrition information on menus impact food choice? Comparisons across two hospital cafeterias. <i>Public Health Nutrition</i> , 2014 , 17, 1393-402	3.3	48
320	Impact of the removal of misleading terms on cigarette pack on smokers' beliefs about light/mild cigarettes: cross-country comparisons. <i>Addiction</i> , 2011 , 106, 2204-13	4.6	48

319	Tobacco packaging design for reducing tobacco use. <i>The Cochrane Library</i> , 2017 , 4, CD011244	5.2	46
318	Sociodemographic differences in the comprehension of nutritional labels on food products. <i>Journal of Nutrition Education and Behavior</i> , 2013 , 45, 767-72	2	46
317	Cigarette packaging: Youth perceptions of "natural" cigarettes, filter references, and contraband tobacco. <i>Journal of Adolescent Health</i> , 2014 , 54, 33-9	5.8	46
316	Awareness and interest in IQOS heated tobacco products among youth in Canada, England and the USA. <i>Tobacco Control</i> , 2020 , 29, 89-95	5.3	46
315	Cigarette packaging and health warnings: the impact of plain packaging and message framing on young smokers. <i>Tobacco Control</i> , 2015 , 24, e87-92	5.3	45
314	Evaluating the impacts of cannabis legalization: The International Cannabis Policy Study. <i>International Journal of Drug Policy</i> , 2020 , 77, 102698	5.5	44
313	Cigarette packet warning labels can prevent relapse: findings from the International Tobacco Control 4-Country policy evaluation cohort study. <i>Tobacco Control</i> , 2013 , 22, e43-50	5.3	44
312	Prevalence of awareness, ever-use and current use of nicotine vaping products (NVPs) among adult current smokers and ex-smokers in 14 countries with differing regulations on sales and marketing of NVPs: cross-sectional findings from the ITC Project. <i>Addiction</i> , 2019 , 114, 1060-1073	4.6	41
311	A randomized trial of calorie labeling on menus. <i>Preventive Medicine</i> , 2013 , 57, 860-6	4.3	41
310	Effect of differing levels of tobacco-specific nitrosamines in cigarette smoke on the levels of biomarkers in smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1389-98	4	41
309	Smokers' use of nicotine replacement therapy for reasons other than stopping smoking: findings from the ITC Four Country Survey. <i>Addiction</i> , 2008 , 103, 1696-703	4.6	41
308	Pictorial health warning label content and smokers' understanding of smoking-related risks—a cross-country comparison. <i>Health Education Research</i> , 2015 , 30, 35-45	1.8	40
307	Patterns of smoking among adolescents in Malaysia and Thailand: findings from the International Tobacco Control Southeast Asia survey. <i>Asia-Pacific Journal of Public Health</i> , 2008 , 20, 193-203	2	40
306	Consumption of Caffeinated Energy Drinks Among Youth and Young Adults in Canada. <i>Preventive Medicine Reports</i> , 2017 , 5, 65-70	2.6	39
305	Use of caffeinated energy drinks among secondary school students in Ontario: Prevalence and correlates of using energy drinks and mixing with alcohol. <i>Canadian Journal of Public Health</i> , 2015 , 106, e101-8	3.2	39
304	Effect of a mobile phone intervention on quitting smoking in a young adult population of smokers: randomized controlled trial study protocol. <i>JMIR Research Protocols</i> , 2015 , 4, e10	2	39
303	Does Reactance against Cigarette Warning Labels Matter? Warning Label Responses and Downstream Smoking Cessation amongst Adult Smokers in Australia, Canada, Mexico and the United States. <i>PLoS ONE</i> , 2016 , 11, e0159245	3.7	39
302	The potential impact of plain packaging of cigarette products among Brazilian young women: an experimental study. <i>BMC Public Health</i> , 2012 , 12, 737	4.1	37

301	Tobacco packaging and labeling policies under the U.S. Tobacco Control Act: research needs and priorities. <i>Nicotine and Tobacco Research</i> , 2012 , 14, 62-74	4.9	37
300	Cigarette package inserts can promote efficacy beliefs and sustained smoking cessation attempts: A longitudinal assessment of an innovative policy in Canada. <i>Preventive Medicine</i> , 2016 , 88, 59-65	4.3	36
299	Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. <i>Tobacco Control</i> , 2016 , 25, 181-7	5.3	35
298	Consumer understanding of calorie amounts and serving size: implications for nutritional labelling. <i>Canadian Journal of Public Health</i> , 2012 , 103, e327-31	3.2	35
297	Interpersonal communication about pictorial health warnings on cigarette packages: Policy-related influences and relationships with smoking cessation attempts. <i>Social Science and Medicine</i> , 2016 , 164, 141-149	5.1	34
296	Adolescents' response to text-only tobacco health warnings: results from the 2008 UK Youth Tobacco Policy Survey. <i>European Journal of Public Health</i> , 2010 , 20, 463-9	2.1	34
295	The appeal of smokeless tobacco products among young Canadian smokers: the impact of pictorial health warnings and relative risk messages. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 373-83	4.9	34
294	"Plain packaging" regulations for tobacco products: the impact of standardizing the color and design of cigarette packs. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 2, S226-32	1.7	34
293	The Prevalence of Vaping and Smoking as Modes of Delivery for Nicotine and Cannabis among Youth in Canada, England and the United States. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	34
292	Communicating THC levels and dose to consumers: Implications for product labelling and packaging of cannabis products in regulated markets. <i>International Journal of Drug Policy</i> , 2021 , 91, 102509	5.5	34
291	Use of Conventional and Alternative Tobacco and Nicotine Products Among a Sample of Canadian Youth. <i>Journal of Adolescent Health</i> , 2015 , 57, 123-5	5.8	33
290	Changes in Prevalence of Vaping Among Youths in the United States, Canada, and England from 2017 to 2019. <i>JAMA Pediatrics</i> , 2020 , 174, 797-800	8.3	32
289	Stronger pack warnings predict quitting more than weaker ones: finding from the ITC Malaysia and Thailand surveys. <i>Tobacco Induced Diseases</i> , 2013 , 11, 20	3.2	32
288	Retail availability and marketing of electronic cigarettes in Canada. <i>Canadian Journal of Public Health</i> , 2015 , 106, e408-12	3.2	32
287	Use of nutritional information in Canada: national trends between 2004 and 2008. <i>Journal of Nutrition Education and Behavior</i> , 2011 , 43, 356-65	2	31
286	Beliefs about the relative harm of "light" and "low tar" cigarettes: findings from the International Tobacco Control (ITC) China Survey. <i>Tobacco Control</i> , 2010 , 19 Suppl 2, i54-62	5.3	31
285	First cigarette on waking and time of day as predictors of puffing behaviour in UK adult smokers. <i>Drug and Alcohol Dependence</i> , 2009 , 101, 191-5	4.9	31
284	E-cigarette use in Canada: prevalence and patterns of use in a regulated market. <i>BMJ Open</i> , 2015 , 5, e003971	3.9	30

283	Eliciting preferences for waterpipe tobacco smoking using a discrete choice experiment: implications for product regulation. <i>BMJ Open</i> , 2015 , 5, e009497	3	30
282	Flavored tobacco use among Canadian students in grades 9 through 12: prevalence and patterns from the 2010-2011 youth smoking survey. <i>Preventing Chronic Disease</i> , 2014 , 11, E102	3.7	30
281	Public health benefits from pictorial health warnings on US cigarette packs: a SimSmoke simulation. <i>Tobacco Control</i> , 2017 , 26, 649-655	5.3	29
280	The Impact of E-Cigarette Warnings, Warning Themes and Inclusion of Relative Harm Statements on Young Adults: E-Cigarette Perceptions and Use Intentions. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	29
279	Perceived effectiveness of text and pictorial health warnings for smokeless tobacco packages in Navi Mumbai, India, and Dhaka, Bangladesh: findings from an experimental study. <i>Tobacco Control</i> , 2016 , 25, 437-43	5.3	28
278	Adverse effects of caffeinated energy drinks among youth and young adults in Canada: a Web-based survey. <i>CMAJ Open</i> , 2018 , 6, E19-E25	2.5	28
277	Testing the Efficacy of Alcohol Labels with Standard Drink Information and National Drinking Guidelines on Consumers' Ability to Estimate Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2018 , 53, 3-11	3.5	28
276	Medical cannabis use in Canada: vapourization and modes of delivery. <i>Harm Reduction Journal</i> , 2016 , 13, 30	4.6	28
275	Reduced nicotine cigarettes: smoking behavior and biomarkers of exposure among smokers not intending to quit. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2032-40	4	28
274	How do different cigarette design features influence the standard tar yields of popular cigarette brands sold in different countries?. <i>Tobacco Control</i> , 2008 , 17 Suppl 1, i1-5	5.3	28
273	Smokers' and E-Cigarette Users' Perceptions about E-Cigarette Warning Statements. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	28
272	The Impact of Cigarette Packaging Design Among Young Females in Canada: Findings From a Discrete Choice Experiment. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1348-56	4.9	27
271	Consumers' Response to an On-Shelf Nutrition Labelling System in Supermarkets: Evidence to Inform Policy and Practice. <i>Milbank Quarterly</i> , 2017 , 95, 494-534	3.9	27
270	The Use of Cigarette Package Inserts to Supplement Pictorial Health Warnings: An Evaluation of the Canadian Policy. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 870-5	4.9	27
269	Use of Online Food Delivery Services to Order Food Prepared Away-From-Home and Associated Sociodemographic Characteristics: A Cross-Sectional, Multi-Country Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	27
268	Availability, retail price and potency of legal and illegal cannabis in Canada after recreational cannabis legalisation. <i>Drug and Alcohol Review</i> , 2020 , 39, 337-346	3.2	27
267	The Impact of Front-of-Package Label Design on Consumer Understanding of Nutrient Amounts. <i>Nutrients</i> , 2018 , 10,	6.7	27
266	Effectiveness of the European Union text-only cigarette health warnings: findings from four countries. <i>European Journal of Public Health</i> , 2012 , 22, 693-9	2.1	26

265	Effect of a Mobile Phone Intervention on Quitting Smoking in a Young Adult Population of Smokers: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e10893	5.5	26
264	Biomarkers of Exposure Among "Dual Users" of Tobacco Cigarettes and Electronic Cigarettes in Canada. <i>Nicotine and Tobacco Research</i> , 2019 , 21, 1259-1266	4.9	26
263	International differences in patterns of cannabis use among youth: Prevalence, perceptions of harm, and driving under the influence in Canada, England & United States. <i>Addictive Behaviors</i> , 2019 , 90, 171-175	4.2	26
262	"We Have a Right to Know": Exploring Consumer Opinions on Content, Design and Acceptability of Enhanced Alcohol Labels. <i>Alcohol and Alcoholism</i> , 2018 , 53, 20-25	3.5	25
261	Longer term impact of cigarette package warnings in Australia compared with the United Kingdom and Canada. <i>Health Education Research</i> , 2015 , 30, 67-80	1.8	25
260	US Smokers' Beliefs, Experiences and Perceptions of Different Cigarette Variants Before and After the FSPTCA Ban on Misleading Descriptors Such as "Light," "Mild," or "Low". <i>Nicotine and Tobacco Research</i> , 2016 , 18, 2115-2123	4.9	24
259	Food safety knowledge, attitudes and self-reported practices among Ontario high school students. <i>Canadian Journal of Public Health</i> , 2016 , 106, e520-6	3.2	24
258	The impact of the 2009/2010 enhancement of cigarette health warning labels in Uruguay: longitudinal findings from the International Tobacco Control (ITC) Uruguay Survey. <i>Tobacco Control</i> , 2016 , 25, 89-95	5.3	24
257	Retail price and availability of illicit cannabis in Canada. <i>Addictive Behaviors</i> , 2019 , 90, 402-408	4.2	24
256	Promoting cessation resources through cigarette package warning labels: a longitudinal survey with adult smokers in Canada, Australia and Mexico. <i>Tobacco Control</i> , 2015 , 24, e23-31	5.3	23
255	Positive impact of Australian blindness tobacco warning labels: findings from the ITC four country survey. <i>Australasian journal of optometry, The</i> , 2012 , 95, 590-8	2.7	23
254	Support for, and perceived effectiveness of, the UK soft drinks industry levy among UK adults: cross-sectional analysis of the International Food Policy Study. <i>BMJ Open</i> , 2019 , 9, e026698	3	22
253	The effects of calorie labels on those at high-risk of eating pathologies: a pre-post intervention study in a University cafeteria. <i>Public Health</i> , 2015 , 129, 732-9	4	22
252	Australian smokers' support for plain or standardised packs before and after implementation: findings from the ITC Four Country Survey. <i>Tobacco Control</i> , 2015 , 24, 616-21	5.3	22
251	Beverage consumption and energy intake among Canadians: analyses of 2004 and 2015 national dietary intake data. <i>Nutrition Journal</i> , 2019 , 18, 60	4.3	22
250	The perceptions of UK youth of branded and standardized, plain cigarette packaging. <i>European Journal of Public Health</i> , 2014 , 24, 537-43	2.1	22
249	Relationship of cigarette-related perceptions to cigarette design features: findings from the 2009 ITC U.S. Survey. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 1943-7	4.9	22
248	Planned quit attempts among Ontario smokers: impact on abstinence. <i>Addiction</i> , 2011 , 106, 2005-13	4.6	22

247	Identification of flavouring chemicals and potential toxicants in e-cigarette products in Ontario, Canada. <i>Canadian Journal of Public Health</i> , 2019 , 110, 542-550	3.2	21
246	Youth self-reported exposure to and perceptions of vaping advertisements: Findings from the 2017 International Tobacco Control Youth Tobacco and Vaping Survey. <i>Preventive Medicine</i> , 2019 , 126, 105775	4.3	21
245	Levels and correlates of awareness of tobacco promotional activities among adult smokers in Malaysia and Thailand: findings from the International Tobacco Control Southeast Asia (ITC-SEA) Survey. <i>Tobacco Control</i> , 2008 , 17, 46-52	5.3	21
244	Are young Canadians supportive of proposed nutrition policies and regulations? An overview of policy support and the impact of socio-demographic factors on public opinion. <i>Canadian Journal of Public Health</i> , 2018 , 109, 498-505	3.2	20
243	Prevalence and correlates of electronic cigarette use among Canadian students: cross-sectional findings from the 2014/15 Canadian Student Tobacco, Alcohol and Drugs Survey. <i>CMAJ Open</i> , 2017 , 5, E460-E467	2.5	20
242	Improper disclosure: tobacco packaging and emission labelling regulations. <i>Public Health</i> , 2012 , 126, 613-9	4	20
241	The efficacy of cigarette warning labels on health beliefs in the United States and Mexico. <i>Journal of Health Communication</i> , 2013 , 18, 1180-92	2.5	20
240	Showing leads to doing: graphic cigarette warning labels are an effective public health policy. <i>European Journal of Public Health</i> , 2006 , 16, 223-4; author reply 225	2.1	20
239	Over-Time Impacts of Pictorial Health Warning Labels and their Differences across Smoker Subgroups: Results from Adult Smokers in Canada and Australia. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 888-896	4.9	20
238	The Association of E-cigarette Flavors With Satisfaction, Enjoyment, and Trying to Quit or Stay Abstinent From Smoking Among Regular Adult Vapers From Canada and the United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 1831-1841	4.9	19
237	A multi-country survey of public support for food policies to promote healthy diets: Findings from the International Food Policy Study. <i>BMC Public Health</i> , 2019 , 19, 1205	4.1	19
236	The prevalence of eating behaviors among Canadian youth using cross-sectional school-based surveys. <i>BMC Public Health</i> , 2014 , 14, 323	4.1	19
235	The efficacy of sugar labeling formats: Implications for labeling policy. <i>Obesity</i> , 2015 , 23, 2406-13	8	19
234	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. <i>Nicotine and Tobacco Research</i> , 2019 , 21, 887-895	4.9	19
233	Understanding and use of food labeling systems among Whites and Latinos in the United States and among Mexicans: Results from the International Food Policy Study, 2017. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 87	8.4	18
232	Characteristics of nicotine vaping products used by participants in the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019 , 114 Suppl 1, 15-23	4.6	18
231	Where Do Vapers Buy Their Vaping Supplies? Findings from the International Tobacco Control (ITC) 4 Country Smoking and Vaping Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	18
230	Cannabis labelling and consumer understanding of THC levels and serving sizes. <i>Drug and Alcohol Dependence</i> , 2020 , 208, 107843	4.9	18

229	Considerations and Future Research Directions for E-Cigarette Warnings-Findings from Expert Interviews. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	18
228	Mouth-level intake of benzo[a]pyrene from reduced nicotine cigarettes. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 11898-914	4.6	18
227	The reliability and validity of self-reported puffing behavior: evidence from a cross-national study. <i>Nicotine and Tobacco Research</i> , 2008 , 10, 867-74	4.9	18
226	Smokers and e-cigarette users' perceptions of modified risk warnings for e-cigarettes. <i>Preventive Medicine Reports</i> , 2016 , 4, 309-12	2.6	18
225	Improving Knowledge that Alcohol Can Cause Cancer is Associated with Consumer Support for Alcohol Policies: Findings from a Real-World Alcohol Labelling Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	17
224	Prevalence of problematic cannabis use in Canada: Cross-sectional findings from the 2013 Canadian Tobacco, Alcohol and Drugs Survey. <i>Canadian Journal of Public Health</i> , 2018 , 108, e516-e522	3.2	17
223	Neural biomarkers for assessing different types of imagery in pictorial health warning labels for cigarette packaging: a cross-sectional study. <i>BMJ Open</i> , 2014 , 4, e006411	3	17
222	Smoking topography and biomarkers of exposure among Japanese smokers: associations with cigarette emissions obtained using machine smoking protocols. <i>Environmental Health and Preventive Medicine</i> , 2013 , 18, 95-103	4.2	17
221	Nutritional quality of food items on fast-food kids' menus: comparisons across countries and companies. <i>Public Health Nutrition</i> , 2014 , 17, 2263-9	3.3	17
220	Consumer understanding of cigarette emission labelling. <i>European Journal of Public Health</i> , 2011 , 21, 373-5	2.1	17
219	Activity space-based measures of the food environment and their relationships to food purchasing behaviours for young urban adults in Canada. <i>Public Health Nutrition</i> , 2018 , 21, 2103-2116	3.3	16
218	Perceptions of effectiveness and believability of pictorial and text-only health warning labels for cannabis products among Canadian youth. <i>International Journal of Drug Policy</i> , 2019 , 73, 24-31	5.5	16
217	Influence of Health Warnings on Beliefs about the Health Effects of Cigarette Smoking, in the Context of an Experimental Study in Four Asian Countries. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	16
216	Effectiveness of antismoking media messages and education among adolescents in Malaysia and Thailand: findings from the international tobacco control southeast Asia project. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 482-91	4.9	16
215	Low Frequency of Fruit and Vegetable Consumption Among Canadian Youth: Findings From the 2012/2013 Youth Smoking Survey. <i>Journal of School Health</i> , 2016 , 86, 135-42	2.1	16
214	Vegetarianism and other eating practices among youth and young adults in major Canadian cities. <i>Public Health Nutrition</i> , 2020 , 23, 609-619	3.3	16
213	Perceptions and Knowledge of Caffeinated Energy Drinks: Results of Focus Groups With Canadian Youth. <i>Journal of Nutrition Education and Behavior</i> , 2017 , 49, 304-311.e6	2	15
212	The impact of changing nicotine replacement therapy licensing laws in the United Kingdom: findings from the International Tobacco Control Four Country Survey. <i>Addiction</i> , 2009 , 104, 1420-7	4.6	15

211	CSP deposition to the alveolar region of the lung: implications of cigarette design. <i>Risk Analysis</i> , 2007 , 27, 1519-33	3.9	15
210	Relationship between constituent labelling and reporting of tar yields among smokers in four countries. <i>Journal of Public Health</i> , 2006 , 28, 324-9	3.5	15
209	Predictive and External Validity of a Pre-Market Study to Determine the Most Effective Pictorial Health Warning Label Content for Cigarette Packages. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1376-81	4.9	15
208	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Drug Policy</i> , 2016 , 29, 73-9	5.5	15
207	Influence of front-of-package nutrition labels on beverage healthiness perceptions: Results from a randomized experiment. <i>Preventive Medicine</i> , 2018 , 115, 83-89	4.3	15
206	The impact of nutrition labeling on menus: a naturalistic cohort study. <i>American Journal of Health Behavior</i> , 2015 , 39, 540-8	1.9	14
205	Cannabis advertising, promotion and branding: Differences in consumer exposure between legal and illegal markets in Canada and the US. <i>Preventive Medicine</i> , 2020 , 133, 106013	4.3	14
204	Perceived support for medical cannabis use among approved medical cannabis users in Canada. <i>Drug and Alcohol Review</i> , 2018 , 37, 627-636	3.2	14
203	The impact of plain packaging and health warnings on consumer appeal of cannabis products. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107633	4.9	14
202	Social norms towards smoking and vaping and associations with product use among youth in England, Canada, and the US. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107635	4.9	14
201	Reported exposures to anti-smoking messages and their impact on Chinese smoker's subsequent quit attempts. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 667-76	2.6	14
200	Sugar-sweetened beverage consumption among a subset of Canadian youth. <i>Journal of School Health</i> , 2014 , 84, 168-76	2.1	14
199	Illicit substance use among Canadian youth: trends between 2002 and 2008. <i>Canadian Journal of Public Health</i> , 2011 , 102, 7-12	3.2	14
198	Patterns of Use and Perceptions of Harm of Smokeless Tobacco in Navi Mumbai, India and Dhaka, Bangladesh. <i>Indian Journal of Community Medicine</i> , 2016 , 41, 280-287	0.8	14
197	The Relationship between Self-Reported Exposure to Sugar-Sweetened Beverage Promotions and Intake: Cross-Sectional Analysis of the 2017 International Food Policy Study. <i>Nutrients</i> , 2019 , 11,	6.7	14
196	Trends in cannabis use over time among Canadian youth: 2004-2014. <i>Preventive Medicine</i> , 2019 , 118, 30-37	4.3	14
195	Do manufacturer nutrient claims influence the efficacy of mandated front-of-package labels?. <i>Public Health Nutrition</i> , 2018 , 21, 3354-3359	3.3	14
194	E-cigarette nicotine content and labelling practices in a restricted market: Findings from Ontario, Canada. <i>International Journal of Drug Policy</i> , 2018 , 58, 9-12	5.5	14

193	The role of negative affect and message credibility in perceived effectiveness of smokeless tobacco health warning labels in Navi Mumbai, India and Dhaka, Bangladesh: A moderated-mediation analysis. <i>Addictive Behaviors</i> , 2017 , 73, 22-29	4.2	13
192	Added sugar in the packaged foods and beverages available at a major Canadian retailer in 2015: a descriptive analysis. <i>CMAJ Open</i> , 2017 , 5, E1-E6	2.5	13
191	TSNA Exposure: Levels of NNAL Among Canadian Tobacco Users. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 825-30	4.9	13
190	Modes of delivery in concurrent nicotine and cannabis use ("co-use") among youth: Findings from the International Tobacco Control (ITC) Survey. <i>Substance Abuse</i> , 2021 , 42, 339-347	3.8	13
189	Does Adding Information on Toxic Constituents to Cigarette Pack Warnings Increase Smokers' Perceptions About the Health Risks of Smoking? A Longitudinal Study in Australia, Canada, Mexico, and the United States. <i>Health Education and Behavior</i> , 2018 , 45, 32-42	4.2	13
188	Differences in patterns of cannabis use among youth: Prevalence, perceptions of harm and driving under the influence in the USA where non-medical cannabis markets have been established, proposed and prohibited. <i>Drug and Alcohol Review</i> , 2018 , 37, 903-911	3.2	13
187	Filter presence and tipping paper color influence consumer perceptions of cigarettes. <i>BMC Public Health</i> , 2015 , 15, 1279	4.1	13
186	Tobacco on campus: industry marketing and tobacco control policy among post-secondary institutions in Canada. <i>Tobacco Control</i> , 2005 , 14, 136-40	5.3	13
185	Comprehension and Use of Nutrition Facts Tables among Adolescents and Young Adults in Canada. <i>Canadian Journal of Dietetic Practice and Research</i> , 2016 , 77, 59-65	1.3	13
184	Methods to Assess Cannabis Consumption in Population Surveys: Results of Cognitive Interviewing. <i>Qualitative Health Research</i> , 2019 , 29, 1474-1482	3.9	13
183	Youth and young adult exposure to and perceptions of news media coverage about e-cigarettes in the United States, Canada and England. <i>Preventive Medicine</i> , 2019 , 121, 7-10	4.3	12
182	Testing Alcohol Labels as a Tool to Communicate Cancer Risk to Drinkers: A Real-World Quasi-Experimental Study. <i>Journal of Studies on Alcohol and Drugs</i> , 2020 , 81, 249-261	1.9	12
181	E-cigarette Marketing Regulations and Youth Vaping: Cross-Sectional Surveys, 2017-2019. <i>Pediatrics</i> , 2020 , 146,	7.4	12
180	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019 , 114 Suppl 1, 71-85	4.6	12
179	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. <i>International Journal of Drug Policy</i> , 2020 , 79, 102754	5.5	12
178	Prevalence and modes of cannabis use among youth in Canada, England, and the US, 2017 to 2019. <i>Drug and Alcohol Dependence</i> , 2021 , 219, 108505	4.9	12
177	Exposure and perceptions of marketing for caffeinated energy drinks among young Canadians. <i>Public Health Nutrition</i> , 2018 , 21, 535-542	3.3	12
176	Observation of High School Students' Food Handling Behaviors: Do They Improve following a Food Safety Education Intervention?. <i>Journal of Food Protection</i> , 2018 , 81, 917-925	2.5	12

175	Under the influence: examination of prevalence and correlates of alcohol and marijuana consumption in relation to youth driving and passenger behaviours in Canada. A cross-sectional study. <i>CMAJ Open</i> , 2017 , 5, E386-E394	2.5	11
174	Baseline assessment of noticing e-cigarette health warnings among youth and young adults in the United States, Canada and England, and associations with harm perceptions, nicotine awareness and warning recall. <i>Preventive Medicine Reports</i> , 2019 , 16, 100966	2.6	11
173	Consumer perceptions of specific design characteristics for front-of-package nutrition labels. <i>Health Education Research</i> , 2018 , 33, 167-174	1.8	11
172	Evaluation of strategies to communicate harmful and potentially harmful constituent (HPHC) information through cigarette package inserts: a discrete choice experiment. <i>Tobacco Control</i> , 2018 , 27, 677-683	5.3	11
171	Awareness and Knowledge of Recommendations from Canada's Food Guide. <i>Canadian Journal of Dietetic Practice and Research</i> , 2015 , 76, 146-9	1.3	11
170	The prevalence of brand switching among adult smokers in the USA, 2006-2011: findings from the ITC US surveys. <i>Tobacco Control</i> , 2015 , 24, 609-15	5.3	11
169	Smoking beliefs and behavior among youth in Malaysia and Thailand. <i>American Journal of Health Behavior</i> , 2009 , 33, 366-75	1.9	11
168	Testing the Effectiveness of Enhanced Alcohol Warning Labels and Modifications Resulting From Alcohol Industry Interference in Yukon, Canada: Protocol for a Quasi-Experimental Study. <i>JMIR Research Protocols</i> , 2020 , 9, e16320	2	11
167	Do Consumers Think Front-of-Package "High in" Warnings are Harsh or Reduce their Control? A Test of Food Industry Concerns. <i>Obesity</i> , 2018 , 26, 1687-1691	8	11
166	Where Should We Eat? Lunch Source and Dietary Measures Among Youth During the School Week. <i>Canadian Journal of Dietetic Practice and Research</i> , 2015 , 76, 157-65	1.3	10
165	Use and Perceptions of Cannabidiol Products in Canada and in the United States. <i>Cannabis and Cannabinoid Research</i> , 2020 ,	4.6	10
164	Exposure to Caffeinated Energy Drink Marketing and Educational Messages among Youth and Young Adults in Canada. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	9
163	Association between time-weighted activity space-based exposures to fast food outlets and fast food consumption among young adults in urban Canada. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 62	8.4	9
162	Evaluation of the online Beverage Frequency Questionnaire (BFQ). <i>Nutrition Journal</i> , 2018 , 17, 73	4.3	9
161	Reported exposure to E-cigarette advertising and promotion in different regulatory environments: Findings from the International Tobacco Control Four Country (ITC-4C) Survey. <i>Preventive Medicine</i> , 2018 , 112, 130-137	4.3	9
160	Cannabis use and driving under the influence: Behaviors and attitudes by state-level legal sale of recreational cannabis. <i>Preventive Medicine</i> , 2020 , 141, 106320	4.3	9
159	Baseline Assessment of Alcohol-Related Knowledge of and Support for Alcohol Warning Labels Among Alcohol Consumers in Northern Canada and Associations With Key Sociodemographic Characteristics. <i>Journal of Studies on Alcohol and Drugs</i> , 2020 , 81, 238-248	1.9	9
158	Which type of tobacco product warning imagery is more effective and sustainable over time? A longitudinal assessment of smokers in Canada, Australia and Mexico. <i>BMJ Open</i> , 2018 , 8, e021983	3	9

157	News Media and the Influence of the Alcohol Industry: An Analysis of Media Coverage of Alcohol Warning Labels With a Cancer Message in Canada and Ireland. <i>Journal of Studies on Alcohol and Drugs</i> , 2020 , 81, 273-283	1.9	8
156	Food Purchasing Behaviors and Sugar-Sweetened Beverage Consumption among Canadian Secondary School Students in the COMPASS Study. <i>Journal of Nutrition Education and Behavior</i> , 2018 , 50, 803-812.e1	2	8
155	Estimating the impact of various menu labeling formats on parents' demand for fast-food kids' meals for their children: An experimental auction. <i>Appetite</i> , 2016 , 105, 582-90	4.5	8
154	Knowledge of Recommended Calorie Intake and Influence of Calories on Food Selection Among Canadians. <i>Journal of Nutrition Education and Behavior</i> , 2016 , 48, 199-207.e1	2	8
153	Impact of Canadian tobacco packaging policy on quitline reach and reach equity. <i>Preventive Medicine</i> , 2015 , 81, 243-50	4.3	8
152	Destroyed documents: uncovering the science that Imperial Tobacco Canada sought to conceal. <i>Cmaj</i> , 2009 , 181, 691-8	3.5	8
151	Health warnings on tobacco products: international practices. <i>Salud Publica De Mexico</i> , 2012 , 54, 270-80	1.7	8
150	Examining the Impact of Alcohol Labels on Awareness and Knowledge of National Drinking Guidelines: A Real-World Study in Yukon, Canada. <i>Journal of Studies on Alcohol and Drugs</i> , 2020 , 81, 262-272	1.9	8
149	Examining changes in school vending machine beverage availability and sugar-sweetened beverage intake among Canadian adolescents participating in the COMPASS study: a longitudinal assessment of provincial school nutrition policy compliance and effectiveness. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 121	8.4	8
148	Socioeconomic Disadvantage across the Life Course Is Associated with Diet Quality in Young Adulthood. <i>Nutrients</i> , 2019 , 11,	6.7	7
147	Stop-Smoking Medication Use, Subsidization Policies, and Cessation in Canada. <i>American Journal of Preventive Medicine</i> , 2015 , 49, 188-98	6.1	7
146	Does Unit-Dose Packaging Influence Understanding of Serving Size Information for Cannabis Edibles?. <i>Journal of Studies on Alcohol and Drugs</i> , 2020 , 81, 173-179	1.9	7
145	How are adolescents getting their vaping products? Findings from the international tobacco control (ITC) youth tobacco and vaping survey. <i>Addictive Behaviors</i> , 2020 , 105, 106345	4.2	7
144	Self-care practices and barriers to compliance among patients with diabetes in a community in rural Bangladesh. <i>International Journal of Diabetes in Developing Countries</i> , 2016 , 36, 320-326	0.8	7
143	Perceived relative harm of heated tobacco products (IQOS), e-cigarettes, and cigarettes among adults in Canada: Findings from the ITC Project. <i>Tobacco Induced Diseases</i> , 2020 , 18, 81	3.2	7
142	Cigarette flavors, package shape, and cigarette brand perceptions: an experiment among young Brazilian women. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2018 , 42, e5	4.1	7
141	Differences in self-reported cannabis prices across purchase source and quantity purchased among Canadians. <i>Addiction Research and Theory</i> , 2020 , 28, 474-483	2.6	7
140	The Lower-Risk Cannabis Use Guidelines (LRCUG) recommendations: How are Canadian cannabis users complying?. <i>Preventive Medicine Reports</i> , 2020 , 20, 101187	2.6	7

139	Cannabis health knowledge and risk perceptions among Canadian youth and young adults. <i>Harm Reduction Journal</i> , 2020 , 17, 54	4.6	7
138	Impact of Canadian tobacco packaging policy on use of a toll-free quit-smoking line: an interrupted time-series analysis. <i>CMAJ Open</i> , 2016 , 4, E59-65	2.5	7
137	A voluntary nutrition labeling program in restaurants: Consumer awareness, use of nutrition information, and food selection. <i>Preventive Medicine Reports</i> , 2016 , 4, 474-80	2.6	7
136	Consumer perceptions of legal and illegal cannabis in US states with legal cannabis sales. <i>Addictive Behaviors</i> , 2021 , 112, 106563	4.2	7
135	Evaluation of a 24-Hour Caffeine Intake Assessment Compared with Urinary Biomarkers of Caffeine Intake among Young Adults in Canada. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018 , 118, 2245-2253.61	3.9	7
134	Correlates of Weight-Loss Methods Among Young Adults in Canada. <i>Obesity</i> , 2018 , 26, 1357-1364	8	7
133	Retail availability and legal purchases of dried flower in Canada post-legalization. <i>Drug and Alcohol Dependence</i> , 2021 , 225, 108794	4.9	7
132	Cross-country comparison of cigarette and vaping product marketing exposure and use: findings from 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2020 , 29, 295-304	5.3	6
131	Understanding the contribution of public- and restricted-access places to overall and domain-specific physical activity among Mexican adults: A cross-sectional study. <i>PLoS ONE</i> , 2020 , 15, e0228491	3.7	6
130	E-cigarettes: striking the right balance. <i>Lancet Public Health</i> , 2020 , 5, e180-e181	22.4	6
129	Socio-demographic characteristics, diet and health among food insecure UK adults: cross-sectional analysis of the International Food Policy Study. <i>Public Health Nutrition</i> , 2020 , 23, 2602-2614	3.3	6
128	Examining associations between school food environment characteristics and sugar-sweetened beverage consumption among Canadian secondary-school students in the COMPASS study. <i>Public Health Nutrition</i> , 2019 , 22, 1928-1940	3.3	6
127	Use and Perceptions of Caffeinated Energy Drinks and Energy Shots in Canada. <i>American Journal of Preventive Medicine</i> , 2017 , 53, 866-871	6.1	6
126	Availability, Location, and Format of Nutrition Information in Fast-food Chain Restaurants in Ontario, Canada. <i>Canadian Journal of Dietetic Practice and Research</i> , 2015 , 76, 44-8	1.3	6
125	US young adults' perceived effectiveness of draft pictorial e-cigarette warning labels. <i>Tobacco Control</i> , 2019 , 28, e49-e51	5.3	6
124	Nonalcoholic and Alcoholic Beverage Intakes by Adults across 5 Upper-Middle- and High-Income Countries. <i>Journal of Nutrition</i> , 2021 , 151, 140-151	4.1	6
123	The efficacy of calorie labelling formats on pre-packaged foods: An experimental study among adolescents and young adults in Canada. <i>Canadian Journal of Public Health</i> , 2016 , 107, e296-e302	3.2	6
122	How many calories did I just eat? An experimental study examining the effect of changes to serving size information on nutrition labels. <i>Public Health Nutrition</i> , 2016 , 19, 2959-2964	3.3	6

121	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019 , 114 Suppl 1, 134-143	4.6	6
120	The efficacy of health warnings and package branding on perceptions of cannabis products among youth and young adults. <i>Drug and Alcohol Review</i> , 2021 , 40, 637-646	3.2	6
119	Grocery Shopping, Dinner Preparation, and Dietary Habits among Adolescents and Young Adults in Canada. <i>Canadian Journal of Dietetic Practice and Research</i> , 2018 , 79, 157-163	1.3	6
118	A quasi-experimental study of a mandatory calorie-labelling policy in restaurants: Impact on use of nutrition information among youth and young adults in Canada. <i>Preventive Medicine</i> , 2018 , 116, 166-172	4.3	6
117	The Influence of Front-of-Package Nutrition Labeling on Consumer Behavior and Product Reformulation. <i>Annual Review of Nutrition</i> , 2021 , 41, 529-550	9.9	6
116	Trends and Patterns of Tobacco and Nicotine Product Use Among Youth in Canada, England, and the United States From 2017 to 2019. <i>Journal of Adolescent Health</i> , 2021 , 69, 447-456	5.8	6
115	The International Cannabis Toolkit (iCannToolkit): a multidisciplinary expert consensus on minimum standards for measuring cannabis use. <i>Addiction</i> , 2021 ,	4.6	6
114	Impact of sugar taxes and front-of-package nutrition labels on purchases of protein, calcium and fibre. <i>Preventive Medicine</i> , 2020 , 136, 106091	4.3	5
113	Disparities in knowledge about the health effects of smoking among adolescents following the release of new pictorial health warning labels. <i>Preventive Medicine</i> , 2018 , 111, 358-365	4.3	5
112	Perceptions of branded and plain cigarette packaging among Mexican youth. <i>Health Promotion International</i> , 2017 , 32, 650-659	3	5
111	Testing Cessation Messages for Cigarette Package Inserts: Findings from a Best/Worst Discrete Choice Experiment. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5
110	Food sources among young people in five major Canadian cities. <i>Canadian Journal of Public Health</i> , 2018 , 109, 506-515	3.2	5
109	Trends in sugary drinks in Canada, 2004 to 2015: a comparison of market sales and dietary intake data. <i>Public Health Nutrition</i> , 2019 , 22, 2723-2728	3.3	5
108	Disparagement of health warning labels on cigarette packages and cessation attempts: results from four countries. <i>Health Education Research</i> , 2017 , 32, 524-536	1.8	5
107	Cigarette ignition propensity, smoking behavior, and toxicant exposure: A natural experiment in Canada. <i>Tobacco Induced Diseases</i> , 2011 , 9, 13	3.2	5
106	A randomized trial testing the efficacy of modifications to the nutrition facts table on comprehension and use of nutrition information by adolescents and young adults in Canada. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2015 , 35, 173-83	2.2	5
105	Knowledge of Tetrahydrocannabinol and Cannabidiol Levels Among Cannabis Consumers in the United States and Canada. <i>Cannabis and Cannabinoid Research</i> , 2020 ,	4.6	5
104	Indicators of dependence and efforts to quit vaping and smoking among youth in Canada, England and the USA. <i>Tobacco Control</i> , 2021 ,	5.3	5

103	Cannabis Consumption, Purchasing and Sources among Young Canadians: The Cannabis Purchase and Consumption Tool (CPCT). <i>Substance Use and Misuse</i> , 2021 , 56, 449-457	2.2	5
102	Food Safety Education Needs of High-School Students: Leftovers, Lunches, and Microwaves. <i>Journal of School Health</i> , 2019 , 89, 578-586	2.1	4
101	Philip Morris International: a New Year® resolution. <i>Tobacco Control</i> , 2018 , 27, e79-e80	5.3	4
100	Impact of adding and removing warning label messages from cigarette packages on adult smokers' awareness about the health harms of smoking: findings from the ITC Canada Survey. <i>Tobacco Control</i> , 2019 , 28, e56-e63	5.3	4
99	Student and school characteristics associated with use of nicotine replacement therapy: a multilevel analysis among Canadian youth. <i>Addictive Behaviors</i> , 2012 , 37, 811-6	4.2	4
98	Prevalence and self-reported reasons of cannabis use for medical purposes in USA and Canada.. <i>Psychopharmacology</i> , 2022 , 1	4.7	4
97	Exploring the main and moderating effects of individual-level characteristics on consumer responses to sugar taxes and front-of-pack nutrition labels in an experimental marketplace. <i>Canadian Journal of Public Health</i> , 2021 , 112, 647-662	3.2	4
96	Public support for healthy supermarket initiatives focused on product placement: a multi-country cross-sectional analysis of the 2018 International Food Policy Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 78	8.4	4
95	Risk perceptions of cannabis- vs. alcohol-impaired driving among Canadian young people. <i>Drugs: Education, Prevention and Policy</i> , 2020 , 27, 205-212	1.2	4
94	Prevalence and pattern of energy drink intake among Australian adolescents. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 300-304	3.1	4
93	Noticing of cannabis health warning labels in Canada and the US. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2021 , 41, 201-210	2.2	4
92	Influence of package colour, branding and health warnings on appeal and perceived harm of cannabis products among respondents in Canada and the US. <i>Preventive Medicine</i> , 2021 , 153, 106788	4.3	4
91	Exposure to tobacco marketing and support for tobacco control policies. <i>American Journal of Health Behavior</i> , 2006 , 30, 700-9	1.9	4
90	Lower-Risk Cannabis Use Guidelines: Adherence in Canada and the U.S. <i>American Journal of Preventive Medicine</i> , 2020 , 59, e211-e220	6.1	3
89	Effects of strengthening alcohol labels on attention, message processing, and perceived effectiveness: A quasi-experimental study in Yukon, Canada. <i>International Journal of Drug Policy</i> , 2020 , 77, 102666	5.5	3
88	Standard tetrahydrocannabinol units: an idea whose time has come. <i>Addiction</i> , 2020 , 115, 1221-1222	4.6	3
87	Stakeholder Perspectives on Implementing Menu Labeling in a Cafeteria Setting. <i>American Journal of Health Behavior</i> , 2016 , 40, 371-80	1.9	3
86	Evaluation of a voluntary nutritional information program versus calorie labelling on menus in Canadian restaurants: a quasi-experimental study design. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 92	8.4	3

85	Use of Nutrition Information and Understanding of "Percent Daily Value" on Nutrition Facts Tables: Evaluating the Impact of a National Public Education Campaign among Youth and Young Adults in Canada. <i>Canadian Journal of Dietetic Practice and Research</i> , 2019 , 80, 200-204	1.3	3
84	Mental Health and Medical Cannabis Use among Youth and Young Adults in Canada. <i>Substance Use and Misuse</i> , 2020 , 55, 582-589	2.2	3
83	Intentional weight gain efforts among young Canadian adults aged 17-32 years. <i>Eating Behaviors</i> , 2020 , 38, 101407	3	3
82	Self-Reported Quit Aids and Assistance Used By Smokers At Their Most Recent Quit Attempt: Findings from the 2020 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 1699-1707	4.9	3
81	Increasing cannabis use is associated with poorer cigarette smoking cessation outcomes: Findings from the ITC Four Country Smoking and Vaping Surveys, 2016-2018. <i>Nicotine and Tobacco Research</i> , 2021 ,	4.9	3
80	Trends in e-cigarette brands, devices and the nicotine profile of products used by youth in England, Canada and the USA: 2017-2019. <i>Tobacco Control</i> , 2021 ,	5.3	3
79	Perceived Healthiness of Sweeteners among Young Adults in Canada. <i>Canadian Journal of Dietetic Practice and Research</i> , 2021 , 82, 90-94	1.3	3
78	Understandings of the component causes of harm from cigarette smoking in Australia. <i>Drug and Alcohol Review</i> , 2019 , 38, 807-817	3.2	3
77	Weight Management Efforts, But Not Weight Perceptions, Are Associated with Dietary Quality among Youth and Young Adults in Canada. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021 , 121, 942-951	3.9	3
76	Perceptions of the health risks of cannabis: estimates from national surveys in Canada and the United States, 2018-2019.. <i>Health Education Research</i> , 2022 ,	1.8	3
75	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
74	Communicating risks to drinkers: testing alcohol labels with a cancer warning and national drinking guidelines in Canada. <i>Canadian Journal of Public Health</i> , 2020 , 111, 716-725	3.2	2
73	Cigarette package colour is associated with level of filter ventilation. <i>Tobacco Control</i> , 2018 , 27, 337-338	5.3	2
72	Trends Over Time in Tobacco-Specific Nitrosamines (TSNAs) in Whole Tobacco and Smoke Emissions From Cigarettes Sold in Canada. <i>Nicotine and Tobacco Research</i> , 2018 , 20, 649-653	4.9	2
71	A cross-sectional examination of medicinal substance abuse and use of nonmedicinal substances among Canadian youth: findings from the 2012-2013 Youth Smoking Survey. <i>CMAJ Open</i> , 2015 , 3, E387-94	3.5	2
70	Exploring the impact of efficacy messages on cessation-related outcomes using Ecological Momentary Assessment. <i>Tobacco Induced Diseases</i> , 2018 , 16, 44	3.2	2
69	Cannabis flower prices and transitions to legal sources after legalization in Canada, 2019-2020.. <i>Drug and Alcohol Dependence</i> , 2021 , 231, 109262	4.9	2
68	At-a-glance - Perceptions of caffeinated drinks among youth and young adults in Canada. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2018 , 38, 214-218	2.2	2

67	Responses to potential nicotine vaping product flavor restrictions among regular vapers using non-tobacco flavors: Findings from the 2020 ITC Smoking and Vaping Survey in Canada, England and the United States. <i>Addictive Behaviors</i> , 2022 , 125, 107152	4.2	2
66	Food insecurity, food skills, health literacy and food preparation activities among young Canadian adults: a cross-sectional analysis. <i>Public Health Nutrition</i> , 2021 , 24, 2377-2387	3.3	2
65	Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2021 ,	5.3	2
64	A comparison of self-reported exposure to fast food and sugary drinks marketing among parents of children across five countries. <i>Preventive Medicine</i> , 2021 , 147, 106521	4.3	2
63	If it looks like a duck and quacks like a duck—Energy "shots" should be regulated as energy drinks in Canada. <i>Canadian Journal of Public Health</i> , 2016 , 107, e133-e135	3.2	2
62	Prevalence and correlates of weight gain attempts across five countries. <i>International Journal of Eating Disorders</i> , 2021 , 54, 1829-1842	6.3	2
61	Cannabis and mental health: Prevalence of use and modes of cannabis administration by mental health status. <i>Addictive Behaviors</i> , 2021 , 121, 106991	4.2	2
60	Does Unit-Dose Packaging Influence Understanding of Serving Size Information for Cannabis Edibles?. <i>Journal of Studies on Alcohol and Drugs</i> , 2020 , 81, 173-179	1.9	2
59	Evaluating the Outcomes of the Menthol Cigarette Ban in England by Comparing Menthol Cigarette Smoking Among Youth in England, Canada, and the US, 2018-2020.. <i>JAMA Network Open</i> , 2022 , 5, e2210029	10.4	2
58	Adolescents' media usage and self-reported exposure to advertising across six countries: implications for less healthy food and beverage marketing.. <i>BMJ Open</i> , 2022 , 12, e058913	3	2
57	Trends in the use of cannabis products in Canada and the USA, 2018–2020: Findings from the International Cannabis Policy Study. <i>International Journal of Drug Policy</i> , 2022 , 105, 103716	5.5	2
56	Testing the efficacy of and parents' preferences for nutrition labels on children's menus from a full-service chain restaurant: results of an online experiment. <i>Public Health Nutrition</i> , 2020 , 23, 1820-1831	3.3	1
55	Carcinogen Exposure among Canadian Tobacco Users: Changes in NNK Exposure from 2007-2009 through 2012-2013. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 262-267	4	1
54	Educating smokers about the risk of blindness - insights to improve tobacco product health warning labels. <i>Tobacco Induced Diseases</i> , 2016 , 14, 30	3.2	1
53	Prevalence and use of cannabis products and routes of administration among youth and young adults in Canada and the United States: A systematic review.. <i>Addictive Behaviors</i> , 2022 , 129, 107258	4.2	1
52	How High? Trends in Cannabis Use Prior to First Admission to Inpatient Psychiatry in Ontario, Canada, between 2007 and 2017: Quelle hauteur? Les tendances de l'usage du cannabis avant la première hospitalisation en psychiatrie en Ontario, Canada entre 2007 et 2017. <i>Canadian Journal of Psychiatry</i> , 2020 , 706743720984679	4.8	1
51	An experimental study on perceptions of energy drink ads among youth and young adults in Canada. <i>Appetite</i> , 2020 , 146, 104505	4.5	1
50	Out-of-state cannabis purchases in the United States. <i>Drug and Alcohol Dependence</i> , 2020 , 207, 107822	4.9	1

49	Contraband Cigarette Purchasing from First Nation reserves in Ontario and Quebec: Findings from the 2002-2014 ITC Canada Survey. <i>International Journal of Drug Policy</i> , 2020 , 75, 102612	5.5	1
48	Recall of government healthy eating campaigns by consumers in five countries. <i>Public Health Nutrition</i> , 2021 , 24, 3986-4000	3.3	1
47	The impact of health warnings for sugar-sweetened beverages on consumer perceptions of advertising. <i>Public Health Nutrition</i> , 2021 , 24, 4737-4749	3.3	1
46	Characterisation of vaping liquids used in vaping devices across four countries: results from an analysis of selected vaping liquids reported by users in the 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2021 ,	5.3	1
45	Tobacco packaging design for preventing tobacco uptake. <i>The Cochrane Library</i> , 2016 ,	5.2	1
44	Estimating the price elasticity of demand for JUUL E-cigarettes among teens. <i>Drug and Alcohol Dependence</i> , 2021 , 218, 108406	4.9	1
43	Use as directed: do standard drink labels on alcohol containers help consumers drink (ir)responsibly? Real-world evidence from a quasi-experimental study in Yukon, Canada. <i>Drug and Alcohol Review</i> , 2021 , 40, 247-257	3.2	1
42	Cannabis use prior to legalisation among alcohol consumers in the Canadian Yukon and Northwest territories. <i>International Journal of Circumpolar Health</i> , 2021 , 80, 1948254	1.7	1
41	The Equity and Effectiveness of Achieving Canada's Voluntary Sodium Reduction Guidance Targets: A Modelling Study Using the 2015 Canadian Community Health Survey-Nutrition. <i>Nutrients</i> , 2021 , 13,	6.7	1
40	Evaluating the impact of plain packaging among Canadian smokers: findings from the 2018 and 2020 ITC Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2021 ,	5.3	1
39	Experimental study of front-of-package nutrition labels' efficacy on perceived healthfulness of sugar-sweetened beverages among youth in six countries.. <i>Preventive Medicine Reports</i> , 2021 , 24, 101577	7.6	1
38	Estimated Prevalence of Smoking and Smoking-Attributable Mortality Associated With Graphic Health Warnings on Cigarette Packages in the US From 2022 to 2100. <i>JAMA Health Forum</i> , 2021 , 2, e212852	2.8	1
37	Perceived access to cannabis and ease of purchasing cannabis in retail stores in Canada immediately before and one year after legalization.. <i>American Journal of Drug and Alcohol Abuse</i> , 2022 , 1-11	3.7	1
36	Tax awareness and perceived cost of sugar-sweetened beverages in four countries between 2017 and 2019: findings from the international food policy study.. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022 , 19, 38	8.4	1
35	Home cultivation across Canadian provinces after cannabis legalization.. <i>Addictive Behaviors Reports</i> , 2022 , 15, 100423	3.7	1
34	E-Cigarette Flavors, Devices, and Brands Used by Youths Before and After Partial Flavor Restrictions in the United States: Canada, England, and the United States, 2017-2020. <i>American Journal of Public Health</i> , e1-e11	5.1	1
33	Reasons for Purchasing Cannabis From Illegal Sources in Legal Markets: Findings Among Cannabis Consumers in Canada and U.S. States, 2019-2020. <i>Journal of Studies on Alcohol and Drugs</i> , 2022 , 83, 392-401	1.9	1
32	Nicotine content, labelling and flavours of e-liquids in Canada in 2020: a scan of the online retail market.. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2022 , 42, 4-11	2.2	0

31	Socioeconomic position and consumption of sugary drinks, sugar-sweetened beverages and 100% juice among Canadians: a cross-sectional analysis of the 2015 Canadian Community Health Survey-Nutrition.. <i>Canadian Journal of Public Health</i> , 2022 , 1	3.2	o
30	Impact of front-of-pack labels on the perceived healthfulness of a sweetened fruit drink: a randomised experiment in five countries. <i>Public Health Nutrition</i> , 2021 , 1-11	3.3	o
29	Efficacy of calorie labelling for alcoholic and non-alcoholic beverages on restaurant menus on noticing information, calorie knowledge, and perceived and actual influence on hypothetical beverage orders: a randomized trial.. <i>Canadian Journal of Public Health</i> , 2022 , 1	3.2	o
28	Associations between online food outlet access and online food delivery service use amongst adults in the UK: a cross-sectional analysis of linked data. <i>BMC Public Health</i> , 2021 , 21, 1968	4.1	o
27	How Does the Probability of Purchasing Moderately Sugary Beverages and 100% Fruit Juice Vary Across Sugar Tax Structures?. <i>Obesity</i> , 2020 , 28, 2078-2082	8	o
26	Efficacy of Canadian health warning statements on caffeinated energy drinks: an experimental study among young Canadians. <i>Health Education Research</i> , 2020 , 35, 618-626	1.8	o
25	Food insecurity among Canadian youth and young adults: insights from the Canada Food Study. <i>Canadian Journal of Public Health</i> , 2021 , 112, 663-675	3.2	o
24	Cannabis and Mental Health: Adverse Outcomes and Self-Reported Impact of Cannabis Use by Mental Health Status.. <i>Substance Use and Misuse</i> , 2022 , 1-11	2.2	o
23	Plain tobacco packaging: progress, challenges, learning and opportunities.. <i>Tobacco Control</i> , 2022 , 31, 263-271	5.3	o
22	Legal status of recreational cannabis and self-reported substitution of cannabis for opioids or prescription pain medication in Canada and the United States.. <i>Substance Abuse</i> , 2022 , 43, 943-948	3.8	o
21	Differences in cigarette smoking quit attempts and cessation between adults who did and did not take up nicotine vaping: Findings from the ITC Four Country Smoking and Vaping Surveys. <i>Addictive Behaviors</i> , 2022 , 107339	4.2	o
20	The iCannToolkit: A consensus-based, flexible framework for measuring contemporary cannabis use. <i>Addiction</i> ,	4.6	o
19	Tobacco industry sponsored advocates have a different interpretation of science: a response to: Even anti-tobacco studies must be held to basic scientific standards. <i>Cancer Causes and Control</i> , 2015 , 26, 1363-4	2.8	
18	A RESPONSE TO PROCHASKA: LIFE DOES NOT ALWAYS GO ACCORDING TO PLAN; YOUR QUITTING MIGHT NOT EITHER. <i>Addiction</i> , 2011 , 106, 2015-2016	4.6	
17	Tobacco industry research on smoking and cigarette toxicity. <i>Lancet, The</i> , 2006 , 368, 286	4.0	
16	Do Mandatory Health Warning Labels on Consumer Products Increase Recall of the Health Risks of Cannabis?. <i>Substance Use and Misuse</i> , 2022 , 1-12	2.2	
15	Comprehension and use of Nutrition Facts panels among young people in Canada (1025.15). <i>FASEB Journal</i> , 2014 , 28, 1025.15	0.9	
14	Reply. <i>Canadian Journal of Public Health</i> , 2016 , 107, e137	3.2	

- 13 Public acceptability of the UK Soft Drinks Industry Levy: repeat cross-sectional analysis of the International Food Policy Study (2017-2019). *BMJ Open*, **2021**, 11, e051677 3
- 12 The rise of cannabis vaping: implications for survey design. *New Zealand Medical Journal*, **2021**, 134, 95-98.8
- 11 Individual, Social, and Environmental Correlates of Energy Drink Use Among Adolescents.. *Journal of Nutrition Education and Behavior*, **2022**, 54, 255-262 2
- 10 THC labeling on cannabis products: an experimental study of approaches for labeling THC servings on cannabis edibles.. *Journal of Cannabis Research*, **2022**, 4, 17 2.5
- 9 Prevalence and factors associated with self-reported exposure to secondhand cannabis smoke in the United States and Canada in 2019.. *Preventive Medicine*, **2022**, 107006 4.3
- 8 Understanding the contribution of public- and restricted-access places to overall and domain-specific physical activity among Mexican adults: A cross-sectional study **2020**, 15, e0228491
- 7 Understanding the contribution of public- and restricted-access places to overall and domain-specific physical activity among Mexican adults: A cross-sectional study **2020**, 15, e0228491
- 6 Understanding the contribution of public- and restricted-access places to overall and domain-specific physical activity among Mexican adults: A cross-sectional study **2020**, 15, e0228491
- 5 Understanding the contribution of public- and restricted-access places to overall and domain-specific physical activity among Mexican adults: A cross-sectional study **2020**, 15, e0228491
- 4 "Maybe a little bit of guilt isn't so bad for the overall health of an individual": a mixed-methods exploration of young adults' experiences with calorie labelling.. *BMC Public Health*, **2022**, 22, 938 4.1
- 3 Weight gain attempts and substance use behaviors among adults across five countries.. *Body Image*, **2022**, 41, 375-383 7.4
- 2 Weight gain attempts and diet modification efforts among adults in five countries: a cross-sectional study.. *Nutrition Journal*, **2022**, 21, 30 4.3
- 1 Reasons for Purchasing Cannabis From Illegal Sources in Legal Markets: Findings Among Cannabis Consumers in Canada and U.S. States, 2019-2020.. *Journal of Studies on Alcohol and Drugs*, **2022**, 83, 392-401 1.0