
David Maghradze

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1532004/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Early Neolithic wine of Georgia in the South Caucasus. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E10309-E10318.	7.1	192
2	Extended diversity analysis of cultivated grapevine Vitis vinifera with 10K genome-wide SNPs. PLoS ONE, 2018, 13, e0192540.	2.5	164
3	Genetic diversity analysis of cultivated and wild grapevine (Vitis vinifera L.) accessions around the Mediterranean basin and Central Asia. BMC Plant Biology, 2018, 18, 137.	3.6	118
4	A small XY chromosomal region explains sex determination in wild dioecious V. vinifera and the reversal to hermaphroditism in domesticated grapevines. BMC Plant Biology, 2014, 14, 229.	3.6	116
5	Sugars, organic acids, and phenolic compounds of ancient grape cultivars (Vitis vinifera L.) from Igdir province of Eastern Turkey. Biological Research, 2015, 48, 2.	3.4	95
6	Wild Grape-Associated Yeasts as Promising Biocontrol Agents against Vitis vinifera Fungal Pathogens. Frontiers in Microbiology, 2017, 8, 2025.	3.5	74
7	Study of genetic variability in Vitis vinifera L. germplasm by high-throughput Vitis18kSNP array: the case of Georgian genetic resources. BMC Plant Biology, 2015, 15, 154.	3.6	68
8	From the cradle of grapevine domestication: molecular overview and description of Georgian grapevine (Vitis vinifera L.) germplasm. Tree Genetics and Genomes, 2013, 9, 641-658.	1.6	65
9	Genetic and ecological insights into glacial refugia of walnut (Juglans regia L.). PLoS ONE, 2017, 12, e0185974.	2.5	57
10	Unique resistance traits against downy mildew from the center of origin of grapevine (Vitis vinifera). Scientific Reports, 2018, 8, 12523.	3.3	50
11	Impact of Wines and Wine Constituents on Cyclooxygenase-1, Cyclooxygenase-2, and 5-Lipoxygenase Catalytic Activity. Mediators of Inflammation, 2014, 2014, 1-8.	3.0	43
12	Identification and Characterization of New â€~ <i>Candidatus</i> Phytoplasma solani' Strains Associated with Bois Noir Disease in <i>Vitis vinifera</i> L. Cultivars Showing a Range of Symptom Severity in Georgia, the Caucasus Region. Plant Disease, 2016, 100, 904-915.	1.4	42
13	Indigenous Georgian Wine-Associated Yeasts and Grape Cultivars to Edit the Wine Quality in a Precision Oenology Perspective. Frontiers in Microbiology, 2016, 7, 352.	3.5	40
14	Rpv29, Rpv30 and Rpv31: Three Novel Genomic Loci Associated With Resistance to Plasmopara viticola in Vitis vinifera. Frontiers in Plant Science, 2020, 11, 562432.	3.6	38
15	Novel Aspects on The Interaction Between Grapevine and Plasmopara viticola: Dual-RNA-Seq Analysis Highlights Gene Expression Dynamics in The Pathogen and The Plant During The Battle For Infection. Genes, 2020, 11, 261.	2.4	37
16	From plant resistance response to the discovery of antimicrobial compounds: The role of volatile organic compounds (VOCs) in grapevine downy mildew infection. Plant Physiology and Biochemistry, 2021, 160, 294-305.	5.8	32
17	Tracking the history of grapevine cultivation in Georgia by combining geometric morphometrics and ancient DNA. Vegetation History and Archaeobotany, 2021, 30, 63-76.	2.1	29
18	Grape Colour Phenotyping: Development of a Method Based on the Reflectance Spectrum. Phytochemical Analysis, 2013, 24, 453-459.	2.4	27

#	Article	IF	CITATIONS
19	Georgian Grapevine Cultivars: Ancient Biodiversity for Future Viticulture. Frontiers in Plant Science, 2021, 12, 630122.	3.6	26
20	In vitro antioxidant activity and phenolic composition of Georgian, Central and West European wines. Journal of Food Composition and Analysis, 2015, 41, 113-121.	3.9	21
21	Grapevine phenology and climate change in Georgia. International Journal of Biometeorology, 2017, 61, 761-773.	3.0	21
22	Ecological and sanitary characteristics of the Eurasian wild grapevine (<i>Vitis vinifera</i> L. ssp.) Tj ETQq0 0 0 rgE Characterisation and Utilisation, 2012, 10, 155-162.	BT /Overloo 0.8	ck 10 Tf 50 6 20
23	First Report of â€~ <i>Candidatus</i> Phytoplasma solani' and â€~ <i>Ca.</i> P. convolvuli' Associated with Grapevine Bois Noir and Bindweed Yellows, Respectively, in Georgia. Plant Disease, 2014, 98, 1151-1151.	1.4	13
24	An assessment of genetic variability and relationships among wild-grown blackthorn (Prunus spinosa) Tj ETQq0 0 () rgBT /Ov	verlock 10 Tf
25	Grape and wine culture in Georgia, the South Caucasus. BIO Web of Conferences, 2016, 7, 03027.	0.2	9
26	Changes in thermal resources and limitations for Georgian viticulture. Australian Journal of Grape and Wine Research, 2020, 26, 29-40.	2.1	9
27	Pip shape echoes grapevine domestication history. Scientific Reports, 2021, 11, 21381.	3.3	8
28	Wild grapevine (Vitis sylvestris C.C.Gmel.) wines from the Southern Caucasus region. Oeno One, 2020, 54, 809-822.	1.4	6
29	Culturable Yeast Diversity of Grape Berries from Vitis vinifera ssp. sylvestris (Gmelin) Hegi. Journal of Fungi (Basel, Switzerland), 2022, 8, 410.	3.5	4
30	Influence of climate cycles on grapevine domestication and ancient migrations in Eurasia. Science of the Total Environment, 2018, 635, 1240-1254.	8.0	3
31	Comparison between the Grape Technological Characteristics of Vitis vinifera Subsp. sylvestris and Subsp. sativa. Agronomy, 2021, 11, 472.	3.0	3
32	Dissecting the susceptibility/resistance mechanism of <i>Vitis vinifera</i> for the future control of downy mildew. BIO Web of Conferences, 2022, 44, 04002.	0.2	2
33	Tannin phenotyping of the Vitaceae reveals a phylogenetic linkage of epigallocatechin in berries and leaves. Annals of Botany, 0, , .	2.9	0