Shan-liang Zhong

List of Publications by Citations

Source: https://exaly.com/author-pdf/1533024/shan-liang-zhong-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33 1,576 22 33 g-index

33 1,833 3.6 4.35 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
33	Exosomes from drug-resistant breast cancer cells transmit chemoresistance by a horizontal transfer of microRNAs. <i>PLoS ONE</i> , 2014 , 9, e95240	3.7	270
32	Exosomes mediate drug resistance transfer in MCF-7 breast cancer cells and a probable mechanism is delivery of P-glycoprotein. <i>Tumor Biology</i> , 2014 , 35, 10773-9	2.9	161
31	MiR-222 and miR-29a contribute to the drug-resistance of breast cancer cells. <i>Gene</i> , 2013 , 531, 8-14	3.8	119
30	Exosomes from docetaxel-resistant breast cancer cells alter chemosensitivity by delivering microRNAs. <i>Tumor Biology</i> , 2014 , 35, 9649-59	2.9	112
29	Predictive role of GSTP1-containing exosomes in chemotherapy-resistant breast cancer. <i>Gene</i> , 2017 , 623, 5-14	3.8	69
28	Exosomes from adriamycin-resistant breast cancer cells transmit drug resistance partly by delivering miR-222. <i>Tumor Biology</i> , 2016 , 37, 3227-35	2.9	69
27	MiR-222 promotes drug-resistance of breast cancer cells to adriamycin via modulation of PTEN/Akt/FOXO1 pathway. <i>Gene</i> , 2017 , 596, 110-118	3.8	67
26	Exosomes decrease sensitivity of breast cancer cells to adriamycin by delivering microRNAs. <i>Tumor Biology</i> , 2016 , 37, 5247-56	2.9	65
25	Elemene Reverses Chemoresistance of Breast Cancer Cells by Reducing Resistance Transmission via Exosomes. <i>Cellular Physiology and Biochemistry</i> , 2015 , 36, 2274-86	3.9	61
24	MicroRNA-29a contributes to drug-resistance of breast cancer cells to adriamycin through PTEN/AKT/GSK313ignaling pathway. <i>Gene</i> , 2016 , 593, 84-90	3.8	61
23	MicroRNA expression profiles of drug-resistance breast cancer cells and their exosomes. <i>Oncotarget</i> , 2016 , 7, 19601-9	3.3	59
22	The role of miRNAs in drug resistance and prognosis of breast cancer formalin-fixed paraffin-embedded tissues. <i>Gene</i> , 2016 , 595, 221-226	3.8	47
21	: a potential therapeutic target and promising biomarker in tumors. <i>Bioscience Reports</i> , 2018 , 38,	4.1	36
20	Body mass index and mortality in prostate cancer patients: a dose-response meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2016 , 19, 122-31	6.2	34
19	Circular RNA hsa_circ_0000993 inhibits metastasis of gastric cancer cells. <i>Epigenomics</i> , 2018 , 10, 1301-	1341.34	32
18	Pre-mir-27a rs895819 polymorphism and cancer risk: a meta-analysis. <i>Molecular Biology Reports</i> , 2013 , 40, 3181-6	2.8	27
17	miR-4443 Participates in the Malignancy of Breast Cancer. <i>PLoS ONE</i> , 2016 , 11, e0160780	3.7	27

LIST OF PUBLICATIONS

Circular RNA circASS1 is downregulated in breast cancer cells MDA-MB-231 and suppressed invasion and migration. <i>Epigenomics</i> , 2019 , 11, 199-213	4.4	25
MicroRNA-3646 Contributes to Docetaxel Resistance in Human Breast Cancer Cells by GSK-3/ECatenin Signaling Pathway. <i>PLoS ONE</i> , 2016 , 11, e0153194	3.7	25
Microenvironment-induced TIMP2 loss by cancer-secreted exosomal miR-4443 promotes liver metastasis of breast cancer. <i>Journal of Cellular Physiology</i> , 2020 , 235, 5722-5735	7	24
Nonoccupational physical activity and risk of ovarian cancer: a meta-analysis. <i>Tumor Biology</i> , 2014 , 35, 11065-73	2.9	23
miR-222 induces Adriamycin resistance in breast cancer through PTEN/Akt/p27 pathway. <i>Tumor Biology</i> , 2016 , 37, 15315-15324	2.9	23
MicroRNA-452 contributes to the docetaxel resistance of breast cancer cells. <i>Tumor Biology</i> , 2014 , 35, 6327-34	2.9	20
Liposomal curcumin alters chemosensitivity of breast cancer cells to Adriamycin via regulating microRNA expression. <i>Gene</i> , 2017 , 622, 1-12	3.8	19
Prognostic Value of MicroRNA-182 in Cancers: A Meta-Analysis. <i>Disease Markers</i> , 2015 , 2015, 482146	3.2	19
Body mass index and mortality in lung cancer patients: a systematic review and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 4-17	5.2	18
Methionine synthase A2756G polymorphism and breast cancer risk: an up-to-date meta-analysis. <i>Gene</i> , 2013 , 527, 510-5	3.8	18
miR-222 confers the resistance of breast cancer cells to Adriamycin through suppression of p27(kip1) expression. <i>Gene</i> , 2016 , 590, 44-50	3.8	16
Prevalence of human papillomavirus infection of 65,613 women in East China. <i>BMC Public Health</i> , 2019 , 19, 178	4.1	16
MicroRNA expression profiling and bioinformatics analysis of dysregulated microRNAs in vinorelbine-resistant breast cancer cells. <i>Gene</i> , 2015 , 556, 113-8	3.8	13
The mA-related gene signature for predicting the prognosis of breast cancer. <i>PeerJ</i> , 2021 , 9, e11561	3.1	1
Identification and validation of tumor microenvironment-related prognostic biomarkers in breast cancer <i>Translational Cancer Research</i> , 2021 , 10, 4355-4364	0.3	О
CircATRNL1 and circZNF608 Inhibit Ovarian Cancer by Sequestering miR-152-5p and Encoding Protein <i>Frontiers in Genetics</i> , 2022 , 13, 784089	4.5	O
	Invasion and migration. <i>Epigenomics</i> , 2019 , 11, 199-213 MicroRNA-3646 Contributes to Docetaxel Resistance in Human Breast Cancer Cells by GSK-3/Ecatenin Signaling Pathway. <i>PLoS ONE</i> , 2016 , 11, e0153194 Microenvironment-induced TIMP2 loss by cancer-secreted exosomal miR-4443 promotes liver metastasis of breast cancer. <i>Journal of Cellular Physiology</i> , 2020 , 235, 5722-5735 Nonoccupational physical activity and risk of ovarian cancer: a meta-analysis. <i>Tumor Biology</i> , 2014 , 35, 11065-73 miR-222 induces Adriamycin resistance in breast cancer through PTEN/Akt/p27 pathway. <i>Tumor Biology</i> , 2016 , 37, 15315-15324 MicroRNA-452 contributes to the docetaxel resistance of breast cancer cells. <i>Tumor Biology</i> , 2014 , 35, 6327-34 Liposomal curcumin alters chemosensitivity of breast cancer cells to Adriamycin via regulating microRNA expression. <i>Gene</i> , 2017 , 622, 1-12 Prognostic Value of MicroRNA-182 in Cancers: A Meta-Analysis. <i>Disease Markers</i> , 2015 , 2015, 482146 Body mass index and mortality in lung cancer patients: a systematic review and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 4-17 Methionine synthase A2756G polymorphism and breast cancer risk: an up-to-date meta-analysis. <i>Gene</i> , 2013 , 527, 510-5 miR-222 confers the resistance of breast cancer cells to Adriamycin through suppression of p27(kip1) expression. <i>Gene</i> , 2016 , 590, 44-50 Prevalence of human papillomavirus infection of 65,613 women in East China. <i>BMC Public Health</i> , 2019 , 19, 178 MicroRNA expression profiling and bioinformatics analysis of dysregulated microRNAs in vinorelbine-resistant breast cancer cells. <i>Gene</i> , 2015 , 556, 113-8 The mA-related gene signature for predicting the prognosis of breast cancer. <i>Peer J</i> , 2021 , 9, e11561 Identification and validation of tumor microenvironment-related prognostic biomarkers in breast cancer. <i>Translational Cancer Research</i> , 2021 , 10, 4355-4364	Invasion and migration. <i>Epigenomics</i> , 2019, 11, 199-213 MicroRNA-3646 Contributes to Docetaxel Resistance in Human Breast Cancer Cells by CSK-3/PCatenin Signaling Pathway. <i>PLoS ONE</i> , 2016, 11, e0153194 Microenvironment-induced TIMP2 loss by cancer-secreted exosomal miR-4443 promotes liver metastasis of breast cancer. <i>Journal of Cellular Physiology</i> , 2020, 235, 5722-5735 7 Nonoccupational physical activity and risk of ovarian cancer: a meta-analysis. <i>Tumor Biology</i> , 2014, 35, 11065-73 miR-222 induces Adriamycin resistance in breast cancer through PTEN/Akt/p27 pathway. <i>Tumor Biology</i> , 2016, 37, 15315-15324 MicroRNA-452 contributes to the docetaxel resistance of breast cancer cells. <i>Tumor Biology</i> , 2014, 35, 6327-34 Liposomal curcumin alters chemosensitivity of breast cancer cells to Adriamycin via regulating microRNA expression. <i>Gene</i> , 2017, 622, 1-12 Prognostic Value of MicroRNA-182 in Cancers: A Meta-Analysis. <i>Disease Markers</i> , 2015, 2015, 482146 3.2 Body mass index and mortality in lung cancer patients: a systematic review and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 4-17 Methionine synthase A2756G polymorphism and breast cancer risk: an up-to-date meta-analysis. <i>Gene</i> , 2013, 527, 510-5 miR-222 confers the resistance of breast cancer cells to Adriamycin through suppression of p27(kip1) expression. <i>Gene</i> , 2016, 590, 44-50 Prevalence of human papillomavirus infection of 65,613 women in East China. <i>BMC Public Health</i> , 2019, 19, 178 MicroRNA expression profiling and bioinformatics analysis of dysregulated microRNAs in vinorelbine-resistant breast cancer cells. <i>Gene</i> , 2015, 556, 113-8 The mA-related gene signature for predicting the prognosis of breast cancer. <i>PeerJ</i> , 2021, 9, e11561 3.4 Identification and validation of tumor microenvironment-related prognostic biomarkers in breast cancer. <i>Translational Cancer Research</i> , 2021, 10, 4355-4364 CircATRNL1 and circZNF608 Inhibit Ovarian Cancer by Sequestering miR-152-5p and Encoding