

Jordan Karubian

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1533905/jordan-karubian-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

1,257
citations

20
h-index

31
g-index

78
ext. papers

1,540
ext. citations

2.9
avg, IF

4.85
L-index

#	Paper	IF	Citations
75	Female ornamentation does not predict aggression in a tropical songbird. <i>Behavioral Ecology and Sociobiology</i> , 2022 , 76, 1	2.5	0
74	Male White-shouldered Fairywrens (<i>Malurus alboscapulatus</i>) elevate androgens greater when courting females than during territorial challenges.. <i>Hormones and Behavior</i> , 2022 , 142, 105158	3.7	0
73	Correlated evolution of distinct signals associated with increased social selection in female white-shouldered fairywrens.. <i>Ecology and Evolution</i> , 2021 , 11, 17352-17363	2.8	1
72	Social and abiotic factors differentially affect plumage ornamentation of young and old males in an Australian songbird. <i>Animal Behaviour</i> , 2021 , 182, 173-188	2.8	1
71	Forest cover at landscape scales increases male and female gametic diversity of palm seedlings. <i>Molecular Ecology</i> , 2021 , 30, 4353-4367	5.7	1
70	Ecological drivers of intraspecific variation in seed dispersal services of a common neotropical palm. <i>Biotropica</i> , 2021 , 53, 1226-1237	2.3	2
69	Richness and abundance of stream fish communities in a fragmented neotropical landscape. <i>Environmental Biology of Fishes</i> , 2021 , 104, 239-251	1.6	
68	Sex role similarity and sexual selection predict male and female song elaboration and dimorphism in fairy-wrens.. <i>Ecology and Evolution</i> , 2021 , 11, 17901-17919	2.8	1
67	Resource-related variables drive individual variation in flowering phenology and mediate population-level flowering responses to climate in an asynchronously reproducing palm. <i>Biotropica</i> , 2020 , 52, 845-856	2.3	2
66	Breeding Brown Pelicans Improve Foraging Performance as Energetic Needs Rise. <i>Scientific Reports</i> , 2020 , 10, 1686	4.9	12
65	Environmental correlates of richness, community composition, and functional traits of terrestrial birds and mammals in a fragmented tropical landscape. <i>Landscape Ecology</i> , 2020 , 35, 2825-2841	4.3	1
64	Testosterone regulates -linked carotenoid signal expression in male red-backed fairywrens (). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20201687	4.4	12
63	Testosterone induces plumage ornamentation followed by enhanced territoriality in a female songbird. <i>Behavioral Ecology</i> , 2020 , 31, 1233-1241	2.3	9
62	Plumage iridescence is associated with distinct feather microbiota in a tropical passerine. <i>Scientific Reports</i> , 2019 , 9, 12921	4.9	2
61	Social organisation and breeding biology of the White-shouldered Fairywren (<i>Malurus alboscapulatus</i>). <i>Emu</i> , 2019 , 119, 274-285	1.1	7
60	Condition-dependent foraging strategies in a coastal seabird: evidence for the rich get richer hypothesis. <i>Behavioral Ecology</i> , 2019 , 30, 356-363	2.3	3
59	Sub-lethal exposure to lead is associated with heightened aggression in an urban songbird. <i>Science of the Total Environment</i> , 2019 , 654, 593-603	10.2	17

58	Rare genotype advantage promotes survival and genetic diversity of a tropical palm. <i>New Phytologist</i> , 2018 , 218, 1658-1667	9.8	9
57	Habitat loss and fragmentation reduce effective gene flow by disrupting seed dispersal in a neotropical palm. <i>Molecular Ecology</i> , 2018 , 27, 3055-3069	5.7	24
56	The relative contributions of seed and pollen dispersal to gene flow and genetic diversity in seedlings of a tropical palm. <i>Molecular Ecology</i> , 2018 , 27, 3159-3173	5.7	10
55	Red-backed fairywrens adjust habitat use in response to dry season fires. <i>Austral Ecology</i> , 2018 , 43, 876-889	3.9	3
54	Genetic diversity of dispersed seeds is highly variable among leks of the long-wattled umbrellabird. <i>Acta Oecologica</i> , 2018 , 86, 31-37	1.7	3
53	Patterns of avian haemosporidian infections vary with time, but not habitat, in a fragmented Neotropical landscape. <i>PLoS ONE</i> , 2018 , 13, e0206493	3.7	16
52	Female ornamentation is associated with elevated aggression and testosterone in a tropical songbird. <i>Behavioral Ecology</i> , 2018 , 29, 1056-1066	2.3	20
51	Production of plumage ornaments among males and females of two closely related tropical passerine bird species. <i>Ecology and Evolution</i> , 2017 , 7, 4024-4034	2.8	13
50	Early-moulting Red-backed Fairywren males acquire ornamented plumage in the absence of elevated androgens. <i>Emu</i> , 2017 , 117, 170-180	1.1	4
49	The role of bare parts in avian signaling. <i>Auk</i> , 2017 , 134, 587-611	2.1	19
48	Multiple hypotheses explain variation in extra-pair paternity at different levels in a single bird family. <i>Molecular Ecology</i> , 2017 , 26, 6717-6729	5.7	35
47	Landscape-level tree cover predicts species richness of large-bodied frugivorous birds in forest fragments. <i>Biotropica</i> , 2017 , 49, 838-847	2.3	12
46	Impacts of forest fragmentation on orchid bee (Hymenoptera: Apidae: Euglossini) communities in the Chocó biodiversity hotspot of northwest Ecuador. <i>Journal of Insect Conservation</i> , 2017 , 21, 633-643	2.1	16
45	Nocturnal bird diversity in forest fragments in north-west Ecuador. <i>Journal of Tropical Ecology</i> , 2017 , 33, 357-364	1.3	1
44	Environmental disturbance increases social connectivity in a passerine bird. <i>PLoS ONE</i> , 2017 , 12, e0183147	3.7	15
43	Genetic structure of brown pelicans (<i>Pelecanus occidentalis</i>) in the northern Gulf of Mexico in the context of human management and disturbance. <i>PLoS ONE</i> , 2017 , 12, e0185309	3.7	1
42	Frequency-dependent selection for rare genotypes promotes genetic diversity of a tropical palm. <i>Ecology Letters</i> , 2016 , 19, 1439-1447	10	12
41	Male Red-backed Fairywrens appear to enhance a plumage-based signal via adventitious molt. <i>Auk</i> , 2016 , 133, 338-346	2.1	13

40	Inter-annual patterns of aggression and pair bonding in captive American flamingos (<i>Phoenicopterus ruber</i>). <i>Zoo Biology</i> , 2016 , 35, 111-9	1.6	15
39	Diversity of palm communities at different spatial scales in a recently fragmented tropical landscape. <i>Botanical Journal of the Linnean Society</i> , 2016 , 182, 451-464	2.2	14
38	Relative influence of relatedness, conspecific density and microhabitat on seedling survival and growth of an animal-dispersed Neotropical palm, <i>Oenocarpus bataua</i> . <i>Botanical Journal of the Linnean Society</i> , 2016 , 182, 425-438	2.2	6
37	Loss of sexual dimorphism is associated with loss of lekking behavior in the green manakin <i>Xenopipo holochora</i> . <i>Journal of Avian Biology</i> , 2015 , 46, 307-314	1.9	10
36	Genetic consequences of seed dispersal to sleeping trees by white-bellied spider monkeys. <i>Acta Oecologica</i> , 2015 , 68, 50-58	1.7	13
35	Amphibian Diversity and Species Composition in Relation to Habitat Type and Alteration in the Mache-Chindul Reserve, Northwest Ecuador. <i>Herpetologica</i> , 2014 , 70, 34	1.9	13
34	Genomic and morphological analysis of a semipermeable avian hybrid zone suggests asymmetrical introgression of a sexual signal. <i>Evolution; International Journal of Organic Evolution</i> , 2014 , 68, 2644-57	3.8	80
33	Factors influencing Brown Pelican (<i>Pelecanus occidentalis</i>) foraging movement patterns during the breeding season. <i>Canadian Journal of Zoology</i> , 2014 , 92, 885-891	1.5	7
32	Impacts of Mating Behavior on Plant-Animal Seed Dispersal Mutualisms 2014 , 365-390		4
31	Effects of forest disturbance and habitat loss on avian communities in a Neotropical biodiversity hotspot. <i>Biological Conservation</i> , 2013 , 166, 203-211	6.2	22
30	The role of ecological variation in driving divergence of sexual and non-sexual traits in the red-backed fairy-wren (<i>Malurus melanocephalus</i>). <i>BMC Evolutionary Biology</i> , 2013 , 13, 75	3	16
29	Female ornamentation in <i>Malurus</i> fairy-wrens: a hidden evolutionary gem for understanding female perspectives on social and sexual selection. <i>Emu</i> , 2013 , 113, 248-258	1.1	23
28	Patterns of aggression among captive American flamingos (<i>Phoenicopterus ruber</i>). <i>Zoo Biology</i> , 2013 , 32, 445-53	1.6	17
27	Mating Behavior Drives Seed Dispersal by the Long-wattled Umbrellabird <i>Cephalopterus penduliger</i> . <i>Biotropica</i> , 2012 , 44, 689-698	2.3	28
26	Use of alpha, beta, and gamma diversity measures to characterize seed dispersal by animals. <i>American Naturalist</i> , 2012 , 180, 719-32	3.7	22
25	The pollen dispersal kernel and mating system of an insect-pollinated tropical palm, <i>Oenocarpus bataua</i> . <i>Heredity</i> , 2012 , 109, 332-9	3.6	43
24	Female Red-backed Fairy-Wrens (<i>Malurus melanocephalus</i>) do not appear to pay a cost for high rates of promiscuity. <i>Auk</i> , 2012 , 129, 529-536	2.1	13
23	A trans-Amazonian screening of mtDNA reveals deep intraspecific divergence in forest birds and suggests a vast underestimation of species diversity. <i>PLoS ONE</i> , 2012 , 7, e40541	3.7	38

22	Nesting Biology, Home Range, and Habitat Use of the Brown Wood Rail (<i>Aramides wolfi</i>) in Northwest Ecuador. <i>Wilson Journal of Ornithology</i> , 2011 , 123, 137-141	0.4	4
21	Bill coloration, a flexible signal in a tropical passerine bird, is regulated by social environment and androgens. <i>Animal Behaviour</i> , 2011 , 81, 795-800	2.8	52
20	Destination-based seed dispersal homogenizes genetic structure of a tropical palm. <i>Molecular Ecology</i> , 2010 , 19, 1745-53	5.7	51
19	Dealing with Uncertainty. <i>Advances in the Study of Behavior</i> , 2010 , 42, 123-153	3.4	17
18	Offspring sex ratios reflect lack of repayment by auxiliary males in a cooperatively breeding passerine. <i>Behavioral Ecology and Sociobiology</i> , 2010 , 64, 967-977	2.5	20
17	The relative importance of male tail length and nuptial plumage on social dominance and mate choice in the red-backed fairy-wren <i>Malurus melanocephalus</i> : evidence for the multiple receiver hypothesis. <i>Journal of Avian Biology</i> , 2009 , 40, 559-568	1.9	25
16	EFFECTS OF SEED DISPERSER SOCIAL BRHAVIOR ON PATTERNS OF SEED MOVEMENT AND DEPOSITION. <i>Oecologia Australis</i> , 2009 , 13, 45-57	1.6	10
15	Changes in breeding status are associated with rapid bill darkening in male red-backed fairy-wrens <i>Malurus melanocephalus</i> . <i>Journal of Avian Biology</i> , 2008 , 39, 81-86	1.9	25
14	EXTRAPAIR PATERNITY AND SEXUAL SELECTION IN SOCIALLY MONOGAMOUS BIRDS: ARE TROPICAL BIRDS DIFFERENT?. <i>Auk</i> , 2008 , 125, 769-777	2.1	72
13	Home Range and Habitat Preferences of the Banded Ground-cuckoo (<i>Neomorphus radiolosus</i>). <i>Wilson Journal of Ornithology</i> , 2008 , 120, 205-209	0.4	2
12	The effects of delayed plumage maturation on aggression and survival in male red-backed fairy-wrens. <i>Behavioral Ecology</i> , 2008 , 19, 508-516	2.3	41
11	Plumage color and reproduction in the red-backed fairy-wren: Why be a dull breeder?. <i>Behavioral Ecology</i> , 2008 , 19, 517-524	2.3	69
10	NESTING BIOLOGY OF THE BANDED GROUND-CUCKOO (<i>NEOMORPHUS RADIOLOSUS</i>). <i>Wilson Journal of Ornithology</i> , 2007 , 119, 221-227	0.4	4
9	TEMPORAL AND SPATIAL PATTERNS OF MACAW ABUNDANCE IN THE ECUADORIAN AMAZON. <i>Condor</i> , 2005 , 107, 617	2.1	27
8	Temporal and Spatial Patterns of Macaw Abundance in the Ecuadorian Amazon. <i>Condor</i> , 2005 , 107, 617-626		31
7	Testing the function of petal-carrying in the Red-backed Fairy-wren (<i>Malurus melanocephalus</i>). <i>Emu</i> , 2003 , 103, 87-92	1.1	13
6	Nesting biology of a female Long-wattled Umbrellabird <i>Cephalopterus penduliger</i> in north-western Ecuador. <i>Bird Conservation International</i> , 2003 , 13, 351-360	1.7	3
5	Costs and benefits of variable breeding plumage in the red-backed fairy-wren. <i>Evolution; International Journal of Organic Evolution</i> , 2002 , 56, 1673-82	3.8	82

4	COSTS AND BENEFITS OF VARIABLE BREEDING PLUMAGE IN THE RED-BACKED FAIRY-WREN. <i>Evolution; International Journal of Organic Evolution</i> , 2002 , 56, 1673	3.8	4
3	The Social Organization and Mating System of the Striated Grasswren. <i>Condor</i> , 2001 , 103, 412-417	2.1	3
2	A novel evolutionary pattern of reversed sexual dimorphism in fairy wrens: implications for sexual selection. <i>Behavioral Ecology</i> , 2000 , 11, 345-349	2.3	16
1	Breeding Behavior of Elegant Trogons in Southeastern Arizona. <i>Auk</i> , 1996 , 113, 143-150	2.1	5