

# Branka Salopek-Sondi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1534327/publications.pdf>

Version: 2024-02-01

57  
papers

6,815  
citations

279798

23  
h-index

161849

54  
g-index

59  
all docs

59  
docs citations

59  
times ranked

10541  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low Temperatures Affect the Physiological Status and Phytochemical Content of Flat Leaf Kale ( <i>Brassica oleracea</i> var. <i>acephala</i> ) Sprouts. <i>Foods</i> , 2022, 11, 264.	4.3	11
2	Beneficial Microbes and Molecules for Mitigation of Soil Salinity in Brassica Species: A Review. <i>Soil Systems</i> , 2022, 6, 18.	2.6	8
3	Influence of Soil Salinity on Selected Element Contents in Different Brassica Species. <i>Molecules</i> , 2022, 27, 1878.	3.8	7
4	Salinity Stress as an Elicitor for Phytochemicals and Minerals Accumulation in Selected Leafy Vegetables of Brassicaceae. <i>Agronomy</i> , 2021, 11, 361.	3.0	32
5	Chilling and Freezing Temperature Stress Differently Influence Glucosinolates Content in <i>Brassica oleracea</i> var. <i>acephala</i> . <i>Plants</i> , 2021, 10, 1305.	3.5	22
6	Altered Root Growth, Auxin Metabolism and Distribution in <i>Arabidopsis thaliana</i> Exposed to Salt and Osmotic Stress. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7993.	4.1	28
7	Effects of Short-Term Exposure to Low Temperatures on Proline, Pigments, and Phytochemicals Level in Kale ( <i>Brassica oleracea</i> var. <i>acephala</i> ). <i>Horticulturae</i> , 2021, 7, 341.	2.8	17
8	The Role of Polyphenols in Abiotic Stress Response: The Influence of Molecular Structure. <i>Plants</i> , 2021, 10, 118.	3.5	295
9	Ferulic Acid and Salicylic Acid Foliar Treatments Reduce Short-Term Salt Stress in Chinese Cabbage by Increasing Phenolic Compounds Accumulation and Photosynthetic Performance. <i>Plants</i> , 2021, 10, 2346.	3.5	28
10	Green spathe of peace lily ( <i>Spathiphyllum wallisii</i> ): An assimilate source for developing fruit. <i>South African Journal of Botany</i> , 2019, 124, 54-62.	2.5	4
11	Involvement of Phenolic Acids in Short-Term Adaptation to Salinity Stress is Species-Specific among Brassicaceae. <i>Plants</i> , 2019, 8, 155.	3.5	65
12	Early Brassica Crops Responses to Salinity Stress: A Comparative Analysis Between Chinese Cabbage, White Cabbage, and Kale. <i>Frontiers in Plant Science</i> , 2019, 10, 450.	3.6	54
13	Cruciferous ( <i>Brassicaceae</i> ) Vegetables. , 2019, , 195-202.		17
14	Kale ( <i>Brassica oleracea</i> var. <i>acephala</i> ) as a superfood: Review of the scientific evidence behind the statement. <i>Critical Reviews in Food Science and Nutrition</i> , 2019, 59, 2411-2422.	10.3	142
15	Short-term salt stress in <i>Brassica rapa</i> seedlings causes alterations in auxin metabolism. <i>Plant Physiology and Biochemistry</i> , 2018, 125, 74-84.	5.8	42
16	Correlations between Phytohormones and Drought Tolerance in Selected Brassica Crops: Chinese Cabbage, White Cabbage and Kale. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2866.	4.1	53
17	Comparative analysis of phytochemicals and activity of endogenous enzymes associated with their stability, bioavailability and food quality in five Brassicaceae sprouts. <i>Food Chemistry</i> , 2018, 269, 96-102.	8.2	48
18	Auxin Amidohydrolases – From Structure to Function: Revisited. <i>Croatica Chemica Acta</i> , 2018, 91, .	0.4	6

#	ARTICLE	IF	CITATIONS
19	White cabbage ( <i>Brassica oleracea</i> var. <i>capitata</i> f. <i>alba</i> ): botanical, phytochemical and pharmacological overview. <i>Phytochemistry Reviews</i> , 2017, 16, 117-135.	6.5	69
20	Formation and morphogenesis of a cuttlebone's aragonite biomineral structures for the common cuttlefish ( <i>Sepia officinalis</i> ) on the nanoscale: Revisited. <i>Journal of Colloid and Interface Science</i> , 2017, 508, 95-104.	9.4	20
21	A novel plant enzyme with dual activity: an atypical Nudix hydrolase and a dipeptidyl peptidase III. <i>Biological Chemistry</i> , 2017, 398, 101-112.	2.5	14
22	Azidolysis of epoxides catalysed by the halohydrin dehalogenase from <i>Arthrobacter</i> sp. AD2 and a mutant with enhanced enantioselectivity: an (S)-selective HHDH. <i>Tetrahedron: Asymmetry</i> , 2016, 27, 930-935.	1.8	17
23	The role of conserved Cys residues in <i>Brassica rapa</i> auxin amidohydrolase: Cys139 is crucial for the enzyme activity and Cys320 regulates enzyme stability. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 8890-8900.	2.8	6
24	Assessment of the differences in the physical, chemical and phytochemical properties of four strawberry cultivars using principal component analysis. <i>Food Chemistry</i> , 2016, 194, 828-834.	8.2	100
25	The active site structure of manganese-containing <i>Brassica rapa</i> auxin-amidohydrolase BrILL2. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2015, 71, s210-s210.	0.1	0
26	Molecular and cellular approach in the study of antioxidant/pro-oxidant properties of <i>Micromeria croatica</i> (Pers.) Schott. <i>Natural Product Research</i> , 2015, 29, 1770-1774.	1.8	7
27	Oxazolidinone Synthesis through Halohydrin Dehalogenase-Catalyzed Dynamic Kinetic Resolution. <i>Advanced Synthesis and Catalysis</i> , 2015, 357, 1709-1714.	4.3	22
28	Genetic and phytochemical variability of six <i>Teucrium arduini</i> L. populations and their antioxidant/prooxidant behaviour examined by biochemical, macromolecule- and cell-based approaches. <i>Food Chemistry</i> , 2015, 186, 298-305.	8.2	12
29	Assessing the authenticity of the white cabbage ( <i>Brassica oleracea</i> var. <i>capitata</i> f. <i>alba</i> ) cv. 'Vara A34dinski'™ by molecular and phytochemical markers. <i>Food Research International</i> , 2014, 60, 266-272.	6.2	23
30	Influence of stress hormones on the auxin homeostasis in <i>Brassica rapa</i> seedlings. <i>Plant Cell Reports</i> , 2013, 32, 1031-1042.	5.6	12
31	Reactive cysteine in the active-site motif of <i>Bacteroides thetaiotaomicron</i> dipeptidyl peptidase III is a regulatory residue for enzyme activity. <i>Biological Chemistry</i> , 2012, 393, 37-46.	2.5	22
32	Catalytic activity of halohydrin dehalogenases towards spiroepoxides. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 5063.	2.8	48
33	Alanine conjugate of indole-3-butyric acid improves rooting of highbush blueberries. <i>Plant, Soil and Environment</i> , 2012, 58, 236-241.	2.2	7
34	Endogenous Auxin Profile in the Christmas Rose ( <i>Helleborus niger</i> L.) Flower and Fruit: Free and Amide Conjugated IAA. <i>Journal of Plant Growth Regulation</i> , 2012, 31, 63-78.	5.1	11
35	Colloid-chemical processes in the growth and design of the bio-inorganic aragonite structure in the scleractinian coral <i>Cladocora caespitosa</i> . <i>Journal of Colloid and Interface Science</i> , 2011, 354, 181-189.	9.4	22
36	Reproductive Development of the Christmas Rose ( <i>Helleborus niger</i> L.): The Role of Plant Hormones. <i>Croatica Chemica Acta</i> , 2011, 84, 277-285.	0.4	5

#	ARTICLE	IF	CITATIONS
37	Human Dipeptidyl Peptidase III: the Role of Asn406 in Ligand Binding and Hydrolysis. <i>Croatica Chemica Acta</i> , 2011, 84, 259-268.	0.4	18
38	Endogenous Gibberellin Profile During Christmas Rose ( <i>Helleborus niger</i> L.) Flower and Fruit Development. <i>Journal of Plant Growth Regulation</i> , 2010, 29, 194-209.	5.1	23
39	Free radical scavenging activity and DNA damaging potential of auxins IAA and 2-methyl-IAA evaluated in human neutrophils by the alkaline comet assay. <i>Journal of Biochemical and Molecular Toxicology</i> , 2010, 24, 165-173.	3.0	12
40	Auxin Amidohydrolases from <i>Brassica rapa</i> Cleave the Alanine Conjugate of Indolepropionic Acid as a Preferable Substrate: A Biochemical and Modeling Approach. <i>Plant and Cell Physiology</i> , 2009, 50, 1587-1599.	3.1	24
41	In Memory of Dr. Volker Magnus, Plant Biologist. <i>Journal of Plant Growth Regulation</i> , 2009, 28, 305-308.	5.1	0
42	Absolutely conserved tryptophan in M49 family of peptidases contributes to catalysis and binding of competitive inhibitors. <i>Bioorganic Chemistry</i> , 2009, 37, 70-76.	4.1	24
43	Isolation of novel indole-3-acetic acid conjugates by immunoaffinity extraction. <i>Talanta</i> , 2009, 80, 651-655.	5.5	86
44	Functional tyrosine residue in the active center of human dipeptidyl peptidase III. <i>Biological Chemistry</i> , 2008, 389, 163-167.	2.5	19
45	Biomimetic Precipitation of Nanostructured Colloidal Calcite Particles by Enzyme-Catalyzed Reaction in the Presence of Magnesium Ions. <i>Crystal Growth and Design</i> , 2008, 8, 435-441.	3.0	37
46	Cytokinins in the perianth, carpels, and developing fruit of <i>Helleborus niger</i> L.. <i>Journal of Experimental Botany</i> , 2006, 57, 2237-2247.	4.8	24
47	Influence of the Primary Structure of Enzymes on the Formation of CaCO <sub>3</sub> Polymorphs: A Comparison of Plant ( <i>Canavalia ensiformis</i> ) and Bacterial ( <i>Bacillus pasteurii</i> ) Ureases. <i>Langmuir</i> , 2005, 21, 8876-8882.	3.5	81
48	X-ray Structures of the Leucine-binding Protein Illustrate Conformational Changes and the Basis of Ligand Specificity. <i>Journal of Biological Chemistry</i> , 2004, 279, 8747-8752.	3.4	72
49	Silver nanoparticles as antimicrobial agent: a case study on <i>E. coli</i> as a model for Gram-negative bacteria. <i>Journal of Colloid and Interface Science</i> , 2004, 275, 177-182.	9.4	4,925
50	Chemisorptions of bacterial receptors for hydrophobic amino acids and sugars on gold for biosensor applications: a surface plasmon resonance study of genetically engineered proteins. <i>Biosensors and Bioelectronics</i> , 2003, 19, 249-259.	10.1	24
51	Insight into the stability of the hydrophobic binding proteins of <i>Escherichia coli</i> : Assessing the proteins for use as biosensors. <i>Proteins: Structure, Function and Bioinformatics</i> , 2003, 53, 273-281.	2.6	6
52	<sup>19</sup> F NMR Studies of the Leucine-Isoleucine-Valine Binding Protein: Evidence That a Closed Conformation Exists in Solution. <i>Journal of Biomolecular Structure and Dynamics</i> , 2003, 21, 235-246.	3.5	19
53	<sup>19</sup> F NMR study of the leucine-specific binding protein of <i>Escherichia coli</i> : mutagenesis and assignment of the 5-fluorotryptophan-labeled residues. <i>Protein Engineering, Design and Selection</i> , 2002, 15, 855-859.	2.1	21
54	Developing fruit direct post-floral morphogenesis in <i>Helleborus niger</i> L.. <i>Journal of Experimental Botany</i> , 2002, 53, 1949-1957.	4.8	33

#	ARTICLE	IF	CITATIONS
55	Exploring the Role of Amino Acid-18 of the Leucine Binding Proteins of <i>E. coli</i> . Journal of Biomolecular Structure and Dynamics, 2002, 20, 381-387.	3.5	10
56	Correlation of structural and physico-chemical parameters with the bioactivity of alkylated derivatives of indole-3-acetic acid, a phytohormone (auxin). Acta Crystallographica Section B: Structural Science, 2000, 56, 94-111.	1.8	25
57	Fruit initiation in <i>Helleborus niger</i> L. triggers chloroplast formation and photosynthesis in the perianth. Journal of Plant Physiology, 2000, 157, 357-364.	3.5	33