
Jeronimo Jurado Campos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1534458/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Systematic Review about Spirituality in Nursing Care: Avoiding a Specific Illness Care Environment. Advanced Practices in Nursing, 2017, 02, .	0.1	0
2	Developing Evidenceâ€Based Practice questionnaire for community health nurses: reliability and validity of a Spanish adaptation. Journal of Clinical Nursing, 2016, 25, 505-517.	1.4	7
3	Cardiovascular disease predicts diabetic peripheral polyneuropathy in subjects with type 2 diabetes: A 10-year prospective study. European Journal of Cardiovascular Nursing, 2016, 15, 248-254.	0.4	10
4	Impact of a quality improvement intervention on nurses' management of same-day primary care flow. Journal of Nursing Management, 2015, 23, 920-930.	1.4	5
5	Coste-efectividad de la intervención sobre el estilo de vida para prevenir la diabetes tipo 2. Revista Clinica Espanola, 2014, 214, 59-68.	0.2	30
6	Prevención de la diabetes de tipo 2. ¿Qué se puede hacer desde la atención primaria? La experiencia del DE-PLAN-CAT. Avances En DiabetologÃa, 2012, 28, 59-63.	0.1	4
7	Delaying progression to type 2 diabetes among high-risk Spanish individuals is feasible in real-life primary healthcare settings using intensive lifestyle intervention. Diabetologia, 2012, 55, 1319-1328.	2.9	115
8	Angiotensin-converting enzyme gene single polymorphism as a genetic biomarker of diabetic peripheral neuropathy: longitudinal prospective study. Journal of Diabetes and Its Complications, 2012, 26, 77-82.	1.2	20
9	A Risk Score to Predict Type 2 Diabetes Mellitus in an Elderly Spanish Mediterranean Population at High Cardiovascular Risk. PLoS ONE, 2012, 7, e33437.	1.1	31
10	Research update for articles published in EJCI in 2009. European Journal of Clinical Investigation, 2011, 41, 1149-1163.	1.7	0
11	Rationale and design of the PREDICE project: cost-effectiveness of type 2 diabetes prevention among high-risk Spanish individuals following lifestyle intervention in real-life primary care setting. BMC Public Health, 2011, 11, 623.	1.2	13
12	Transforming growth factor beta 1 as a biomarker of diabetic peripheral neuropathy: cross-sectional study. Journal of Diabetes and Its Complications, 2010, 24, 306-312.	1.2	13
13	Clinical screening and diagnosis of diabetic polyneuropathy: the North Catalonia Diabetes Study. European Journal of Clinical Investigation, 2009, 39, 183-189.	1.7	18
14	Prevalence of cardiovascular disease and risk factors in a type 2 diabetic population of the North Catalonia diabetes study. Journal of the American Academy of Nurse Practitioners, 2009, 21, 140-148.	1.4	40
15	Association between sleep-disordered breathing, aminoterminal pro-brain natriuretic peptide (NT-proBNP) levels and insulin resistance in morbidly obese young women. European Journal of Internal Medicine, 2009, 20, 174-181.	1.0	13
16	Amino-Terminal Brain Natriuretic Peptide is Related to the Presence of Diabetic Polyneuropathy Independently of Cardiovascular Disease. Diabetes Care, 2007, 30, e86-e86.	4.3	9
17	Primary Hyperparathyroidism, Insulin Resistance, and Cardiovascular Disease: A Review. Nursing Clinics of North America, 2007, 42, 79-85.	0.7	17
18	Isolated Use of Vibration Perception Thresholds and Semmes-Weinstein Monofilament in Diagnosing Diabetic Polyneuropathy: "The North Catalonia Diabetes Study― Nursing Clinics of North America, 2007, 42, 59-66.	0.7	8

#	Article	IF	CITATIONS
19	The impact of previous diabetes education level on the control of cardiovascular risk factors in type 2 diabetic patients at the start of the North Catalonia Diabetes Study. International Journal of Diabetes and Metabolism, 2006, 14, 61-67.	0.7	3
20	Anthropometrical measures are easily obtainable sensitive and specific predictors of insulin resistance in healthy individuals. Prevention and Control: the Official Journal of the World Heart Federation, 2005, 1, 175-181.	0.3	8