
Paolo Pronzato

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1534507/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-Term Outcomes With Pharmacological Ovarian Suppression During Chemotherapy in Premenopausal Early Breast Cancer Patients. Journal of the National Cancer Institute, 2022, 114, 400-408.	3.0	15
2	Safety and efficacy of immune checkpoint inhibitors in non-small-cell lung cancer: focus on challenging populations. Immunotherapy, 2021, 13, 509-525.	1.0	3
3	Assessing the Impact of the COVID-19 Outbreak on the Attitudes and Practice of Italian Oncologists Toward Breast Cancer Care and Related Research Activities. JCO Oncology Practice, 2020, 16, e1304-e1314.	1.4	38
4	Changes in hormone-receptor status in luminal breast cancers between primary tumour and metastases: Results of the observational cohort GIM-13 AMBRA study. Annals of Oncology, 2019, 30, v113.	0.6	0
5	Bone metastases from head and neck malignancies: Prognostic factors and skeletal-related events. PLoS ONE, 2019, 14, e0213934.	1.1	7
6	Increasing the dose intensity of chemotherapy by more frequent administration or sequential scheduling: a patient-level meta-analysis of 37â€^298 women with early breast cancer in 26 randomised trials. Lancet, The, 2019, 393, 1440-1452.	6.3	260
7	Triple-negative (TNBC) metastatic breast cancer (MBC) patients (pts): Is chemotherapy (CHT) choice influenced by adjuvant (adj) treatments? Results from the GIM-13 AMBRA study Journal of Clinical Oncology, 2019, 37, e12549-e12549.	0.8	2
8	Progression-free survival (PFS) and overall survival (OS) in HER2-ve advanced breast cancer (ABC) patients (pts) according to the molecular subtype in the era of modern agents: Results from the GIM-13 AMBRA study Journal of Clinical Oncology, 2019, 37, e12528-e12528.	0.8	0
9	Management of anaemia and iron deficiency in patients with cancer: ESMO Clinical Practice Guidelines. Annals of Oncology, 2018, 29, iv96-iv110.	0.6	158
10	Nine weeks versus 1 year adjuvant trastuzumab in combination with chemotherapy: final results of the phase III randomized Short-HER study. Annals of Oncology, 2018, 29, 2328-2333.	0.6	124
11	Validation of time to treatment change (TTC) as a surrogate end-point of progression free survival (PFS) for observational trials in metastatic breast cancer patients (MBC): The GIM-13 AMBRA study Journal of Clinical Oncology, 2018, 36, e13081-e13081.	0.8	1
12	First-line therapy with fulvestrant (FUL) in HR+ve, HER2-ve advanced pre-treated breast cancer (ABC) patients (pts): Results from the GIM-13 AMBRA Study Journal of Clinical Oncology, 2018, 36, e13032-e13032.	0.8	0
13	Nab-paclitaxel (Nab-P) in patients (pts) with HER2-ve advanced breast cancer (ABC): A focus on the elderly— Preliminary results of the GIM-13 AMBRA study Journal of Clinical Oncology, 2018, 36, e13078-e13078.	0.8	0
14	Role of everolimus in the treatment of metastatic HER2-negative/HR-positive breast cancer. Future Oncology, 2017, 13, 1371-1384.	1.1	5
15	Concurrent versus sequential adjuvant chemo-endocrine therapy in hormone-receptor positive early stage breast cancer patients: a systematic review and meta-analysis. Breast, 2017, 33, 104-108.	0.9	16
16	NAB-Paclitaxel (NAB-P) in HER2-ve Advanced Breast Cancer (ABC) Patients (PTS): Focus on Luminal Cancers. Results from GIM13-AMBRA Study. Breast, 2017, 36, S51-S52.	0.9	0
17	Hormonal therapy followed by chemotherapy or the reverse sequence as first-line treatment of hormone-responsive, human epidermal growth factor receptor-2 negative metastatic breast cancer patients: results of an observational study. Oncotarget, 2017, 8, 44800-44810.	0.8	4
18	Abstract P5-15-07: First and further line choices of treatment for HER2-VE metastatic breast cancer (MBC) according to adjuvant treatment and biological subtype. Preliminary results of the observational "GIM-13 – AMBRA―Italian study. , 2017, , .		0

#	Article	IF	CITATIONS
19	Choice of treatment and adherence to international ESO-ESMO (ABC) guidelines in HR+/HER2-ve metastatic breast cancer (MBC) patients (pts) Journal of Clinical Oncology, 2017, 35, 1057-1057.	0.8	1
20	The role of taxanes in HR+ve/HER2-ve metastatic breast cancer (MBC) patients (pts) from adjuvant to metastatic setting in the clinical practice: Results from GIM13-AMBRA study Journal of Clinical Oncology, 2017, 35, 1055-1055.	0.8	1
21	Characteristics of disease activity able to identify risk categories and probability to respond to first-line endocrine therapy (ET) in HR+ve/HER2-ve metastatic breast cancer (MBC) patients (pts): Dream or reality? Evaluation of a composite risk score in a subgroup population of the GIM 13-AMBRA study Journal of Clinical Oncology, 2017, 35, 1049-1049.	0.8	39
22	Concurrent versus sequential adjuvant chemo-endocrine therapy in early stage hormone receptor-positive breast cancer patients: a systematic review and meta-analysis. Annals of Oncology, 2016, 27, iv62.	0.6	0
23	Neoadjuvant therapy with FEC followed by weekly paclitaxel and concurrent trastuzumab in Her2 positive non operable breast cancer: a phase II study. Annals of Oncology, 2016, 27, iv70.	0.6	0
24	Role of fulvestrant in the treatment of postmenopausal metastatic breast cancer patients. Expert Review of Clinical Pharmacology, 2016, 9, 1153-1161.	1.3	8
25	TP53 germline mutation testing in early onset breast cancer. Annals of Oncology, 2016, 27, iv71.	0.6	0
26	5-Fluorouracil, epirubicin and cyclophosphamide versus epirubicin and paclitaxel in node-positive early breast cancer: a phase-III randomized GONO-MIG5 trial. Breast Cancer Research and Treatment, 2016, 155, 117-126.	1.1	12
27	Second-line single-agent chemotherapy in human epidermal growth factor receptor 2-negative metastatic breast cancer: A systematic review. Cancer Treatment Reviews, 2016, 43, 36-49.	3.4	10
28	New insights on the role of luteinizing hormone releasing hormone agonists in premenopausal early breast cancer patients. Cancer Treatment Reviews, 2016, 42, 18-23.	3.4	11
29	Pegfilgrastim administration after 24 or 72 or 96Âh to allow dose-dense anthracycline- and taxane-based chemotherapy in breast cancer patients: a single-center experience within the GIM2 randomized phase III trial. Supportive Care in Cancer, 2016, 24, 1285-1294.	1.0	17
30	1517 Emergency department as place of end-of-life care and death in cancer patients. European Journal of Cancer, 2015, 51, S209-S210.	1.3	0
31	1957 Ovarian suppression with luteinizing hormone-releasing hormone agonists during chemotherapy as a strategy to preserve ovarian function and fertility in breast cancer patients: A systematic review and meta-analysis of randomized studies. European Journal of Cancer, 2015, 51, S318-S319.	1.3	1
32	1863 First line trastuzumab- or lapatinib-based therapy in her2-positive metastatic breast cancer patients after prior (neo)adjuvant trastuzumab. European Journal of Cancer, 2015, 51, S286.	1.3	0
33	PO62 FIRST LINE TRASTUZUMAB-BASED THERAPY IN HER2-POSITIVE METASTATIC BREAST CANCER PATIENTS PRESENTING WITH DE NOVO OR RECURRENT DISEASE: A MULTICENTER RETROSPECTIVE COHORT STUDY. Breast, 2015, 24, S43.	0.9	0
34	First line trastuzumab-based therapy in her2-positive metastatic breast cancer patients presenting with de novo or recurrent disease. Annals of Oncology, 2015, 26, vi10.	0.6	0
35	The OECI Certification/Designation Program: The Genoa Experience. Tumori, 2015, 101, S19-S20.	0.6	0
36	Reply to letter to the editor â€~Primum non nocere' by Templeton and Åeruga. Annals of Oncology, 2015, 26, 2198-2199.	0.6	0

#	Article	IF	CITATIONS
37	Ovarian Suppression With Triptorelin During Adjuvant Breast Cancer Chemotherapy and Long-term Ovarian Function, Pregnancies, and Disease-Free Survival. JAMA - Journal of the American Medical Association, 2015, 314, 2632.	3.8	180
38	Safety and efficacy outcomes with erythropoiesis-stimulating agents in patients with breast cancer: a meta-analysis. Annals of Oncology, 2015, 26, 688-695.	0.6	19
39	HER2-positive metastatic breast cancer: A changing scenario. Critical Reviews in Oncology/Hematology, 2015, 95, 78-87.	2.0	29
40	Treatment options in HR+/HER2- advanced breast cancer patients pretreated with nonsteroidal aromatase inhibitors: what does current evidence tell us?. Future Oncology, 2015, 11, 975-981.	1.1	3
41	Pegfilgrastim for the prevention of chemotherapy-induced febrile neutropenia in patients with solid tumors. Expert Opinion on Biological Therapy, 2015, 15, 1799-1817.	1.4	16
42	Ovarian suppression using luteinizing hormone-releasing hormone agonists during chemotherapy to preserve ovarian function and fertility of breast cancer patients: a meta-analysis of randomized studies. Annals of Oncology, 2015, 26, 2408-2419.	0.6	178
43	First line trastuzumab-based therapy in HER2-positive metastatic breast cancer patients (MBC) presenting with de novo or recurrent disease Journal of Clinical Oncology, 2015, 33, e11575-e11575.	0.8	0
44	Role of immunotherapy in the treatment of advanced non-small-cell lung cancer. Future Oncology, 2014, 10, 79-90.	1.1	23
45	The treatment of melanoma brain metastases before the advent of targeted therapies. Melanoma Research, 2014, 24, 61-67.	0.6	22
46	The five "Ws―for bone pain due to the administration of granulocyte-colony stimulating factors (G-CSFs). Critical Reviews in Oncology/Hematology, 2014, 89, 112-128.	2.0	87
47	A prospective observational study to evaluate G-CSF usage in patients with solid tumors receiving myelosuppressive chemotherapy in Italian clinical oncology practice. Medical Oncology, 2014, 31, 797.	1.2	21
48	Gonadotropin-releasing hormone analogues for the prevention of chemotherapy-induced premature ovarian failure in cancer women: Systematic review and meta-analysis of randomized trials. Cancer Treatment Reviews, 2014, 40, 675-683.	3.4	169
49	OR30 Prospective study of fertility preservation strategies in young early breast cancer patients: the PREFER (pregnancy and fertility) trial. Breast, 2014, 23, S12.	0.9	0
50	Long-term outcome results of the phase III PROMISE-GIM6 study evaluating the role of LHRH analog (LHRHa) during chemotherapy (CT) as a strategy to reduce ovarian failure in early breast cancer (BC) patients Journal of Clinical Oncology, 2014, 32, 105-105.	0.8	8
51	Pegfilgrastim (P) administration after 24, 72, or 96 hours (h) to allow dose-dense (DD) anthracycline- and taxane-based chemotherapy (CT) in breast cancer (BC) patients (pts): A single-center experience within the GIM2 randomized phase III study Journal of Clinical Oncology, 2014, 32, 9632-9632.	0.8	0
52	Multigene assays and molecular markers in breast cancer: systematic review of health economic analyses. Breast Cancer Research and Treatment, 2013, 139, 621-637.	1.1	87
53	Pemetrexed for the treatment of non-small cell lung cancer. Expert Opinion on Pharmacotherapy, 2013, 14, 1545-1558.	0.9	24
54	Free drugs in clinical trials and their potential cost saving impact on the National Health Service: A retrospective cost analysis in Italy. Lung Cancer, 2013, 81, 236-240.	0.9	20

#	Article	IF	CITATIONS
55	Gene expression profiling in breast cancer: A clinical perspective. Breast, 2013, 22, 109-120.	0.9	73
56	Trastuzumab emtansine in the treatment of <i>HER-2</i> -positive metastatic breast cancer patients. Future Oncology, 2013, 9, 955-957.	1.1	10
57	An Italian cost-effectiveness analysis of paclitaxel albumin (nab-paclitaxel) versus conventional paclitaxel for metastatic breast cancer patients: the COSTANza study. ClinicoEconomics and Outcomes Research, 2013, 5, 125.	0.7	23
58	HM35 Role of temporary ovarian suppression obtained with GnRH analogue in reducing premature ovarian failure induced by chemotherapy in premenopausal cancer patients: a meta-analysis of randomized studies. Breast, 2012, 21, S13.	0.9	1
59	Ipilimumab (MDX-010) in the treatment of non-small cell lung cancer. Expert Opinion on Biological Therapy, 2012, 12, 939-948.	1.4	19
60	Trastuzumab as first-line therapy in HER2-positive metastatic breast cancer patients. Expert Review of Anticancer Therapy, 2012, 12, 1391-1405.	1.1	19
61	The relevance of stable disease (SD) as a surrogate end-point in advanced non-small cell lung cancer (NSCLC) patients treated with erlotinib (E) as the second/third line. Lung Cancer, 2012, 77, S30-S31.	0.9	Ο
62	The administration of gefitinib in patients with advanced non-small-cell lung cancer after the failure of erlotinib. Cancer Chemotherapy and Pharmacology, 2012, 69, 1407-1412.	1.1	9
63	Stevens-Johnson syndrome after treatment with bendamustine. Leukemia Research, 2012, 36, e153-e154.	0.4	11
64	Medical approaches to preservation of fertility in female cancer patients. Expert Opinion on Pharmacotherapy, 2011, 12, 387-396.	0.9	35
65	Luteinising hormone releasing hormone agonists (LH-RHa) in premenopausal early breast cancer patients: Current role and future perspectives. Cancer Treatment Reviews, 2011, 37, 208-211.	3.4	15
66	Anti-cancer activity of 5-O-alkyl 1,4-imino-1,4-dideoxyribitols. Bioorganic and Medicinal Chemistry, 2011, 19, 7720-7727.	1.4	13
67	Attitude of Italian medical oncologists toward palliative care for patients with advanced cancer: results of the SIO project. Supportive Care in Cancer, 2011, 19, 381-389.	1.0	8
68	Effect of the Gonadotropin-Releasing Hormone Analogue Triptorelin on the Occurrence of Chemotherapy-Induced Early Menopause in Premenopausal Women With Breast Cancer. JAMA - Journal of the American Medical Association, 2011, 306, 269-76.	3.8	311
69	Biological Characteristics and Medical Treatment of Breast Cancer in Young Women—A Featured Population: Results from the NORA Study. International Journal of Breast Cancer, 2011, 2011, 1-6.	0.6	27
70	Concurrent vs Sequential Adjuvant Chemotherapy and Hormone Therapy in Breast Cancer: A Multicenter Randomized Phase III Trial. Journal of the National Cancer Institute, 2011, 103, 1529-1539.	3.0	27
71	Letrozole withdrawal response in locally advanced breast cancer. Annals of Oncology, 2011, 22, 1927-1928.	0.6	3

72 P1-10-05: Is the 21-Gene Breast Cancer Test (Oncotype DX®) Cost-Effective?. , 2011, , .

3

#	Article	IF	CITATIONS
73	Clinical activity and cardiac tolerability of non-pegylated liposomal doxorubicin in breast cancer: a synthetic review. Tumori, 2011, 97, 690-2.	0.6	15
74	Novel 2-[(benzylamino)methyl]pyrrolidine-3,4-diol derivatives as α-mannosidase inhibitors and with antitumor activities against hematological and solid malignancies. Bioorganic and Medicinal Chemistry, 2010, 18, 3320-3334.	1.4	24
75	Use in current clinical practice of 70-gene signature in early breast cancer. International Journal of Cancer, 2010, 127, 2736-2737.	2.3	2
76	Synthesis of new oxathiazinane dioxides and their in vitro cancer cell growth inhibitory activity. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 5353-5356.	1.0	4
77	Estrone Sulphate, FSH, and Testosterone Levels in Two Male Breast Cancer Patients Treated with Aromatase Inhibitors. Oncologist, 2010, 15, 1270-1272.	1.9	13
78	Sublethal Doses of an Anti-erbB2 Antibody Leads to Death by Apoptosis in Cardiomyocytes Sensitized by Low Prosenescent Doses of Epirubicin: The Protective Role of Dexrazoxane. Journal of Pharmacology and Experimental Therapeutics, 2010, 332, 87-96.	1.3	17
79	Pathological and molecular characteristics distinguishing contralateral metastatic from new primary breast cancer. Annals of Oncology, 2010, 21, 1237-1242.	0.6	29
80	Trastuzumab before breast surgery: is concurrent administration with anthracycline-containing chemotherapy necessary?. Annals of Oncology, 2010, 21, 1376-1377.	0.6	1
81	Epoetin Alfa Improves Anemia and Anemia-Related, Patient-Reported Outcomes in Patients with Breast Cancer Receiving Myelotoxic Chemotherapy: Results of a European, Multicenter, Randomized, Controlled Trial. Oncologist, 2010, 15, 935-943.	1.9	27
82	102 How the 70-gene tumour expression profile "MammaPrint―can assist in St Gallen 2009 treatment recommendations in 12 Italian hospitals. European Journal of Cancer, Supplement, 2010, 8, 88.	2.2	0
83	Single-nucleotide polymorphisms (SNPs) of CYP19A1 and plasma levels of estrone sulfate (ES) in postmenopausal women with breast cancer (BC) during letrozole (L) treatment Journal of Clinical Oncology, 2010, 28, 2606-2606.	0.8	1
84	The triple-negative (TN) treatment approach in Italy, from NEMESI, a retrospective observational study on early breast cancer (EBC) management Journal of Clinical Oncology, 2010, 28, e11037-e11037.	0.8	1
85	Docetaxel (D) versus docetaxel/gemcitabine (D&G) in the treatment of older patients with advanced non-small cell lung cancer (NSCLC): An Alpe Adria Thoracic Oncology Multidisciplinary Group randomized phase II trial (ATOM 017) Journal of Clinical Oncology, 2010, 28, e18028-e18028.	0.8	3
86	ERCC1, BRCA1, thymidylate synthase (TS), class III beta tubulin (bTubIII), p53R2, RRM2 immunohistochemical expression in stage I-III non-small cell lung cancer (NSCLC): A tissue microarray (TMA) study Journal of Clinical Oncology, 2010, 28, e21094-e21094.	0.8	0
87	Impact of Third-Generation Drugs on the Activity of First-Line Chemotherapy in Advanced Non-Small Cell Lung Cancer: A Meta-Analytical Approach. Oncologist, 2009, 14, 497-510.	1.9	64
88	Adjuvant endocrine therapy for perimenopausal women with early breast cancer. Breast, 2009, 18, 2-7.	0.9	14
89	Budget impact analysis of the use of lapatinib in the treatment of breast cancer in Italy. Farmeconomia E Percorsi Terapeutici, 2009, 10, 33-46.	0.2	0
90	Identification of a Prognostic Signature Based on the Expression of Insulin-Related Genes in Early		0

Identification of a Prognos Breast Cancer., 2009, , .

0

#	Article	IF	CITATIONS
91	Targeting the VEGF pathway: Antiangiogenic strategies in the treatment of non-small cell lung cancer. Critical Reviews in Oncology/Hematology, 2008, 68, 183-196.	2.0	33
92	Multicentric, Randomized Phase III Trial of Two Different Adjuvant Chemotherapy Regimens plus Three Versus Twelve Months of Trastuzumab in Patients with HER2-Positive Breast Cancer (Short-HER Trial;) Tj ETQq	0 0 OırgBT /	Ovenbock 10 Tf
93	New Understanding of the Role of Anthracyclines in Early-Stage Breast Cancer: Patient Selection Considerations. Clinical Breast Cancer, 2008, 8, S179-S183.	1.1	13
94	New Therapeutic Options for Chemotherapy-Resistant Metastatic Breast Cancer. Drugs, 2008, 68, 139-146.	4.9	21
95	HER2 Status and Efficacy of Adjuvant Anthracyclines in Early Breast Cancer: A Pooled Analysis of Randomized Trials. Journal of the National Cancer Institute, 2008, 100, 14-20.	3.0	344
96	Response:Re: HER2 Status and Efficacy of Adjuvant Anthracyclines in Early Breast Cancer: A Pooled Analysis of Randomized Trials. Journal of the National Cancer Institute, 2008, 100, 680-681.	3.0	0
97	The anthracyclines and the clinical practice: do all breast cancer patients benefit? Results from the NORA study. Annals of Oncology, 2008, 19, 1811-1812.	0.6	о
98	Timing of adjuvant chemotherapy and tamoxifen in women with breast cancer: findings from two consecutive trials of Gruppo Oncologico Nord-Ovest–Mammella Intergruppo (GONO-MIG) Group. Annals of Oncology, 2008, 19, 299-307.	0.6	18
99	Assessment of RT-PCR Detection of Human Mammaglobin for the Diagnosis of Breast Cancer Derived Pleural Effusions. Diagnostic Molecular Pathology, 2008, 17, 28-33.	2.1	10
100	Cyclophosphamide, epirubicin, and 5-fluorouracil versus epirubicin plus paclitaxel in node-positive early breast cancer patients: A randomized, phase III study of Gruppo Oncologico Nord Ovest-Mammella Intergruppo Group. Journal of Clinical Oncology, 2008, 26, 516-516.	0.8	6
101	How Italian oncologists cope with end-of-life care: A pilot study. Journal of Clinical Oncology, 2008, 26, 20554-20554.	0.8	Ο
102	Assessment of RT-PCR detection of human mammaglobin for the diagnosis of breast cancer derived pleural effusions. Journal of Clinical Oncology, 2008, 26, 1112-1112.	0.8	17
103	Re: Acute Myeloid Leukemia or Myelodysplastic Syndrome Following Use of Granulocyte Colony-Stimulating Factors During Breast Cancer Adjuvant Chemotherapy. Journal of the National Cancer Institute, 2007, 99, 1050-1051.	3.0	3
104	Adjuvant treatment of early breast cancer: do the St Gallen recommendations influence clinical practice? Results from the NORA study. Annals of Oncology, 2007, 18, 1976-1980.	0.6	9
105	Breast cancer in elderly women: a different reality? Results from the NORA study. Annals of Oncology, 2007, 18, 991-996.	0.6	51
106	B2-07: Impact of 3rd generation drugs on the activity of first-line chemotherapy in advanced non-small cell lung cancer (NSCLC): a meta-analytical approach. Journal of Thoracic Oncology, 2007, 2, S339.	0.5	2
107	6612 POSTER Disease stabilization (SD) as a surrogate end-point in advanced non-small-cell lung cancer (NSCLC) patients treated with erlotinib (E) or gefitinib (G). European Journal of Cancer, Supplement, 2007, 5, 392.	2.2	0
108	What is the optimal strategy for postoperative treatment with aromatase inhibitors in the adjuvant setting?. Best Practice and Research in Clinical Endocrinology and Metabolism, 2006, 20, S31-S45.	2.2	1

Paolo Pronzato

#	Article	IF	CITATIONS
109	Cancer-related anaemia management in the 21st century. Cancer Treatment Reviews, 2006, 32, S1-S3.	3.4	15
110	Dose and outcome: The hurdle of neutropenia (Review). Oncology Reports, 2006, 16, 233.	1.2	9
111	Epoetin beta therapy in patients with solid tumours. Critical Reviews in Oncology/Hematology, 2006, 58, 46-52.	2.0	10
112	Adjuvant systemic treatment of early breast cancer: the NORA study. Annals of Oncology, 2006, 17, 1386-1392.	0.6	14
113	First line chemotherapy of metastatic breast cancer. Annals of Oncology, 2006, 17, v165-v168.	0.6	23
114	Epirubicin and Gemcitabine as First-Line Treatment in Malignant Pleural Mesothelioma. Tumori, 2005, 91, 15-18.	0.6	12
115	Dose-Dense Adjuvant Chemotherapy in Early Breast Cancer Patients: Results From a Randomized Trial. Journal of the National Cancer Institute, 2005, 97, 1724-1733.	3.0	146
116	Standard of Care for Cancer-Related Anemia: Improving Hemoglobin Levels and Quality of Life. Oncology, 2005, 68, 22-32.	0.9	19
117	P-584 Single agent gemcitabine (CEM) in performance status (PS) 2–3patients (pts) with advanced non-small cell lung cancer (NSCLC): Effect on disease-related symptoms in a multicenter phase II trial. Lung Cancer, 2005, 49, S272.	0.9	0
118	Application of newer adjuvant treatments for node positive (N+) breast cancer (BC) patients (pts) in Italian centers. Results of the NORA (National Oncological Research Observatory on Adjuvant Therapy) Tj ETQqO	0 0. øgBT /	'Oværlock 10 ⁻
119	Patterns of Relapse and Modalities of Treatment of Breast Cancer: The â€~IRIS' Project, a Multicenter Observational Study. Oncology, 2004, 66, 260-268.	0.9	8
120	Topotecan and ifosfamide as salvage treatment in advanced ovarian cancer. Gynecologic Oncology, 2004, 93, 474-478.	0.6	14
121	Gemcitabine (GEM) as salvage therapy in patients (pts) with advanced colorectal cancer (CRC) refractory to 5-fluorouracil (FU), irinotecan (IRI) and oxaliplatin (OXA). Journal of Clinical Oncology, 2004, 22, 3577-3577.	0.8	3
122	CMV infection and pneumonia in hematological malignancies. Journal of Infection and Chemotherapy, 2003, 9, 265-267.	0.8	12
123	Intramuscular depot medroxyprogesterone versus oral megestrol for the control of postmenopausal hot flashes in breast cancer patients: a randomized study. Annals of Oncology, 2002, 13, 883-888.	0.6	82
124	A Dose Finding Study of Carboplatin and Gemcitabine in Advanced Non-Small Cell Lung Cancer. Journal of Chemotherapy, 2002, 14, 296-300.	0.7	6
125	Anthacyclines in non-small cell lung cancer. Lung Cancer, 2001, 34, 57-59.	0.9	8
126	Thymidine Labeling Index Analysis in Early Breast Cancer Patients Randomized to Receive Perioperative Chemotherapy. Oncology, 2001, 60, 88-93.	0.9	9

Paolo Pronzato

#	Article	IF	CITATIONS
127	Accelerated-Intensified Cyclophosphamide, Epirubicin, and Fluorouracil (CEF) Compared With Standard CEF in Metastatic Breast Cancer Patients: Results of a Multicenter, Randomized Phase III Study of the Italian Gruppo Oncologico Nord-Ouest–Mammella Inter Gruppo Group. Journal of Clinical Oncology, 2001, 19, 2213-2221.	0.8	41
128	A Three-Drug Regimen (Gemcitabine, Ifosfamide and Cisplatin) for Advanced Non-Small-Cell Lung Cancer. Journal of Chemotherapy, 2001, 13, 202-205.	0.7	2
129	Is salvage chemotherapy for metastatic breast cancer always effective and well tolerated? A phase II randomized trial of vinorelbine versus 5-fluorouracil plus leucovorin versus combination of mitoxantrone, 5-fluorouracil plus leucovorin. Breast Cancer Research and Treatment, 2000, 60, 195-200.	1.1	18
130	A Phase II Study of a Three-Drug Combination (Cisplatin, Ifosfamide and Vinorelbine) plus Granulocyte-Colony Stimulating Factor in Advanced Non Small Cell Lung Cancer. Journal of Chemotherapy, 1999, 11, 306-309.	0.7	7
131	Vinorelbine and paclitaxel in advanced breast cancer. European Journal of Cancer, 1999, 35, S321.	1.3	1
132	High-dose intensity cyclophosphamide, epidoxorubicin, vincristine and prednisone by shortened intervals and granulocyte colony-stimulating factor in non-Hodgkin's lymphoma: a phase II study. British Journal of Cancer, 1998, 78, 777-780.	2.9	10
133	High-dose-intensity combination chemotherapy for advanced sarcomas: a pilot study. Cancer Chemotherapy and Pharmacology, 1998, 41, 513-516.	1.1	2
134	A Phase II Trial of Carboplatin, Methotrexate and Fluorouracil in Fluorouracil-Pretreated Colorectal Cancer. Journal of Chemotherapy, 1998, 10, 254-257.	0.7	0
135	A Dose Finding Study for the Combination of Epidoxorubicin and Vinorelbine, Delivered Every Two Weeks with G-CSF Support, in Advanced Breast Cancer. Journal of Chemotherapy, 1998, 10, 326-330.	0.7	7
136	A Randomized Trial of Chemotherapy with or without Estrogenic Recruitment in Locally Advanced Breast Cancer. Tumori, 1997, 83, 829-833.	0.6	6
137	Phase II study of vinorelbine and ifosfamide in anthtracycline resistent metastatic breast cancer. Breast Cancer Research and Treatment, 1997, 42, 183-186.	1.1	10
138	Combined cisplatin, doxorubicin, and mitomycin for the treatment of advanced pleural mesothelioma. , 1997, 79, 1897-1902.		38
139	Second Line Chemotherapy with Ifosfamide as Outpatient Treatment for Advanced Bladder Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1997, 20, 519-521.	0.6	46
140	Lonidamine plus epirubicin and cyclophosphamide in advanced breast cancer. A phase II study. European Journal of Cancer, 1996, 32, 176-177.	1.3	7
141	Multicenter randomized controlled clinical trial to evaluate cardioprotection of dexrazoxane versus no cardioprotection in women receiving epirubicin chemotherapy for advanced breast cancer Journal of Clinical Oncology, 1996, 14, 3112-3120.	0.8	146
142	Tamoxifen and interferon-beta for the treatment of metastatic breast cancer. Breast Cancer Research and Treatment, 1996, 39, 235-238.	1.1	20
143	Carboplatin and vinorelbine in advanced non-small-cell lung cancer. Cancer Chemotherapy and Pharmacology, 1996, 37, 610-612.	1.1	17
144	A feasibility study of accelerated polychemotherapy with cisplatin, epidoxorubicin and cyclophosphamide (PEC) in advanced ovarian cancer. British Journal of Cancer, 1996, 73, 1425-1427.	2.9	8

#	Article	IF	CITATIONS
145	Chemotherapy with or without estrogenic recruitment in metastatic breast cancer. A randomized trial of the Gruppo Oncologico Nord Ovest (GONO). Annals of Oncology, 1996, 7, 487-490.	0.6	14
146	Carboplatin, Methotrexate, and Vinblastine in Outpatients with Advanced Transitional Cell Carcinoma of the Bladder. American Journal of Clinical Oncology: Cancer Clinical Trials, 1995, 18, 223-225.	0.6	4
147	Randomized cooperative study of perioperative chemotherapy in breast cancer Journal of Clinical Oncology, 1995, 13, 2712-2721.	0.8	28
148	Locally advanced non-metastatic breast cancer: Analysis of prognostic factors in 125 patients homogeneously treated with a combined modality approach. European Journal of Cancer, 1995, 31, 1428-1433.	1.3	41
149	Efficacy of recombinant alpha-interferon 2a and 13-cis-retinoic acid in the treatment of squamous cell carcinoma. Annals of Oncology, 1994, 5, 463-465.	0.6	42
150	What do advanced cancer patients know of their disease?. Supportive Care in Cancer, 1994, 2, 242-244.	1.0	119
151	Relationship of variations in tumor cell kinetics induced by primary chemotherapy to tumor regression and prognosis in locally advanced breast cancer. Breast Cancer Research and Treatment, 1994, 32, 311-318.	1.1	33
152	Hyaluronidase as an antidote to extravasation ofVinca alkaloids: Clinical results. Journal of Cancer Research and Clinical Oncology, 1994, 120, 505-506.	1.2	118
153	Mitoxantrone and 5-fluorouracil modulated by the pure (6S) stereoisomer of leucovorin as second-line chemotherapy for advanced breast cancer. European Journal of Cancer, 1994, 30, 1593-1594.	1.3	2
154	Carboplatin and Etoposide as Outpatient Treatment of Advanced Non-Small-Cell Lung Cancer. Chemotherapy, 1994, 40, 144-148.	0.8	6
155	The Role of Lonidamine in the Treatment of Breast Cancer Patients. Annals of the New York Academy of Sciences, 1993, 698, 349-356.	1.8	4
156	A Randomized Trial on Tamoxifen Continuation during Second-Line Hormone Therapy in Breast Cancer. Annals of the New York Academy of Sciences, 1993, 698, 357-361.	1.8	2
157	Stimulation of Human Breast Cancer in Vivo Annals of the New York Academy of Sciences, 1993, 698, 418-422.	1.8	3
158	Impact of Irradiation of Residual Breast on Adjuvant Chemotherapy Dose Intensity. American Journal of Clinical Oncology: Cancer Clinical Trials, 1993, 16, 58-60.	0.6	6
159	Second-Line Hormonotherapy for Breast Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1993, 16, 522-525.	0.6	9
160	Mitoxantrone and mitomycin C as second-line treatment for advanced breast cancer. Annals of Oncology, 1992, 3, 165-166.	0.6	9
161	Oral Chemotherapy with Idarubicin plus Cyclophosphamide in Advanced Breast Cancer. Chemotherapy, 1991, 37, 449-453.	0.8	9
162	Continuous Venous Infusion of Vinblastine in Metastatic Breast Cancer. Chemotherapy, 1991, 37, 146-149.	0.8	3

#	Article	IF	CITATIONS
163	Megestrol acetate: Phase II study of a single daily administration in advanced breast cancer. Breast Cancer Research and Treatment, 1990, 17, 51-54.	1.1	12
164	In vivo manipulation of human breast cancer growth by estrogens and growth hormone: Kinetic and clinical results. Journal of Steroid Biochemistry and Molecular Biology, 1990, 37, 1103-1108.	1.2	10
165	Phase II study of lonidamine in metastatic breast cancer. British Journal of Cancer, 1989, 59, 251-253.	2.9	25
166	Impact of Administration-Related Factors on Outcome of Adjuvant Chemotherapy for Primary Breast Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1989, 12, 481-485.	0.6	54
167	Cisplatin and 5-fluorouracil in refractory breast cancer patients: A phase II study. Breast Cancer Research and Treatment, 1988, 11, 269-271.	1.1	6
168	Adjuvant tamoxifen in primary breast cancer: Influence on plasma lipids and antithrombin III levels. Breast Cancer Research and Treatment, 1988, 12, 307-310.	1.1	123
169	Phase II Trial of Oral Idarubicin in Advanced Non-Small Cell Lung Cancer (NSCLC). Cancer Investigation, 1988, 6, 409-411.	0.6	7
170	Sequential Administration of Cyclophosphamide, Methotrexate, 5-Fluorouracil, and Folinic Acid as Salvage Treatment in Metastatic Breast Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1987, 10, 404-406.	0.6	7
171	A Phase II Study with Danazol in Metastatic Breast Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1987, 10, 407-409.	0.6	8
172	Multimodality Treatment of Locally Advanced Breast Cancer. Oncology, 1987, 44, 137-141.	0.9	5
173	Conventional versus cytokinetic polychemotherapy with estrogenic recruitment in metastatic breast cancer: results of a randomized cooperative trial Journal of Clinical Oncology, 1987, 5, 339-347.	0.8	63
174	Chemotherapy with estrogenic recruitment and surgery in locally advanced breast cancer: Clinical and cytokinetic results. International Journal of Cancer, 1987, 40, 490-494.	2.3	48
175	Cytokinetic studies and treatment results of estrogens followed by chemotherapy in locally advanced (LABC) and metastatic (MBC) human breast cancer. European Journal of Cancer & Clinical Oncology, 1986, 22, 728.	0.9	1
176	Survival of Patients with Relapsing Breast Cancer: Analysis of 302 Patients. Oncology, 1986, 43, 278-282.	0.9	19
177	Failure of mitomycin-vindesine combination chemotherapy as salvage treatment for metastatic breast cancer. Journal of Cancer Research and Clinical Oncology, 1985, 110, 77-78.	1.2	0