

Kelly H Oh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1534640/publications.pdf>

Version: 2024-02-01

8
papers

151
citations

1478505

6
h-index

1720034

7
g-index

10
all docs

10
docs citations

10
times ranked

188
citing authors

#	ARTICLE	IF	CITATIONS
1	UNC-2 CaV2 Channel Localization at Presynaptic Active Zones Depends on UNC-10/RIM and SYD-2/Liprin-1 in <i>Caenorhabditis elegans</i> . <i>Journal of Neuroscience</i> , 2021, 41, 4782-4794.	3.6	20
2	Alcohol induces mitochondrial fragmentation and stress responses to maintain normal muscle function in <i>Caenorhabditis elegans</i> . <i>FASEB Journal</i> , 2020, 34, 8204-8216.	0.5	17
3	BK channel clustering is required for normal behavioral alcohol sensitivity in <i>C. elegans</i> . <i>Scientific Reports</i> , 2019, 9, 10224.	3.3	8
4	Aldicarb-induced Paralysis Assay to Determine Defects in Synaptic Transmission in <i>Caenorhabditis elegans</i> . <i>Bio-protocol</i> , 2017, 7, .	0.4	37
5	ERG-28 controls BK channel trafficking in the ER to regulate synaptic function and alcohol response in <i>C. elegans</i> . <i>ELife</i> , 2017, 6, .	6.0	23
6	Presynaptic BK channel localization is dependent on the hierarchical organization of alpha-catulin and dystrobrevin and fine-tuned by CaV2 calcium channels. <i>BMC Neuroscience</i> , 2015, 16, 26.	1.9	17
7	Reduced IGF signaling prevents muscle cell death in a <i>Caenorhabditis elegans</i> model of muscular dystrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 19024-19029.	7.1	29
8	IGF signaling in muscle degenerative diseases. <i>Aging</i> , 2013, 5, 865-866.	3.1	0