

# Cheol-Min Park

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1535163/cheol-min-park-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105  
papers

6,664  
citations

38  
h-index

81  
g-index

115  
ext. papers

7,393  
ext. citations

9.6  
avg, IF

6.4  
L-index

#	Paper	IF	Citations
105	Li-alloy based anode materials for Li secondary batteries. <i>Chemical Society Reviews</i> , <b>2010</b> , 39, 3115-41	58.5	1308
104	Metallic anodes for next generation secondary batteries. <i>Chemical Society Reviews</i> , <b>2013</b> , 42, 9011-34	58.5	728
103	Black Phosphorus and its Composite for Lithium Rechargeable Batteries. <i>Advanced Materials</i> , <b>2007</b> , 19, 2465-2468	24	542
102	Fluorographene: a wide bandgap semiconductor with ultraviolet luminescence. <i>ACS Nano</i> , <b>2011</b> , 5, 1042-46	66.7	350
101	Quartz (SiO <sub>2</sub> ): a new energy storage anode material for Li-ion batteries. <i>Energy and Environmental Science</i> , <b>2012</b> , 5, 6895	35.4	308
100	Characterizations and electrochemical behaviors of disproportionated SiO and its composite for rechargeable Li-ion batteries. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 4854		195
99	Electrochemical Characterizations of Germanium and Carbon-Coated Germanium Composite Anode for Lithium-Ion Batteries. <i>Electrochemical and Solid-State Letters</i> , <b>2008</b> , 11, A42		156
98	Modified SiO as a high performance anode for Li-ion batteries. <i>Journal of Power Sources</i> , <b>2013</b> , 222, 129-34	83.4	136
97	CNT@Fe <sub>3</sub> O <sub>4</sub> @C coaxial nanocables: one-pot, additive-free synthesis and remarkable lithium storage behavior. <i>Chemistry - A European Journal</i> , <b>2013</b> , 19, 9866-74	4.8	103
96	Enhanced electrochemical properties of nanostructured bismuth-based composites for rechargeable lithium batteries. <i>Journal of Power Sources</i> , <b>2009</b> , 186, 206-210	8.9	98
95	Electrochemical behavior of SiO anode for Li secondary batteries. <i>Journal of Electroanalytical Chemistry</i> , <b>2011</b> , 661, 245-249	4.1	93
94	Quasi-intercalation and facile amorphization in layered ZnSb for Li-ion batteries. <i>Advanced Materials</i> , <b>2010</b> , 22, 47-52	24	90
93	A mechano- and electrochemically controlled SnSb/C nanocomposite for rechargeable Li-ion batteries. <i>Electrochimica Acta</i> , <b>2009</b> , 54, 6367-6373	6.7	89
92	Electrochemical characteristics of ZnSe and its nanostructured composite for rechargeable Li-ion batteries. <i>Journal of Power Sources</i> , <b>2014</b> , 251, 319-324	8.9	80
91	High-Rate Capability and Enhanced Cyclability of Antimony-Based Composites for Lithium Rechargeable Batteries. <i>Journal of the Electrochemical Society</i> , <b>2007</b> , 154, A917	3.9	80
90	Nanostructured Zn-based composite anodes for rechargeable Li-ion batteries. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 12767		79
89	Sn-Based Nanocomposite for Li-Ion Battery Anode with High Energy Density, Rate Capability, and Reversibility. <i>ACS Nano</i> , <b>2018</b> , 12, 2955-2967	16.7	78

88	Stibnite (Sb <sub>2</sub> S <sub>3</sub> ) and its amorphous composite as dual electrodes for rechargeable lithium batteries. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 1097-1102		78
87	Reaction mechanism and enhancement of cyclability of SiO anodes by surface etching with NaOH for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 4820	13	75
86	Tetragonal Zinc Diphosphide and Its Nanocomposite as an Anode for Lithium Secondary Batteries. <i>Chemistry of Materials</i> , <b>2008</b> , 20, 6319-6324	9.6	72
85	Te/C nanocomposites for Li-Te Secondary Batteries. <i>Scientific Reports</i> , <b>2015</b> , 5, 7969	4.9	71
84	Bismuth sulfide and its carbon nanocomposite for rechargeable lithium-ion batteries. <i>Electrochimica Acta</i> , <b>2011</b> , 56, 2135-2139	6.7	71
83	Silicon Diphosphide: A Si-Based Three-Dimensional Crystalline Framework as a High-Performance Li-Ion Battery Anode. <i>ACS Nano</i> , <b>2016</b> , 10, 5701-9	16.7	66
82	Cubic Crystal-Structured SnTe for Superior Li- and Na-Ion Battery Anodes. <i>ACS Nano</i> , <b>2017</b> , 11, 6074-6084	6.7	64
81	Porous structured SnSb/C nanocomposites for Li-ion battery anodes. <i>Chemical Communications</i> , <b>2011</b> , 47, 2122-4	5.8	62
80	Tin Selenides with Layered Crystal Structures for Li-Ion Batteries: Interesting Phase Change Mechanisms and Outstanding Electrochemical Behaviors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 15439-15448	9.5	61
79	Nanostructured Sn/TiO <sub>2</sub> /C composite as a high-performance anode for Li-ion batteries. <i>Electrochemistry Communications</i> , <b>2009</b> , 11, 2165-2168	5.1	57
78	Novel Antimony/Aluminum/Carbon Nanocomposite for High-Performance Rechargeable Lithium Batteries. <i>Chemistry of Materials</i> , <b>2008</b> , 20, 3169-3173	9.6	54
77	Two-dimensional SnS <sub>2</sub> materials as high-performance NO <sub>2</sub> sensors with fast response and high sensitivity. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 255, 616-621	8.5	51
76	Sb <sub>2</sub> S <sub>3</sub> embedded in amorphous P/C composite matrix as high-performance anode material for sodium ion batteries. <i>Electrochimica Acta</i> , <b>2016</b> , 210, 588-595	6.7	47
75	Layered germanium phosphide-based anodes for high-performance lithium- and sodium-ion batteries. <i>Energy Storage Materials</i> , <b>2019</b> , 17, 78-87	19.4	47
74	Reaction mechanism and electrochemical characterization of a SnTe/C composite anode for Li-ion batteries. <i>Electrochimica Acta</i> , <b>2008</b> , 54, 364-369	6.7	47
73	Layered Sb <sub>2</sub> Te <sub>3</sub> and its nanocomposite: a new and outstanding electrode material for superior rechargeable Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 8562-8565	13	46
72	Enhancement of the rate capability and cyclability of an MgTe composite electrode for Li secondary batteries. <i>Journal of Power Sources</i> , <b>2006</b> , 158, 1451-1455	8.9	42
71	New high-energy-density GeTe-based anodes for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 3278-3288	13	40

70	2D layered Sb <sub>2</sub> Se <sub>3</sub> -based amorphous composite for high-performance Li- and Na-ion battery anodes. <i>Journal of Power Sources</i> , <b>2019</b> , 433, 126639	8.9	38
69	CoxP compounds: electrochemical conversion/partial recombination reaction and partially disproportionated nanocomposite for Li-ion battery anodes. <i>RSC Advances</i> , <b>2014</b> , 4, 43227-43234	3.7	38
68	Electrochemical Characteristics of TiSb <sub>2</sub> and Sb/TiC/C Nanocomposites as Anodes for Rechargeable Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , <b>2010</b> , 157, A46	3.9	38
67	Electrochemical mechanism of Li insertion/extraction in ZnS and ZnS/C anodes for Li-ion batteries. <i>Electrochimica Acta</i> , <b>2018</b> , 265, 107-114	6.7	37
66	ZnTe and ZnTe/C nanocomposite: a new electrode material for high-performance rechargeable Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 20075-20082	13	37
65	Electrochemical Behaviors and Reaction Mechanism of Nanosilver with Lithium. <i>Electrochemical and Solid-State Letters</i> , <b>2009</b> , 12, A171		37
64	Topotactic Li Insertion/Extraction in Hexagonal Vanadium Monophosphide. <i>Chemistry of Materials</i> , <b>2009</b> , 21, 5566-5568	9.6	37
63	Black P/graphene hybrid: A fast response humidity sensor with good reversibility and stability. <i>Scientific Reports</i> , <b>2017</b> , 7, 10561	4.9	34
62	Antimonides (FeSb <sub>2</sub> , CrSb <sub>2</sub> ) with orthorhombic structure and their nanocomposites for rechargeable Li-ion batteries. <i>Electrochimica Acta</i> , <b>2010</b> , 55, 4987-4994	6.7	32
61	Effect of oxide layer thickness to nanoBi anode for Li-ion batteries. <i>RSC Advances</i> , <b>2013</b> , 3, 9408	3.7	31
60	Partially reversible Li <sub>2</sub> O formation in ZnO: A critical finding supporting realization of highly reversible metal oxide electrodes. <i>Journal of Power Sources</i> , <b>2016</b> , 328, 607-614	8.9	30
59	The effect of Cu addition on Ge-based composite anode for Li-ion batteries. <i>Electrochimica Acta</i> , <b>2010</b> , 55, 3324-3329	6.7	30
58	Highly Reversible Na-Ion Reaction in Nanostructured Sb <sub>2</sub> Te <sub>3</sub> -C Composites as Na-Ion Battery Anodes. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A2056-A2064	3.9	29
57	Porous carbon-free SnSb anodes for high-performance Na-ion batteries. <i>Journal of Power Sources</i> , <b>2018</b> , 386, 34-39	8.9	28
56	Highly Reversible and Superior Li-Storage Characteristics of Layered GeS and Its Amorphous Composites. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 29543-29550	9.5	28
55	Temporospatial Control of Graphene Wettability. <i>Advanced Materials</i> , <b>2016</b> , 28, 661-7	24	28
54	Enhancement of hydrogen sorption properties of MgH <sub>2</sub> with a MgF <sub>2</sub> catalyst. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 20120-20124	6.7	27
53	Electrochemical properties of Si <sub>3</sub> N <sub>4</sub> composite as an anode material for lithium-ion batteries. <i>Journal of Power Sources</i> , <b>2007</b> , 167, 520-523	8.9	26

52	Puckered-layer-structured germanium monosulfide for superior rechargeable Li-ion battery anodes. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 5685-5689	13	25
51	Amorphized Sb-based composite for high-performance Li-ion battery anodes. <i>Journal of Electroanalytical Chemistry</i> , <b>2013</b> , 700, 12-16	4.1	25
50	CoSb intermetallic compounds and their disproportionated nanocomposites as high-performance anodes for rechargeable Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 11391-11399	13	24
49	Si-based composite interconnected by multiple matrices for high-performance Li-ion battery anodes. <i>Chemical Engineering Journal</i> , <b>2020</b> , 381, 122619	14.7	24
48	A Fundamental Understanding of Li Insertion/Extraction Behaviors in SnO and SnO <sub>2</sub> . <i>Journal of the Electrochemical Society</i> , <b>2015</b> , 162, A2811-A2816	3.9	23
47	Zinc Phosphides as Outstanding Sodium-Ion Battery Anodes. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 15053-15062	9.5	23
46	Electrochemical Li Topotactic Reaction in Layered SnP for Superior Li-Ion Batteries. <i>Scientific Reports</i> , <b>2016</b> , 6, 35980	4.9	22
45	In situ fabrication of nanohybrid carbon/polyamide film providing robust binding and conductive network in silicon anode for lithium-ion battery. <i>Journal of Power Sources</i> , <b>2019</b> , 410-411, 25-30	8.9	20
44	Amorphous silicon dioxide-based composites for high-performance Li-ion battery anodes. <i>Electrochimica Acta</i> , <b>2018</b> , 284, 220-225	6.7	18
43	Electrochemical characteristics of ternary compound CoSbS for application in Li secondary batteries. <i>Electrochemistry Communications</i> , <b>2013</b> , 28, 71-74	5.1	18
42	Nanostructured cobalt oxide-based composites for rechargeable Li-ion batteries. <i>Journal of Solid State Electrochemistry</i> , <b>2012</b> , 16, 2631-2638	2.6	18
41	Electrochemical lithium storage kinetics of self-organized nanochannel niobium oxide electrodes. <i>Journal of Electroanalytical Chemistry</i> , <b>2015</b> , 746, 45-50	4.1	17
40	Nanostructured SnSb/MO <sub>x</sub> (M = Al or Mg)/C composites: hybrid mechanochemical synthesis and excellent Li storage performances. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 15316	13	16
39	Robust Polyhedral CoTe <sub>2</sub> Nanocomposites as High-Performance Li- and Na-Ion Battery Anodes. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 4877-4887	6.1	15
38	Sb-based nanostructured composite with embedded TiO <sub>2</sub> for Li-ion battery anodes. <i>Materials Letters</i> , <b>2013</b> , 98, 15-18	3.3	14
37	Amorphized ZnSb-based composite anodes for high-performance Li-ion batteries. <i>RSC Advances</i> , <b>2014</b> , 4, 5830	3.7	13
36	Electrochemical performance of pyrolyzed polyacrylonitrile (PAN) based Sn/C composite anode for Li-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , <b>2012</b> , 671, 67-72	4.1	12
35	The electrochemical characteristics of Ag <sub>2</sub> S and its nanocomposite anodes for Li-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , <b>2012</b> , 667, 24-29	4.1	12

34	Facile conversion of waste glass into Li storage materials. <i>Green Chemistry</i> , <b>2019</b> , 21, 1439-1447	10	11
33	Investigation of electrochemical reaction mechanism for antimony selenide nanocomposite for sodium-ion battery electrodes. <i>Journal of Applied Electrochemistry</i> , <b>2019</b> , 49, 207-216	2.6	11
32	Electrochemical lithium quasi-intercalation with arsenic. <i>Journal of Solid State Electrochemistry</i> , <b>2016</b> , 20, 517-523	2.6	10
31	Sn/In <sub>2</sub> O <sub>3</sub> /C Nanocomposite as an Anode for Li Ion Batteries and Its Reaction Mechanism. <i>Journal of the Electrochemical Society</i> , <b>2012</b> , 159, A1912-A1915	3.9	10
30	Germanium telluride: Layered high-performance anode for sodium-ion batteries. <i>Electrochimica Acta</i> , <b>2020</b> , 331, 135393	6.7	10
29	Nanostructured Si-FeSi <sub>2</sub> -Graphite-C Composite: An Optimized and Practical Solution for Si-Based Anodes for Superior Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A2221-A2229	3.9	9
28	Disproportionated Tin Oxide and Its Nanocomposite for High-Performance Lithium-Ion Battery Anodes. <i>Energy Technology</i> , <b>2015</b> , 3, 658-665	3.5	8
27	Wire Explosion Synthesis of a Sn/C Nanocomposite as an Anode Material for Li Secondary Batteries. <i>Journal of the Korean Physical Society</i> , <b>2011</b> , 59, 3458-3462	0.6	8
26	Controllable desulfurization in single layer MoS <sub>2</sub> by cationic current treatment in hydrogen evolution reaction. <i>Applied Surface Science</i> , <b>2020</b> , 507, 145181	6.7	8
25	Sb-based intermetallics and nanocomposites as stable and fast Na-ion battery anodes. <i>Chemical Engineering Journal</i> , <b>2021</b> , 409, 127380	14.7	8
24	Atomic interactions of two-dimensional PtS <sub>2</sub> quantum dots/TiC heterostructures for hydrogen evolution reaction. <i>Applied Catalysis B: Environmental</i> , <b>2021</b> , 293, 120227	21.8	8
23	Synthesis and Electrochemical Reaction Mechanism of Zn-TiO <sub>x</sub> -C Nanocomposite Anode Materials for Li Secondary Batteries. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A2683-A2688	3.9	7
22	Insight into mechanism of temperature-dependent limit of NO <sub>2</sub> detection using monolayer MoS <sub>2</sub> . <i>Sensors and Actuators B: Chemical</i> , <b>2021</b> , 329, 129138	8.5	7
21	Mechanochemically induced transformation of CoO(OH) into Co <sub>3</sub> O <sub>4</sub> nanoparticles and their highly reversible Li storage characteristics. <i>RSC Advances</i> , <b>2017</b> , 7, 10618-10623	3.7	6
20	Self-Healing Graphene-Templated Platinum-Nickel Oxide Heterostructures for Overall Water Splitting. <i>ACS Nano</i> , <b>2022</b> ,	16.7	6
19	Fe <sub>3</sub> O <sub>4</sub> nanoparticles produced by mechanochemical transformation: A highly reversible electrode material for Li-ion batteries. <i>Materials Letters</i> , <b>2017</b> , 199, 131-134	3.3	5
18	High Performance CoSn <sub>2</sub> /SnO <sub>2</sub> /C Nanocomposites for Li-Ion Battery Anodes. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A1114-A1120	3.9	5
17	Pd Nanocluster/Monolayer MoS Heterojunctions for Light-Induced Room-Temperature Hydrogen Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 14644-14652	9.5	5

16	Effect of carbon coating on Cu electrodes for hydrogen production by water splitting. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 20641-20648	6.7	5
15	High-performance carbon by amorphization and prepotassiation for potassium-ion battery anodes. <i>Carbon</i> , <b>2021</b> , 181, 290-299	10.4	5
14	Rational Design of Fe <sub>2</sub> O <sub>3</sub> Nanocube-Based Anodes for High-Performance Li <sup>+</sup> Batteries. <i>ChemistrySelect</i> , <b>2019</b> , 4, 11103-11109	1.8	4
13	Nanostructured FeSn <sub>2</sub> /SnO <sub>2</sub> -based composites as high-performance anodes for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 803, 80-87	5.7	3
12	Sodium Quasi-Intercalation in Black P for Superior Sodium-Ion Battery Anodes. <i>Batteries and Supercaps</i> , <b>2021</b> , 4, 112-119	5.6	3
11	High-performance CoSbS-based Na-ion battery anodes. <i>Materials Today Energy</i> , <b>2020</b> , 17, 100470	7	2
10	Nanomaterials for Green Science and Environmental Applications. <i>Journal of Nanomaterials</i> , <b>2015</b> , 2015, 1-1	3.2	2
9	Robust nanocube framework CoS <sub>2</sub> -based composites as high-performance anodes for Li- and Na-ion batteries. <i>Composites Part B: Engineering</i> , <b>2022</b> , 231, 109592	10	2
8	Superior carbon black: High-performance anode and conducting additive for rechargeable Li- and Na-ion batteries. <i>Chemical Engineering Journal</i> , <b>2021</b> , 417, 129242	14.7	2
7	Graphene: Temporospatial Control of Graphene Wettability (Adv. Mater. 4/2016). <i>Advanced Materials</i> , <b>2016</b> , 28, 594-594	24	1
6	Black P@MO (M = Mg, Al, or Ti) composites as superior Li-ion battery anodes. <i>Chemical Engineering Journal</i> , <b>2021</b> , 424, 130366	14.7	1
5	Co <sub>3</sub> O <sub>4</sub> compounds and their electrochemical performance as high-performance Li-ion battery anodes. <i>Materials Today Energy</i> , <b>2020</b> , 18, 100530	7	0
4	Implementation of Portable Automatic Tourniquet with High-Elasticity Biocompatible Strap. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 4653	2.6	0
3	Novel high-performance Ga <sub>2</sub> Te <sub>3</sub> anodes for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 20553-20564	13	0
2	Monoclinic vanadium diphosphide as a high-performance lithium-ion battery anode. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 875, 160061	5.7	0
1	Surfactant-derived porous Sn <sub>2</sub> Nb <sub>2</sub> O <sub>7</sub> -graphene oxide composite as Li- and Na-ion storage materials. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 164943	5.7	0