

# Michael Tausz

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1535749/michael-tausz-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168  
papers

5,136  
citations

35  
h-index

64  
g-index

174  
ext. papers

5,831  
ext. citations

4.9  
avg, IF

5.47  
L-index

#	Paper	IF	Citations
168	Elevated CO <sub>2</sub> in semi-arid cropping systems: A synthesis of research from the Australian Grains Free Air CO <sub>2</sub> Enrichment (AGFACE) research program. <i>Advances in Agronomy</i> , <b>2022</b> , 1-73	7.7	0
167	Does Elevated [CO <sub>2</sub> ] Only Increase Root Growth in the Topsoil? A FACE Study with Lentil in a Semi-Arid Environment. <i>Plants</i> , <b>2021</b> , 10,	4.5	2
166	Machine learning produces higher prediction accuracy than the Jarvis-type model of climatic control on stomatal conductance in a dryland wheat agro-ecosystem. <i>Agricultural and Forest Meteorology</i> , <b>2021</b> , 304-305, 108423	5.8	1
165	Carbon sink strength of nodules but not other organs modulates photosynthesis of faba bean ( <i>Vicia faba</i> ) grown under elevated [CO <sub>2</sub> ] and different water supply. <i>New Phytologist</i> , <b>2020</b> , 227, 132-145	9.8	14
164	A reduced-tillering trait shows small but important yield gains in dryland wheat production. <i>Global Change Biology</i> , <b>2020</b> , 26, 4056-4067	11.4	2
163	Effect of heat wave on N fixation and N remobilisation of lentil ( <i>Lens culinaris</i> MEDIK) grown under free air CO <sub>2</sub> enrichment in a mediterranean-type environment. <i>Plant Biology</i> , <b>2020</b> , 22 Suppl 1, 123-132	3.7	6
162	Elevated [CO <sub>2</sub> ] effects on crops: Advances in understanding acclimation, nitrogen dynamics and interactions with drought and other organisms. <i>Plant Biology</i> , <b>2020</b> , 22 Suppl 1, 38-51	3.7	26
161	Characteristics of free air carbon dioxide enrichment of a northern temperate mature forest. <i>Global Change Biology</i> , <b>2020</b> , 26, 1023-1037	11.4	8
160	Early vigour in wheat: Could it lead to more severe terminal drought stress under elevated atmospheric [CO <sub>2</sub> ] and semi-arid conditions?. <i>Global Change Biology</i> , <b>2020</b> , 26, 4079-4093	11.4	5
159	Elevated CO <sub>2</sub> alleviates the negative impact of heat stress on wheat physiology but not on grain yield. <i>Journal of Experimental Botany</i> , <b>2019</b> , 70, 6447-6459	7	30
158	Free air CO <sub>2</sub> enrichment (FACE) improves water use efficiency and moderates drought effect on N <sub>2</sub> fixation of <i>Pisum sativum</i> L.. <i>Plant and Soil</i> , <b>2019</b> , 436, 587-606	4.2	14
157	Grain yield responsiveness to water supply in near-isogenic reduced-tillering wheat lines: An engineered crop trait near its upper limit. <i>European Journal of Agronomy</i> , <b>2019</b> , 102, 33-38	5	10
156	Elevated CO <sub>2</sub> improves yield and N <sub>2</sub> fixation but not grain N concentration of faba bean ( <i>Vicia faba</i> L.) subjected to terminal drought. <i>Environmental and Experimental Botany</i> , <b>2019</b> , 165, 161-173	5.9	15
155	Crop rotation options for dryland agriculture: An assessment of grain yield response in cool-season grain legumes and canola to variation in rainfall totals. <i>Agricultural and Forest Meteorology</i> , <b>2019</b> , 275, 277-282	5.8	6
154	Water use dynamics of dryland canola ( <i>Brassica napus</i> L.) grown on contrasting soils under elevated CO <sub>2</sub> . <i>Plant and Soil</i> , <b>2019</b> , 438, 205-222	4.2	2
153	Grain mineral quality of dryland legumes as affected by elevated CO <sub>2</sub> and drought: a FACE study on lentil ( <i>Lens culinaris</i> ) and faba bean ( <i>Vicia faba</i> ). <i>Crop and Pasture Science</i> , <b>2019</b> , 70, 244	2.2	11
152	Potential impact of elevated atmospheric carbon dioxide and climate change on Victorian wheat marketing grades and value. <i>Crop and Pasture Science</i> , <b>2019</b> , 70, 926	2.2	2

151	Benefits of increasing transpiration efficiency in wheat under elevated CO for rainfed regions. <i>Global Change Biology</i> , <b>2018</b> , 24, 1965-1977	11.4	37
150	Yield of canola ( <i>Brassica napus</i> L.) benefits more from elevated CO <sub>2</sub> when access to deeper soil water is improved. <i>Environmental and Experimental Botany</i> , <b>2018</b> , 155, 518-528	5.9	8
149	Can elevated CO <sub>2</sub> buffer the effects of heat waves on wheat in a dryland cropping system?. <i>Environmental and Experimental Botany</i> , <b>2018</b> , 155, 578-588	5.9	14
148	The water use dynamics of canola cultivars grown under elevated CO are linked to their leaf area development. <i>Journal of Plant Physiology</i> , <b>2018</b> , 229, 164-169	3.6	4
147	Water availability moderates N fixation benefit from elevated [CO <sub>2</sub> ]: A 2-year free-air CO <sub>2</sub> enrichment study on lentil ( <i>Lens culinaris</i> MEDIK.) in a water limited agroecosystem. <i>Plant, Cell and Environment</i> , <b>2018</b> , 41, 2418-2434	8.4	17
146	Elevated [CO <sub>2</sub> ] mitigates the effect of surface drought by stimulating root growth to access sub-soil water. <i>PLoS ONE</i> , <b>2018</b> , 13, e0198928	3.7	20
145	The relationship between transpiration and nutrient uptake in wheat changes under elevated atmospheric CO. <i>Physiologia Plantarum</i> , <b>2018</b> , 163, 516-529	4.6	33
144	Prescreening in large populations as a tool for identifying elevated CO <sub>2</sub> -responsive genotypes in plants. <i>Functional Plant Biology</i> , <b>2018</b> , 46, 1-14	2.7	12
143	<b>2018</b> ,		1
142	Effect of a Heat Wave on Lentil Grown under Free-Air CO <sub>2</sub> Enrichment (FACE) in a Semi-Arid Environment. <i>Crop Science</i> , <b>2018</b> , 58, 803-812	2.4	15
141	Water use and growth responses of dryland wheat grown under elevated [CO <sub>2</sub> ] are associated with root length in deeper, but not upper soil layer. <i>Field Crops Research</i> , <b>2018</b> , 224, 170-181	5.5	21
140	Lower grain nitrogen content of wheat at elevated CO <sub>2</sub> can be improved through post-anthesis NH <sub>4</sub> <sup>+</sup> supplement. <i>Journal of Cereal Science</i> , <b>2017</b> , 74, 79-85	3.8	8
139	The proportion of nitrate in leaf nitrogen, but not changes in root growth, are associated with decreased grain protein in wheat under elevated [CO <sub>2</sub> ]. <i>Journal of Plant Physiology</i> , <b>2017</b> , 216, 44-51	3.6	24
138	Nitrogen nutrition and aspects of root growth and function of two wheat cultivars under elevated [CO <sub>2</sub> ]. <i>Environmental and Experimental Botany</i> , <b>2017</b> , 140, 1-7	5.9	10
137	Yield, growth and grain nitrogen response to elevated CO <sub>2</sub> in six lentil ( <i>Lens culinaris</i> ) cultivars grown under Free Air CO <sub>2</sub> Enrichment (FACE) in a semi-arid environment. <i>European Journal of Agronomy</i> , <b>2017</b> , 87, 50-58	5	30
136	Can additional N fertiliser ameliorate the elevated CO <sub>2</sub> -induced depression in grain and tissue N concentrations of wheat on a high soil N background?. <i>Journal of Agronomy and Crop Science</i> , <b>2017</b> , 203, 574-583	3.9	24
135	Yield, growth and grain nitrogen response to elevated CO <sub>2</sub> of five field pea ( <i>Pisum sativum</i> L.) cultivars in a low rainfall environment. <i>Field Crops Research</i> , <b>2016</b> , 196, 1-9	5.5	24
134	Trade-offs between water-use related traits, yield components and mineral nutrition of wheat under Free-Air CO <sub>2</sub> Enrichment (FACE). <i>European Journal of Agronomy</i> , <b>2016</b> , 76, 66-74	5	21

133	Growth and yield stimulation under elevated CO <sub>2</sub> and drought: A meta-analysis on crops. <i>Environmental and Experimental Botany</i> , <b>2016</b> , 122, 150-157	5.9	85
132	Elevated atmospheric [CO <sub>2</sub> ] can dramatically increase wheat yields in semi-arid environments and buffer against heat waves. <i>Global Change Biology</i> , <b>2016</b> , 22, 2269-84	11.4	107
131	Barley yellow dwarf virus infection and elevated CO alter the antioxidants ascorbate and glutathione in wheat. <i>Journal of Plant Physiology</i> , <b>2016</b> , 199, 96-99	3.6	3
130	The concentration of ascorbic acid and glutathione in 13 provenances of <i>Acacia melanoxylon</i> . <i>Tree Physiology</i> , <b>2016</b> , 36, 524-32	4.2	2
129	Seedlings of two <i>Acacia</i> species from contrasting habitats show different photoprotective and antioxidative responses to drought and heatwaves. <i>Annals of Forest Science</i> , <b>2015</b> , 72, 403-414	3.1	7
128	Elevated CO <sub>2</sub> decreases both transpiration flow and concentrations of Ca and Mg in the xylem sap of wheat. <i>Journal of Plant Physiology</i> , <b>2015</b> , 174, 157-60	3.6	30
127	Rising CO <sub>2</sub> concentration altered wheat grain proteome and flour rheological characteristics. <i>Food Chemistry</i> , <b>2015</b> , 170, 448-54	8.5	34
126	Can Intra-specific Differences in Root Traits of Wheat Increase Nitrogen Use Efficiency (NUE) under Elevated CO <sub>2</sub> ?. <i>Procedia Environmental Sciences</i> , <b>2015</b> , 29, 109-110		
125	Responses to heatwaves of gas exchange, chlorophyll fluorescence and antioxidants ascorbic acid and glutathione in congeneric pairs of <i>Acacia</i> and <i>Eucalyptus</i> species from relatively cooler and warmer climates. <i>Trees - Structure and Function</i> , <b>2015</b> , 29, 1929-1941	2.6	7
124	Modelling stomatal conductance of wheat: An assessment of response relationships under elevated CO <sub>2</sub> . <i>Agricultural and Forest Meteorology</i> , <b>2015</b> , 214-215, 117-123	5.8	14
123	Expression patterns of C- and N-metabolism related genes in wheat are changed during senescence under elevated CO <sub>2</sub> in dry-land agriculture. <i>Plant Science</i> , <b>2015</b> , 236, 239-49	5.3	35
122	Host Symptom Expression and Antioxidant Defence Systems of Wheat Infected with Barley Yellow Dwarf Virus and Grown Under Elevated CO <sub>2</sub> . <i>Procedia Environmental Sciences</i> , <b>2015</b> , 29, 177-178		1
121	Does a freely tillering wheat cultivar benefit more from elevated CO <sub>2</sub> than a restricted tillering cultivar in a water-limited environment?. <i>European Journal of Agronomy</i> , <b>2015</b> , 64, 21-28	5	46
120	Intraspecific variation in leaf growth of wheat ( <i>Triticum aestivum</i> ) under Australian Grain Free Air CO Enrichment (AGFACE): is it regulated through carbon and/or nitrogen supply?. <i>Functional Plant Biology</i> , <b>2015</b> , 42, 299-308	2.7	22
119	Increasing CO <sub>2</sub> threatens human nutrition. <i>Nature</i> , <b>2014</b> , 510, 139-42	50.4	762
118	Intra-specific variation of wheat grain quality in response to elevated [CO <sub>2</sub> ] at two sowing times under rain-fed and irrigation treatments. <i>Journal of Cereal Science</i> , <b>2014</b> , 59, 137-144	3.8	38
117	Trees in a Changing Environment. <i>Plant Ecophysiology</i> , <b>2014</b> ,		3
116	Elevated CO <sub>2</sub> alters grain quality of two bread wheat cultivars grown under different environmental conditions. <i>Agriculture, Ecosystems and Environment</i> , <b>2014</b> , 185, 24-33	5.7	60

115	Elevated carbon dioxide changes grain protein concentration and composition and compromises baking quality. A FACE study. <i>Journal of Cereal Science</i> , <b>2014</b> , 60, 461-470	3.8	48
114	Bark and leaf chlorophyll fluorescence are linked to wood structural changes in <i>Eucalyptus saligna</i> . <i>AoB PLANTS</i> , <b>2014</b> , 6,	2.9	3
113	Nutrient Use and Nutrient Use Efficiency of Crops in a High CO <sub>2</sub> Atmosphere. <i>Plant Ecophysiology</i> , <b>2014</b> , 229-252		4
112	The Future of Trees in a Changing Climate: Synopsis. <i>Plant Ecophysiology</i> , <b>2014</b> , 265-279		1
111	The measurement of plant vitality in landscape trees. <i>Arboricultural Journal</i> , <b>2013</b> , 35, 18-27	0.6	13
110	Will intra-specific differences in transpiration efficiency in wheat be maintained in a high CO <sub>2</sub> world? A FACE study. <i>Physiologia Plantarum</i> , <b>2013</b> , 148, 232-45	4.6	35
109	Intraspecific variation in growth and yield response to elevated CO <sub>2</sub> in wheat depends on the differences of leaf mass per unit area. <i>Functional Plant Biology</i> , <b>2013</b> , 40, 185-194	2.7	37
108	Responses of foliar antioxidative and photoprotective defence systems of trees to drought: a meta-analysis. <i>Tree Physiology</i> , <b>2013</b> , 33, 1018-29	4.2	35
107	Understanding crop physiology to select breeding targets and improve crop management under increasing atmospheric CO <sub>2</sub> concentrations. <i>Environmental and Experimental Botany</i> , <b>2013</b> , 88, 71-80	5.9	73
106	The effect of elevated CO <sub>2</sub> on photochemistry and antioxidative defence capacity in wheat depends on environmental growing conditions [A FACE study]. <i>Environmental and Experimental Botany</i> , <b>2013</b> , 88, 81-92	5.9	23
105	Foliage type specific susceptibility to ozone in <i>Picea abies</i> , <i>Pinus cembra</i> and <i>Larix decidua</i> at treeline: A synthesis. <i>Environmental and Experimental Botany</i> , <b>2013</b> , 90, 4-11	5.9	14
104	Crops for a future climate. <i>Functional Plant Biology</i> , <b>2013</b> , 40, iii-vi	2.7	5
103	Leaf traits of <i>Eucalyptus arenacea</i> (Myrtaceae) as indicators of edge effects in temperate woodlands of south-eastern Australia. <i>Australian Journal of Botany</i> , <b>2013</b> , 61, 365	1.2	1
102	Case Studies on Food Production, Policy and Trade <b>2013</b> , 353-364		
101	Chlorophyll fluorescence of the trunk rather than leaves indicates visual vitality in <i>Eucalyptus saligna</i> . <i>Trees - Structure and Function</i> , <b>2012</b> , 26, 1565-1576	2.6	7
100	Multivariate analysis of physiological parameters reveals a consistent O <sub>3</sub> response pattern in leaves of adult European beech ( <i>Fagus sylvatica</i> ). <i>New Phytologist</i> , <b>2012</b> , 196, 162-172	9.8	13
99	Differences in ascorbate and glutathione levels as indicators of resistance and susceptibility in <i>Eucalyptus</i> trees infected with <i>Phytophthora cinnamomi</i> . <i>Tree Physiology</i> , <b>2012</b> , 32, 1148-60	4.2	16
98	Wheat grain quality under increasing atmospheric CO <sub>2</sub> concentrations in a semi-arid cropping system. <i>Journal of Cereal Science</i> , <b>2012</b> , 56, 684-690	3.8	34

97	Photosynthetic capacity of <i>Eucalyptus globulus</i> is higher when grown in mixture with <i>Acacia mearnsii</i> . <i>Trees - Structure and Function</i> , <b>2012</b> , 26, 1203-1213	2.6	34
96	Can a wheat cultivar with high transpiration efficiency maintain its yield advantage over a near-isogenic cultivar under elevated CO <sub>2</sub> ?. <i>Field Crops Research</i> , <b>2012</b> , 133, 160-166	5.5	51
95	Rising atmospheric CO <sub>2</sub> concentration affects mineral nutrient and protein concentration of wheat grain. <i>Food Chemistry</i> , <b>2012</b> , 133, 1307-1311	8.5	64
94	Edge type affects leaf-level water relations and estimated transpiration of <i>Eucalyptus arenacea</i> . <i>Tree Physiology</i> , <b>2012</b> , 32, 280-93	4.2	12
93	Sulfur Nutrition and Food Security <b>2012</b> , 185-202		1
92	Elevated Atmospheric CO <sub>2</sub> Affects Grain Sulfur Concentration and Grain Nitrogen/Sulfur Ratio of Wheat ( <i>Triticum aestivum</i> L.) <b>2012</b> , 231-236		1
91	Diurnal and seasonal variations in photosynthetic and morphological traits of the tree ferns <i>Dicksonia antarctica</i> (Dicksoniaceae) and <i>Cyathea australis</i> (Cyatheaceae) in wet sclerophyll forests of Australia. <i>Environmental and Experimental Botany</i> , <b>2011</b> , 70, 11-19	5.9	22
90	Seasonal variations of gas exchange, photosynthetic pigments, and antioxidants in Turkey oak ( <i>Quercus cerris</i> L.) and Hungarian oak ( <i>Quercus frainetto</i> Ten.) of different age. <i>Trees - Structure and Function</i> , <b>2011</b> , 25, 1043-1052	2.6	8
89	Increasing leaf glutathione through stem feeding does not acclimate <i>Eucalyptus camaldulensis</i> seedlings towards high-light stress. <i>Acta Physiologiae Plantarum</i> , <b>2011</b> , 33, 221-225	2.6	2
88	Relations of sugar composition and delta 13C in phloem sap to growth and physiological performance of <i>Eucalyptus globulus</i> (Labill). <i>Plant, Cell and Environment</i> , <b>2010</b> , 33, 1361-8	8.4	10
87	Edge microclimate of temperate woodlands as affected by adjoining land use. <i>Agricultural and Forest Meteorology</i> , <b>2010</b> , 150, 1138-1146	5.8	34
86	Interactive effects of high irradiance and moderate heat on photosynthesis, pigments, and tocopherol in the tree-fern <i>Dicksonia antarctica</i> . <i>Functional Plant Biology</i> , <b>2010</b> , 36, 1046-1056	2.7	15
85	Seasonal changes in carbohydrates, cyclitols, and water relations of 3 field grown <i>Eucalyptus</i> species from contrasting taxonomy on a common site. <i>Annals of Forest Science</i> , <b>2010</b> , 67, 104-104	3.1	17
84	Shade does not ameliorate drought effects on the tree fern species <i>Dicksonia antarctica</i> and <i>Cyathea australis</i> . <i>Trees - Structure and Function</i> , <b>2010</b> , 24, 351-362	2.6	10
83	Enhanced ozone strongly reduces carbon sink strength of adult beech ( <i>Fagus sylvatica</i> )--resume from the free-air fumigation study at Kranzberg Forest. <i>Environmental Pollution</i> , <b>2010</b> , 158, 2527-32	9.3	123
82	The Measurement of Wood Decay in Landscape Trees. <i>Arboriculture and Urban Forestry</i> , <b>2010</b> , 36, 121-127	5	34
81	Quantifying Wood Decay in Sydney Bluegum ( <i>Eucalyptus saligna</i> ) Trees. <i>Arboriculture and Urban Forestry</i> , <b>2010</b> , 36, 243-252	1.5	4
80	Effects of sudden exposure to high light levels on two tree fern species <i>Dicksonia antarctica</i> (Dicksoniaceae) and <i>Cyathea australis</i> (Cyatheaceae) acclimated to different light intensities. <i>Australian Journal of Botany</i> , <b>2009</b> , 57, 562	1.2	13

79	Lack of genetic variation in tree ring $\delta^{13}\text{C}$ suggests a uniform, stomatally-driven response to drought stress across <i>Pinus radiata</i> genotypes. <i>Tree Physiology</i> , <b>2009</b> , 29, 191-8	4.2	10
78	Estimation of drought-related limitations to mid-rotation aged plantation grown <i>Eucalyptus globulus</i> by phloem sap analysis. <i>Forest Ecology and Management</i> , <b>2008</b> , 256, 844-848	3.9	13
77	Effects of drought and canopy ozone exposure on antioxidants in fine roots of mature European beech ( <i>Fagus sylvatica</i> ). <i>Tree Physiology</i> , <b>2008</b> , 28, 713-9	4.2	23
76	Role of Sulfur for Plant Production in Agricultural and Natural Ecosystems. <i>Advances in Photosynthesis and Respiration</i> , <b>2008</b> , 417-435	1.7	17
75	Internal conductance to $\text{CO}_2$ transfer of adult <i>Fagus sylvatica</i> : Variation between sun and shade leaves and due to free-air ozone fumigation. <i>Environmental and Experimental Botany</i> , <b>2007</b> , 59, 130-138	5.9	74
74	Gas exchange and antioxidative compounds in young beech trees under free-air ozone exposure and comparisons to adult trees. <i>Plant Biology</i> , <b>2007</b> , 9, 288-97	3.7	26
73	Antioxidative defence of old growth beech ( <i>Fagus sylvatica</i> ) under double ambient $\text{O}_3$ concentrations in a free-air exposure system. <i>Plant Biology</i> , <b>2007</b> , 9, 215-26	3.7	34
72	Synopsis of the CASIROZ case study: carbon sink strength of <i>Fagus sylvatica</i> L. in a changing environment--experimental risk assessment of mitigation by chronic ozone impact. <i>Plant Biology</i> , <b>2007</b> , 9, 163-80	3.7	74
71	Evidence that branch cuvettes are reasonable surrogates for estimating $\text{O}_3$ effects in entire tree crowns. <i>Plant Biology</i> , <b>2007</b> , 9, 309-19	3.7	5
70	Multivariate patterns of antioxidative and photoprotective defence compounds in spruce needles at two central European forest sites of different elevation. <i>Environmental Monitoring and Assessment</i> , <b>2007</b> , 128, 75-82	3.1	8
69	Contrasting physiological responses of six eucalyptus species to water deficit. <i>Annals of Botany</i> , <b>2007</b> , 100, 1507-15	4.1	84
68	Detecting different levels of drought stress in apple trees ( <i>Malus domestica</i> Borkh.) with selected biochemical and physiological parameters. <i>Scientia Horticulturae</i> , <b>2007</b> , 113, 362-369	4.1	57
67	Defense and avoidance of ozone under global change. <i>Environmental Pollution</i> , <b>2007</b> , 147, 525-31	9.3	80
66	Photo-Oxidative Stress at the Timberline. <i>Plant Ecophysiology</i> , <b>2007</b> , 181-195		3
65	Current Concepts for Treelife Limitation at the Upper Timberline. <i>Plant Ecophysiology</i> , <b>2007</b> , 1-18		11
64	Sulfur in forest ecosystems. <i>Plant Ecophysiology</i> , <b>2007</b> , 59-75		3
63	Evidence for potential impacts of ozone on <i>Pinus cembra</i> L. at mountain sites in Europe: an overview. <i>Environmental Pollution</i> , <b>2006</b> , 139, 53-8	9.3	24
62	Cyclitols and carbohydrates in leaves and roots of 13 <i>Eucalyptus</i> species suggest contrasting physiological responses to water deficit. <i>Plant, Cell and Environment</i> , <b>2006</b> , 29, 2017-29	8.4	81

61	Ecotype adaptation and acclimation of leaf traits to rainfall in 29 species of 16-year-old Eucalyptus at two common gardens. <i>Functional Ecology</i> , <b>2006</b> , 20, 929-940	5.6	36
60	Extraordinary drought of 2003 overrules ozone impact on adult beech trees ( <i>Fagus sylvatica</i> ). <i>Trees - Structure and Function</i> , <b>2006</b> , 20, 539-548	2.6	120
59	Biochemical responses in leaves of two apple tree cultivars subjected to progressing drought. <i>Journal of Plant Physiology</i> , <b>2005</b> , 162, 1308-18	3.6	106
58	Accumulating pollutants in conifer needles on an Atlantic island - a case study with <i>Pinus canariensis</i> on Tenerife, Canary Islands. <i>Environmental Pollution</i> , <b>2005</b> , 136, 397-407	9.3	16
57	Tree age dependence and within-canopy variation of leaf gas exchange and antioxidative defence in <i>Fagus sylvatica</i> under experimental free-air ozone exposure. <i>Environmental Pollution</i> , <b>2005</b> , 137, 476-82	9.3	56
56	Dynamic light use and protection from excess light in upper canopy and coppice leaves of <i>Nothofagus cunninghamii</i> in an old growth, cool temperate rainforest in Victoria, Australia. <i>New Phytologist</i> , <b>2005</b> , 165, 143-55	9.8	42
55	Is the bark of shining gum ( <i>Eucalyptus nitens</i> ) a sun or a shade leaf?. <i>Trees - Structure and Function</i> , <b>2005</b> , 19, 415-421	2.6	16
54	Does rainfall explain variation in leaf morphology and physiology among populations of red ironbark ( <i>Eucalyptus sideroxylon</i> subsp. <i>tricarpa</i> ) grown in a common garden?. <i>Tree Physiology</i> , <b>2005</b> , 25, 1369-78	4.2	47
53	Physiological responses of trees to air pollutants at high elevation sites <b>2005</b> , 37-44		1
52	How sensitive are forest trees to ozone? - New research on an old issue <b>2005</b> , 21-28		5
51	Effects of sulphurous gases in two CO <sub>2</sub> springs on total sulphur and thiols in acorns and oak seedlings. <i>Atmospheric Environment</i> , <b>2004</b> , 38, 3775-3780	5.3	4
50	Combined Effects of CO <sub>2</sub> and O <sub>3</sub> on Antioxidative and Photoprotective Defense Systems in Needles of Ponderosa Pine. <i>Biologia Plantarum</i> , <b>2004</b> , 48, 543-548	2.1	14
49	The glutathione system as a stress marker in plant ecophysiology: is a stress-response concept valid?. <i>Journal of Experimental Botany</i> , <b>2004</b> , 55, 1955-62	7	327
48	Effects of weak 16 3/2 Hz magnetic fields on growth parameters of young sunflower and wheat seedlings. <i>Bioelectromagnetics</i> , <b>2004</b> , 25, 638-41	1.6	34
47	A survey of foliar mineral nutrient concentrations of <i>Pinus canariensis</i> at field plots in Tenerife. <i>Forest Ecology and Management</i> , <b>2004</b> , 189, 49-55	3.9	31
46	Root uptake, transport, and metabolism of externally applied glutathione in <i>Phaseolus vulgaris</i> seedlings. <i>Journal of Plant Physiology</i> , <b>2004</b> , 161, 347-9	3.6	13
45	Effects of drought on needle anatomy of <i>Pinus canariensis</i> . <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , <b>2004</b> , 199, 85-89	1.9	39
44	Photostress, photoprotection, and water soluble antioxidants in the canopies of five Canarian laurel forest tree species during a diurnal course in the field. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , <b>2004</b> , 199, 110-119	1.9	17

43	Foliar Antioxidants and Protective Pigments in <i>Larix decidua</i> Mill. from Contrasting Elevations in the Northern and Southern Tyrolean Limestone Alps. <i>European Journal of Forest Research</i> , <b>2003</b> , 122, 368-375		5
42	Canopy transpiration of Jeffrey pine in mesic and xeric microsites: O <sub>3</sub> uptake and injury response. <i>Trees - Structure and Function</i> , <b>2003</b> , 17, 292-298	2.6	27
41	Changes in antioxidant and pigment pool dimensions in UV-B irradiated maize seedlings. <i>Environmental and Experimental Botany</i> , <b>2003</b> , 50, 149-157	5.9	46
40	Uptake and distribution of <sup>35</sup> S-sulfate in needles and roots of spruce seedlings as affected by exposure to SO <sub>2</sub> and H <sub>2</sub> S. <i>Environmental and Experimental Botany</i> , <b>2003</b> , 50, 211-220	5.9	14
39	The Role of Thiols in Plant Adaptation to Environmental Stress <b>2003</b> , 221-244		13
38	Measuring antioxidants in tree species in the natural environment: from sampling to data evaluation. <i>Journal of Experimental Botany</i> , <b>2003</b> , 54, 1505-10	7	69
37	Variation in morphological and biochemical O <sub>3</sub> injury attributes of mature Jeffrey pine within canopies and between microsites. <i>Tree Physiology</i> , <b>2003</b> , 23, 923-9	4.2	18
36	The influence of microclimate and tree age on the defense capacity of European beech ( <i>Fagus sylvatica</i> L.) against oxidative stress. <i>Annals of Forest Science</i> , <b>2003</b> , 60, 131-135	3.1	40
35	Metabolism of reduced and inorganic sulphur in pea cotyledons and distribution into developing seedlings. <i>New Phytologist</i> , <b>2002</b> , 153, 73-80	9.8	10
34	Complex interactive effects of drought and ozone stress on the antioxidant defence systems of two wheat cultivars. <i>Plant Physiology and Biochemistry</i> , <b>2002</b> , 40, 691-696	5.4	127
33	Differential effects of H <sub>2</sub> S on cytoplasmic and nuclear thiol concentrations in different tissues of Brassica roots. <i>Plant Physiology and Biochemistry</i> , <b>2002</b> , 40, 585-589	5.4	12
32	Sulphate uptake and xylem loading of young pea ( <i>Pisum sativum</i> L.) seedlings. <i>Plant and Soil</i> , <b>2002</b> , 242, 227-233	4.2	6
31	Tree- and needle-age-dependent variations in antioxidants and photoprotective pigments in Norway spruce needles at the alpine timberline. <i>Tree Physiology</i> , <b>2002</b> , 22, 591-6	4.2	34
30	Age effects on Norway spruce ( <i>Picea abies</i> ) susceptibility to ozone uptake: a novel approach relating stress avoidance to defense. <i>Tree Physiology</i> , <b>2002</b> , 22, 583-90	4.2	80
29	Summer-time distribution of air pollutants in Sequoia National Park, California. <i>Environmental Pollution</i> , <b>2002</b> , 118, 187-203	9.3	73
28	The role of sulphur compounds for breeding success of <i>Ips typographus</i> L. (Col., Scolytidae) on Norway Spruce ( <i>Picea abies</i> [L.] Karst.). <i>Journal of Applied Entomology</i> , <b>2001</b> , 125, 425-431	1.7	8
27	Free Radical Scavengers and Photosynthetic Pigments in <i>Pinus Cembra</i> L. Needles as Affected by Ozone Exposure. <i>Biologia Plantarum</i> , <b>2001</b> , 44, 225-232	2.1	19
26	Multivariate patterns of biochemical responses of <i>Pinus ponderosa</i> trees at field plots in the San Bernardino Mountains, southern California. <i>Tree Physiology</i> , <b>2001</b> , 21, 329-36	4.2	34

25	The Role of Glutathione in Plant Reaction and Adaptation to Air Pollutants. <i>Plant Ecophysiology</i> , <b>2001</b> , 185-205		23
24	Short-term changes in free radical scavengers and chloroplast pigments in <i>Pinus canariensis</i> needles as affected by mild drought stress. <i>Journal of Plant Physiology</i> , <b>2001</b> , 158, 213-219	3.6	34
23	The significance of xanthophylls and tocopherols in photo-oxidative stress and photoprotection of three Canarian laurel forest tree species on a high radiation day. <i>Journal of Plant Physiology</i> , <b>2001</b> , 158, 1547-1554	3.6	14
22	The Role of Glutathione in Plant Response and Adaptation to Natural Stress. <i>Plant Ecophysiology</i> , <b>2001</b> , 101-122		28
21	The significance of carotenoids and tocopherols in photoprotection of seven epiphytic fern species of a Mexican cloud forest. <i>Functional Plant Biology</i> , <b>2001</b> , 28, 775	2.7	8
20	Effects of glutathione on thiol redox systems, chromosomal aberrations, and the ultrastructure of meristematic root cells of <i>Picea abies</i> (L.) Karst.. <i>Protoplasma</i> , <b>2000</b> , 212, 227-235	3.4	14
19	Simultaneous analyses of chromosomes in root meristems and of the biochemical status of needle tissues of three different clones of Norway spruce trees challenged with moderate ozone levels. <i>Forest Pathology</i> , <b>1999</b> , 29, 281-294	1.2	11
18	Changes in Free-Radical Scavengers Describe the Susceptibility of <i>Pinus Ponderosa</i> to Ozone in Southern Californian Forests. <i>Water, Air, and Soil Pollution</i> , <b>1999</b> , 116, 249-254	2.6	14
17	Treatment of Young Spruce Shoots with SO <sub>2</sub> and H <sub>2</sub> S: Effects on Fine Root Chromosomes in Relation to Changes in the Thiol Content and Redox State. <i>Water, Air, and Soil Pollution</i> , <b>1999</b> , 116, 423-428	2.6	10
16	Gas Exchange of Irrigated and Non-Irrigated <i>Pinus canariensis</i> Seedlings Growing Outdoors in La Laguna, Canary Islands, Spain. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>1999</b> , 54, 693-697	1.7	7
15	Antioxidants and protective pigments of <i>Pinus ponderosa</i> needles at gradients of natural stresses and ozone in the San Bernardino Mountains in California. <i>Free Radical Research</i> , <b>1999</b> , 31 Suppl, S113-204		16
14	Effects of an oxidizing agent (hydrogen peroxide) on the glutathione system in epidermal cells of <i>Allium cepa</i> L. investigated by histochemical staining. <i>Free Radical Research</i> , <b>1999</b> , 31 Suppl, S121-7	4	7
13	Changes in Free-Radical Scavengers Describe the Susceptibility of <i>Pinus Ponderosa</i> to Ozone in Southern Californian Forests <b>1999</b> , 249-254		1
12	Treatment of Young Spruce Shoots with SO <sub>2</sub> and H <sub>2</sub> S: Effects on Fine Root Chromosomes in Relation to Changes in the Thiol Content and Redox State <b>1999</b> , 423-428		
11	Effects of ozone and mild drought stress on gas exchange, antioxidants and chloroplast pigments in current-year needles of young Norway spruce [ <i>Picea abies</i> (L.) Karst.]. <i>Trees - Structure and Function</i> , <b>1998</b> , 12, 482-489	2.6	5
10	Antioxidative defence and photoprotection in pine needles under field conditions. A multivariate approach to evaluate patterns of physiological responses at natural sites. <i>Physiologia Plantarum</i> , <b>1998</b> , 104, 760-764	4.6	16
9	Stress-physiological investigations and chromosomal analyses on cloned Norway spruce trees exposed to various levels of ozone in open-top chambers. <i>Chemosphere</i> , <b>1998</b> , 36, 709-714	8.4	6
8	Element contents and stress-physiological characterization of <i>Pinus canariensis</i> needles in Mediterranean type field stands in Tenerife. <i>Chemosphere</i> , <b>1998</b> , 36, 1019-1023	8.4	16

7	Effects of ozone and mild drought stress on gas exchange, antioxidants and chloroplast pigments in current-year needles of young Norway spruce [. <i>Trees - Structure and Function</i> , <b>1998</b> , 12, 482	2.6	48
6	Structural Changes and Physiological Stress Responses of Spruce Trees to SO <sub>2</sub> , O <sub>3</sub> and Elevated Levels of CO <sub>2</sub> . <i>Forestry Sciences</i> , <b>1997</b> , 93-102		1
5	A Physiological Comparison between Environmental Effects on Canary Pine in Tenerife and Norway Spruce in Austria. <i>Forestry Sciences</i> , <b>1997</b> , 103-110		4
4	Physiological Responses of Norway Spruce Trees to Elevated CO <sub>2</sub> and SO <sub>2</sub> . <i>Journal of Plant Physiology</i> , <b>1996</b> , 148, 362-367	3.6	35
3	The Assessment of Ozone Stress by Recording Chromosomal Aberrations in Root Tips of Spruce Trees [ <i>Picea abies</i> (L) Karst]. <i>Journal of Plant Physiology</i> , <b>1996</b> , 148, 160-165	3.6	16
2	Physiological, structural, and nutritional parameters of Norway spruce needles from declining forest stands in Austria. <i>Canadian Journal of Forest Research</i> , <b>1996</b> , 26, 1769-1780	1.9	11
1	Simultaneous Determination of Ascorbic Acid and Dehydroascorbic Acid in Plant Materials by High Performance Liquid Chromatography <b>1996</b> , 7, 69-72		27