

Moonsup Cho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1537562/publications.pdf>

Version: 2024-02-01

52

papers

1,888

citations

236925

25

h-index

254184

43

g-index

54

all docs

54

docs citations

54

times ranked

672

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | U-Pb detrital zircon ages of Cambrian–Ordovician sandstones from the Taebaeksan Basin, Korea: Provenance variability in platform shelf sequences and paleogeographic implications. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 488-504. | 3.3 | 17 |
| 2 | Incipient charnockite formation at the waning stage of Paleoproterozoic hot orogenesis, Yeongnam Massif, Korea. <i>Precambrian Research</i> , 2021, 365, 106388. | 2.7 | 8 |
| 3 | Fluid-Present Partial Melting of Paleoproterozoic Okbang Amphibolite in the Yeongnam Massif, Korea. <i>Lithosphere</i> , 2020, 2020, . | 1.4 | 6 |
| 4 | $\text{P}_{\text{i}}$$\text{T}_{\text{i}}$ evolution and episodic zircon growth in barroisite eclogites of the Lanterman Range, northern Victoria Land, Antarctica. <i>Journal of Metamorphic Geology</i> , 2019, 37, 509-537. | 3.4 | 15 |
| 5 | The Paleozoic evolution of the Korean Peninsula and Japan: An introduction. <i>Island Arc</i> , 2019, 28, e12297. | 1.1 | 1 |
| 6 | Prolonged high-temperature, low-pressure metamorphism associated with >41.86 Ga Sancheong–Hadong anorthosite in the Yeongnam Massif, Korea: Paleoproterozoic hot orogenesis in the North China Craton. <i>Precambrian Research</i> , 2018, 307, 175-200. | 2.7 | 22 |
| 7 | Geology of the 2018 Winter Olympic site, Pyeongchang, Korea. <i>International Geology Review</i> , 2018, 60, 267-287. | 2.1 | 15 |
| 8 | Paleoproterozoic to Triassic crustal evolution of the Gyeonggi Massif, Korea: Tectonic correlation with the North China craton. , 2017, . | | 10 |
| 9 | In situ U-Pb and Lu-Hf isotopic studies of zircons from the Sancheong–Hadong AMCG suite, Yeongnam Massif, Korea: Implications for the petrogenesis of >41.86 Ga massif-type anorthosite. <i>Journal of Asian Earth Sciences</i> , 2017, 138, 629-646. | 2.3 | 34 |
| 10 | Geochemistry of olivine-hosted melt inclusions in the Baekdusan (Changbaishan) basalts: Implications for recycling of oceanic crustal materials into the mantle source. <i>Lithos</i> , 2017, 284-285, 194-206. | 1.4 | 23 |
| 11 | Evolution of the lithospheric mantle beneath Mt. Baekdu (Changbaishan): Constraints from geochemical and Sr-Nd-Hf isotopic studies on peridotite xenoliths in trachybasalt. <i>Lithos</i> , 2017, 286-287, 330-344. | 1.4 | 22 |
| 12 | Tectonic evolution of Precambrian basement massifs and an adjoining fold-and-thrust belt (Gyeonggi) Tj ETQq0 0 0_rgBT /Overlock 10 Tf | | |
| 13 | Geochemical and Sr-Nd isotopic constraints on the petrogenesis of the Goesan monzodiorite pluton in the central Okcheon belt, Korea. <i>Island Arc</i> , 2016, 25, 43-54. | 1.1 | 7 |
| 14 | Comments on Detrital zircon geochronology and Nd isotope geochemistry of the basal succession of the Taebaeksan Basin, South Korea: Implications for the Gondwana linkage of the Sino-Korean (North China) Block during the Neoproterozoic–early Cambrian by Lee et al. [Palaeogeography, Palaeoclimatology, Palaeoecology 441 (2016) 770–786]. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 459, 606-609. | 2.3 | 11 |
| 15 | The Silurian-Devonian magmatism recorded in detrital zircons from the Andong area, northeastern Yeongnam Massif, Korea. <i>Geosciences Journal</i> , 2015, 19, 393-405. | 1.2 | 11 |
| 16 | Lithospheric mantle signatures as revealed by zircon Hf isotopes of Late Triassic post-collisional plutons from the central Korean peninsula, and their tectonic implications. <i>Terra Nova</i> , 2015, 27, 97-105. | 2.1 | 27 |
| 17 | Petrogenesis of Late Permian sodic metagranitoids in southeastern Korea: SHRIMP zircon geochronology and elemental and Nd-Hf isotope geochemistry. <i>Journal of Asian Earth Sciences</i> , 2014, 95, 228-242. | 2.3 | 27 |
| 18 | A massif-type (~1.86 Ga) anorthosite complex in the Yeongnam Massif, Korea: late-orogenic emplacement associated with the mantle delamination in the North China Craton. <i>Terra Nova</i> , 2014, 26, 408-416. | 2.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | SHRIMP U-Pb ages of detrital zircons in metasedimentary rocks of the central Ogneon fold-thrust belt, Korea: Evidence for tectonic assembly of Paleozoic sedimentary protoliths. <i>Journal of Asian Earth Sciences</i> , 2013, 63, 234-249. | 2.3 | 80 |
| 20 | Fluid-present disequilibrium melting in Neoarchean arc-related migmatites of Daeijak Island, western Gyeonggi Massif, Korea. <i>Lithos</i> , 2013, 179, 249-262. | 1.4 | 33 |
| 21 | An Efficient Method for Zircon Separation Using the Gold Pan. <i>The Journal of the Petrological Society of Korea</i> , 2013, 22, 63-70. | 0.2 | 21 |
| 22 | Two-phase contractional deformation of the Jurassic Daebo Orogeny, Chungnam Basin, Korea, and its correlation with the early Yanshanian movement of China. <i>Tectonics</i> , 2012, 31, . | 2.8 | 24 |
| 23 | Late Paleozoic to Early Mesozoic arc-related magmatism in southeastern Korea: SHRIMP zircon geochronology and geochemistry. <i>Lithos</i> , 2012, 153, 129-141. | 1.4 | 69 |
| 24 | Magmatic peridotites and pyroxenites, Andong Ultramafic Complex, Korea: Geochemical evidence for supra-subduction zone formation and extensive melt-rock interaction. <i>Lithos</i> , 2011, 127, 599-618. | 1.4 | 36 |
| 25 | SHRIMP U-Pb ages of detrital zircons in metasandstones of the Taean Formation, western Gyeonggi massif, Korea: Tectonic implications. <i>Geosciences Journal</i> , 2010, 14, 99-109. | 1.2 | 62 |
| 26 | Crystallization of REE minerals and redistribution of U, Th, and REE at contact boundary between granite and gabbro during hydrothermal alteration. <i>Physics and Chemistry of the Earth</i> , 2010, 35, 284-291. | 2.9 | 12 |
| 27 | Eoarchean-Paleoproterozoic zircon inheritance in Japanese Permo-Triassic granites (Unazuki area,) Tj ETQq1 1 0.784314 rgBT /Ove Precambrian Research, 2010, 183, 145-157. | 2.7 | 57 |
| 28 | In-situ analyses of zircon and other minerals: Contributions to the Asian geology and tectonics. <i>Geosciences Journal</i> , 2009, 13, 201-203. | 1.2 | 1 |
| 29 | A U-Pb geochronological study of migmatitic gneiss in the Busan gneiss complex, Gyeonggi massif, Korea. <i>Geosciences Journal</i> , 2009, 13, 205-215. | 1.2 | 26 |
| 30 | SHRIMP geochronology and reaction texture of monazite from a retrogressive transitional layer, Hwacheon Granulite Complex, Korea. <i>Geosciences Journal</i> , 2009, 13, 293-304. | 1.2 | 17 |
| 31 | Parageneses and Th-U distributions among allanite, monazite, and xenotime in Barrovian-type metapelites, Imjingang belt, central Korea. <i>American Mineralogist</i> , 2009, 94, 430-438. | 1.9 | 19 |
| 32 | The oldest (ca. 2.51 Ga) rock in South Korea: U-Pb zircon age of a tonalitic migmatite, Daeijak Island, western Gyeonggi massif. <i>Geosciences Journal</i> , 2008, 12, 1-6. | 1.2 | 64 |
| 33 | In-situ U-Pb titanite age of the Chuncheon amphibolite: Evidence for Triassic regional metamorphism in central Gyeonggi massif, South Korea, and its tectonic implication. <i>Geosciences Journal</i> , 2008, 12, 309-316. | 1.2 | 11 |
| 34 | Early Archean to Middle Jurassic Evolution of the Korean Peninsula and Its Correlation with Chinese Cratons: SHRIMP U-Pb Zircon Age Constraints. <i>Journal of Geology</i> , 2007, 115, 525-539. | 1.4 | 67 |
| 35 | Metamorphic Evolution of the Imjingang Belt, Korea: Implications for Permo-Triassic Collisional Orogeny. <i>International Geology Review</i> , 2007, 49, 30-51. | 2.1 | 88 |
| 36 | The effect of allanite inclusions on U-Pb step-leaching ages and Sm-Nd isotope systematics of garnet from the Ogneon metamorphic belt, South Korea. <i>Chemical Geology</i> , 2007, 236, 27-41. | 3.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Hf isotopic evidence for Paleoarchean (> 3.5 Ga) crustal components in the Korean Peninsula. <i>Geosciences Journal</i> , 2007, 11, 271-277. | 1.2 | 13 |
| 38 | Metamorphic Evolution of the Ogneon Belt, Korea: A Review and New Age Constraints. <i>International Geology Review</i> , 2005, 47, 41-57. | 2.1 | 70 |
| 39 | U^{238}Pb zircon ages of a granitic gneiss boulder in metadiamictite from the Ogneon metamorphic belt, Korea. <i>Geosciences Journal</i> , 2004, 8, 355-362. | 1.2 | 9 |
| 40 | Early Permian peak metamorphism recorded in U^{238}Pb system of black slates from the Ogneon metamorphic belt, South Korea, and its tectonic implication. <i>Chemical Geology</i> , 2003, 193, 81-92. | 3.3 | 64 |
| 41 | Crustal evolution of the Gyeonggi massif, South Korea: Nd isotopic evidence and implications for continental growths of East Asia. <i>Precambrian Research</i> , 2003, 121, 25-34. | 2.7 | 60 |
| 42 | Low-pressure metamorphism and leucogranite magmatism, northeastern Yeongnam Massif, Korea: implication for Paleoproterozoic crustal evolution. <i>Precambrian Research</i> , 2003, 122, 235-251. | 2.7 | 66 |
| 43 | Metamorphic and Tectonic Evolution of the Hwacheon Granulite Complex, Central Korea: Composite P-T Path Resulting from Two Distinct Crustal-Thickening Events. <i>Journal of Petrology</i> , 2003, 44, 197-226. | 2.8 | 69 |
| 44 | Paleoproterozoic Crustal Evolution of the Basement Rocks in the Northeastern Yeongnam Massif, Korea. <i>Gondwana Research</i> , 2001, 4, 658-659. | 6.0 | 0 |
| 45 | A study on the b_0 parameter and crystallinity index of K-white micas from low-grade metapelites in Deokpyeong and Miwon areas, central Ogneon metamorphic belt, Korea. <i>Geosciences Journal</i> , 2000, 4, 201-209. | 1.2 | 4 |
| 46 | Early Proterozoic Granulites in Central Korea: Tectonic Correlation with Chinese Cratons. <i>Journal of Geology</i> , 2000, 108, 729-738. | 1.4 | 90 |
| 47 | Application of cathodoluminescence to fine-grained pelitic schists of the Imjingang Belt, Korea. <i>European Journal of Mineralogy</i> , 2000, 12, 1057-1062. | 1.3 | 17 |
| 48 | Polymetamorphism of Ogneon Supergroup in the Miwon area, central Ogneon metamorphic belt, South Korea. <i>Geosciences Journal</i> , 1999, 3, 151-162. | 1.2 | 14 |
| 49 | Metamorphic evolution of the northwestern Ogneon metamorphic belt, South Korea. <i>Lithos</i> , 1998, 43, 31-51. | 1.4 | 33 |
| 50 | An early Proterozoic Sm-Nd age of mafic granulite from the Hwacheon area, South Korea. <i>Geosciences Journal</i> , 1997, 1, 136-142. | 1.2 | 14 |
| 51 | Possible eastward extension of Chinese collision belt in South Korea: The Imjingang belt. <i>Geology</i> , 1996, 24, 1071. | 4.4 | 261 |
| 52 | Tectonometamorphic evolution of the Chuncheon amphibolite, central Gyeonggi massif, South Korea. <i>Journal of Metamorphic Geology</i> , 1995, 13, 315-328. | 3.4 | 50 |