

Hongchi Jiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1540607/publications.pdf>

Version: 2024-02-01

127
papers

6,136
citations

50170

46
h-index

85405

71
g-index

133
all docs

133
docs citations

133
times ranked

9255
citing authors

#	ARTICLE	IF	CITATIONS
1	NNMT promotes the progression of intrahepatic cholangiocarcinoma by regulating aerobic glycolysis via the EGFR-STAT3 axis. <i>Oncogenesis</i> , 2022, 11, .	2.1	15
2	The PGC1 α /NRF1-MPC1 axis suppresses tumor progression and enhances the sensitivity to sorafenib/doxorubicin treatment in hepatocellular carcinoma. <i>Free Radical Biology and Medicine</i> , 2021, 163, 141-152.	1.3	23
3	PGC-1 α Protects against Hepatic Ischemia Reperfusion Injury by Activating PPAR α and PPAR β and Regulating ROS Production. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-19.	1.9	7
4	Tumor-associated macrophages in cholangiocarcinoma: complex interplay and potential therapeutic target. <i>EBioMedicine</i> , 2021, 67, 103375.	2.7	33
5	Integrative Analysis of the Roles of lncRNAs and mRNAs in Itaconate-Mediated Protection Against Liver Ischemia-Reperfusion Injury in Mice. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 4519-4536.	1.6	5
6	Unfolded protein response in colorectal cancer. <i>Cell and Bioscience</i> , 2021, 11, 26.	2.1	38
7	The immunoglobulin superfamily member 3 (IGSF3) promotes hepatocellular carcinoma progression through activation of the NF- κ B pathway. <i>Annals of Translational Medicine</i> , 2020, 8, 378-378.	0.7	10
8	The circular RNA circMAST1 promotes hepatocellular carcinoma cell proliferation and migration by sponging miR-1299 and regulating CTNND1 expression. <i>Cell Death and Disease</i> , 2020, 11, 340.	2.7	29
9	lncRNA-SOX2OT promotes hepatocellular carcinoma invasion and metastasis through miR-122-5p-mediated activation of PKM2. <i>Oncogenesis</i> , 2020, 9, 54.	2.1	41
10	Do Symptoms and Serum Calcium Levels Affect the Results of Surgical Treatment of Primary Hyperparathyroidism?. <i>BioMed Research International</i> , 2019, 2019, 1-8.	0.9	6
11	Application of Continuous and Intermittent Intraoperative Nerve Monitoring in Thyroid Surgery. <i>Journal of Surgical Research</i> , 2019, 243, 325-331.	0.8	14
12	LncRNA SNHG1 contributes to sorafenib resistance by activating the Akt pathway and is positively regulated by miR-21 in hepatocellular carcinoma cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 183.	3.5	135
13	Sodium orthovanadate inhibits growth and triggers apoptosis of human anaplastic thyroid carcinoma cells in vitro and in vivo. <i>Oncology Letters</i> , 2019, 17, 4255-4262.	0.8	7
14	The IL-6/STAT3 pathway regulates adhesion molecules and cytoskeleton of endothelial cells in thromboangiitis obliterans. <i>Cellular Signalling</i> , 2018, 44, 118-126.	1.7	37
15	PGC1 α promotes cholangiocarcinoma metastasis by upregulating PDHA1 and MPC1 expression to reverse the Warburg effect. <i>Cell Death and Disease</i> , 2018, 9, 466.	2.7	47
16	Clinicopathologic risk factors for right paraesophageal lymph node metastasis in patients with papillary thyroid carcinoma. <i>Journal of Endocrinological Investigation</i> , 2018, 41, 1333-1338.	1.8	18
17	Neuropilin-1 regulated by miR-320 contributes to the growth and metastasis of cholangiocarcinoma cells. <i>Liver International</i> , 2018, 38, 125-135.	1.9	47
18	Fertility Drugs Associated with Thyroid Cancer Risk: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	12

#	ARTICLE	IF	CITATIONS
19	Sodium orthovanadate overcomes sorafenib resistance of hepatocellular carcinoma cells by inhibiting Na ⁺ /K ⁺ -ATPase activity and hypoxia-inducible pathways. <i>Scientific Reports</i> , 2018, 8, 9706.	1.6	22
20	Reduction of hepatic fibrosis by overexpression of von Hippel-Lindau protein in experimental models of chronic liver disease. <i>Scientific Reports</i> , 2017, 7, 41038.	1.6	18
21	Dual inhibition of Akt and c-Met as a second-line therapy following acquired resistance to sorafenib in hepatocellular carcinoma cells. <i>Molecular Oncology</i> , 2017, 11, 320-334.	2.1	62
22	An artificial lncRNA targeting multiple miRNAs overcomes sorafenib resistance in hepatocellular carcinoma cells. <i>Oncotarget</i> , 2016, 7, 73257-73269.	0.8	76
23	N-myc downstream-regulated gene 2 inhibits human cholangiocarcinoma progression and is regulated by leukemia inhibitory factor/MicroRNA-181c negative feedback pathway. <i>Hepatology</i> , 2016, 64, 1606-1622.	3.6	42
24	EF24 inhibits tumor growth and metastasis via suppressing NF-kappaB dependent pathways in human cholangiocarcinoma. <i>Scientific Reports</i> , 2016, 6, 32167.	1.6	44
25	Piperlongumine Suppresses Growth and Sensitizes Pancreatic Tumors to Gemcitabine in a Xenograft Mouse Model by Modulating the NF-kappa B Pathway. <i>Cancer Prevention Research</i> , 2016, 9, 234-244.	0.7	46
26	Hepatocyte nuclear factor 6 inhibits the growth and metastasis of cholangiocarcinoma cells by regulating miR-122. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 969-980.	1.2	14
27	2ME2 inhibits the activated hypoxia-inducible pathways by cabozantinib and enhances its efficacy against medullary thyroid carcinoma. <i>Tumor Biology</i> , 2016, 37, 381-391.	0.8	19
28	A preliminary study of ALPPS procedure in a rat model. <i>Scientific Reports</i> , 2015, 5, 17567.	1.6	39
29	YAP is a critical oncogene in human cholangiocarcinoma. <i>Oncotarget</i> , 2015, 6, 17206-17220.	0.8	119
30	Arsenic trioxide potentiates the anti-cancer activities of sorafenib against hepatocellular carcinoma by inhibiting Akt activation. <i>Tumor Biology</i> , 2015, 36, 2323-2334.	0.8	43
31	MiR-21 mediates sorafenib resistance of hepatocellular carcinoma cells by inhibiting autophagy via the PTEN/Akt pathway. <i>Oncotarget</i> , 2015, 6, 28867-28881.	0.8	174
32	FTY720 inhibits proliferation and epithelial-mesenchymal transition in cholangiocarcinoma by inactivating STAT3 signaling. <i>BMC Cancer</i> , 2014, 14, 783.	1.1	44
33	Gankyrin promotes tumor growth and metastasis through activation of IL-6/STAT3 signaling in human cholangiocarcinoma. <i>Hepatology</i> , 2014, 59, 935-946.	3.6	95
34	Up-regulation of survivin by AKT and hypoxia-inducible factor-1 α contributes to cisplatin resistance in gastric cancer. <i>FEBS Journal</i> , 2014, 281, 115-128.	2.2	75
35	Enhanced Autophagy by Everolimus Contributes to the Antirestenotic Mechanisms in Vascular Smooth Muscle Cells. <i>Journal of Vascular Research</i> , 2014, 51, 259-268.	0.6	7
36	Can the Spleen be Divided into Two Functional Parts?. <i>Journal of Clinical Gastroenterology</i> , 2014, 48, 261-263.	1.1	1

#	ARTICLE	IF	CITATIONS
37	Upregulation of HIF-2 α induced by sorafenib contributes to the resistance by activating the TGF- β /EGFR pathway in hepatocellular carcinoma cells. <i>Cellular Signalling</i> , 2014, 26, 1030-1039.	1.7	111
38	Inhibition of Akt Reverses the Acquired Resistance to Sorafenib by Switching Protective Autophagy to Autophagic Cell Death in Hepatocellular Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 1589-1598.	1.9	223
39	Reciprocal activation between ATPase inhibitory factor 1 and NF- κ B drives hepatocellular carcinoma angiogenesis and metastasis. <i>Hepatology</i> , 2014, 60, 1659-1673.	3.6	123
40	Changes in T lymphocyte subsets in mice with CT26 colon tumors after treatment with donor lymphocyte infusion. <i>Tumor Biology</i> , 2014, 35, 5599-5605.	0.8	3
41	Nutlin-3 overcomes arsenic trioxide resistance and tumor metastasis mediated by mutant p53 in Hepatocellular Carcinoma. <i>Molecular Cancer</i> , 2014, 13, 133.	7.9	46
42	PTEN antagonises Tcl1/hnRNP-mediated G6PD pre-mRNA splicing which contributes to hepatocarcinogenesis. <i>Gut</i> , 2014, 63, 1635-1647.	6.1	96
43	Hydroxytyrosol, a natural molecule from olive oil, suppresses the growth of human hepatocellular carcinoma cells via inactivating AKT and nuclear factor- κ B pathways. <i>Cancer Letters</i> , 2014, 347, 79-87.	3.2	82
44	Shikonin suppresses tumor growth and synergizes with gemcitabine in a pancreatic cancer xenograft model: Involvement of NF- κ B signaling pathway. <i>Biochemical Pharmacology</i> , 2014, 88, 322-333.	2.0	71
45	Sodium orthovanadate inhibits growth of human hepatocellular carcinoma cells in vitro and in an orthotopic model in vivo. <i>Cancer Letters</i> , 2014, 351, 108-116.	3.2	47
46	Hydroxytyrosol inhibits cholangiocarcinoma tumor growth: An in vivo and in vitro study. <i>Oncology Reports</i> , 2014, 31, 145-152.	1.2	41
47	Thymoquinone induces G2/M arrest, inactivates PI3K/Akt and nuclear factor- κ B pathways in human cholangiocarcinomas both in vitro and in vivo. <i>Oncology Reports</i> , 2014, 31, 2063-2070.	1.2	64
48	Meloxicam Executes Its Antitumor Effects against Hepatocellular Carcinoma in COX-2- Dependent and -Independent Pathways. <i>PLoS ONE</i> , 2014, 9, e92864.	1.1	44
49	The iron chelator Dp44mT inhibits hepatocellular carcinoma metastasis via N-Myc downstream-regulated gene 2 (NDRG2)/gp130/STAT3 pathway. <i>Oncotarget</i> , 2014, 5, 8478-8491.	0.8	66
50	Gravity line strategy may reduce risks of intraoperative injury during laparoscopic surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 4478-4484.	1.3	8
51	Secretory clusterin contributes to oxaliplatin resistance by activating Akt pathway in hepatocellular carcinoma. <i>Cancer Science</i> , 2013, 104, 375-382.	1.7	52
52	LBH589 Inhibits proliferation and metastasis of hepatocellular carcinoma via inhibition of gankyrin/stat3/akt pathway. <i>Molecular Cancer</i> , 2013, 12, 114.	7.9	61
53	Downregulation of Skp2 inhibits the growth and metastasis of gastric cancer cells in vitro and in vivo. <i>Tumor Biology</i> , 2013, 34, 181-192.	0.8	44
54	Effect of IFN- γ on KC and LIX expression: Role of STAT1 and its effect on neutrophil recruitment to the spleen after lipopolysaccharide stimulation. <i>Molecular Immunology</i> , 2013, 56, 12-22.	1.0	6

#	ARTICLE	IF	CITATIONS
55	STAT3 interacts with Skp2/p27/p21 pathway to regulate the motility and invasion of gastric cancer cells. <i>Cellular Signalling</i> , 2013, 25, 931-938.	1.7	103
56	Hypoxia-mediated sorafenib resistance can be overcome by EF24 through Von Hippel-Lindau tumor suppressor-dependent HIF-1 α inhibition in hepatocellular carcinoma. <i>Hepatology</i> , 2013, 57, 1847-1857.	3.6	229
57	Protective effects of hydroxytyrosol on liver ischemia/reperfusion injury in mice. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 1218-1227.	1.5	48
58	Expression and prognostic value of ING3 in human primary hepatocellular carcinoma. <i>Experimental Biology and Medicine</i> , 2012, 237, 352-361.	1.1	25
59	Hydrogen Sulfide Protects Cardiomyocytes from Myocardial Ischemia-Reperfusion Injury by Enhancing Phosphorylation of Apoptosis Repressor with Caspase Recruitment Domain. <i>Tohoku Journal of Experimental Medicine</i> , 2012, 226, 275-285.	0.5	32
60	The Influence of Modified Pluronic F127 Copolymers with Higher Phase Transition Temperature on Arsenic Trioxide-Releasing Properties and Toxicity in a Subcutaneous Model of Rats. <i>AAPS PharmSciTech</i> , 2012, 13, 441-447.	1.5	14
61	Enhanced induction of heme oxygenase-1 suppresses thrombus formation and affects the protein C system in sepsis. <i>Translational Research</i> , 2012, 159, 99-109.	2.2	28
62	Liver abscesses in adult patients with and without diabetes mellitus: an analysis of the clinical characteristics, features of the causative pathogens, outcomes and predictors of fatality: a report based on a large population, retrospective study in China. <i>Clinical Microbiology and Infection</i> , 2012, 18, E314-E330.	2.8	80
63	The role of AKT1 and autophagy in the protective effect of hydrogen sulphide against hepatic ischemia/reperfusion injury in mice. <i>Autophagy</i> , 2012, 8, 954-962.	4.3	90
64	Emergency strategies and trends in the management of liver trauma. <i>Frontiers of Medicine</i> , 2012, 6, 225-233.	1.5	21
65	Matrine Inhibits Breast Cancer Growth Via miR-21/PTEN/Akt Pathway in MCF-7 Cells. <i>Cellular Physiology and Biochemistry</i> , 2012, 30, 631-641.	1.1	118
66	Dihydroartemisinin Enhances Apo2L/TRAIL-Mediated Apoptosis in Pancreatic Cancer Cells via ROS-Mediated Up-Regulation of Death Receptor 5. <i>PLoS ONE</i> , 2012, 7, e37222.	1.1	54
67	Pristimerin Causes G1 Arrest, Induces Apoptosis, and Enhances the Chemosensitivity to Gemcitabine in Pancreatic Cancer Cells. <i>PLoS ONE</i> , 2012, 7, e43826.	1.1	50
68	Downregulating hypoxia-inducible factor-1 α improves the efficacy of doxorubicin in the treatment of hepatocellular carcinoma. <i>Cancer Science</i> , 2012, 103, 528-534.	1.7	59
69	Genistein potentiates the effect of arsenic trioxide against human hepatocellular carcinoma: Role of Akt and nuclear factor- κ B. <i>Cancer Letters</i> , 2011, 301, 75-84.	3.2	99
70	Hippo signaling in oval cells and hepatocarcinogenesis. <i>Cancer Letters</i> , 2011, 302, 91-99.	3.2	38
71	Expression and Prognostic Values of Id-1 and Id-3 in Gastric Adenocarcinoma. <i>Journal of Surgical Research</i> , 2011, 167, 258-266.	0.8	26
72	Hepatic Overexpression of Heme Oxygenase-1 Improves Liver Allograft Survival by Expanding T Regulatory Cells. <i>Journal of Surgical Research</i> , 2011, 166, e187-e194.	0.8	20

#	ARTICLE	IF	CITATIONS
73	Overexpression of von Hippel-Lindau protein synergizes with doxorubicin to suppress hepatocellular carcinoma in mice. <i>Journal of Hepatology</i> , 2011, 55, 359-368.	1.8	55
74	microRNA expression alteration after arsenic trioxide treatment in HepG2 cells. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 186-193.	1.4	54
75	MDM2 antagonist can inhibit tumor growth in hepatocellular carcinoma with different types of p53 <i>in vitro</i> . <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 371-377.	1.4	39
76	Pretreatment with Bilirubin Protects Islet against Oxidative Injury During Isolation and Purification. <i>Transplantation Proceedings</i> , 2011, 43, 1810-1814.	0.3	17
77	Matrine attenuates endotoxin-induced acute liver injury after hepatic ischemia/reperfusion in rats. <i>Surgery Today</i> , 2011, 41, 1075-1084.	0.7	22
78	Dihydroartemisinin inhibits angiogenesis in pancreatic cancer by targeting the NF- κ B pathway. <i>Cancer Chemotherapy and Pharmacology</i> , 2011, 68, 1421-1430.	1.1	69
79	Tetraethylammonium enhances the rectal and colonic motility in rats and human <i>in vitro</i> . <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2011, 384, 147-155.	1.4	3
80	The Inhibitory Role of B7-H4 in Antitumor Immunity: Association with Cancer Progression and Survival. <i>Clinical and Developmental Immunology</i> , 2011, 2011, 1-8.	3.3	55
81	Nuclear Factor- κ B-Dependent Epithelial to Mesenchymal Transition Induced by HIF-1 α Activation in Pancreatic Cancer Cells under Hypoxic Conditions. <i>PLoS ONE</i> , 2011, 6, e23752.	1.1	83
82	Diphenyl Difluoroketone: A Potent Chemotherapy Candidate for Human Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2011, 6, e23908.	1.1	19
83	Hydrogen Sulfide Attenuates Carbon Tetrachloride-Induced Hepatotoxicity, Liver Cirrhosis and Portal Hypertension in Rats. <i>PLoS ONE</i> , 2011, 6, e25943.	1.1	99
84	Indications and procedures for second-look surgery in acute mesenteric ischemia. <i>Surgery Today</i> , 2010, 40, 700-705.	0.7	49
85	Protective effects of emodin combined with danshensu on experimental severe acute pancreatitis. <i>Inflammation Research</i> , 2010, 59, 479-488.	1.6	36
86	Nutlin-3 cooperates with doxorubicin to induce apoptosis of human hepatocellular carcinoma cells through p53 or p73 signaling pathways. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 1597-1604.	1.2	45
87	Protective effects of taurine against endotoxin-induced acute liver injury after hepatic ischemia reperfusion. <i>Amino Acids</i> , 2010, 38, 237-245.	1.2	47
88	Disruption of p73-MDM2 binding synergizes with gemcitabine to induce apoptosis in HuCCT1 cholangiocarcinoma cell line with p53 mutation. <i>Tumor Biology</i> , 2010, 31, 287-295.	0.8	9
89	PTEN- and p53-mediated apoptosis and cell cycle arrest by FTY720 in gastric cancer cells and nude mice. <i>Journal of Cellular Biochemistry</i> , 2010, 111, 218-228.	1.2	74
90	Genistein synergizes with arsenic trioxide to suppress human hepatocellular carcinoma. <i>Cancer Science</i> , 2010, 101, 975-983.	1.7	27

#	ARTICLE	IF	CITATIONS
91	Therapeutic Effects of Matrine on Primary and Metastatic Breast Cancer. <i>The American Journal of Chinese Medicine</i> , 2010, 38, 1115-1130.	1.5	58
92	Downregulation of nuclear factor- κ B p65 subunit by small interfering RNA synergizes with gemcitabine to inhibit the growth of pancreatic cancer. <i>Cancer Letters</i> , 2010, 291, 90-98.	3.2	79
93	Dihydroartemisinin inactivates NF- κ B and potentiates the anti-tumor effect of gemcitabine on pancreatic cancer both in vitro and in vivo. <i>Cancer Letters</i> , 2010, 293, 99-108.	3.2	149
94	Gene Transfer of Antisense B7.1 Attenuates Acute Rejection Against Liver Allografts in Rats. <i>Journal of Investigative Surgery</i> , 2010, 23, 87-93.	0.6	2
95	Low-Dose Metronomic Paclitaxel Chemotherapy Suppresses Breast Tumors and Metastases in Mice. <i>Cancer Investigation</i> , 2010, 28, 74-84.	0.6	47
96	Antisense Hypoxia-Inducible Factor-1 α Augments Transcatheter Arterial Embolization in the Treatment of Hepatocellular Carcinomas in Rats. <i>Human Gene Therapy</i> , 2009, 20, 314-324.	1.4	26
97	Role of the Spleen in Cyclophosphamide-induced Hematosuppression and Extramedullary Hematopoiesis in Mice. <i>Archives of Medical Research</i> , 2009, 40, 249-255.	1.5	26
98	Role of hydrogen sulfide in hepatic ischemia-reperfusion-induced injury in rats. <i>Liver Transplantation</i> , 2009, 15, 1306-1314.	1.3	117
99	HER2 codon 655 polymorphism and breast cancer risk: a meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2009, 114, 371-376.	1.1	35
100	The Strategy of Combined Ischemia Preconditioning and Salvianolic Acid-B Pretreatment to Prevent Hepatic Ischemia-Reperfusion Injury in Rats. <i>Digestive Diseases and Sciences</i> , 2009, 54, 2568-2576.	1.1	29
101	Portal hypertension resulted from paroxysmal nocturnal hemoglobinuria: a case report and review of literature. <i>International Journal of Hematology</i> , 2009, 89, 302-304.	0.7	3
102	Downregulation of developmentally regulated endothelial cell locus-1 inhibits the growth of colon cancer. <i>Journal of Biomedical Science</i> , 2009, 16, 33.	2.6	23
103	Combining kallistatin gene therapy and meloxicam to treat hepatocellular carcinoma in mice. <i>Cancer Science</i> , 2009, 100, 2226-2233.	1.7	23
104	Dihydroartemisinin inhibits growth of pancreatic cancer cells in vitro and in vivo. <i>Anti-Cancer Drugs</i> , 2009, 20, 131-140.	0.7	106
105	Down-Regulation of Hypoxia-Inducible Factor-1 α by Hyperbaric Oxygen Attenuates the Severity of Acute Pancreatitis in Rats. <i>Pancreas</i> , 2009, 38, 515-522.	0.5	17
106	Low-dose metronomic chemotherapy of paclitaxel synergizes with cetuximab to suppress human colon cancer xenografts. <i>Anti-Cancer Drugs</i> , 2009, 20, 355-363.	0.7	31
107	Endostatin gene therapy enhances the efficacy of paclitaxel to suppress breast cancers and metastases in mice. <i>Journal of Biomedical Science</i> , 2008, 15, 99-109.	2.6	14
108	Adeno-associated virus-mediated expression of kallistatin suppresses local and remote hepatocellular carcinomas. <i>Journal of Gene Medicine</i> , 2008, 10, 508-517.	1.4	31

#	ARTICLE	IF	CITATIONS
109	Oxymatrine attenuates intestinal ischemia/reperfusion injury in rats. <i>Surgery Today</i> , 2008, 38, 931-937.	0.7	45
110	Antisense hypoxia-inducible factor 1 α gene therapy enhances the therapeutic efficacy of doxorubicin to combat hepatocellular carcinoma. <i>Cancer Science</i> , 2008, 99, 2055-2061.	1.7	56
111	Taurine Attenuates Multiple Organ Injury Induced by Intestinal Ischemia Reperfusion in Rats. <i>Journal of Surgical Research</i> , 2008, 149, 101-109.	0.8	39
112	The Effect of Emodin-Assisted Early Enteral Nutrition on Severe Acute Pancreatitis and Secondary Hepatic Injury. <i>Mediators of Inflammation</i> , 2007, 2007, 1-8.	1.4	41
113	Complete eradication of hepatocellular carcinomas by combined vasostatin gene therapy and B7H3-mediated immunotherapy. <i>Journal of Hepatology</i> , 2007, 46, 98-106.	1.8	57
114	Multiple Littoral Cell Angioma of the Spleen: A Case Report and Review of the Literature. <i>Oncology Research and Treatment</i> , 2007, 30, 256-258.	0.8	12
115	Antiangiogenic therapy enhances the efficacy of transcatheter arterial embolization for hepatocellular carcinomas. <i>International Journal of Cancer</i> , 2007, 121, 416-424.	2.3	61
116	Splenectomy ameliorates acute multiple organ damage induced by liver warm ischemia reperfusion in rats. <i>Surgery</i> , 2007, 141, 32-40.	1.0	88
117	Development of splenic surgery in China. <i>Frontiers of Medicine in China</i> , 2007, 1, 126-129.	0.1	0
118	Opposite Effects of Donor Apoptotic Versus Necrotic Splenocytes on Splenic Allograft Tolerance. <i>Journal of Surgical Research</i> , 2006, 136, 247-254.	0.8	2
119	Ten-Year Experience With Living Related Donated Splenic Transplantation for the Treatment of Hemophilia A. <i>Transplantation Proceedings</i> , 2006, 38, 1483-1490.	0.3	10
120	Specific COX-2 inhibitor, meloxicam, suppresses proliferation and induces apoptosis in human HepG2 hepatocellular carcinoma cells. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006, 21, 1814-1820.	1.4	38
121	Opposing effects of arsenic trioxide on hepatocellular carcinomas in mice. <i>Cancer Science</i> , 2006, 97, 675-681.	1.7	101
122	Arsenic trioxide synergizes with B7H3-mediated immunotherapy to eradicate hepatocellular carcinomas. <i>International Journal of Cancer</i> , 2006, 118, 1823-1830.	2.3	54
123	Intramuscular delivery of antiangiogenic genes suppresses secondary metastases after removal of primary tumors. <i>Cancer Gene Therapy</i> , 2005, 12, 35-45.	2.2	28
124	Anti-apoptosis Effects of Oxymatrine Protect the Liver from Warm Ischemia Reperfusion Injury in Rats. <i>World Journal of Surgery</i> , 2005, 29, 1397-1401.	0.8	51
125	Vascular Endothelial Growth Factor Gene Delivery by Magnetic DNA Nanospheres Ameliorates Limb Ischemia in Rabbits ¹ . <i>Journal of Surgical Research</i> , 2005, 126, 48-54.	0.8	32
126	Microencapsulating Hepatocytes. <i>Transplantation Proceedings</i> , 2005, 37, 4589-4593.	0.3	10

#	ARTICLE	IF	CITATIONS
127	Downregulation of developmentally regulated endothelial cell locus-1 inhibits the growth of colon cancer. Journal of Biomedical Science, 0, , .	2.6	2