
## Yun Seon Song

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1540938/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Investigation of long-term metabolic alteration after stroke in tMCAO (transient middle cerebral) Tj ETQq1 1 (	).784314 rgB⊺ 2.1	「/Overlock
2	Prunus cerasoides Extract and Its Component Compounds Upregulate Neuronal Neuroglobin Levels, Mediate Antioxidant Effects, and Ameliorate Functional Losses in the Mouse Model of Cerebral Ischemia. Antioxidants, 2022, 11, 99.	5.1	2
3	Dynamics of T Lymphocyte between the Periphery and the Brain from the Acute to the Chronic Phase Following Ischemic Stroke in Mice. Experimental Neurobiology, 2021, 30, 155-169.	1.6	17
4	hnRNP Q and hnRNP A1 Regulate the Translation of Cofilin in Response to Transient Oxygen–Clucose Deprivation in Hippocampal Neurons. Cells, 2021, 10, 3567.	4.1	1
5	Estrogenic properties ofPrunus cerasoidesextract and its constituents in MCFâ€7 cell and evaluation in estrogenâ€deprived rodent models. Phytotherapy Research, 2020, 34, 1347-1357.	5.8	4
6	A Simple and Rapid UPLC-PDA Method for Quality Control of Nardostachys jatamansi. Planta Medica, 2018, 84, 536-543.	1.3	9
7	Inhibitory and Inductive Effects of Opuntia ficus indica Extract and Its Flavonoid Constituents on Cytochrome P450s and UDP-Glucuronosyltransferases. International Journal of Molecular Sciences, 2018, 19, 3400.	4.1	7
8	Selected Phytoestrogens Distinguish Roles of ERα Transactivation and Ligand Binding for Anti-Inflammatory Activity. Endocrinology, 2018, 159, 3351-3364.	2.8	14
9	Estrogenic effects of phytoestrogens derived from Flemingia strobilifera in MCF-7 cells and immature rats. Archives of Pharmacal Research, 2018, 41, 519-529.	6.3	7
10	Spiroketones and a Biphenyl Analog from Stems and Leaves of Larrea nitida and Their Inhibitory Activity against IL-6 Production. Molecules, 2018, 23, 302.	3.8	2
11	Hepatic Metabolism of Sakuranetin and Its Modulating Effects on Cytochrome P450s and UDP-Glucuronosyltransferases. Molecules, 2018, 23, 1542.	3.8	7
12	Characterization of Phase I and Phase II Hepatic Metabolism and Reactive Intermediates of <i>Larrea nitida</i> Cav. and Its Lignan Compounds. Phytotherapy Research, 2017, 31, 140-151.	5.8	11
13	Anti-inflammatory Effect of Glucagon Like Peptide-1 Receptor Agonist, Exendin-4, through Modulation of IB1/JIP1 Expression and JNK Signaling in Stroke. Experimental Neurobiology, 2017, 26, 227-239.	1.6	38
14	TLR5 Activation through NF-κB Is a Neuroprotective Mechanism of Postconditioning after Cerebral Ischemia in Mice. Experimental Neurobiology, 2017, 26, 213-226.	1.6	9
15	Prognostic Influence of BCL2 on Molecular Subtypes of Breast Cancer. Journal of Breast Cancer, 2017, 20, 54.	1.9	19
16	Neuroprotective effect of mesenchymal stem cell through complement component 3 downregulation after transient focal cerebral ischemia in mice. Neuroscience Letters, 2016, 633, 227-234.	2.1	16
17	Activation of microglial Tollâ€like receptor 3 promotes neuronal survival against cerebral ischemia. Journal of Neurochemistry, 2016, 136, 851-858.	3.9	14
18	Isoguaiacins, Arylnaphthalene Types Identified as Novel Potent Estrogenic Signaling Molecules from <i>Larrea nitida</i> . Bulletin of the Korean Chemical Society, 2015, 36, 2254-2259.	1.9	1

YUN SEON SONG

#	Article	IF	CITATIONS
19	Selective Estrogen Receptor Modulation by Larrea nitida on MCF-7 Cell Proliferation and Immature Rat Uterus. Biomolecules and Therapeutics, 2014, 22, 347-354.	2.4	16
20	Novel Antidepressant-Like Activity of Caffeic Acid Phenethyl Ester Is Mediated by Enhanced Glucocorticoid Receptor Function in the Hippocampus. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-10.	1.2	13
21	Complement component 3 inhibition by an antioxidant is neuroprotective after cerebral ischemia and reperfusion in mice. Journal of Neurochemistry, 2013, 124, 523-535.	3.9	45
22	Reperfusion and Neurovascular Dysfunction in Stroke: from Basic Mechanisms to Potential Strategies for Neuroprotection. Molecular Neurobiology, 2010, 41, 172-179.	4.0	222
23	Caffeic acid phenethyl ester, a component of beehive propolis, is a novel selective estrogen receptor modulator. Phytotherapy Research, 2010, 24, 295-300.	5.8	56
24	Oxidative Stress Increases Phosphorylation of lκB Kinase-α by Enhancing NF-κB-Inducing Kinase after Transient Focal Cerebral Ischemia. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 1265-1274.	4.3	30
25	The Role of Akt Signaling in Oxidative Stress Mediates NF-ήB Activation in Mild Transient Focal Cerebral Ischemia, Journal of Cerebral Blood Flow and Metabolism, 2008, 28, 1917-1926.	4.3	52