

# Stefano Ragazzi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1542156/publications.pdf>

Version: 2024-02-01

757  
papers

49,912  
citations

2962  
96  
h-index

3688  
186  
g-index

769  
all docs

769  
docs citations

769  
times ranked

13736  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	5
3	Search for long-lived particles decaying to leptons with large impact parameter in proton+proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 153.	1.4	14
4	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	1
5	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 290.	1.4	18
6	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	13
7	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. <i>Journal of High Energy Physics</i> , 2022, 2022, .	1.6	5
8	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	12
9	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	2
10	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	6
11	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	5
12	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	5
13	Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	1.6	2
14	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, .	1.6	2
15	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, .	1.6	4
16	Observation of $B \rightarrow D^* \pi^- \rightarrow \psi(2S) K^+ \pi^-$ and $B \rightarrow D^* \pi^- \rightarrow \psi(2S) K^+$ decays. <i>European Physical Journal C</i> , 2022, 82, .	1.4	1
17	Search for dark matter produced in association with a leptonically decaying $Z$ boson in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 13.	1.4	33
18	Search for top squark pair production using dilepton final states in $p_T$ collision data collected at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 3.	1.4	33

#	ARTICLE	IF	CITATIONS
19	Measurements of $\mathrm{pp} \rightarrow \mathrm{Z}\mathrm{Z}$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2021, 81, 200.	1.4	24
20	Development and validation of HERWIG <sup>7</sup> tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
21	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2021, 81, 378.	1.4	40
22	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2021, 81, 488.	1.4	35
23	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
24	MUSiC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2021, 81, 629.	1.4	18
25	Search for a heavy vector resonance decaying to a $Z\chi_1^0\chi_1^0$ boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2021, 81, 688.	1.4	9
26	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2021, 81, 723.	1.4	19
27	Measurements of angular distance and momentum ratio distributions in three-jet and two-jet final states in $\mathrm{pp}$ collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
28	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
29	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2021, 81, 970.	1.4	18
30	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	1.3	21
31	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Journal of Instrumentation, 2020, 15, P02027-P02027.	0.5	27
32	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13\text{TeV}$ . Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
33	Study of central exclusive "Equation missing" production in proton-proton collisions at $\sqrt{s} = 5.02\text{TeV}$ and $13\text{TeV}$ . European Physical Journal C, 2020, 80, 718.	1.4	7
34	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Journal of Instrumentation, 2020, 15, P10017-P10017.	0.5	84
35	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at $13\text{TeV}$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
36	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2020, 2020, 1.	1.6	20

#	ARTICLE	IF	CITATIONS
37	Search for direct pair production of supersymmetric partners to the $\tilde{\tau}$ lepton in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2020, 80, 189.	1.4	22
38	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\text{PbPb}$ collisions at $\sqrt{s} = 2.76\text{TeV}$ and $5.02\text{TeV}$ . European Physical Journal C, 2020, 80, 534.	1.4	14
39	Measurement of electroweak production of a $W$ boson in association with two jets in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2020, 80, 43.	1.4	11
40	Evidence for $W$ production from double-parton interactions in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2020, 80, 1.	1.4	10
41	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2020, 80, 75.	1.4	78
42	Searches for physics beyond the standard model with the $M_{T2}$ variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2020, 80, 3.	1.4	70
43	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
44	Probing the absolute neutrino mass scale with the $<sup>163</sup>\text{Ho}$ : the HOLMES project. Journal of Physics: Conference Series, 2020, 1342, 012092.	0.3	1
45	Status of the HOLMES Experiment. Journal of Low Temperature Physics, 2020, 199, 1098-1106.	0.6	1
46	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
47	A multi-dimensional search for new heavy resonances decaying to boosted $W$ boson pairs in the dijet final state at $13\text{TeV}$ . European Physical Journal C, 2020, 80, 237.	1.4	31
48	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5
49	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2020, 80, 370.	1.4	22
50	Measurement of $t\bar{t}$ normalised multi-differential cross sections in $\text{pp}$ collisions at $\sqrt{s} = 13\text{TeV}$ , and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	1.4	33
51	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
52	Measurement of exclusive $\Lambda_c^0 \rightarrow \Lambda \pi^+ \gamma$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s} = 5.02\text{TeV}$ . European Physical Journal C, 2019, 79, 702.	1.4	33
53	Measurement of exclusive $\Upsilon(1S) \rightarrow \pi^+ \pi^- \gamma$ photoproduction from protons in $\text{pPb}$ collisions at $\sqrt{s} = 5.02\text{TeV}$ . European Physical Journal C, 2019, 79, 277.	1.4	35
54	High energy resolution thermal microcalorimeters for the HOLMES experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 936, 180-181.	0.7	0

#	ARTICLE	IF	CITATIONS
55	Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13 \text{ TeV}$ and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
56	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 305.	1.4	4
57	Search for the pair production of light top squarks in the $e^{\pm}\tilde{l}^{\mp}/4\tilde{e}^{\pm}$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
58	Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 421.	1.4	355
59	Measurements of the $p_T$ WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
60	Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
61	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	1.4	12
62	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 280.	1.4	29
63	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 364.	1.4	48
64	Search for single production of vector-like quarks decaying to a top quark and a $W$ boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 90.	1.4	34
65	Study of the underlying event in top quark pair production in $p\bar{p}$ collisions at $13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 123.	1.4	11
66	Search for rare decays of $Z$ and Higgs bosons to $J/\psi$ and a photon in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 94.	1.4	20
67	Search for $t\bar{t}$ production in the $H_0$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
68	Probing the absolute neutrino mass scale with $^{163}\text{Ho}$ : The HOLMES project. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 936, 252-253.	0.7	1
69	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a $W$ or $Z$ boson in proton-proton collisions at $13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
70	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 20.	1.4	18
71	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2019, 79, 969.	1.4	6
72	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	18

#	ARTICLE	IF	CITATIONS
73	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 893.	1.4	12
74	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 886.	1.4	16
75	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
76	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2018, 78, 242.	1.4	10
77	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 291.	1.4	27
78	Measurements of the $p_T$ distribution of Z bosons produced in proton-proton collisions and constraints on anomalous triple gauge couplings. European Physical Journal C, 2018, 78, 165.	1.4	52
79	Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2018, 78, 287.	1.4	16
80	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
81	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
82	Search for t anti-t H production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
83	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
84	Direct neutrino mass measurement by the HOLMES experiment. Journal of Physics: Conference Series, 2018, 1056, 012039.	0.3	1
85	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
86	Measurement of the top quark mass with lepton+jets final states using $p_T$ distributions in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 891.	1.4	34
87	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
88	Search for $Z^{\prime 3}$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
89	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
90	Search for third-generation scalar leptoquarks decaying to a top quark and a $t\bar{t}$ lepton at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 707.	1.4	46

#	ARTICLE	IF	CITATIONS
91	Measurement of differential cross sections for $\text{ext}\{\text{Z}\}$ $Z$ boson production in association with jets in proton-proton collisions at $\text{sqrt}\{\text{s}\} = 13, \text{TeV}$ . European Physical Journal C, 2018, 78, 965.	1.4	39
92	Studies of $\text{B}^* \rightarrow \text{B} \pi(5840)^0$ and $\text{B}^* \rightarrow \text{B} \rho(770)^0$		

#	ARTICLE	IF	CITATIONS
109	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
110	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 140.	1.4	44
111	Status of the HOLMES Experiment to Directly Measure the Neutrino Mass. Journal of Low Temperature Physics, 2018, 193, 1137-1145.	0.6	11
112	Measurements of the $t\bar{t}$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 1.	3	
113	Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and ratio of 8 to 7 $t\bar{t}$ cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
114	Measurement of the $t\bar{t}$ production cross section using events in the $e\mu$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 172.	1.4	40
115	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and cross section ratios to 2.76 and 7 $\text{TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
116	Measurement of the production cross section of a $W\bar{b}$ boson in association with two b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 92.	1.4	16
117	Measurement of the $WZ$ production cross section in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ and search for anomalous triple gauge couplings at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 236.	1.4	37
118	Measurement of prompt and nonprompt $J/\psi$ production in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ and search for anomalous triple gauge couplings at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 269.	1.4	53
119	A search for new phenomena in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with missing transverse momentum and at least one jet using the $\alpha_T$ variable. European Physical Journal C, 2017, 77, 294.	1.4	29
120	Measuring the electron neutrino mass with improved sensitivity: the HOLMES experiment. Journal of Instrumentation, 2017, 12, C02046-C02046.	0.5	14
121	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
122	Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 467.	1.4	23
123	Charged-particle nuclear modification factors in PbPb and pPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
124	Suppression and azimuthal anisotropy of prompt and nonprompt $J/\psi$ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ . European Physical Journal C, 2017, 77, 252.	1.4	82
125	Searches for pair production of third-generation squarks in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 327.	1.4	32
126	Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 354.	1.4	23

#	ARTICLE	IF	CITATIONS
127	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 845.	1.4	38
128	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
129	Search for top squark pair production in pp collisions at $s = 13 \text{ TeV}$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
130	Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
131	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 578.	1.4	57
132	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
133	Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 1.	1.4	2
134	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 636.	1.4	38
135	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
136	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
137	Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 751.	1.4	30
138	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 451.	1.4	55
139	Measurement of the $WW + W^+$ cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	1.4	74
140	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e\mu$ pair in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 317.	1.4	16
141	Status of the HOLMES detector development. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 824, 182-183.	0.7	1
142	Inside HOLMES experiment: 163Ho metallic target production for the micro-calorimeter absorber. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 824, 223-225.	0.7	3
143	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
144	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	1.6	13

#	ARTICLE	IF	CITATIONS
145	Forwardâ€“backward asymmetry of Drellâ€“Yan lepton pairs in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 325.	1.4	25
146	Search for new physics in same-sign dilepton events in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 439.	1.4	64
147	Measurement of dijet azimuthal decorrelation in ppâ€“collisions at $\sqrt{s}=8, \text{ TeV}$ . European Physical Journal C, 2016, 76, 536.	1.4	16
148	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02, \text{ TeV}$ . European Physical Journal C, 2016, 76, 372.	1.4	29
149	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7 \text{ TeV}$ and $8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
150	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section in the $e^{\pm}\nu e^{\pm}\nu$ channel in proton-proton collisions at $s = 7 \text{ TeV}$ and $8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
151	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 460.	1.4	18
152	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . European Physical Journal C, 2016, 76, 1.	1.4	26
153	Measurement of $t\bar{t}$ production with additional jet activity, including $b$ quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 379.	1.4	34
154	Measurement of the differential cross section and charge asymmetry for inclusive $p\rightarrow W^{\pm} p \bar{p}$ production at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 469.	1.4	83
155	Measurement of the $t\bar{t}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 128.	1.4	41
156	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
157	Search for massive WH resonances decaying into the $W \rightarrow l\nu b\bar{b}$ final state at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 237.	1.4	30
158	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $l,\nu$ leptons in pp collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
159	The HOLMES Experiment. Journal of Low Temperature Physics, 2016, 184, 922-929.	0.6	32
160	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 13.	1.4	62
161	Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physical Review D, 2015, 91, 16.	1.6	73
162	Study of final-state radiation in decays of Z bosons produced in pp collisions at 7 TeV. Physical Review D, 2015, 91, .	1.6	5

#	ARTICLE	IF	CITATIONS
163	Measurement of diffractive dissociation cross sections in protonâ€“proton collisions at 7 and 8 TeV. Physical Review D, 2015, 92, .	1.6	46
164	Constraints on the spin-parity and anomalous couplings of the Higgs boson in proton collisions at 7 and 8 TeV. Physical Review D, 2015, 92, .	1.6	185
165	Evidence for Collective Multiparticle Correlations in protonâ€“proton collisions at 8 TeV. Physical Review Letters, 2015, 115, 012301.	2.9	177
166	Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s} = 8 \text{ TeV}$ . Journal of Instrumentation, 2015, 10, P02006-P02006.	0.5	93
167	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
168	Search for pair-produced resonances decaying to jet pairs in protonâ€“proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 747, 98-119.	1.5	63
169	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
170	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
171	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
172	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
173	Measurement of the Z boson mass in protonâ€“proton collisions at 8 TeV with the ATLAS and CMS Experiments. Physical Review Letters, 2015, 114, 191803.	2.9	1,062
174	Measurement of the $Z\bar{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
175	Measurement of the inclusive 3-jet production differential cross section in protonâ€“proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. European Physical Journal C, 2015, 75, 186.	1.4	68
176	Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 542.	1.4	191
177	Measurements of the Z production cross sections in the $Z\bar{l}^2$ channel in protonâ€“proton collisions at $\sqrt{s} = 7 \text{ TeV}$ and $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 511.	1.4	32
178	Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 742, 200-224.	1.5	77
179	Search for new resonances decaying via $WZ$ to leptons in protonâ€“proton collisions at 8 TeV. Measurement of the $Z\bar{l}^2$ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at 8 TeV. European Physical Journal C, 2015, 75, 511.	1.5	52
180	mathvariant="normal">ZZ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at 8 TeV. European Physical Journal C, 2015, 75, 511.	1.5	52

#	ARTICLE	IF	CITATIONS
181	Measurement of differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 743, 503-525.	1.5	57
182	Measurement of the production cross section ratio $f(\tilde{t}\tilde{b}2(1P))/f(\tilde{t}\tilde{b}1(1P))$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 743, 383-402.	1.5	16
183	Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 743, 503-525.	1.5	18
184	Search for a standard model-like Higgs boson in the $\tilde{t}\tilde{b}2(1P)$ channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 744, 184-207.	1.5	67
185	Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 745, 5-28.	1.5	21
186	Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 746, 79-99.	1.5	24
187	Measurements of jet multiplicity and differential production cross sections of $t\bar{t}$ events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 746, 10-18.	1.5	15
188	Search for long-lived neutral particles decaying into quark-antiquark pairs in photon-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 747, 1-10.	1.6	46
189	Search for long-lived neutral particles decaying into quark-antiquark pairs in photon-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physical Review D, 2015, 91, 092001.	1.6	90
190	Search for Monotop Signatures in Proton-Proton Collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physical Review Letters, 2015, 114, 101801.	2.9	36
191	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
192	Search for Displaced Supersymmetry in Events with an Electron and a Muon with Large Impact Parameters. Physical Review Letters, 2015, 114, 061801.	2.9	44
193	Search for supersymmetry using razor variables in events with $b\bar{b}$ and $t\bar{t}$ tagged jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 107.	2.9	60
194	Study of Vector Boson Scattering and Search for New Physics in Events with Two Same-Sign Leptons and Two Jets. Physical Review Letters, 2015, 114, 051801.	2.9	80
195	Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physical Review D, 2015, 91, 092001.	1.6	167
196	Search for supersymmetry using razor variables in events with $b\bar{b}$ and $t\bar{t}$ tagged jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 107.	1.6	46
197	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 66.	1.4	31
198	HOLMES. European Physical Journal C, 2015, 75, 112.	1.4	127

#	ARTICLE	IF	CITATIONS
199	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 147.	1.4	88
200	Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 151.	1.4	44
201	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	1.6	26
202	Search for disappearing tracks in proton-proton collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
203	Study of Z production in PbPb and pp collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
204	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
205	Observation of the rare $B_s^0 \rightarrow \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data. Nature, 2015, 522, 68-72.	13.7	390
206	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 235.	1.4	320
207	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2015, 75, 288.	1.4	54
208	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ . European Physical Journal C, 2015, 75, 237.	1.4	58
209	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 225.	1.4	43
210	Yield Ratios in Pb-Pb and $\eta$ -Pb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . European Physical Journal C, 2015, 75, 236.	2.9	47
211	Searches for heavy Higgs bosons in two-Higgs-doublet models and for the decay using multilepton and diphoton final states in pp collisions at $8 \text{ TeV}$ . Physical Review D, 2014, 90, .	1.6	51
212	Search for supersymmetry with razor variables in $\eta$ -Pb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . Physical Review D, 2014, 90, .	1.6	15
213	Search for heavy neutrinos and $W$ bosons with right-handed couplings in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physical Review D, 2014, 90, .	1.6	69
214	Search for heavy neutrinos and $W$ bosons with right-handed couplings in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2014, 74, 3149.	1.4	179
215	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2014, 74, 3060.	1.4	43
216	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2014, 74, 3129.	1.4	65

#	ARTICLE	IF	CITATIONS
217	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
218	Measurement of pseudorapidity distributions of charged particles in proton+proton collisions at $\sqrt{s} = 8 \text{ TeV}$ by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
219	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
220	Measurement of prompt J/ψ pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	1.6	61
221	Measurement of the production cross section for a W boson and two b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 739, 298-307.	1.5	23
222	Search for excited quarks in the final state in proton+proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 287-296.	1.5	23
223	Search for pair production of third-generation scalar leptoquarks and top squarks in proton+proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 739, 229-249.	1.5	23
224	Alignment of the CMS tracker with LHC and cosmic ray data. Journal of Instrumentation, 2014, 9, P06009-P06009.	0.5	32
225	Measurement of jet fragmentation in PbPb and p+p collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 739, 111-118.	1.6	70
226	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . Physical Review C, 2014, 89, 024902.	2.9	45
227	Search for Top Squark and Higgsino Production Using Diphoton Higgs Boson Decays. Physical Review Letters, 2014, 112, 161802.	2.9	45
228	Search for anomalous production of events with three or more leptons in p+p collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review D, 2014, 90, 034002.	1.6	70
229	Measurements of $\langle \cos(\Delta\phi_{\text{miss}}) \rangle$ and $\langle \cos(\Delta\phi_{\text{miss}}) \rangle$ in $t\bar{t}$ and $W\bar{W}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review D, 2014, 90, 034002.	2.9	94
230	Search for Top-Quark Partners With Charge $\pm 1/2$ in $t\bar{t}$ and $W\bar{W}$ Collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review D, 2014, 90, 034002.	2.9	63
231	Search for Top-Quark Polarization Using Dilepton Final States in $t\bar{t}$ and $W\bar{W}$ Collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review D, 2014, 90, 034002.	2.9	76
232	Search for Jet Extinction in the Inclusive Jet Cross Sections in p+p Collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review D, 2014, 90, 034002.	1.6	6
233	Search for the standard model Higgs boson produced in association with a $Z$ boson and decaying to bottom quarks. Physical Review D, 2014, 90, 034002.	1.6	37
234	Search for the standard model Higgs boson produced in association with a $Z$ boson and decaying to bottom quarks. Physical Review D, 2014, 90, 034002.	1.6	161



#	ARTICLE	IF	CITATIONS
253	Measurement of associated $W + \text{charm}$ production in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	1.6	55
254	Search for new physics in events with same-sign dileptons and jets in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1. Measurement of the ratio $\frac{\text{production cross section in pp collisions at } \sqrt{s} = 8 \text{ TeV}}{\text{production cross section in pp collisions at } \sqrt{s} = 7 \text{ TeV}}$	1.6	48
255	Measurement of the ratio $\frac{\text{production cross section in pp collisions at } \sqrt{s} = 8 \text{ TeV}}{\text{production cross section in pp collisions at } \sqrt{s} = 7 \text{ TeV}}$	1.5	20
256	stretchy="false">>/</mml:mo><mml:mi mathvariant="script">B</mml:mi><mml:mo		

#	ARTICLE	IF	CITATIONS
271	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $s = 7 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
272	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4
273	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
274	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
275	Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $s = 7 \text{ TeV}$ . European Physical Journal C, 2014, 74, 2758.	1.4	35
276	Study of the production of charged pions, kaons, and protons in pPb collisions at $s_{\text{NN}} = 5.02 \text{ TeV}$ . European Physical Journal C, 2014, 74, 2847.	1.4	85
277	Probing color coherence effects in pp collisions at $s = 7 \text{ TeV}$ . European Physical Journal C, 2014, 74, 2901.	1.4	17
278	Inclusive search for a vector-like T quark with charge $\frac{2}{3}$ in pp collisions at $s = 7 \text{ TeV}$ . European Physical Journal C, 2014, 74, 2901.	1.5	110
279	Modification of jet shapes in pPb collisions at $s = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 729, 149-171.	1.44	144
280	Search for baryon number violation in top-quark decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 731, 173-196.	1.5	12
281	Observation of a peak in the mass spectrum from $t\bar{t}$ decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 731, 173-196.	2.9	108
282	Search for supersymmetry in pp collisions at $s = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 731, 173-196.	1.5	112
283	Search for "supersymmetric" in pp collisions at $s = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 731, 173-196.	1.5	118
284	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.	6	6
285	Search for microscopic black holes in pp collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	1.6	44
286	Measurement of the $\Lambda_b^0$ lifetime in pp collisions at $s = 7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
287	Searches for long-lived charged particles in pp collisions at $s = 7 \text{ and } 8 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	1.6	118
288	Study of exclusive two-photon production of $W+W^-$ in pp collisions at $s = 7 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75

#	ARTICLE	IF	CITATIONS
289	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
290	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
291	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
292	Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
293	Measurement of the $X(3872)$ production cross section via decays to $J/\psi \ell^+\ell^-$ in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
294	Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s}=0.9, 2.76, 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
295	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
296	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
297	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
298	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	20
299	Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	1.4	20
300	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
301	Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 1252-1272.	1.5	20
302	Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 42-61.	1.5	22
303	Search for a new bottomonium state decaying to $\psi \chi_1^0$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 727, 77-100.	1.5	45
304	Measurement of the $\psi \chi_1^0$ production cross sections in pp collisions at $\sqrt{s}=7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 727, 77-100.	1.5	37
305	Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\sqrt{s}=7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 727, 77-100.	1.5	88
306	Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\sqrt{s}=7$ TeV. Physics Review D, 2013, 88,	1.6	7

#	ARTICLE	IF	CITATIONS
307	Observation of a diffractive contribution to dijet production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physical Review D</i> , 2013, 87, 1.	1.6	24
308	Measurement of the production cross section for $Z\gamma\bar{\nu}\nu$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on $ZZ\bar{l}^3$ and $Z\bar{l}^3l^3$ triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	14
309	Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	30
310	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{T}$ and b-quark multiplicity in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 2568.	1.4	147
311	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	16
312	Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 2494.	1.4	55
313	Search for physics beyond the standard model in events with $\bar{l}$ , leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 2493.	1.4	22
314	Measurement of the $t\bar{t}t\bar{t}$ production cross section in the $\bar{l}, +\text{jets}$ channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 1.	1.4	24
315	Jet and underlying event properties as a function of charged-particle multiplicity in proton+proton collisions at $\sqrt{s}=7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 2674.	1.4	32

#	ARTICLE	IF	CITATIONS
325	Measurement of the inelastic proton+proton cross section at $\sqrt{s} = 14$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Event shapes and azimuthal correlations in $\sqrt{s}$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle / \text{mml:mtext} \rangle$ $\text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ .		
326	Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Event shapes and azimuthal correlations in $\sqrt{s}$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:mi} \rangle \text{mathvariant} = \text{"normal"} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle \text{mml:mtext} \rangle \text{jets} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ $\text{events in pp collisions at } \sqrt{s}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si2.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:mathvariant} = \text{"normal"} \rangle t \langle / \text{mml:mathvariant} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mathvariant} = \text{"true"} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \langle / \text{mml:mtext} \rangle$ $\text{mathvariant} = \text{"normal"} \langle / \text{mml:mathvariant} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:math} \rangle \text{ production cross section in pp collisions at } \sqrt{s}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si2.gif"}$	1.5	41
327	Search for a narrow, spin-2 resonance decaying to a pair of Z bosons in the $\sqrt{s}$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:mi} \rangle \text{mathvariant} = \text{"normal"} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mathvariant} = \text{"true"} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \langle / \text{mml:mtext} \rangle$ $\text{mathvariant} = \text{"normal"} \langle / \text{mml:mathvariant} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:math} \rangle \text{ production cross section in pp collisions at } \sqrt{s}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si2.gif"}$	1.5	47
328	Search for a narrow, spin-2 resonance decaying to a pair of Z bosons in the $\sqrt{s}$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:mi} \rangle \text{mathvariant} = \text{"normal"} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mathvariant} = \text{"true"} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \langle / \text{mml:mtext} \rangle$ $\text{mathvariant} = \text{"normal"} \langle / \text{mml:mathvariant} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:math} \rangle \text{ production cross section in pp collisions at } \sqrt{s}$ $\text{xmlns:xsi} = \text{http://www.w3.org/2001/XMLSchema-instance}$ $\text{xmlns:xs} = \text{http://www.w3.org/2001/XMLSchema}$ $\text{xmlns:ja} = \text{http://www.elsevier.com/xml/ja/dtd}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{xmlns:stb} = \text{http://www.elsevier.com/xml/common/table/dtd"}$	1.5	9
329	Search for heavy narrow dilepton resonances in pp collisions at $\sqrt{s}$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ $\text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ and $\langle \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si2.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \rangle$ $\text{xmlns:xocs} = \text{http://www.elsevier.com/xml/xocs/dtd"}$ $\text{xmlns:xs} = \text{http://www.w3.org/2001/XMLSchema}$ $\text{xmlns:ja} = \text{http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$	1.5	18
330	Search for heavy narrow dilepton resonances in pp collisions at $\sqrt{s}$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ $\text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ and $\langle \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si2.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \rangle$ $\text{xmlns:xocs} = \text{http://www.elsevier.com/xml/xocs/dtd"}$ $\text{xmlns:xs} = \text{http://www.w3.org/2001/XMLSchema}$ $\text{xmlns:ja} = \text{http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$	1.5	81
331	Search for anomalous production of highly boosted Z bosons decaying to $\ell^+\ell^-$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 8 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ $\text{mathvariant} = \text{"normal"} \langle / \text{mml:mathvariant} \rangle W \langle / \text{mml:mathvariant} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mathvariant} = \text{"true"} \rangle \langle \text{mml:mn} \rangle 8 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ $\text{boson decaying to a bottom quark and a top quark in pp collisions at } \sqrt{s}$ $\text{xmlns:xocs} = \text{http://www.elsevier.com/xml/xocs/dtd"}$ $\text{xmlns:xs} = \text{http://www.w3.org/2001/XMLSchema}$ $\text{xmlns:ja} = \text{http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$	1.5	34
332	Search for anomalous production of highly boosted Z bosons decaying to $\ell^+\ell^-$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle A \langle / \text{mml:mtext} \rangle$ $\text{xmlns:xs} = \text{http://www.w3.org/2001/XMLSchema}$ $\text{xmlns:xi} = \text{http://www.w3.org/2001/XMLSchema-instance}$ $\text{xmlns:xa} = \text{http://www.elsevier.com/xml/xa/dtd"}$ $\text{xmlns:ja} = \text{http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$	1.5	6
333	Search for anomalous production of highly boosted Z bosons decaying to $\ell^+\ell^-$ . $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si2.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:mi} \rangle \text{stretchy} = \text{"false"} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si2.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:mi} \rangle \text{stretchy} = \text{"false"} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \rangle$		

#	ARTICLE	IF	CITATIONS
343	Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	1.5	15
344	Studies of jet quenching using isolated-photon + jet correlations in PbPb and pp collisions at <math>\sqrt{s} = 2.76 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 773-794.	1.5	130
345	Observation of long-range, near-side angular correlations in pPb collisions at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 795-814.	1.5	520
346	Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 815-840.	1.5	15
347	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at <math>\sqrt{s} = 7 \text{ TeV}</math>. European Physical Journal C, 2013, 73, 2283.	1.4	64
348	Measurement of differential top-quark-pair production cross sections in pp collisions at <math>\sqrt{s} = 7 \text{ TeV}</math>. European Physical Journal C, 2013, 73, 1.	1.4	125
349	Search for narrow resonances using the dijet mass spectrum in <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	1.6	71
350	Search for contact interactions in <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	1.6	5
351	Search for contact interactions in <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	2.9	282
352	Searches for new physics using the <math>t\bar{t}</math> invariant mass distribution in pp collisions at <math>s = 8 \text{ TeV}</math>. Physical Review Letters, 2013, 111, 211804.	2.9	90
353	Interpretation of searches for supersymmetry with simplified models. Physical Review D, 2013, 88, .	1.6	58
354	Inclusive Search for Supersymmetry Using Razor Variables in <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	2.9	44
355	Search for Top Squarks in <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	2.9	47
356	Search for Z-resonances decaying to <math>t\bar{t}</math> + dilepton+jets final states in pp collisions at <math>s = 7 \text{ TeV}</math>. Physical Review D, 2013, 87, .	1.6	34
357	Measurements of differential jet cross sections in proton-proton collisions at <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	1.6	115
358	Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC. Physical Review D, 2013, 87, .	1.6	11
359	Rapidity distributions in exclusive <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	1.6	12
360	Search for fractionally charged particles in <math>\sqrt{s} = 7 \text{ TeV}</math>. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301.	1.6	41

#	ARTICLE	IF	CITATIONS
361	Measurement of the azimuthal anisotropy of neutral pions in Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . Physical Review Letters, 2013, 110, 042301.	2.9	82
362	Evidence for Associated Production of a Single Top Quark and W-Boson in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review Letters, 2013, 110, 022003.	2.9	61
363	Search for pair-produced dijet resonances in four-jet final states in $\sqrt{s} = 7 \text{ TeV}$ collisions. Physical Review Letters, 2013, 110, 022003.	2.9	43
364	Search for Pair Production of Third-Generation Leptoquarks and Top Squarks in $\sqrt{s} = 7 \text{ TeV}$ collisions. Physical Review Letters, 2013, 110, 022003.	1.6	12
365	Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network. Physical Review D, 2013, 87, .	1.6	13
366	Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . Physical Review C, 2013, 87, .	2.9	44
367	Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review D, 2013, 87, .	1.6	9
368	Measurement of associated production of vector bosons and top quark-antiquark pairs in $\sqrt{s} = 7 \text{ TeV}$ collisions. Physical Review Letters, 2013, 110, 022003.	2.9	45
369	Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of Instrumentation, 2013, 8, P09009-P09009.	0.5	140
370	Identification of b-quark jets with the CMS experiment. Journal of Instrumentation, 2013, 8, P04013-P04013.	0.5	418
371	The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ at the LHC. Journal of Instrumentation, 2013, 8, P11002-P11002.	0.5	119
372	Search for pair production of first- and second-generation scalar leptoquarks in $\sqrt{s} = 7 \text{ TeV}$ Pb-Pb Collisions. Physical Review Letters, 2012, 109, 152303.	1.6	32
373	Azimuthal Anisotropy of Charged Particles at High Transverse Momenta in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . Physical Review Letters, 2012, 109, 171803.	2.9	29
374	Search for New Physics in the Multijet and Missing Transverse Momentum Final State in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review Letters, 2012, 109, 171803.	2.9	118

#	ARTICLE	IF	CITATIONS
379	Search for New Physics with Same-Sign Isolated Dilepton Events with Jets and Missing Transverse Energy. <i>Physical Review Letters</i> , 2012, 109, 071803.	2.9	49
380	Search for the Standard Model Higgs Boson in the Decay Channel $\text{H} \rightarrow \text{bb} \rightarrow \text{Z} \rightarrow \text{ll}$ . <i>Physical Review Letters</i> , 2012, 109, 071804.	2.9	97
381	Measurement of the Electron Charge Asymmetry in Inclusive $\text{e}^+ \text{e}^- \rightarrow \text{bb}$ Collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Physical Review Letters</i> , 2012, 109, 071805.	2.9	65
382	Production in $\text{W} \rightarrow \text{bb}$ Collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Physical Review Letters</i> , 2012, 109, 071806.	2.9	95
383	Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Physical Review D</i> , 2012, 86, .	1.6	18
384	Inclusive search for squarks and gluinos in $\text{pp}$ collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Physical Review Letters</i> , 2012, 109, 071807.	1.6	41
385	Combined search for the quarks of a sequential fourth generation. <i>Physical Review D</i> , 2012, 86, .	1.6	26
386	Study of the Dijet Mass Spectrum in $\text{pp} \rightarrow \text{W} + \text{jets}$ Events at $\sqrt{s} = 7\text{TeV}$ . <i>Physical Review Letters</i> , 2012, 109, 251801.	1.5	
387	Search for Dark Matter and Large Extra Dimensions in $\text{pp}$ Collisions Yielding a Photon and Missing Transverse Energy. <i>Physical Review Letters</i> , 2012, 108, 261803.	2.9	126
388	Observation of Sequential $\text{W} \rightarrow \text{bb}$ Suppression in PbPb Collisions. <i>Physical Review Letters</i> , 2012, 109, 222301.	2.9	220
389	Observation of a New $\text{b} \rightarrow \text{bb}$ Baryon. <i>Physical Review Letters</i> , 2012, 108, 252002.	2.9	65
390	Performance of $\ell, q$ -lepton reconstruction and identification in CMS. <i>Journal of Instrumentation</i> , 2012, 7, P01001-P01001.	0.5	91
391	Inclusive b-jet production in pp collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	39
392	Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	18
393	Suppression of non-prompt $\text{J}/\psi$ , prompt $\text{J}/\psi$ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	200
394	Search for heavy bottom-like quarks in $4.9\text{fb}^{-1}$ of pp collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	45
395	Measurement of the cross section for production of $b\bar{b}$ decaying to muons in pp collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	6
396	Measurement of the $Z/\gamma^*$ b-jet cross section in pp collisions at $\sqrt{s} = 7\text{TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	39

#	ARTICLE	IF	CITATIONS
397	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	31
398	Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	68
399	Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	117
400	Search for leptonic decays of $W^{\pm}$ bosons in pp collisions at $\sqrt{s} = 7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	49
401	Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
402	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
403	Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9\text{ and }7\text{ TeV}$ with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
404	Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
405	Search for dark matter and large extra dimensions in monojet events in pp collisions at $\sqrt{s} = 7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	168
406	Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
407	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	95
408	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	85
409	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
410	Search for exclusive or semi-exclusive $\tilde{b}\tilde{b}$ production and observation of exclusive and semi-exclusive $e+e^-$ production in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	51
411	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	7
412	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	41
413	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	11
414	Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	26

#	ARTICLE	IF	CITATIONS
415	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	34
416	Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	83
417	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	14
418	Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	38
419	Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 30-61. Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 30-61.	1.5	6,177
420	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 30-61.	1.6	35
421	Measurement of the rapidity and transverse momentum distributions of $t\bar{t}$ bosons with Right-Handed Couplings in a Left-Right Symmetric Model. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 30-61.	2.9	53
422	Measurement of the rapidity and transverse momentum distributions of $t\bar{t}$ bosons in $t\bar{t}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 716, 30-61.	1.6	108
423	A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider. <i>Science</i> , 2012, 338, 1569-1575.	6.0	85
424	Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 68-90.	1.5	120
425	Search for heavy long-lived charged particles in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 103-123.	1.5	37
426	Search for resonances in dilepton mass spectra in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 103-123.	1.5	37
427	Study of W boson production in PbPb and pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 103-123.	1.5	37
428	Search for heavy top-like quark pair production in the dilepton final state in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 103-123.	1.5	83
429	Search for high-mass resonances decaying into $e^+e^-$ lepton pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 103-123.	1.5	45
430	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Euro. Phys. J. C</i> , 2012, 72, 1.	1.5	29
431	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	33
432	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Euro. Phys. J. C</i> , 2012, 72, 1.	1.4	154



#	ARTICLE	IF	CITATIONS
451	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^(*) \rightarrow q\bar{q}$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
452	Search for microscopic black holes in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
453	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	16
454	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
455	Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 28-49.	1.5	79
456	Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 28-49.	1.5	79
457	Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 26-38.	1.5	88
458	Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 256-264.	1.5	122
459	Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 284-296.	1.5	122
460	Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 403-425.	1.5	148
461	Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 426-436.	1.5	17
462	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	369
463	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	181
464	Jet production rates in association with W and Z bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
465	Exclusive $t\bar{t}^3 \rightarrow t\bar{t} + t\bar{t}$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	56
466	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
467	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
468	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
469	Upsilon production cross section in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review D, 2011, 83, 032003.	1.6	88
470	Measurement of the differential cross section for isolated prompt photon production in $\text{pp}$ collisions at $7 \text{ TeV}$ . Physical Review D, 2011, 84, 032003.	1.6	65
471	Measurement of the cross section with $\text{pp}$ collisions at $7 \text{ TeV}$ . Physical Review D, 2011, 84, 032003.	1.6	35
472	Observation and studies of jet quenching in $\text{PbPb}$ collisions at $\sqrt{s_{\text{NN}}} = 200 \text{ GeV}$ . Physical Review C, 2011, 84, 034902.	1.1	455
473	Indication of Suppression of Excited States in $\text{Pb-Pb}$ Collisions at $\sqrt{s_{\text{NN}}} = 200 \text{ GeV}$ . Physical Review C, 2011, 84, 034902.	2.9	153
474	Measurement of Dijet Angular Distributions and Search for Quark Compositeness in $\text{pp}$ Collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review Letters, 2011, 106, 201804.	2.9	54
475	Missing transverse energy performance of the CMS detector. Journal of Instrumentation, 2011, 6, P09001-P09001.	0.5	102
476	Measurement of $W^{\pm 3}$ and $Z^{\pm 3}$ production in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 535-555.	1.5	39
477	Search for first generation scalar leptoquarks in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142.	1.5	14
478	Search for physics beyond the standard model using multilepton signatures in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142.	1.5	12
479	Search for resonances in the dijet mass spectrum from $7 \text{ TeV}$ $\text{pp}$ collisions at CMS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142.	1.5	118
480	Search for physics beyond the standard model using multilepton signatures in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142.	1.5	28
481	Prompt and non-prompt $J/\psi$ production in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2011, 71, 1.	1.4	135
482	Measurement of the $t\bar{t}$ production cross section in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	1.4	37
483	Charged particle multiplicities in $\text{pp}$ interactions at $\sqrt{s} = 0.9, 2.36$ , and $7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	1.6	106
484	Measurements of inclusive $W$ and $Z$ cross sections in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	1.6	122
485	Search for heavy stable charged particles in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	1.6	38
486	Inclusive $b$ -hadron production cross section with muons in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	1.6	23

#	ARTICLE	IF	CITATIONS
487	Measurement of $\overline{B}$ angular correlations based on secondary vertex reconstruction at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	32
488	Measurement of the lepton charge asymmetry in inclusive $W$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	59
489	Measurement of Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	30
490	Strange particle production in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	139
491	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	22
492	Search for resonances in the dilepton mass distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	39
493	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	26
494	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	46
495	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	10
496	Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	53
497	Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{\{s_{\text{NN}}\}} = 2.76 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	65
498	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	13
499	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	29
500	Search for same-sign top-quark pair production at $\sqrt{s} = 7 \text{ TeV}$ and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	40
501	Charged particle transverse momentum spectra in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	56
502	Measurement of the inclusive $Z$ cross section via decays to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	20
503	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{\{s_{\text{NN}}\}} = 2.76 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	99
504	Search for new physics with jets and missing transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	1.6	49

#	ARTICLE	IF	CITATIONS
505	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	1.6	32
506	Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7 \text{ TeV}$ and comparison with $\sqrt{s} = 0.9 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	1.6	97
507	Measurement of the Drell-Yan cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2011, 2011, 1.	1.6	36
508	Measurement of the inclusive W and Z production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	1.6	158
509	Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	1.6	25
510	First measurement of the cross section for top-quark pair production in proton+proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 695, 424-443.	1.5	90
511	Search for microscopic black hole signatures at the Large Hadron Collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 697, 434-453.	1.5	65
512	Search for a heavy gauge boson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 697, 434-453.	1.5	26
513	Search for supersymmetry in pp collisions at 7 TeV in events with jets and missing transverse energy. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 196-218.	1.5	171
514	Measurement of $W+W^-$ production and search for the Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 25-47.	1.5	15
515	First measurement of hadronic event shapes in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 48-67.	1.5	38
516	Measurement of the differential dijet production cross section in proton+proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 700, 187-200.	1.5	15
517	Search for a heavy bottom-like quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 700, 187-200.	1.5	27
518	Search for a heavy bottom-like quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 700, 187-200.	1.5	30
519	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 107-119.	2.9	62
520	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 107-119.	2.9	80
521	Search for $B_s \rightarrow \Lambda_c^+ \Lambda_c^-$ and $B_0 \rightarrow \Lambda_c^+ \Lambda_c^-$ decays in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review Letters, 2011, 107, 1802.	2.9	101
522	Search for Pair Production of Second-Generation Scalar Leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physical Review Letters, 2011, 106, 201803.	2.9	17

#	ARTICLE	IF	CITATIONS
523	Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy. Physical Review Letters, 2011, 107, 221804.	2.9	208
524	Study of $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson Production in PbPb Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle N \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle N \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle$ . Physical Review Letters, 2011, 106, 212301.	2.9	80
525	Search for Supersymmetry in $\text{pp} \rightarrow \text{Collisions}$ at $\sqrt{s} = 7 \text{ TeV}$ in Events with Two Photons and Missing Transverse Energy. Physical Review Letters, 2011, 106, 211802.	2.9	47
526	Search for Pair Production of First-Generation Scalar Leptoquarks in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ . Physical Review Letters, 2011, 106, 201802.	2.9	21
527	Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC. Physical Review D, 2011, 84, .	1.6	51
528	Search for New Physics with a Monojet and Missing Transverse Energy in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ . Physical Review Letters, 2011, 107, 201804.	2.9	53
529	Measurement of the Inclusive Jet Cross Section in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Events. Physical Review Letters, 2011, 107, 201805.	2.9	59
530	Measurement of the Inclusive Jet Cross Section in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ . Physical Review Letters, 2011, 107, 201806.	2.9	125
531	Cross Section in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle 3 \langle / \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:math} \rangle$ . Physical Review Letters, 2011, 107, 201807.	2.9	61
532	Search for Three-Jet Resonances in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ . Physical Review Letters, 2011, 107, 201801.	2.9	34
533	Publisher's Note: Search for Dijet Resonances in $7 \text{ TeV pp}$ Collisions at CMS [Phys. Rev. Lett. 105, 211801 (2010)]. Physical Review Letters, 2011, 106, .	2.9	9
534	Search for Neutral Minimal Supersymmetric Standard Model Higgs Bosons Decaying to Tau Pairs in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:math} \rangle$ . Physical Review Letters, 2011, 106, 231801.	2.9	74
535	Measurement of the Polarization of $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Bosons with Large Transverse Momenta in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle \text{mml:mtext} \rangle$ . Physical Review Letters, 2011, 107, 201802.	2.9	60
536	Search for Stopped Gluinos in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ -Channel Single Top Quark Production Cross Section in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:math} \rangle$ . Physical Review Letters, 2011, 107, 201803.	2.9	46
537	Determination of jet energy calibration and transverse momentum resolution in CMS. Journal of Instrumentation, 2011, 6, P11002-P11002.	0.5	508
540	Measurement of energy flow at large pseudorapidities in $\text{pp}$ collisions at ( $\sqrt{s} = 0.9$ ) and $7 \text{ TeV}$ , 2011, 2011, 1.	5	

#	ARTICLE	IF	CITATIONS
541	Performance and operation of the CMS electromagnetic calorimeter. <i>Journal of Instrumentation</i> , 2010, 5, T03010-T03010.	0.5	59
542	Time reconstruction and performance of the CMS electromagnetic calorimeter. <i>Journal of Instrumentation</i> , 2010, 5, T03011-T03011.	0.5	34
543	Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data. <i>Journal of Instrumentation</i> , 2010, 5, T03013-T03013.	0.5	20
544	Performance of the CMS drift tube chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03015-T03015.	0.5	24
545	Calibration of the CMS drift tube chambers and measurement of the drift velocity with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03016-T03016.	0.5	17
546	Performance study of the CMS barrel resistive plate chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03017-T03017.	0.5	25
547	Performance of the CMS cathode strip chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03018-T03018.	0.5	20
548	Aligning the CMS muon chambers with the muon alignment system during an extended cosmic ray run. <i>Journal of Instrumentation</i> , 2010, 5, T03019-T03019.	0.5	19
549	Measurement of the muon stopping power in lead tungstate. <i>Journal of Instrumentation</i> , 2010, 5, P03007-P03007.	0.5	25
550	Performance of the CMS Level-1 trigger during commissioning with cosmic ray muons and LHC beams. <i>Journal of Instrumentation</i> , 2010, 5, T03002-T03002.	0.5	24
551	Performance of the CMS drift-tube chamber local trigger with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03003-T03003.	0.5	19
552	Commissioning and performance of the CMS silicon strip tracker with cosmic ray muons. <i>Journal of Instrumentation</i> , 2010, 5, T03008-T03008.	0.5	25
553	Alignment of the CMS silicon tracker during commissioning with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03009-T03009.	0.5	59
554	Commissioning of the CMS experiment and the cosmic run at four tesla. <i>Journal of Instrumentation</i> , 2010, 5, T03001-T03001.	0.5	37
555	Fine synchronization of the CMS muon drift-tube local trigger using cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03004-T03004.	0.5	18
556	Commissioning of the CMS High-Level Trigger with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03005-T03005.	0.5	5
557	Performance of the CMS hadron calorimeter with cosmic ray muons and LHC beam data. <i>Journal of Instrumentation</i> , 2010, 5, T03012-T03012.	0.5	36
558	Alignment of the CMS muon system with cosmic-ray and beam-halo muons. <i>Journal of Instrumentation</i> , 2010, 5, T03020-T03020.	0.5	23

#	ARTICLE	IF	CITATIONS
559	Precise mapping of the magnetic field in the CMS barrel yoke using cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03021-T03021.	0.5	36
560	Performance of CMS muon reconstruction in cosmic-ray events. <i>Journal of Instrumentation</i> , 2010, 5, T03022-T03022.	0.5	52
561	CMS data processing workflows during an extended cosmic ray run. <i>Journal of Instrumentation</i> , 2010, 5, T03006-T03006.	0.5	19
562	Commissioning and performance of the CMS pixel tracker with cosmic ray muons. <i>Journal of Instrumentation</i> , 2010, 5, T03007-T03007.	0.5	35
563	First measurement of the underlying event activity at the LHC with $\sqrt{s} = 0.9 \text{ TeV}$ . <i>European Physical Journal C</i> , 2010, 70, 555-572.	1.4	50
564	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010, 70, 1165-1192.	1.4	120
565	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9 \text{ and } 2.36 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	1.6	230
566	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	1.6	497
567	Measurement of the charge ratio of atmospheric muons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010, 692, 83-104.	1.5	38
568	Identification and filtering of uncharacteristic noise in the CMS hadron calorimeter. <i>Journal of Instrumentation</i> , 2010, 5, T03014-T03014.	0.5	57
569	Search for Quark Compositeness with the Dijet Centrality Ratio. <i>Physical Review Letters</i> , 2010, 105, 032001. <i>xmlns:mml="http://www.w3.org/1998/Math/MathML"</i> <i>display="inline"&gt; &lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:math&gt; Collisions at &lt;mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block"&gt; &lt;mml:msort&gt;&lt;mml:mi&gt;s&lt;/mml:mi&gt;&lt;/mml:msort&gt;&lt;mml:msqrt&gt;&lt;mml:mo&gt;=&lt;/mml:mo&gt;&lt;mml:mn&gt;7&lt;/mml:mn&gt;&lt;mml:mtext&gt; % &lt;/mml:math&gt;</i>	2.9	41
570	First Measurement of Bose-Einstein Correlations in Proton-Proton Collisions at $\sqrt{s} = 0.9 \text{ and } 2.36 \text{ TeV}$ at the LHC. <i>Physical Review Letters</i> , 2010, 105, 032001. <i>xmlns:mml="http://www.w3.org/1998/Math/MathML"</i> <i>display="block"&gt; &lt;mml:msqrt&gt;&lt;mml:mi&gt;s&lt;/mml:mi&gt;&lt;/mml:msqrt&gt;&lt;mml:mo&gt;=&lt;/mml:mo&gt;&lt;mml:mn&gt;0.9&lt;/mml:mn&gt;&lt;/mml:math&gt; and &lt;math&gt;2.36 \text{ TeV} at the LHC. <i>Physical Review Letters</i>, 2010, 105, 032001. <i>ed. Hadrons in &lt;mml:math&gt;</i></i>	2.9	49
571	Search for Dijet Resonances in $7 \text{ TeV}$ . <i>Physical Review Letters</i> , 2010, 105, 211801. <i>xmlns:mml="http://www.w3.org/1998/Math/MathML"</i> <i>display="block"&gt; &lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:math&gt; Collisions at &lt;mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block"&gt; &lt;mml:msort&gt;&lt;mml:mi&gt;s&lt;/mml:mi&gt;&lt;/mml:msort&gt;&lt;mml:msqrt&gt;&lt;mml:mo&gt;=&lt;/mml:mo&gt;&lt;mml:mn&gt;7&lt;/mml:mn&gt;&lt;mml:mtext&gt; % &lt;/mml:math&gt;</i>	2.9	400
572	Search for Dijet Resonances in $7 \text{ TeV}$ . <i>Physical Review Letters</i> , 2010, 105, 211801. <i>xmlns:mml="http://www.w3.org/1998/Math/MathML"</i> <i>display="block"&gt; &lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;mml:mi&gt;p&lt;/mml:mi&gt;&lt;/mml:math&gt; Collisions at CMS. <i>Physical Review Letters</i>, 2010, 105, 211801.</i>	2.9	126
573	Radiation hardness qualification of PbWO <sub>4</sub> scintillation crystals for the CMS Electromagnetic Calorimeter. <i>Journal of Instrumentation</i> , 2010, 5, P03010-P03010.	0.5	19
574	The CMS barrel calorimeter response to particle beams from $\sqrt{s} = 2 \text{ to } 350 \text{ GeV}/c$ . <i>European Physical Journal C</i> , 2009, 60, 359-373.	1.4	29
575	International Scoping Study (ISS) for a future neutrino factory and Super-Beam facility. Detectors and flux instrumentation for future neutrino facilities. <i>Journal of Instrumentation</i> , 2009, 4, T05001-T05001.	0.5	36
576	Intercalibration of the barrel electromagnetic calorimeter of the CMS experiment at start-up. <i>Journal of Instrumentation</i> , 2008, 3, P10007-P10007.	0.5	26

#	ARTICLE	IF	CITATIONS
577	CMS Physics Technical Design Report, Volume II: Physics Performance. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2007, 34, 995-1579.	1.4	683
578	CMS Physics Technical Design Report: Addendum on High Density QCD with Heavy Ions. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2007, 34, 2307-2455.	1.4	136
579	Performance of a liquid argon time projection chamber exposed to the CERN West Area Neutrino Facility neutrino beam. <i>Physical Review D</i> , 2006, 74, .	1.6	38
580	New large area glass RPC: development, production and performances. <i>IEEE Transactions on Nuclear Science</i> , 2006, 53, 341-345.	1.2	2
581	Precision electroweak measurements on the Z resonance. <i>Physics Reports</i> , 2006, 427, 257-454.	10.3	974
582	Results of the first performance tests * of the CMS electromagnetic calorimeter. <i>European Physical Journal C</i> , 2006, 44, 1-10.	1.4	38
583	Reconstruction of the signal amplitude of the CMS electromagnetic calorimeter. <i>European Physical Journal C</i> , 2006, 46, 23-35. Test of large area glass RPCs at the <math altimg="si2.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mm="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns: sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.Nucle	1.4	37
584	PERFORMANCE OF THE COOLING SYSTEM OF ECAL CMS. , 2004, . .	0.7	9
585	A new high-density detector for atmospheric neutrinos. Towards neutrino stoichiometry. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2000, 85, 58-63.	0.5	0
586	Baseline concept for a precise measurement of atmospheric neutrino oscillation. <i>AIP Conference Proceedings</i> , 2000, . .	0.3	0
588	Search for Leptoquarks and FCNC in e+e^- annihilations at GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 446, 62-74.	1.5	31
589	Search for charginos, neutralinos and gravitinos in e+e^- interactions at GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 446, 75-91.	1.5	14
590	Measurement of inclusive $\bar{t}0$ , $f_0(980)$ , $f_2(1270)$ , K and $\pi^{\pm}$ production in $Z0$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 449, 364-382.	1.5	22
591	The scale dependence of the hadron multiplicity in quark and gluon jets and a precise determination of CA/CF. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 449, 383-400.	1.5	44
592	Energy dependence of event shapes and of $\hat{t}\pm s$ at LEP 2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 456, 322-340.	1.5	48
593	W pair production cross-section and W branching fractions in e+e^- interactions at 183 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 456, 310-321.	1.5	8
594	Multiplicity fluctuations in one- and two-dimensional angular intervals compared with analytic QCD calculations. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999, 457, 368-382.	1.5	10

#	ARTICLE	IF	CITATIONS
595	A search for invisible Higgs bosons produced in $e+e^-$ interactions at LEP 2 energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 459, 367-381.	1.5	6
596	Search for the Higgs boson in events with isolated photons at LEP 2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 458, 431-446.	1.5	15
597	Energy dependence of inclusive spectra in $e+e^-$ annihilation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 459, 397-411.	1.5	32
598	Measurements of the trilinear gauge boson couplings $WWV$ ( $V_{\alpha\beta}^{\gamma\delta}$ , $Z$ ) in $e+e^-$ collisions at 183 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 459, 382-396.	1.5	22
599	Measurement of the rate of events in hadronic $Z$ decays and the extraction of the gluon splitting into. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 462, 425-439.	1.5	19
600	Calibration of the DELPHI HPC calorimeter during the LEP2 programme. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 421, 69-74.	0.7	0
601	Search for scalar fermions and long-lived scalar leptons at centre-of-mass energies of 130 GeV to 172 GeV. European Physical Journal C, 1999, 6, 385-401.	1.4	5
602	Search for pair-produced neutralinos in events with photons and missing energy from $e+e-$ collisions at $\sqrt{s} = 130 - 183$ GeV. European Physical Journal C, 1999, 6, 371-384.	1.4	4
603	Search for charged Higgs bosons at LEP 2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 460, 484-497.	1.5	10
604	Measurement of the mass of the $W$ boson using direct reconstruction at $= 183$ GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1999, 462, 410-424.	1.5	18
605	Measurement of the quark and gluon fragmentation functions in $Z$ . European Physical Journal C, 1999, 6, 19.	1.4	24
606	Search for pair-produced neutralinos in events with photons and missing energy from. European Physical Journal C, 1999, 6, 371.	1.4	5
607	Search for scalar fermions and long-lived scalar leptons at centre-of-mass energies of 130 GeV to 172 GeV. European Physical Journal C, 1999, 6, 385.	1.4	7
608	Search for composite and exotic fermions at LEP 2. European Physical Journal C, 1999, 8, 41.	1.4	27
609	Measurement of the lifetime of $b$ -baryons. European Physical Journal C, 1999, 10, 185.	1.4	13
610	Measurements of the leptonic branching fractions of the tau. European Physical Journal C, 1999, 10, 201.	1.4	13
611	Measurement of the forward backward asymmetry of. European Physical Journal C, 1999, 10, 219.	1.4	11
612	Search for lightest neutralino and stau pair production in light gravitino scenarios with stau NLSP. European Physical Journal C, 1999, 7, 595.	1.4	2

#	ARTICLE		IF	CITATIONS
613	Search for charginos, neutralinos and gravitinos at LEP. European Physical Journal C, 1998, 1, 1.		1.4	14
614	Pion yield from 450 GeV/c protons on beryllium. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 425, 208-214.		1.5	22
615	Charged particle multiplicity in events at 161 and 172 GeV and from the decay of the W boson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 416, 233-246.		1.5	14
616	Rapidity correlations in $\bar{b}$ baryon and proton production in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 416, 247-256.		1.5	11
617	mb at MZ. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 418, 430-442.		1.5	48
618	Search for charged Higgs bosons in $e+e^-$ collisions at =172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 420, 140-156.		1.5	10
619	K/ $\pi$ production ratios from 450 GeV/c protons on beryllium. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 420, 225-232.		1.5	18
620	Measurement of trilinear gauge couplings in $e+e^-$ collisions at 161 GeV and 172 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 423, 194-206.		1.5	29
621	Measurement of the inclusive charmless and double-charm B branching ratios. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 426, 193-206.		1.5	7
622	First evidence for a charm radial excitation, D. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 426, 231-242.		1.5	37
623	A study of the hadronic resonance structure in the decay $J/\psi \rightarrow \pi^+\pi^-$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 426, 411-427.		1.5	28
624	Measurement of the $e+e^- \rightarrow J/\psi (\psi)$ cross section at the LEP energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 433, 429-440.		1.5	12
625	Measurement of $ V_{cb} $ using W decays at LEP2. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 439, 209-224.		1.5	22
626	A search for $t\bar{t}c\bar{c}$ production in photon-photon fusion at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 441, 479-490.		1.5	18
627	A search for heavy stable and long-lived squarks and sleptons in $e+e^-$ collisions at energies from 130 to 183 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 444, 491-502.		1.5	25
628	Measurement of the W-pair cross-section and of the W mass in. European Physical Journal C, 1998, 2, 581.		1.4	39
629	Investigation of the splitting of quark and gluon jets. European Physical Journal C, 1998, 4, 001.		1.4	13
630	Title is missing!. European Physical Journal C, 1998, 5, 585.		1.4	73

#	ARTICLE	IF	CITATIONS
631	Measurement and interpretation of the W-pair cross-section in e+e^- interactions at 161 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 397, 158-170.	1.5	42
632	Study of ageing side effects in the Delphi HPC calorimeter. Nuclear Physics, Section B, Proceedings Supplements, 1997, 54, 204-209.	0.5	0
633	A precise measurement of the $\{B\}^{0_d}$ meson lifetime using a new technique. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1997, 74, 19-32.	1.5	18
634	Search for neutral heavy leptons produced in Z decays. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1997, 74, 57-71.	1.5	259
635	Search for new phenomena using single photon events at LEP1. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1997, 74, 577-586.	1.5	41
636	Measurement of $B^0_d - \bar{B}^0_d$ oscillations. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1997, 76, 579-598.	1.5	18
637	Search for lepton flavour number violating $Z^0$ -decays. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1997, 73, 243-251.	1.5	78
638	Search for excited leptons in e+e^- collisions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 393, 245-260.	1.5	10
639	Search for the $B_c$ meson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 398, 207-222.	1.5	28
640	A measurement of $\hat{l}_s$ from the scaling violation in e+e^- annihilation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 398, 194-206.	1.5	18
641	Measurement of correlations between pions from different W's in e+e^- $\rightarrow W+W^-$ events. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 401, 181-191.	1.5	24
642	Measurement of the multiplicity of gluons splitting to bottom quark pairs in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 405, 202-214.	1.5	21
643	Measurement of the spin density matrix for the $\Lambda_c^0$ , $K_c^0$ and $F$ produced in Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 406, 271-286.	1.5	35
644	Search for $B_s^0$ -oscillations. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 414, 382-400.	1.5	5
645	Measurement of the triple gluon vertex from double quark tagged 4-jet events. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 414, 401-418.	1.5	11
646	Observation of charge-ordering in particle production in hadronic Z0 decay. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 407, 174-184.	1.5	14
647	A measurement of the photon structure function $F_2(\gamma)$ at an average $Q^2$ of 12 GeV $\text{GeV}^{-2}$ . Zeitschrift FÃ¼r Physik C-Particles and Fields, 1996, 69, 223-233.	1.5	30
648	Tuning and test of fragmentation models based on identified particles and precision event shape data. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1996, 73, 11-59.	1.5	172

#	ARTICLE		IF	CITATIONS
649	Measurement of inclusive $K^{*0}$ (892), $\phi$ (1020) and $K_{-2}^{*0}$ (1430) production in hadronic $Z$ decays. Zeitschrift f�r Physik C-Particles and Fields, 1996, 73, 61-72.	1.5	19	
650	Performance of an artificially aged module of the DELPHI HPC calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 378, 499-505.	0.7	1	
651	Measurement of inclusive $\pi^0$ production in hadronic $Z^0$ decays. Zeitschrift f�r Physik C-Particles and Fields, 1996, 69, 561-573.	1.5	21	
652	Search for promptly produced heavy quarkonium states in hadronic $Z$ decays. Zeitschrift f�r Physik C-Particles and Fields, 1996, 69, 575-583.	1.5	9	
653	Energy dependence of the differences between the quark and gluon jet fragmentation. Zeitschrift f�r Physik C-Particles and Fields, 1996, 70, 179-195.	1.5	60	
654	Production of $\Sigma^0$ and $\Omega^-$ in $Z$ decays. Zeitschrift f�r Physik C-Particles and Fields, 1996, 70, 371-381.	1.5	14	
655	Measurement of the partial decay width $R_b = \Gamma_{\bar{b}b}/(\Gamma_b + \Gamma_{had})$ of the $Z$ with the DELPHI detector at LEP. Zeitschrift f�r Physik C-Particles and Fields, 1996, 70, 531-547.	1.5	14	
656	Determination of $ V_{cb} $ from the semileptonic decay $B^0 \rightarrow D^{*-} \ell^+ \nu$ . Zeitschrift f�r Physik C-Particles and Fields, 1996, 71, 539-553.	1.5	34	
657	Study of rare $b$ decays with the DELPHI detector at LEP. Zeitschrift f�r Physik C-Particles and Fields, 1996, 72, 207-220.	1.5	26	
658	A precise measurement of the tau lepton lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 365, 448-460.	1.5	16	
659	Charged particle multiplicity in $e^+e^-$ interactions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 372, 172-180.	1.5	28	
660	Kaon interference in the hadronic decays of the $Z_0$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 379, 330-340.	1.5	21	
661	Search for anomalous production of single photons at and 136 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 380, 471-479.	1.5	18	
662	Study of radiative leptonic events with hard photons and search for excited charged leptons at GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 380, 480-490.	1.5	18	
663	Search for the lightest chargino at GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 382, 323-336.	1.5	16	
664	Search for neutralinos, scalar leptons and scalar quarks in $e^+e^-$ interactions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 387, 651-666.	1.5	14	
665	Performance of the DELPHI detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 378, 57-100.	0.7	294	
666	Empirical formula for thin-rod neutrino target particle production. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 378, 349-352.	0.7	3	

#	ARTICLE	IF	CITATIONS
667	Mean lifetime of the $B_s^0$ meson. Zeitschrift f�r Physik C-Particles and Fields, 1996, 71, 11-30.	1.5	2
668	Measurement of the $B_d^0$ oscillation frequency using kaons, leptons and jet charge. Zeitschrift f�r Physik C-Particles and Fields, 1996, 72, 17-30.	1.5	3
669	Study of aging effects in the HPC readout chambers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 367, 302-305.	0.7	3
670	Study of prompt photon production in hadronic $Z^0$ decays. Zeitschrift f�r Physik C-Particles and Fields, 1995, 69, 1-13.	1.5	20
671	Measurement of inclusive $\ell^+ \ell^-$ production in hadronic $Z^0$ decays. Zeitschrift f�r Physik C-Particles and Fields, 1995, 69, 561-573.	1.5	0
672	First evidence of hard scattering processes in single tagged $\bar{b}b$ collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 342, 402-416.	1.5	12
673	Observation of orbitally excited $B$ mesons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 345, 598-608.	1.5	76
674	Production of charged particles, $K\bar{S}$ , $K\bar{\Lambda}\pm$ , $p$ and $\bar{n}$ in events and in the decay of $b$ hadrons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 347, 447-466.	1.5	38
675	Observation of short range three-particle correlations in $e^+e^-$ annihilations at LEP energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 355, 415-424.	1.5	28
676	A measurement of the $\tau$ , leptonic branching fractions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 357, 715-724.	1.5	10
677	Upper limits on the branching ratios $\tau \rightarrow \mu^+\mu^-$ and $\tau \rightarrow e^+e^-$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 359, 411-421.	1.5	9
678	Measurement of $\pi^+\pi^-(1232)$ production in hadronic $Z^0$ decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 361, 207-220.	1.5	13
679	Inclusive measurements of the production in hadronic $Z^0$ decays. Nuclear Physics B, 1995, 444, 3-26.	0.9	47
680	Performance of the HPC calorimeter in DELPHI. IEEE Transactions on Nuclear Science, 1995, 42, 491-498.	1.2	10
681	$J/\psi$ production in the hadronic decays of the $Z$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 341, 109-122.	1.5	28
682	A measurement of the $B_s^0$ meson mass. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 324, 500-508.	1.5	14
683	Interference of neutral kaons in the hadronic decays of the $Z^0$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 323, 242-252.	1.5	13
684	Charged kaon production in tau decays at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 334, 435-449.	1.5	15

#	ARTICLE		IF	CITATIONS
685	Measurement of the $e+e^- \rightarrow b\bar{b}(l^3\bar{l}^3)$ cross section at LEP energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 327, 386-396.		1.5	30
686	Measurement of the mixing parameter in DELPHI. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 332, 488-500.		1.5	10
687	Measurement of time dependent mixing. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 338, 409-420.		1.5	13
688	Search for the standard model Higgs boson in Z0 decays. Nuclear Physics B, 1994, 421, 3-37.		0.9	28
689	Improved measurements of cross sections and asymmetries at the Z0 resonance. Nuclear Physics B, 1994, 418, 403-427.		0.9	64
690	Measurements of the lineshape of the Z0 and determination of electroweak parameters from its hadronic and leptonic decays. Nuclear Physics B, 1994, 417, 3-57.		0.9	24
691	A measurement of the tau lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 302, 356-368.		1.5	17
692	A measurement of the mean lifetimes of charged and neutral B-hadrons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 312, 253-266.		1.5	15
693	Measurement of $\bar{b}b$ production and lifetime in Z0 hadronic decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 311, 379-390.		1.5	26
694	Determination of $\bar{b}\pm S$ from the scaling violation in the fragmentation functions in $e+e^-$ annihilation. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 311, 408-424.		1.5	41
695	A study of $B0\bar{b}0$ mixing using semileptonic decays of B hadrons produced from Z0. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 301, 145-154.		1.5	16
696	Limits on the production of scalar leptoquarks from Z0 decays at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 316, 620-630.		1.5	29
697	Measurement of inclusive production of light meson resonances in hadronic decays of the Z0. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 298, 236-246.		1.5	29
698	A search for lepton flavour violation in Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 298, 247-256.		1.5	9
699	Production of $\bar{b}$ and $\bar{b}'$ correlations in the hadronic decays of the Z0. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 318, 249-262.		1.5	45
700	Measurement of the triple-gluon vertex from 4-jet events at LEP. Zeitschrift für Physik C-Particles and Fields, 1993, 59, 357-368.		1.5	34
701	Determination of $\bar{b}\pm S$ for b quarks at the Z0 resonance. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 307, 221-236.		1.5	19
702	A search for neutral Higgs particles in Z0 decays. Nuclear Physics B, 1992, 373, 3-34.		0.9	38

#	ARTICLE	IF	CITATIONS
703	Multiplicity fluctuations in hadronic final states from the decay of the Z0. Nuclear Physics B, 1992, 386, 471-492.	0.9	23
704	Multielement proportional chamber – a study of background in the Gran Sasso underground laboratory. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1992, 323, 125-134.	0.7	6
705	A multi-element proportional chamber used in an experiment on $\bar{\nu}\bar{\nu}$ -decay of $^{136}\text{Xe}$ . Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1992, 315, 252-256.	0.7	8
706	Evidence for BSO meson production in Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 289, 199-210.	1.5	38
707	Separation of rare gases from radioactive contaminants by means of an ultracentrifuge. Nuclear Instruments & Methods in Physics Research B, 1992, 62, 529-534.	0.6	5
708	Bose-Einstein correlations in the hadronic decays of the Z0. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 286, 201-210.	1.5	69
709	Searches for heavy neutrinos from Z decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 274, 230-238.	1.5	22
710	A measurement of $\sin 2\hat{\lambda}_W$ from the charge asymmetry of hadronic events at the Z0 peak. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 277, 371-382.	1.5	27
711	Search for scalar leptoquarks from Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 275, 222-230.	1.5	22
712	Production of strange particles in the hadronic decays of the Z0. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 275, 231-242.	1.5	43
713	Measurement of the Z0 branching fraction to b quark pairs using the boosted sphericity product. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 281, 383-393.	1.5	9
714	A measurement of the b forward-backward asymmetry using the semileptonic decay into muons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 276, 536-546.	1.5	21
715	Study of orientation of three-jet events in Z0 hadronic decays using the DELPHI detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 274, 498-506.	1.5	13
716	Classification of the hadronic decays of the Z0 into b and c quark pairs using a neural network. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1992, 295, 383-395.	1.5	36
717	Determination of Z0 resonance parameters and couplings from its hadronic and leptonic decays. Nuclear Physics B, 1991, 367, 511-574.	0.9	65
718	The Milano experiment on double beta decay of $^{136}\text{Xe}$ . Journal of Physics G: Nuclear and Particle Physics, 1991, 17, S231-S241.	1.4	10
719	A search for two neutrino and neutrinoless double beta decay of $^{136}\text{Xe}$ in the Gran Sasso underground laboratory. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 266, 193-200.	1.5	29
720	Experimental study of the triple-gluon vertex. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 255, 466-476.	1.5	41

#	ARTICLE	IF	CITATIONS
721	The reaction $e+e^- \rightarrow \bar{b}b(\bar{l}l)$ at Z0 energies. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 268, 296-304.	1.5	32
722	Search for cold fusion induced by electrolysis in palladium. Il Nuovo Cimento A, 1990, 103, 1617-1638.	0.2	4
723	Search for pair production of neutral Higgs bosons in Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 245, 276-288.	1.5	47
724	Study of hadronic decays of the Z0 boson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 240, 271-282.	1.5	90
725	A study of intermittency in hadronic Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 247, 137-147.	1.5	71
726	Search for scalar quarks in Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 247, 148-156.	1.5	25
727	A search for sleptons and gauginos in Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 247, 157-166.	1.5	61
728	A comparison of jet production rates on the Z0 resonance to perturbative QCD. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 247, 167-176.	1.5	63
729	Measurement of the partial width of the decay of the Z0 into charm quark pairs. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 252, 140-148.	1.5	20
730	Energy-energy correlations in hadronic final states from Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 252, 149-158.	1.5	40
731	Study of the leptonic decays of the Z0 boson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 241, 425-434.	1.5	30
732	A precise measurement of the Z resonance parameters through its hadronic decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 241, 435-448.	1.5	56
733	Search for heavy charged scalars in Z0 decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 241, 449-458.	1.5	38
734	Search for the t and b' quarks in hadronic decays of the Z0 boson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 242, 536-546.	1.5	18
735	Search for light neutral Higgs particles produced in Z0-decays. Nuclear Physics B, 1990, 342, 1-14.	0.9	50
736	Measurement of the mass and width of the Z0-particle from multihadronic final states produced in $e+e^-$ annihilations. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1989, 231, 539-547.	1.5	200
737	A search for lepton number non-conservation in double beta decay of $^{136}\text{Xe}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1989, 221, 209-215.	1.5	19
738	Milano experiment on double beta decay of $^{136}\text{Xe}$ and other nuclides: Status report. Nuclear Physics A, 1988, 478, 453-458.	0.6	5

#	ARTICLE	IF	CITATIONS
739	Underground laboratory and milano double beta decay experiment. Nuclear Instruments & Methods in Physics Research B, 1986, 17, 411-417.	0.6	10
740	The NUSEX detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1986, 245, 277-290.	0.7	54
741	Contained events in the Mont-Blanc nucleon stability experiment. Il Nuovo Cimento Della SocietÃ Italiana Di Fisica C, 1986, 9, 182-184.	0.2	2
742	Cosmic-muon results from the NUSEX experiment. Il Nuovo Cimento Della SocietÃ Italiana Di Fisica C, 1986, 9, 196-209.	0.2	8
743	Limit on monopole flux in the Mont Blanc NUSEX experiment. Il Nuovo Cimento Della SocietÃ Italiana Di Fisica C, 1986, 9, 551-558.	0.2	1
744	Multielement Proportional Chamber for $^{136}\text{Xe}$ $\beta^2\bar{\beta}^2$ decay. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1986, 252, 227-233.	0.7	6
745	Status of the High density Projection Chamber. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1985, 235, 310-313.	0.7	10
746	Primary cosmic-ray spectrum at energies $\sim 10^{13}$ - $10^{16}$ eV from multiple muon events in NUSEX experiment. Il Nuovo Cimento Della SocietÃ Italiana Di Fisica C, 1985, 8, 76-92.	0.2	21
747	Observation of a time modulated muon flux in the direction of Cygnus X-3. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1985, 155, 465-467.	1.5	104
748	The High Density Projection Chamber for the Delphi Experiment at LEP. IEEE Transactions on Nuclear Science, 1985, 32, 705-710.	1.2	4
749	An experimental study of the neutrino background in underground experiments on nucleon decay. Nuclear Instruments & Methods in Physics Research, 1984, 219, 300-310.	0.9	17
750	Nucleon stability, magnetic monopoles and atmospheric neutrinos in the Mont-Blanc experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1983, 133, 454-460.	1.5	49
751	Fully contained events in the Mont Blanc nucleon decay detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1982, 118, 461-465.	1.5	63
752	Search for neutrino oscillations in Gargamelle at SPS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1981, 100, 182-184.	1.5	25
753	Study of neutrino-induced dimuon events in gargamelle at CERN SPS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1979, 86, 115-120.	1.5	26
754	Experimental study of the reaction $\frac{1}{2}\beta^4 + e^- \rightarrow \frac{1}{2}\bar{\beta}^4 + \frac{1}{2}e$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1979, 84, 137-142.	1.5	27
755	Design and performance of the cooling system for the electromagnetic calorimeter of CMS. , 0, , .	3	
756	New large area glass RPC: development, production and performances.. , 0, , .	0	

#	ARTICLE	IF	CITATIONS
757	Commissioning of the Ion Implanter for the HOLMES Experiment. <i>Journal of Low Temperature Physics</i> , 0, ,.	0.6	0