

Hyung Soon Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/154249/hyung-soon-park-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

2,124
citations

25
h-index

37
g-index

191
ext. papers

2,612
ext. citations

3.7
avg. IF

4.8
L-index

#	Paper	IF	Citations
163	Characteristics and outcomes according to molecular subtypes of breast cancer as classified by a panel of four biomarkers using immunohistochemistry. <i>Breast</i> , 2012 , 21, 50-7	3.6	141
162	Effects of microsatellite instability on recurrence patterns and outcomes in colorectal cancers. <i>British Journal of Cancer</i> , 2016 , 115, 25-33	8.7	87
161	Comparison of surgical outcomes between endoscopic and robotic thyroidectomy. <i>Journal of Surgical Oncology</i> , 2012 , 105, 705-8	2.8	54
160	Sentinel lymph node biopsy after neoadjuvant chemotherapy in patients with cytologically proven node-positive breast cancer at diagnosis. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2858-65	3.1	51
159	Molecular subtypes and tumor response to neoadjuvant chemotherapy in patients with locally advanced breast cancer. <i>Oncology</i> , 2010 , 79, 324-30	3.6	50
158	The Effects of Perioperative Anesthesia and Analgesia on Immune Function in Patients Undergoing Breast Cancer Resection: A Prospective Randomized Study. <i>International Journal of Medical Sciences</i> , 2017 , 14, 970-976	3.7	49
157	Clinicopathologic features and outcomes of metaplastic breast carcinoma: comparison with invasive ductal carcinoma of the breast. <i>Yonsei Medical Journal</i> , 2010 , 51, 864-9	3	47
156	Oncologic safety of breast-conserving surgery compared to mastectomy in patients receiving neoadjuvant chemotherapy for locally advanced breast cancer. <i>Journal of Surgical Oncology</i> , 2013 , 108, 531-6	2.8	45
155	Treatment outcome of localized <i>Helicobacter pylori</i> -negative low-grade gastric MALT lymphoma. <i>World Journal of Gastroenterology</i> , 2010 , 16, 2158-62	5.6	45
154	Risk predictors of underestimation and the need for sentinel node biopsy in patients diagnosed with ductal carcinoma in situ by preoperative needle biopsy. <i>Journal of Surgical Oncology</i> , 2013 , 107, 388-92	2.8	44
153	Next-generation sequencing reveals somatic mutations that confer exceptional response to everolimus. <i>Oncotarget</i> , 2016 , 7, 10547-56	3.3	44
152	Marked Loss of Muscle, Visceral Fat, or Subcutaneous Fat After Gastrectomy Predicts Poor Survival in Advanced Gastric Cancer: Single-Center Study from the CLASSIC Trial. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3222-3230	3.1	40
151	Proper timing of adjuvant chemotherapy affects survival in patients with stage 2 and 3 gastric cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22, 224-31	3.1	38
150	Prognostic Nomogram for Prediction of Axillary Pathologic Complete Response After Neoadjuvant Chemotherapy in Cytologically Proven Node-Positive Breast Cancer. <i>Medicine (United States)</i> , 2015 , 94, e1720	1.8	36
149	Clinicopathological features of infiltrating lobular carcinomas comparing with infiltrating ductal carcinomas: a case control study. <i>World Journal of Surgical Oncology</i> , 2010 , 8, 34	3.4	34
148	A prognostic model to predict clinical outcome in gastric cancer patients with bone metastasis. <i>Oncology</i> , 2011 , 80, 142-50	3.6	32
147	Higher expression of androgen receptor is a significant predictor for better endocrine-responsiveness in estrogen receptor-positive breast cancers. <i>Breast Cancer Research and Treatment</i> , 2012 , 133, 311-20	4.4	30

146	Risk of Lymphedema Following Contemporary Treatment for Breast Cancer: An Analysis of 7617 Consecutive Patients From a Multidisciplinary Perspective. <i>Annals of Surgery</i> , 2021 , 274, 170-178	7.8	30
145	Association between genetic polymorphisms of CYP2D6 and outcomes in breast cancer patients with tamoxifen treatment. <i>Journal of Korean Medical Science</i> , 2011 , 26, 1007-13	4.7	28
144	A nomogram for predicting underestimation of invasiveness in ductal carcinoma in situ diagnosed by preoperative needle biopsy. <i>Breast</i> , 2013 , 22, 869-73	3.6	27
143	Serum 25-hydroxyvitamin D deficiency and increased risk of breast cancer among Korean women: a case-control study. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 147-154	4.4	26
142	Expression of receptor activator of nuclear factor kappa-B as a poor prognostic marker in breast cancer. <i>Journal of Surgical Oncology</i> , 2014 , 110, 807-12	2.8	26
141	Outcome of adjuvant therapy for gallbladder cancer. <i>Oncology</i> , 2010 , 79, 168-73	3.6	26
140	PTEN loss and level of HER2 amplification is associated with trastuzumab resistance and prognosis in HER2-positive gastric cancer. <i>Oncotarget</i> , 2017 , 8, 113494-113501	3.3	26
139	Pattern of distant recurrence according to the molecular subtypes in Korean women with breast cancer. <i>World Journal of Surgical Oncology</i> , 2012 , 10, 4	3.4	25
138	Correlation between obesity and clinicopathological factors in patients with papillary thyroid cancer. <i>Surgery Today</i> , 2015 , 45, 723-9	3	25
137	ANO9/TMEM16J promotes tumorigenesis via EGFR and is a novel therapeutic target for pancreatic cancer. <i>British Journal of Cancer</i> , 2017 , 117, 1798-1809	8.7	24
136	Clinical significance of progesterone receptor and HER2 status in estrogen receptor-positive, operable breast cancer with adjuvant tamoxifen. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011 , 137, 1123-30	4.9	24
135	Effects of systemic lidocaine versus magnesium administration on postoperative functional recovery and chronic pain in patients undergoing breast cancer surgery: A prospective, randomized, double-blind, comparative clinical trial. <i>PLoS ONE</i> , 2017 , 12, e0173026	3.7	23
134	Characteristics and Survival of Breast Cancer Patients with Multiple Synchronous or Metachronous Primary Cancers. <i>Yonsei Medical Journal</i> , 2015 , 56, 1213-20	3	23
133	Cyclooxygenase-2 expression in proliferative Ki-67-positive breast cancers is associated with poor outcomes. <i>Breast Cancer Research and Treatment</i> , 2012 , 133, 741-51	4.4	23
132	Benefit of Adjuvant Chemotherapy After Curative Resection of Lung Metastasis in Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 928-35	3.1	22
131	The feasibility of endoscopy-assisted breast conservation surgery for patients with early breast cancer. <i>Journal of Breast Cancer</i> , 2011 , 14, 52-7	3	22
130	Detection of Germline Mutations in Patients with Epithelial Ovarian Cancer Using Multi-gene Panels: Beyond BRCA1/2. <i>Cancer Research and Treatment</i> , 2018 , 50, 917-925	5.2	22
129	Notch1 receptor as a marker of lymph node metastases in papillary thyroid cancer. <i>Cancer Science</i> , 2012 , 103, 305-9	6.9	21

128	Gasless Robot-Assisted Nipple-Sparing Mastectomy: A Case Report. <i>Journal of Breast Cancer</i> , 2018 , 21, 334-338	3	21
127	Locoregional Treatment of the Primary Tumor in Patients With De Novo Stage IV Breast Cancer: A Radiation Oncologist's Perspective. <i>Clinical Breast Cancer</i> , 2018 , 18, e167-e178	3	20
126	Identification of a Novel BRCA1 Pathogenic Mutation in Korean Patients Following Reclassification of BRCA1 and BRCA2 Variants According to the ACMG Standards and Guidelines Using Relevant Ethnic Controls. <i>Cancer Research and Treatment</i> , 2017 , 49, 1012-1021	5.2	20
125	Subcellular localization of Mdm2 expression and prognosis of breast cancer. <i>International Journal of Clinical Oncology</i> , 2014 , 19, 842-51	4.2	19
124	The impact of a focally positive resection margin on the local control in patients treated with breast-conserving therapy. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 600-8	2.8	19
123	Consensus Statement on Robotic Mastectomy-Expert Panel From International Endoscopic and Robotic Breast Surgery Symposium (IERBS) 2019. <i>Annals of Surgery</i> , 2020 , 271, 1005-1012	7.8	19
122	Early experiences with robot-assisted prosthetic breast reconstruction. <i>Archives of Plastic Surgery</i> , 2019 , 46, 79-83	1.6	18
121	Association Between Insulin Resistance and Luminal B Subtype Breast Cancer in Postmenopausal Women. <i>Medicine (United States)</i> , 2016 , 95, e2825	1.8	18
120	Robot-assisted Nipple-sparing Mastectomy with Immediate Breast Reconstruction: An Initial Experience. <i>Scientific Reports</i> , 2019 , 9, 15669	4.9	18
119	Efficacy of a combined alendronate and calcitriol agent (Maxmarvil [®]) in Korean postmenopausal women with early breast cancer receiving aromatase inhibitor: a double-blind, randomized, placebo-controlled study. <i>Endocrine Journal</i> , 2013 , 60, 167-72	2.9	17
118	Detection of activating and acquired resistant mutation in plasma from EGFR-mutated NSCLC patients by peptide nucleic acid (PNA) clamping-assisted fluorescence melting curve analysis. <i>Oncotarget</i> , 2017 , 8, 65111-65122	3.3	17
117	Variants of cancer susceptibility genes in Korean BRCA1/2 mutation-negative patients with high risk for hereditary breast cancer. <i>BMC Cancer</i> , 2018 , 18, 83	4.8	16
116	Next-generation sequencing of in breast cancer patients: potential effects on clinical decision-making using rapid, high-accuracy genetic results. <i>Annals of Surgical Treatment and Research</i> , 2017 , 92, 331-339	2	16
115	Comparison of Clinical Outcomes of Pathologic Mutation, Variants of Unknown Significance, or Wild Type Epithelial Ovarian Cancer Patients. <i>Cancer Research and Treatment</i> , 2017 , 49, 408-415	5.2	16
114	Comparisons of Oncologic Outcomes between Triple-Negative Breast Cancer (TNBC) and Non-TNBC among Patients Treated with Breast-Conserving Therapy. <i>Yonsei Medical Journal</i> , 2016 , 57, 1192-8	3	15
113	Characterization of Korean Male Breast Cancer Using an Online Nationwide Breast-Cancer Database: Matched-Pair Analysis of Patients With Female Breast Cancer. <i>Medicine (United States)</i> , 2016 , 95, e3299	1.8	15
112	Comprehensive immune profiling and immune-monitoring using body fluid of patients with metastatic gastric cancer 2019 , 7, 268		14
111	Effect of axillary lymph node dissection after sentinel lymph node biopsy on overall survival in patients with T1 or T2 node-positive breast cancer: report from the Korean Breast Cancer Society. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1231-6	3.1	14

110	Detection of Circulating Tumor Cells in Breast Cancer Patients Using Cytokeratin-19 Real-Time RT-PCR. <i>Yonsei Medical Journal</i> , 2017 , 58, 19-26	3	13
109	Prognostic Factors and Scoring Model for Survival in Metastatic Biliary Tract Cancer. <i>Cancer Research and Treatment</i> , 2017 , 49, 1127-1139	5.2	13
108	Incidence of Febrile Neutropenia in Korean Female Breast Cancer Patients Receiving Preoperative or Postoperative Doxorubicin/Cyclophosphamide Followed by Docetaxel Chemotherapy. <i>Journal of Breast Cancer</i> , 2016 , 19, 76-82	3	13
107	Intratumoral Agreement of High-Resolution Magic Angle Spinning Magnetic Resonance Spectroscopic Profiles in the Metabolic Characterization of Breast Cancer. <i>Medicine (United States)</i> , 2016 , 95, e3398	1.8	13
106	The clinical implication of the number of lymph nodes harvested during sentinel lymph node biopsy and its effects on survival outcome in patients with node-negative breast cancer. <i>American Journal of Surgery</i> , 2017 , 214, 726-732	2.7	12
105	Breast cancers presenting luminal B subtype features show higher discordant human epidermal growth factor receptor 2 results between immunohistochemistry and fluorescence in situ hybridization. <i>Cancer</i> , 2012 , 118, 914-23	6.4	12
104	Anaplastic lymphoma kinase gene copy number gain in inflammatory breast cancer (IBC): prevalence, clinicopathologic features and prognostic implication. <i>PLoS ONE</i> , 2015 , 10, e0120320	3.7	12
103	The impact of local and regional recurrence on distant metastasis and survival in patients treated with breast conservation therapy. <i>Journal of Breast Cancer</i> , 2011 , 14, 191-7	3	12
102	Magnetic Resonance Imaging after Completion of Neoadjuvant Chemotherapy Can Accurately Discriminate between No Residual Carcinoma and Residual Ductal Carcinoma In Situ in Patients with Triple-Negative Breast Cancer. <i>PLoS ONE</i> , 2016 , 11, e0149347	3.7	12
101	Prognostic Scoring Index for Patients with Metastatic Pancreatic Adenocarcinoma. <i>Cancer Research and Treatment</i> , 2016 , 48, 1253-1263	5.2	12
100	Chemotherapy-induced irreversible alopecia in early breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2017 , 163, 527-533	4.4	11
99	Utilization of bioelectrical impedance analysis for detection of lymphedema in breast Cancer survivors: a prospective cross sectional study. <i>BMC Cancer</i> , 2019 , 19, 669	4.8	11
98	Factors influencing the outcome of breast cancer patients with 10 or more metastasized axillary lymph nodes. <i>International Journal of Clinical Oncology</i> , 2011 , 16, 473-81	4.2	11
97	Comparison of treatment outcome between breast-conservation surgery with radiation and total mastectomy without radiation in patients with one to three positive axillary lymph nodes. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 1446-52	4	11
96	Significance of Metabolic Tumor Volume and Total Lesion Glycolysis Measured Using 18 F-FDG PET/CT in Locally Advanced and Metastatic Gallbladder Carcinoma. <i>Yonsei Medical Journal</i> , 2019 , 60, 604-610	3	11
95	Development of Robotic Mastectomy Using a Single-Port Surgical Robot System. <i>Journal of Breast Cancer</i> , 2020 , 23, 107-112	3	11
94	Is the frozen section examination for sentinel lymph node necessary in early breast cancer patients?. <i>Annals of Surgical Treatment and Research</i> , 2019 , 97, 49-57	2	11
93	BRCA1 and BRCA2 mutation predictions using the BRCAPRO and Myriad models in Korean ovarian cancer patients. <i>Gynecologic Oncology</i> , 2017 , 145, 137-141	4.9	10

92	Cardiotoxicity of trastuzumab in patients with HER2-positive gastric cancer. <i>Oncotarget</i> , 2017 , 8, 61837-61845	10	9.5
91	Clinicopathologic characteristics and surgical outcomes of elderly patients with thyroid cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 1045-51	10	2.8
90	CD44/CD24 and aldehyde dehydrogenase 1 in estrogen receptor-positive early breast cancer treated with tamoxifen: CD24 positivity is a poor prognosticator. <i>Oncotarget</i> , 2018 , 9, 2622-2630	10	3.3
89	Learning curve for breast mass excision using a vacuum-assisted biopsy system. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2014 , 23, 235-40	9	2.1
88	Pilot Study of a Next-Generation Sequencing-Based Targeted Anticancer Therapy in Refractory Solid Tumors at a Korean Institution. <i>PLoS ONE</i> , 2016 , 11, e0154133	9	3.7
87	Preoperative Magnetic Resonance Imaging and Survival Outcomes in T1-2 Breast Cancer Patients Who Receive Breast-Conserving Therapy. <i>Journal of Breast Cancer</i> , 2016 , 19, 423-428	9	3
86	Pharmacogenetic analysis of advanced non-small-cell lung cancer patients treated with first-line paclitaxel and carboplatin chemotherapy. <i>Pharmacogenetics and Genomics</i> , 2016 , 26, 116-25	9	1.9
85	Differences in the Efficacies of Pazopanib and Gemcitabine/Docetaxel as Second-Line Treatments for Metastatic Soft Tissue Sarcoma. <i>Oncology</i> , 2019 , 96, 59-69	9	3.6
84	Role of adjuvant chemotherapy in locally advanced rectal cancer with ypT0-3N0 after preoperative chemoradiation therapy and surgery. <i>BMC Cancer</i> , 2017 , 17, 615	8	4.8
83	No effect of tumor-infiltrating lymphocytes (TILs) on prognosis in patients with early triple-negative breast cancer: Validation of recommendations by the International TILs Working Group 2014. <i>Journal of Surgical Oncology</i> , 2016 , 114, 17-21	8	2.8
82	Risk Factors Associated with Discordant Ki-67 Levels between Preoperative Biopsy and Postoperative Surgical Specimens in Breast Cancers. <i>PLoS ONE</i> , 2016 , 11, e0151054	8	3.7
81	Immunohistochemistry Biomarkers Predict Survival in Stage II/III Gastric Cancer Patients: From a Prospective Clinical Trial. <i>Cancer Research and Treatment</i> , 2019 , 51, 819-831	8	5.2
80	Prognostic value of neutrophil-to-lymphocyte ratio in human epidermal growth factor receptor 2-negative breast cancer patients who received neoadjuvant chemotherapy. <i>Scientific Reports</i> , 2020 , 10, 13078	8	4.9
79	Preoperative prediction of the size of pure ductal carcinoma in situ using three imaging modalities as compared to histopathological size: does magnetic resonance imaging add value?. <i>Breast Cancer Research and Treatment</i> , 2017 , 164, 437-444	6	4.4
78	Factors predictive of occult nipple-areolar complex involvement in patients with carcinoma in situ of the breast. <i>Journal of Surgical Oncology</i> , 2017 , 116, 1046-1055	6	2.8
77	Assessment of the Prognostic Staging System of American Joint Committee on Cancer 8th Edition for Breast Cancer: Comparisons with the Conventional Anatomic Staging System. <i>Journal of Breast Cancer</i> , 2020 , 23, 59-68	6	3
76	Intermediate HER2 expression is associated with poor prognosis in estrogen receptor-positive breast cancer patients aged 55 years and older. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 687-697	6	4.4
75	Clinical features and KRAS mutation in colorectal cancer with bone metastasis. <i>Scientific Reports</i> , 2020 , 10, 21180	6	4.9

74	Validation of Clinical Treatment Score post-5 years (CTS5) risk stratification in premenopausal breast cancer patients and Ki-67 labelling index. <i>Scientific Reports</i> , 2020 , 10, 16850	4.9	6
73	Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models. <i>PLoS ONE</i> , 2019 , 14, e0225082	3.7	6
72	Post-Operative Complications and Nipple Necrosis Rates Between Conventional and Robotic Nipple-Sparing Mastectomy. <i>Frontiers in Oncology</i> , 2020 , 10, 594388	5.3	6
71	First Experience in Korea of Stereotactic Partial Breast Irradiation for Low-Risk Early-Stage Breast Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 672	5.3	5
70	A hierarchical prognostic model for risk stratification in patients with early breast cancer according to F-fludeoxyglucose uptake and clinicopathological parameters. <i>Cancer Medicine</i> , 2018 , 7, 1127-1134	4.8	5
69	Association between Changes in Serum 25-Hydroxyvitamin D Levels and Survival in Patients with Breast Cancer Receiving Neoadjuvant Chemotherapy. <i>Journal of Breast Cancer</i> , 2018 , 21, 134-141	3	5
68	Comparison of characteristics in patients with both thyroid and breast cancer: Based on order of incidence. <i>Korean Journal of Clinical Oncology</i> , 2017 , 13, 1-9	0.1	5
67	Clinicopathological Features of Patients with the BRCA1 c.5339T>C (p.Leu1780Pro) Variant. <i>Cancer Research and Treatment</i> , 2020 , 52, 680-688	5.2	5
66	Optimal treatment of pseudoangiomatous stromal hyperplasia of the breast. <i>Asian Journal of Surgery</i> , 2020 , 43, 735-741	1.6	5
65	Real-World Clinical Data of Palbociclib in Asian Metastatic Breast Cancer Patients: Experiences from Eight Institutions. <i>Cancer Research and Treatment</i> , 2021 , 53, 409-423	5.2	5
64	Effect of primary tumor resection on overall survival in patients with stage IV breast cancer. <i>Breast Journal</i> , 2019 , 25, 908-915	1.2	4
63	Trends in the Application of Postmastectomy Radiotherapy for Breast Cancer With 1 to 3 Positive Axillary Nodes and Tumors \geq 1 cm in the Modern Treatment Era: A Retrospective Korean Breast Cancer Society Report. <i>Medicine (United States)</i> , 2016 , 95, e3592	1.8	4
62	Impact of Micrometastatic Axillary Nodes on Survival of Breast Cancer Patients with Tumors \geq 1 cm. <i>World Journal of Surgery</i> , 2018 , 42, 3969-3978	3.3	4
61	Ki-67 and breast cancer prognosis: does it matter if Ki-67 level is examined using preoperative biopsy or postoperative specimen?. <i>Breast Cancer Research and Treatment</i> , 2022 , 192, 343	4.4	4
60	Cumulative Sum Analysis for Learning Curve for Breast Mass Excision Using an Ultrasound-Guided Vacuum-Assisted Biopsy System. <i>Journal of Breast Disease</i> , 2015 , 3, 43-47	0.3	4
59	External validation of IBTR! 2.0 nomogram for prediction of ipsilateral breast tumor recurrence. <i>Radiation Oncology Journal</i> , 2018 , 36, 139-146	2.5	4
58	Robot-assisted Nipple-sparing Mastectomy with Immediate Breast Reconstruction: An Initial Experience of the Korea Robot-Endoscopy Minimal Access Breast Surgery Study Group (KoREa-BSG). <i>Annals of Surgery</i> , 2020 ,	7.8	4
57	Prevalence of breast cancer-related risk factors in underweight premenopausal women: the Korea National Health and Nutrition Examination Survey IV-VI. <i>Breast Cancer Research and Treatment</i> , 2019 , 174, 515-524	4.4	4

56	Effects of hormone receptor status on the durable response of trastuzumab-based therapy in metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017 , 163, 255-262	4.4	3
55	Difference in Risk of Breast and Ovarian Cancer According to Putative Functional Domain Regions in Korean BRCA1/2 Mutation Carriers. <i>Clinical Breast Cancer</i> , 2018 , 18, 362-373.e1	3	3
54	Homeodomain-interacting protein kinase 1 (HIPK1) expression in breast cancer tissues. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 1138-45	2.8	3
53	Clinical Implications of Genetic Testing for Hereditary Breast and Ovarian Cancer Syndrome in the Era of Genomic Medicine: Clinician's Perspectives. <i>Journal of Breast Disease</i> , 2016 , 4, 1-9	0.3	3
52	High endothelial venule is a surrogate biomarker for T-cell inflamed tumor microenvironment and prognosis in gastric cancer 2021 , 9,		3
51	Trends in Risk-Reducing Mastectomy and Risk-Reducing Salpingo-Oophorectomy in Korean Carriers of the Mutation. <i>Journal of Breast Cancer</i> , 2020 , 23, 647-655	3	3
50	Trends in contralateral prophylactic mastectomy rate according to clinicopathologic and socioeconomic status. <i>Annals of Surgical Treatment and Research</i> , 2019 , 97, 113-118	2	3
49	Real-World Clinical Outcomes of Biosimilar Trastuzumab (CT-P6) in HER2-Positive Early-Stage and Metastatic Breast Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 689587	5.3	3
48	Distinct Clinical Courses of Epithelial Ovarian Cancer with Mutations in 5' and 3' Exons. <i>Anticancer Research</i> , 2018 , 38, 6947-6953	2.3	3
47	Adjuvant Hormonal Therapy: Current Standard and Practical Issues. <i>Journal of Breast Cancer</i> , 2010 , 13, 242	3	2
46	Clinical Outcome of Immediate Breast Reconstruction after Mastectomy for Breast Cancer. <i>Journal of Breast Disease</i> , 2014 , 2, 44-50	0.3	2
45	A Phase II Study to Evaluate the Safety and Efficacy of Pegteograstim in Korean Breast Cancer Patients Receiving Dose-Dense Doxorubicin/Cyclophosphamide. <i>Cancer Research and Treatment</i> , 2019 , 51, 812-818	5.2	2
44	An Updated Nomogram for Predicting Invasiveness in Preoperative Ductal Carcinoma In Situ of the Breast. <i>Yonsei Medical Journal</i> , 2019 , 60, 1028-1035	3	2
43	Conserving the lymphatics from the arm using fluorescence imaging in patients with breast cancer at high risk of postoperative lymphedema: a pilot study. <i>Gland Surgery</i> , 2020 , 9, 629-636	2.2	2
42	Axillary lymph node dissection using a robotic surgical system: Initial experience. <i>Journal of Surgical Oncology</i> , 2020 , 122, 1252-1256	2.8	2
41	Single-port robot-assisted prosthetic breast reconstruction with the da Vinci SP Surgical System: first clinical report. <i>Archives of Plastic Surgery</i> , 2021 , 48, 194-198	1.6	2
40	Analysis of BRCA1/2 variants of unknown significance in the prospective Korean Hereditary Breast Cancer study. <i>Scientific Reports</i> , 2021 , 11, 8485	4.9	2
39	Expression of T-Lymphocyte Markers in Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer. <i>Journal of Breast Cancer</i> , 2016 , 19, 385-393	3	2

38	Survival Rates of Breast Cancer Patients Aged 40 to 49 Years according to Detection Modality in Korea: Screening Ultrasound versus Mammography. <i>Korean Journal of Radiology</i> , 2021 , 22, 159-167	6.9	2
37	Axillary response according to neoadjuvant single or dual human epidermal growth factor receptor 2 (HER2) blockade in clinically node-positive, HER2-positive breast cancer. <i>International Journal of Cancer</i> , 2021 , 149, 1585-1592	7.5	2
36	Comparison between Gasless and Gas-Inflated Robot-Assisted Nipple-Sparing Mastectomy. <i>Journal of Breast Cancer</i> , 2021 , 24, 183-195	3	2
35	The Prognostic Value of 18F-FDG Uptake in the Supraclavicular Lymph Node (N3c) on PET/CT in Patients With Locally Advanced Breast Cancer With Clinical N3c. <i>Clinical Nuclear Medicine</i> , 2019 , 44, e6-e12	1.7	1
34	A neutrophil to lymphocyte ratio is predictive of response to neoadjuvant HER2-targeted therapies in the patients with HER2-positive breast cancer.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 587-587	2.2	1
33	Oncologic safety of breast-conserving surgery in breast cancer patients under the age of 35. <i>Korean Journal of Clinical Oncology</i> , 2017 , 13, 32-38	0.1	1
32	Robotic harvest of a latissimus dorsi flap using a single-port surgical robotic system in breast reconstruction. <i>Archives of Plastic Surgery</i> , 2021 , 48, 577-582	1.6	1
31	Temsirolimus in Asian Metastatic/Recurrent Non-clear Cell Renal Carcinoma. <i>Cancer Research and Treatment</i> , 2019 , 51, 1578-1588	5.2	1
30	Elevated serum substance P level as a predictive marker for moderately emetogenic chemotherapy-induced nausea and vomiting: A prospective cohort study. <i>Cancer Medicine</i> , 2021 , 10, 1057-1065	4.8	1
29	Genomic landscape of extraordinary responses in metastatic breast cancer. <i>Communications Biology</i> , 2021 , 4, 449	6.7	1
28	Using a Tailored Digital Health Intervention for Family Communication and Cascade Genetic Testing in Swiss and Korean Families With Hereditary Breast and Ovarian Cancer: Protocol for the DIALOGUE Study. <i>JMIR Research Protocols</i> , 2021 , 10, e26264	2	1
27	Robotic DIEP Flap Harvest through a Totally Extraperitoneal Approach Using a Single-Port Surgical Robotic System. <i>Plastic and Reconstructive Surgery</i> , 2021 , 148, 304-307	2.7	1
26	Palbociclib use with grade 3 neutropenia in hormone receptor-positive metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 107-116	4.4	0
25	Initial report of extraperitoneal pedicle dissection in deep inferior epigastric perforator flap breast reconstruction using the da Vinci SP.. <i>Archives of Plastic Surgery</i> , 2022 , 49, 34-38	1.6	0
24	Clinical Perspectives on Robot-assisted Nipple-sparing Mastectomy. <i>Annals of Robotic Innovative Surgery</i> , 2021 , 2, 23	0.4	0
23	From cadaveric and animal studies to the clinical reality of robotic mastectomy: a feasibility report of training program. <i>Scientific Reports</i> , 2021 , 11, 21032	4.9	0
22	Intermuscular fat density as a novel prognostic factor in breast cancer patients treated with adjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2021 , 189, 759-768	4.4	0
21	Postoperative pain assessment of robotic nipple-sparing mastectomy with immediate prepectoral prosthesis breast reconstruction: a comparison with conventional nipple-sparing mastectomy. <i>International Journal of Medical Sciences</i> , 2021 , 18, 2409-2416	3.7	0

20	Physical Activity Level and Exercise Barriers According to the Transtheoretical Model in Breast Cancer Patients. <i>Exercise Science</i> , 2022 , 31, 42-52	0
19	A Randomized Controlled Trial for Doing vs. Omitting Intraoperative Frozen Section Biopsy for Resection Margin Status in Selected Patients Undergoing Breast-Conserving Surgery (OFF-MAP Trial).. <i>Journal of Breast Cancer</i> , 2021 , 24, 569-577	3
18	Impact of Body Composition on Postoperative Outcomes in Patients Undergoing Robotic Nipple-Sparing Mastectomy with Immediate Breast Reconstruction.. <i>Current Oncology</i> , 2022 , 29, 350-359 ^{2.8}	
17	Liposomal irinotecan plus fluorouracil/leucovorin versus FOLFIRINOX as the second-line chemotherapy for patients with metastatic pancreatic cancer: Multicenter study of the Korean Cancer Study Group (KCSG).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4624-4624	2.2
16	Next-generation sequencing to reveal somatic mutations that confer sensitivity to everolimus.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 11010-11010	2.2
15	The long term outcome of clinical trial-based treatment comparing standard treatment for metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 11106-11106	2.2
14	Prognostic factors and scoring model for survival in advanced biliary tract cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 264-264	2.2
13	On-treatment derived neutrophil-to-lymphocyte ratio and response to palbociclib and letrozole: Analysis of a multicenter retrospective cohort and the PALOMA-2 study.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1066-1066	2.2
12	ASO Author Reflections: Prognostic Impact of Body Composition Change After Gastrectomy for Advanced Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2018 , 25, 765-766	3.1
11	Abstract P2-11-13: Distinctive clinicopathological features of premenopausal women with intermediate 21-gene recurrence score. <i>Cancer Research</i> , 2022 , 82, P2-11-13-P2-11-13	10.1
10	Abstract P1-17-09: Efficacy of limited dose modifications for palbociclib-related grade 3 neutropenia in hormone receptor positive metastatic breast cancer. <i>Cancer Research</i> , 2022 , 82, P1-17-09-P1-17-09	10.1
9	Abstract P2-08-13: The prognostic significance of Ki67 and progesterone receptor; could they really have prognostic importance in early breast cancer with estrogen receptor positive, HER-2 negative?. <i>Cancer Research</i> , 2022 , 82, P2-08-13-P2-08-13	10.1
8	Abstract P4-07-14: Long-term prognosis of minimal residual disease in breast cancer patients with breast or nodal pathologic complete response (pCR) after neoadjuvant chemotherapy (NAC). <i>Cancer Research</i> , 2022 , 82, P4-07-14-P4-07-14	10.1
7	Abstract PD6-07: Whole genome sequencing-based circulating tumor DNA profiling of metastatic breast cancer patients for molecular characterization and therapy response prediction. <i>Cancer Research</i> , 2022 , 82, PD6-07-PD6-07	10.1
6	Abstract P1-07-03: Clinical treatment score post-5 years (CTS5) and the prediction of survival benefit from extended endocrine therapy for breast cancer patients under and over 50 years of age. <i>Cancer Research</i> , 2022 , 82, P1-07-03-P1-07-03	10.1
5	Abstract P2-13-14: Pattern of recurrence after pathologic complete response after neoadjuvant chemotherapy in patients with early HER2-positive breast cancer: Real-world evidence. <i>Cancer Research</i> , 2022 , 82, P2-13-14-P2-13-14	10.1
4	Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models 2019 , 14, e0225082	
3	Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models 2019 , 14, e0225082	

2 Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models **2019**, 14, e0225082

1 Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models **2019**, 14, e0225082