

# Hyung Soon Park

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/154249/hyung-soon-park-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163  
papers

2,124  
citations

25  
h-index

37  
g-index

191  
ext. papers

2,612  
ext. citations

3.7  
avg. IF

4.8  
L-index

#	Paper	IF	Citations
163	Ki-67 and breast cancer prognosis: does it matter if Ki-67 level is examined using preoperative biopsy or postoperative specimen?. <i>Breast Cancer Research and Treatment</i> , <b>2022</b> , 192, 343	4.4	4
162	Impact of Body Composition on Postoperative Outcomes in Patients Undergoing Robotic Nipple-Sparing Mastectomy with Immediate Breast Reconstruction.. <i>Current Oncology</i> , <b>2022</b> , 29, 350-359 <sup>2.8</sup>		
161	Initial report of extraperitoneal pedicle dissection in deep inferior epigastric perforator flap breast reconstruction using the da Vinci SP.. <i>Archives of Plastic Surgery</i> , <b>2022</b> , 49, 34-38	1.6	0
160	Abstract P2-11-13: Distinctive clinicopathological features of premenopausal women with intermediate 21-gene recurrence score. <i>Cancer Research</i> , <b>2022</b> , 82, P2-11-13-P2-11-13	10.1	
159	Abstract P1-17-09: Efficacy of limited dose modifications for palbociclib-related grade 3 neutropenia in hormone receptor positive metastatic breast cancer. <i>Cancer Research</i> , <b>2022</b> , 82, P1-17-09-P1-17-09	10.1	
158	Abstract P2-08-13: The prognostic significance of Ki67 and progesterone receptor; could they really have prognostic importance in early breast cancer with estrogen receptor positive, HER-2 negative?. <i>Cancer Research</i> , <b>2022</b> , 82, P2-08-13-P2-08-13	10.1	
157	Abstract P4-07-14: Long-term prognosis of minimal residual disease in breast cancer patients with breast or nodal pathologic complete response (pCR) after neoadjuvant chemotherapy (NAC). <i>Cancer Research</i> , <b>2022</b> , 82, P4-07-14-P4-07-14	10.1	
156	Abstract PD6-07: Whole genome sequencing-based circulating tumor DNA profiling of metastatic breast cancer patients for molecular characterization and therapy response prediction. <i>Cancer Research</i> , <b>2022</b> , 82, PD6-07-PD6-07	10.1	
155	Abstract P1-07-03: Clinical treatment score post-5 years (CTS5) and the prediction of survival benefit from extended endocrine therapy for breast cancer patients under and over 50 years of age. <i>Cancer Research</i> , <b>2022</b> , 82, P1-07-03-P1-07-03	10.1	
154	Abstract P2-13-14: Pattern of recurrence after pathologic complete response after neoadjuvant chemotherapy in patients with early HER2-positive breast cancer: Real-world evidence. <i>Cancer Research</i> , <b>2022</b> , 82, P2-13-14-P2-13-14	10.1	
153	Physical Activity Level and Exercise Barriers According to the Transtheoretical Model in Breast Cancer Patients. <i>Exercise Science</i> , <b>2022</b> , 31, 42-52		0
152	A Randomized Controlled Trial for Doing vs. Omitting Intraoperative Frozen Section Biopsy for Resection Margin Status in Selected Patients Undergoing Breast-Conserving Surgery (OFF-MAP Trial).. <i>Journal of Breast Cancer</i> , <b>2021</b> , 24, 569-577	3	
151	High endothelial venule is a surrogate biomarker for T-cell inflamed tumor microenvironment and prognosis in gastric cancer <b>2021</b> , 9,		3
150	Robotic harvest of a latissimus dorsi flap using a single-port surgical robotic system in breast reconstruction. <i>Archives of Plastic Surgery</i> , <b>2021</b> , 48, 577-582	1.6	1
149	Clinical Perspectives on Robot-assisted Nipple-sparing Mastectomy. <i>Annals of Robotic Innovative Surgery</i> , <b>2021</b> , 2, 23	0.4	0
148	From cadaveric and animal studies to the clinical reality of robotic mastectomy: a feasibility report of training program. <i>Scientific Reports</i> , <b>2021</b> , 11, 21032	4.9	0
147	Elevated serum substance P level as a predictive marker for moderately emetogenic chemotherapy-induced nausea and vomiting: A prospective cohort study. <i>Cancer Medicine</i> , <b>2021</b> , 10, 1057-1065	4.8	1

146	Single-port robot-assisted prosthetic breast reconstruction with the da Vinci SP Surgical System: first clinical report. <i>Archives of Plastic Surgery</i> , <b>2021</b> , 48, 194-198	1.6	2
145	Genomic landscape of extraordinary responses in metastatic breast cancer. <i>Communications Biology</i> , <b>2021</b> , 4, 449	6.7	1
144	Analysis of BRCA1/2 variants of unknown significance in the prospective Korean Hereditary Breast Cancer study. <i>Scientific Reports</i> , <b>2021</b> , 11, 8485	4.9	2
143	Real-World Clinical Data of Palbociclib in Asian Metastatic Breast Cancer Patients: Experiences from Eight Institutions. <i>Cancer Research and Treatment</i> , <b>2021</b> , 53, 409-423	5.2	5
142	On-treatment derived neutrophil-to-lymphocyte ratio and response to palbociclib and letrozole: Analysis of a multicenter retrospective cohort and the PALOMA-2 study.. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 1066-1066	2.2	
141	Real-World Clinical Outcomes of Biosimilar Trastuzumab (CT-P6) in HER2-Positive Early-Stage and Metastatic Breast Cancer. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 689587	5.3	3
140	Using a Tailored Digital Health Intervention for Family Communication and Cascade Genetic Testing in Swiss and Korean Families With Hereditary Breast and Ovarian Cancer: Protocol for the DIALOGUE Study. <i>JMIR Research Protocols</i> , <b>2021</b> , 10, e26264	2	1
139	Intermuscular fat density as a novel prognostic factor in breast cancer patients treated with adjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , <b>2021</b> , 189, 759-768	4.4	0
138	Risk of Lymphedema Following Contemporary Treatment for Breast Cancer: An Analysis of 7617 Consecutive Patients From a Multidisciplinary Perspective. <i>Annals of Surgery</i> , <b>2021</b> , 274, 170-178	7.8	30
137	Survival Rates of Breast Cancer Patients Aged 40 to 49 Years according to Detection Modality in Korea: Screening Ultrasound versus Mammography. <i>Korean Journal of Radiology</i> , <b>2021</b> , 22, 159-167	6.9	2
136	Postoperative pain assessment of robotic nipple-sparing mastectomy with immediate prepectoral prosthesis breast reconstruction: a comparison with conventional nipple-sparing mastectomy. <i>International Journal of Medical Sciences</i> , <b>2021</b> , 18, 2409-2416	3.7	0
135	Robotic DIEP Flap Harvest through a Totally Extraperitoneal Approach Using a Single-Port Surgical Robotic System. <i>Plastic and Reconstructive Surgery</i> , <b>2021</b> , 148, 304-307	2.7	1
134	Axillary response according to neoadjuvant single or dual human epidermal growth factor receptor 2 (HER2) blockade in clinically node-positive, HER2-positive breast cancer. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 1585-1592	7.5	2
133	Comparison between Gasless and Gas-Inflated Robot-Assisted Nipple-Sparing Mastectomy. <i>Journal of Breast Cancer</i> , <b>2021</b> , 24, 183-195	3	2
132	First Experience in Korea of Stereotactic Partial Breast Irradiation for Low-Risk Early-Stage Breast Cancer. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 672	5.3	5
131	Palbociclib use with grade 3 neutropenia in hormone receptor-positive metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 183, 107-116	4.4	0
130	Development of Robotic Mastectomy Using a Single-Port Surgical Robot System. <i>Journal of Breast Cancer</i> , <b>2020</b> , 23, 107-112	3	11
129	Trends in Risk-Reducing Mastectomy and Risk-Reducing Salpingo-Oophorectomy in Korean Carriers of the Mutation. <i>Journal of Breast Cancer</i> , <b>2020</b> , 23, 647-655	3	3

128	Assessment of the Prognostic Staging System of American Joint Committee on Cancer 8th Edition for Breast Cancer: Comparisons with the Conventional Anatomic Staging System. <i>Journal of Breast Cancer</i> , <b>2020</b> , 23, 59-68	3	6
127	Clinicopathological Features of Patients with the BRCA1 c.5339T>C (p.Leu1780Pro) Variant. <i>Cancer Research and Treatment</i> , <b>2020</b> , 52, 680-688	5.2	5
126	Liposomal irinotecan plus fluorouracil/leucovorin versus FOLFIRINOX as the second-line chemotherapy for patients with metastatic pancreatic cancer: Multicenter study of the Korean Cancer Study Group (KCSG).. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 4624-4624	2.2	
125	Consensus Statement on Robotic Mastectomy-Expert Panel From International Endoscopic and Robotic Breast Surgery Symposium (IERBS) 2019. <i>Annals of Surgery</i> , <b>2020</b> , 271, 1005-1012	7.8	19
124	Robot-assisted Nipple-sparing Mastectomy with Immediate Breast Reconstruction: An Initial Experience of the Korea Robot-Endoscopy Minimal Access Breast Surgery Study Group (KoREa-BSG). <i>Annals of Surgery</i> , <b>2020</b> ,	7.8	4
123	Optimal treatment of pseudoangiomatous stromal hyperplasia of the breast. <i>Asian Journal of Surgery</i> , <b>2020</b> , 43, 735-741	1.6	5
122	Intermediate HER2 expression is associated with poor prognosis in estrogen receptor-positive breast cancer patients aged 55 years and older. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 179, 687-697	4.4	6
121	Clinical features and KRAS mutation in colorectal cancer with bone metastasis. <i>Scientific Reports</i> , <b>2020</b> , 10, 21180	4.9	6
120	Prognostic value of neutrophil-to-lymphocyte ratio in human epidermal growth factor receptor 2-negative breast cancer patients who received neoadjuvant chemotherapy. <i>Scientific Reports</i> , <b>2020</b> , 10, 13078	4.9	8
119	Conserving the lymphatics from the arm using fluorescence imaging in patients with breast cancer at high risk of postoperative lymphedema: a pilot study. <i>Gland Surgery</i> , <b>2020</b> , 9, 629-636	2.2	2
118	Validation of Clinical Treatment Score post-5 years (CTS5) risk stratification in premenopausal breast cancer patients and Ki-67 labelling index. <i>Scientific Reports</i> , <b>2020</b> , 10, 16850	4.9	6
117	Axillary lymph node dissection using a robotic surgical system: Initial experience. <i>Journal of Surgical Oncology</i> , <b>2020</b> , 122, 1252-1256	2.8	2
116	Post-Operative Complications and Nipple Necrosis Rates Between Conventional and Robotic Nipple-Sparing Mastectomy. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 594388	5.3	6
115	Comprehensive immune profiling and immune-monitoring using body fluid of patients with metastatic gastric cancer <b>2019</b> , 7, 268		14
114	Effect of primary tumor resection on overall survival in patients with stage IV breast cancer. <i>Breast Journal</i> , <b>2019</b> , 25, 908-915	1.2	4
113	The Prognostic Value of 18F-FDG Uptake in the Supraclavicular Lymph Node (N3c) on PET/CT in Patients With Locally Advanced Breast Cancer With Clinical N3c. <i>Clinical Nuclear Medicine</i> , <b>2019</b> , 44, e6-e12	1.7	1
112	Early experiences with robot-assisted prosthetic breast reconstruction. <i>Archives of Plastic Surgery</i> , <b>2019</b> , 46, 79-83	1.6	18
111	Utilization of bioelectrical impedance analysis for detection of lymphedema in breast Cancer survivors: a prospective cross sectional study. <i>BMC Cancer</i> , <b>2019</b> , 19, 669	4.8	11

110	Robot-assisted Nipple-sparing Mastectomy with Immediate Breast Reconstruction: An Initial Experience. <i>Scientific Reports</i> , <b>2019</b> , 9, 15669	4.9	18
109	A neutrophil to lymphocyte ratio is predictive of response to neoadjuvant HER2-targeted therapies in the patients with HER2-positive breast cancer.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 587-587	2.2	1
108	Significance of Metabolic Tumor Volume and Total Lesion Glycolysis Measured Using $^{18}$ F-FDG PET/CT in Locally Advanced and Metastatic Gallbladder Carcinoma. <i>Yonsei Medical Journal</i> , <b>2019</b> , 60, 604-610	3	11
107	Immunohistochemistry Biomarkers Predict Survival in Stage II/III Gastric Cancer Patients: From a Prospective Clinical Trial. <i>Cancer Research and Treatment</i> , <b>2019</b> , 51, 819-831	5.2	8
106	A Phase II Study to Evaluate the Safety and Efficacy of Pegteograstim in Korean Breast Cancer Patients Receiving Dose-Dense Doxorubicin/Cyclophosphamide. <i>Cancer Research and Treatment</i> , <b>2019</b> , 51, 812-818	5.2	2
105	Trends in contralateral prophylactic mastectomy rate according to clinicopathologic and socioeconomic status. <i>Annals of Surgical Treatment and Research</i> , <b>2019</b> , 97, 113-118	2	3
104	An Updated Nomogram for Predicting Invasiveness in Preoperative Ductal Carcinoma In Situ of the Breast. <i>Yonsei Medical Journal</i> , <b>2019</b> , 60, 1028-1035	3	2
103	Temsirolimus in Asian Metastatic/Recurrent Non-clear Cell Renal Carcinoma. <i>Cancer Research and Treatment</i> , <b>2019</b> , 51, 1578-1588	5.2	1
102	Is the frozen section examination for sentinel lymph node necessary in early breast cancer patients?. <i>Annals of Surgical Treatment and Research</i> , <b>2019</b> , 97, 49-57	2	11
101	Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models. <i>PLoS ONE</i> , <b>2019</b> , 14, e0225082	3.7	6
100	Prevalence of breast cancer-related risk factors in underweight premenopausal women: the Korea National Health and Nutrition Examination Survey IV-VI. <i>Breast Cancer Research and Treatment</i> , <b>2019</b> , 174, 515-524	4.4	4
99	Differences in the Efficacies of Pazopanib and Gemcitabine/Docetaxel as Second-Line Treatments for Metastatic Soft Tissue Sarcoma. <i>Oncology</i> , <b>2019</b> , 96, 59-69	3.6	9
98	Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models <b>2019</b> , 14, e0225082		
97	Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models <b>2019</b> , 14, e0225082		
96	Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models <b>2019</b> , 14, e0225082		
95	Establishment of chemosensitivity tests in triple-negative and BRCA-mutated breast cancer patient-derived xenograft models <b>2019</b> , 14, e0225082		
94	A hierarchical prognostic model for risk stratification in patients with early breast cancer according to F-fludeoxyglucose uptake and clinicopathological parameters. <i>Cancer Medicine</i> , <b>2018</b> , 7, 1127-1134	4.8	5
93	Difference in Risk of Breast and Ovarian Cancer According to Putative Functional Domain Regions in Korean BRCA1/2 Mutation Carriers. <i>Clinical Breast Cancer</i> , <b>2018</b> , 18, 362-373.e1	3	3

92	Locoregional Treatment of the Primary Tumor in Patients With De Novo Stage IV Breast Cancer: A Radiation Oncologist's Perspective. <i>Clinical Breast Cancer</i> , <b>2018</b> , 18, e167-e178	3	20
91	Impact of Micrometastatic Axillary Nodes on Survival of Breast Cancer Patients with Tumors $\geq 1$ cm. <i>World Journal of Surgery</i> , <b>2018</b> , 42, 3969-3978	3.3	4
90	Marked Loss of Muscle, Visceral Fat, or Subcutaneous Fat After Gastrectomy Predicts Poor Survival in Advanced Gastric Cancer: Single-Center Study from the CLASSIC Trial. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 3222-3230	3.1	40
89	Variants of cancer susceptibility genes in Korean BRCA1/2 mutation-negative patients with high risk for hereditary breast cancer. <i>BMC Cancer</i> , <b>2018</b> , 18, 83	4.8	16
88	Association between Changes in Serum 25-Hydroxyvitamin D Levels and Survival in Patients with Breast Cancer Receiving Neoadjuvant Chemotherapy. <i>Journal of Breast Cancer</i> , <b>2018</b> , 21, 134-141	3	5
87	External validation of IBTR! 2.0 nomogram for prediction of ipsilateral breast tumor recurrence. <i>Radiation Oncology Journal</i> , <b>2018</b> , 36, 139-146	2.5	4
86	Detection of Germline Mutations in Patients with Epithelial Ovarian Cancer Using Multi-gene Panels: Beyond BRCA1/2. <i>Cancer Research and Treatment</i> , <b>2018</b> , 50, 917-925	5.2	22
85	CD44/CD24 and aldehyde dehydrogenase 1 in estrogen receptor-positive early breast cancer treated with tamoxifen: CD24 positivity is a poor prognosticator. <i>Oncotarget</i> , <b>2018</b> , 9, 2622-2630	3.3	10
84	ASO Author Reflections: Prognostic Impact of Body Composition Change After Gastrectomy for Advanced Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 765-766	3.1	
83	Distinct Clinical Courses of Epithelial Ovarian Cancer with Mutations in 5' and 3' Exons. <i>Anticancer Research</i> , <b>2018</b> , 38, 6947-6953	2.3	3
82	Gasless Robot-Assisted Nipple-Sparing Mastectomy: A Case Report. <i>Journal of Breast Cancer</i> , <b>2018</b> , 21, 334-338	3	21
81	Effects of hormone receptor status on the durable response of trastuzumab-based therapy in metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2017</b> , 163, 255-262	4.4	3
80	BRCA1 and BRCA2 mutation predictions using the BRCAPRO and Myriad models in Korean ovarian cancer patients. <i>Gynecologic Oncology</i> , <b>2017</b> , 145, 137-141	4.9	10
79	Preoperative prediction of the size of pure ductal carcinoma in situ using three imaging modalities as compared to histopathological size: does magnetic resonance imaging add value?. <i>Breast Cancer Research and Treatment</i> , <b>2017</b> , 164, 437-444	4.4	6
78	Chemotherapy-induced irreversible alopecia in early breast cancer patients. <i>Breast Cancer Research and Treatment</i> , <b>2017</b> , 163, 527-533	4.4	11
77	The clinical implication of the number of lymph nodes harvested during sentinel lymph node biopsy and its effects on survival outcome in patients with node-negative breast cancer. <i>American Journal of Surgery</i> , <b>2017</b> , 214, 726-732	2.7	12
76	ANO9/TMEM16J promotes tumorigenesis via EGFR and is a novel therapeutic target for pancreatic cancer. <i>British Journal of Cancer</i> , <b>2017</b> , 117, 1798-1809	8.7	24
75	Effects of systemic lidocaine versus magnesium administration on postoperative functional recovery and chronic pain in patients undergoing breast cancer surgery: A prospective, randomized, double-blind, comparative clinical trial. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173026	3.7	23

74	Role of adjuvant chemotherapy in locally advanced rectal cancer with ypT0-3N0 after preoperative chemoradiation therapy and surgery. <i>BMC Cancer</i> , <b>2017</b> , 17, 615	4.8	8
73	Cardiotoxicity of trastuzumab in patients with HER2-positive gastric cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 61837-61845	5.1	10
72	Detection of Circulating Tumor Cells in Breast Cancer Patients Using Cytokeratin-19 Real-Time RT-PCR. <i>Yonsei Medical Journal</i> , <b>2017</b> , 58, 19-26	3	13
71	Factors predictive of occult nipple-areolar complex involvement in patients with carcinoma in situ of the breast. <i>Journal of Surgical Oncology</i> , <b>2017</b> , 116, 1046-1055	2.8	6
70	The Effects of Perioperative Anesthesia and Analgesia on Immune Function in Patients Undergoing Breast Cancer Resection: A Prospective Randomized Study. <i>International Journal of Medical Sciences</i> , <b>2017</b> , 14, 970-976	3.7	49
69	Next-generation sequencing of in breast cancer patients: potential effects on clinical decision-making using rapid, high-accuracy genetic results. <i>Annals of Surgical Treatment and Research</i> , <b>2017</b> , 92, 331-339	2	16
68	Comparison of characteristics in patients with both thyroid and breast cancer: Based on order of incidence. <i>Korean Journal of Clinical Oncology</i> , <b>2017</b> , 13, 1-9	0.1	5
67	Oncologic safety of breast-conserving surgery in breast cancer patients under the age of 35. <i>Korean Journal of Clinical Oncology</i> , <b>2017</b> , 13, 32-38	0.1	1
66	Detection of activating and acquired resistant mutation in plasma from EGFR-mutated NSCLC patients by peptide nucleic acid (PNA) clamping-assisted fluorescence melting curve analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 65111-65122	3.3	17
65	PTEN loss and level of HER2 amplification is associated with trastuzumab resistance and prognosis in HER2-positive gastric cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 113494-113501	3.3	26
64	Comparison of Clinical Outcomes of Pathologic Mutation, Variants of Unknown Significance, or Wild Type Epithelial Ovarian Cancer Patients. <i>Cancer Research and Treatment</i> , <b>2017</b> , 49, 408-415	5.2	16
63	Identification of a Novel BRCA1 Pathogenic Mutation in Korean Patients Following Reclassification of BRCA1 and BRCA2 Variants According to the ACMG Standards and Guidelines Using Relevant Ethnic Controls. <i>Cancer Research and Treatment</i> , <b>2017</b> , 49, 1012-1021	5.2	20
62	Prognostic Factors and Scoring Model for Survival in Metastatic Biliary Tract Cancer. <i>Cancer Research and Treatment</i> , <b>2017</b> , 49, 1127-1139	5.2	13
61	Prognostic factors and scoring model for survival in advanced biliary tract cancer.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 264-264	2.2	
60	Trends in the Application of Postmastectomy Radiotherapy for Breast Cancer With 1 to 3 Positive Axillary Nodes and Tumors ≤ cm in the Modern Treatment Era: A Retrospective Korean Breast Cancer Society Report. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3592	1.8	4
59	No effect of tumor-infiltrating lymphocytes (TILs) on prognosis in patients with early triple-negative breast cancer: Validation of recommendations by the International TILs Working Group 2014. <i>Journal of Surgical Oncology</i> , <b>2016</b> , 114, 17-21	2.8	8
58	Benefit of Adjuvant Chemotherapy After Curative Resection of Lung Metastasis in Colorectal Cancer. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 928-35	3.1	22
57	Association Between Insulin Resistance and Luminal B Subtype Breast Cancer in Postmenopausal Women. <i>Medicine (United States)</i> , <b>2016</b> , 95, e2825	1.8	18

56	Magnetic Resonance Imaging after Completion of Neoadjuvant Chemotherapy Can Accurately Discriminate between No Residual Carcinoma and Residual Ductal Carcinoma In Situ in Patients with Triple-Negative Breast Cancer. <i>PLoS ONE</i> , <b>2016</b> , 11, e0149347	3.7	12
55	Risk Factors Associated with Discordant Ki-67 Levels between Preoperative Biopsy and Postoperative Surgical Specimens in Breast Cancers. <i>PLoS ONE</i> , <b>2016</b> , 11, e0151054	3.7	8
54	Pilot Study of a Next-Generation Sequencing-Based Targeted Anticancer Therapy in Refractory Solid Tumors at a Korean Institution. <i>PLoS ONE</i> , <b>2016</b> , 11, e0154133	3.7	9
53	Clinical Implications of Genetic Testing for Hereditary Breast and Ovarian Cancer Syndrome in the Era of Genomic Medicine: Clinician's Perspectives. <i>Journal of Breast Disease</i> , <b>2016</b> , 4, 1-9	0.3	3
52	Prognostic Scoring Index for Patients with Metastatic Pancreatic Adenocarcinoma. <i>Cancer Research and Treatment</i> , <b>2016</b> , 48, 1253-1263	5.2	12
51	Next-generation sequencing reveals somatic mutations that confer exceptional response to everolimus. <i>Oncotarget</i> , <b>2016</b> , 7, 10547-56	3.3	44
50	Comparisons of Oncologic Outcomes between Triple-Negative Breast Cancer (TNBC) and Non-TNBC among Patients Treated with Breast-Conserving Therapy. <i>Yonsei Medical Journal</i> , <b>2016</b> , 57, 1192-8	3	15
49	Incidence of Febrile Neutropenia in Korean Female Breast Cancer Patients Receiving Preoperative or Postoperative Doxorubicin/Cyclophosphamide Followed by Docetaxel Chemotherapy. <i>Journal of Breast Cancer</i> , <b>2016</b> , 19, 76-82	3	13
48	Preoperative Magnetic Resonance Imaging and Survival Outcomes in T1-2 Breast Cancer Patients Who Receive Breast-Conserving Therapy. <i>Journal of Breast Cancer</i> , <b>2016</b> , 19, 423-428	3	9
47	Expression of T-Lymphocyte Markers in Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer. <i>Journal of Breast Cancer</i> , <b>2016</b> , 19, 385-393	3	2
46	Characterization of Korean Male Breast Cancer Using an Online Nationwide Breast-Cancer Database: Matched-Pair Analysis of Patients With Female Breast Cancer. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3299	1.8	15
45	Pharmacogenetic analysis of advanced non-small-cell lung cancer patients treated with first-line paclitaxel and carboplatin chemotherapy. <i>Pharmacogenetics and Genomics</i> , <b>2016</b> , 26, 116-25	1.9	9
44	Intratumoral Agreement of High-Resolution Magic Angle Spinning Magnetic Resonance Spectroscopic Profiles in the Metabolic Characterization of Breast Cancer. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3398	1.8	13
43	Effects of microsatellite instability on recurrence patterns and outcomes in colorectal cancers. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 25-33	8.7	87
42	Serum 25-hydroxyvitamin D deficiency and increased risk of breast cancer among Korean women: a case-control study. <i>Breast Cancer Research and Treatment</i> , <b>2015</b> , 152, 147-154	4.4	26
41	Proper timing of adjuvant chemotherapy affects survival in patients with stage 2 and 3 gastric cancer. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 224-31	3.1	38
40	Prognostic Nomogram for Prediction of Axillary Pathologic Complete Response After Neoadjuvant Chemotherapy in Cytologically Proven Node-Positive Breast Cancer. <i>Medicine (United States)</i> , <b>2015</b> , 94, e1720	1.8	36
39	Characteristics and Survival of Breast Cancer Patients with Multiple Synchronous or Metachronous Primary Cancers. <i>Yonsei Medical Journal</i> , <b>2015</b> , 56, 1213-20	3	23



38	Anaplastic lymphoma kinase gene copy number gain in inflammatory breast cancer (IBC): prevalence, clinicopathologic features and prognostic implication. <i>PLoS ONE</i> , <b>2015</b> , 10, e0120320	3.7	12
37	Correlation between obesity and clinicopathological factors in patients with papillary thyroid cancer. <i>Surgery Today</i> , <b>2015</b> , 45, 723-9	3	25
36	Cumulative Sum Analysis for Learning Curve for Breast Mass Excision Using an Ultrasound-Guided Vacuum-Assisted Biopsy System. <i>Journal of Breast Disease</i> , <b>2015</b> , 3, 43-47	0.3	4
35	Next-generation sequencing to reveal somatic mutations that confer sensitivity to everolimus.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 11010-11010	2.2	
34	The long term outcome of clinical trial-based treatment comparing standard treatment for metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 11106-11106	2.2	
33	Clinicopathologic characteristics and surgical outcomes of elderly patients with thyroid cancer. <i>Japanese Journal of Clinical Oncology</i> , <b>2014</b> , 44, 1045-51	2.8	10
32	Expression of receptor activator of nuclear factor kappa-B as a poor prognostic marker in breast cancer. <i>Journal of Surgical Oncology</i> , <b>2014</b> , 110, 807-12	2.8	26
31	Effect of axillary lymph node dissection after sentinel lymph node biopsy on overall survival in patients with T1 or T2 node-positive breast cancer: report from the Korean Breast Cancer Society. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 1231-6	3.1	14
30	Learning curve for breast mass excision using a vacuum-assisted biopsy system. <i>Minimally Invasive Therapy and Allied Technologies</i> , <b>2014</b> , 23, 235-40	2.1	9
29	Subcellular localization of Mdm2 expression and prognosis of breast cancer. <i>International Journal of Clinical Oncology</i> , <b>2014</b> , 19, 842-51	4.2	19
28	Clinical Outcome of Immediate Breast Reconstruction after Mastectomy for Breast Cancer. <i>Journal of Breast Disease</i> , <b>2014</b> , 2, 44-50	0.3	2
27	A nomogram for predicting underestimation of invasiveness in ductal carcinoma in situ diagnosed by preoperative needle biopsy. <i>Breast</i> , <b>2013</b> , 22, 869-73	3.6	27
26	Sentinel lymph node biopsy after neoadjuvant chemotherapy in patients with cytologically proven node-positive breast cancer at diagnosis. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20, 2858-65	3.1	51
25	Risk predictors of underestimation and the need for sentinel node biopsy in patients diagnosed with ductal carcinoma in situ by preoperative needle biopsy. <i>Journal of Surgical Oncology</i> , <b>2013</b> , 107, 388-92	2.8	44
24	Oncologic safety of breast-conserving surgery compared to mastectomy in patients receiving neoadjuvant chemotherapy for locally advanced breast cancer. <i>Journal of Surgical Oncology</i> , <b>2013</b> , 108, 531-6	2.8	45
23	Efficacy of a combined alendronate and calcitriol agent (Maxmarvil ) in Korean postmenopausal women with early breast cancer receiving aromatase inhibitor: a double-blind, randomized, placebo-controlled study. <i>Endocrine Journal</i> , <b>2013</b> , 60, 167-72	2.9	17
22	Characteristics and outcomes according to molecular subtypes of breast cancer as classified by a panel of four biomarkers using immunohistochemistry. <i>Breast</i> , <b>2012</b> , 21, 50-7	3.6	141
21	Notch1 receptor as a marker of lymph node metastases in papillary thyroid cancer. <i>Cancer Science</i> , <b>2012</b> , 103, 305-9	6.9	21

20	Pattern of distant recurrence according to the molecular subtypes in Korean women with breast cancer. <i>World Journal of Surgical Oncology</i> , <b>2012</b> , 10, 4	3.4	25
19	Breast cancers presenting luminal B subtype features show higher discordant human epidermal growth factor receptor 2 results between immunohistochemistry and fluorescence in situ hybridization. <i>Cancer</i> , <b>2012</b> , 118, 914-23	6.4	12
18	Comparison of surgical outcomes between endoscopic and robotic thyroidectomy. <i>Journal of Surgical Oncology</i> , <b>2012</b> , 105, 705-8	2.8	54
17	Higher expression of androgen receptor is a significant predictor for better endocrine-responsiveness in estrogen receptor-positive breast cancers. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 133, 311-20	4.4	30
16	Cyclooxygenase-2 expression in proliferative Ki-67-positive breast cancers is associated with poor outcomes. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 133, 741-51	4.4	23
15	Homeodomain-interacting protein kinase 1 (HIPK1) expression in breast cancer tissues. <i>Japanese Journal of Clinical Oncology</i> , <b>2012</b> , 42, 1138-45	2.8	3
14	Association between genetic polymorphisms of CYP2D6 and outcomes in breast cancer patients with tamoxifen treatment. <i>Journal of Korean Medical Science</i> , <b>2011</b> , 26, 1007-13	4.7	28
13	The impact of local and regional recurrence on distant metastasis and survival in patients treated with breast conservation therapy. <i>Journal of Breast Cancer</i> , <b>2011</b> , 14, 191-7	3	12
12	The feasibility of endoscopy-assisted breast conservation surgery for patients with early breast cancer. <i>Journal of Breast Cancer</i> , <b>2011</b> , 14, 52-7	3	22
11	Clinical significance of progesterone receptor and HER2 status in estrogen receptor-positive, operable breast cancer with adjuvant tamoxifen. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2011</b> , 137, 1123-30	4.9	24
10	Factors influencing the outcome of breast cancer patients with 10 or more metastasized axillary lymph nodes. <i>International Journal of Clinical Oncology</i> , <b>2011</b> , 16, 473-81	4.2	11
9	Comparison of treatment outcome between breast-conservation surgery with radiation and total mastectomy without radiation in patients with one to three positive axillary lymph nodes. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2011</b> , 80, 1446-52	4	11
8	A prognostic model to predict clinical outcome in gastric cancer patients with bone metastasis. <i>Oncology</i> , <b>2011</b> , 80, 142-50	3.6	32
7	The impact of a focally positive resection margin on the local control in patients treated with breast-conserving therapy. <i>Japanese Journal of Clinical Oncology</i> , <b>2011</b> , 41, 600-8	2.8	19
6	Adjuvant Hormonal Therapy: Current Standard and Practical Issues. <i>Journal of Breast Cancer</i> , <b>2010</b> , 13, 242	3	2
5	Clinicopathologic features and outcomes of metaplastic breast carcinoma: comparison with invasive ductal carcinoma of the breast. <i>Yonsei Medical Journal</i> , <b>2010</b> , 51, 864-9	3	47
4	Treatment outcome of localized Helicobacter pylori-negative low-grade gastric MALT lymphoma. <i>World Journal of Gastroenterology</i> , <b>2010</b> , 16, 2158-62	5.6	45
3	Outcome of adjuvant therapy for gallbladder cancer. <i>Oncology</i> , <b>2010</b> , 79, 168-73	3.6	26

2	Molecular subtypes and tumor response to neoadjuvant chemotherapy in patients with locally advanced breast cancer. <i>Oncology</i> , <b>2010</b> , 79, 324-30	3.6	50
1	Clinicopathological features of infiltrating lobular carcinomas comparing with infiltrating ductal carcinomas: a case control study. <i>World Journal of Surgical Oncology</i> , <b>2010</b> , 8, 34	3.4	34