

# Shan Zheng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1542738/publications.pdf>

Version: 2024-02-01

26  
papers

486  
citations

1163117

8  
h-index

677142

22  
g-index

26  
all docs

26  
docs citations

26  
times ranked

809  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Nation-Wide multicenter 10-year (1999-2008) retrospective clinical epidemiological study of female breast cancer in china. BMC Cancer, 2011, 11, 364.	2.6	189
2	The pathologic characteristics of breast cancer in China and its shift during 1999â€“2008: A nationalâ€“wide multicenter crossâ€“sectional image over 10 years. International Journal of Cancer, 2012, 131, 2622-2631.	5.1	65
3	Better pathologic complete response and relapse-free survival after carboplatin plus paclitaxel compared with epirubicin plus paclitaxel as neoadjuvant chemotherapy for locally advanced triple-negative breast cancer: a randomized phase 2 trial. Oncotarget, 2016, 7, 60647-60656.	1.8	63
4	A CLDN1-Negative Phenotype Predicts Poor Prognosis in Triple-Negative Breast Cancer. PLoS ONE, 2014, 9, e112765.	2.5	33
5	Long-term survival and prognostic factors for locally advanced renal cell carcinoma with renal vein tumor thrombus. BMC Cancer, 2019, 19, 144.	2.6	19
6	Characteristics and treatment results of recurrence in adult-type granulosa cell tumor of ovary. Journal of Ovarian Research, 2020, 13, 19.	3.0	17
7	Age-related terminal duct lobular unit involution in benign tissues from Chinese breast cancer patients with luminal and triple-negative tumors. Breast Cancer Research, 2017, 19, 61.	5.0	16
8	A suggestion for pathological grossing and reporting based on prognostic indicators of malignancies from a pooled analysis of renal epithelioid angiomyolipoma. International Urology and Nephrology, 2015, 47, 1643-1651.	1.4	15
9	Neoadjuvant Chemotherapyâ€“Guided Bladder-Sparing Treatment for Muscle-Invasive Bladder Cancer: Results of a Pilot Phase II Study. Cancer Research and Treatment, 2021, 53, 1156-1165.	3.0	10
10	Prognostic Significance of NLR About NETosis and Lymphocytes Perturbations in Localized Renal Cell Carcinoma With Tumor Thrombus. Frontiers in Oncology, 2021, 11, 771545.	2.8	10
11	Characteristics of Mammary Paget's Disease in China: a National-wide Multicenter Retrospective Study During 1999-2008. Asian Pacific Journal of Cancer Prevention, 2012, 13, 1887-1893.	1.2	8
12	Distinct subcellular localization of E-cadherin between epithelioid angiomyolipoma and triphasic angiomyolipoma: A preliminary case-control study. Oncology Letters, 2017, 14, 695-704.	1.8	5
13	Impact of Primary Tumor Size on Prognosis in Patients With Metastatic Renal Cell Carcinoma Receiving Cytoreductive Nephrectomy: A Population Study of a Chinese Center and the US SEER Database. Technology in Cancer Research and Treatment, 2021, 20, 153303382110195.	1.9	5
14	CYR61 as a potential biomarker for the preoperative identification of muscle-invasive bladder cancers. Annals of Translational Medicine, 2021, 9, 761-761.	1.7	5
15	Epidemiologic study of compliance to postmastectomy radiation therapy guidelines in breast cancer patients in China between 1999 and 2008. Practical Radiation Oncology, 2013, 3, 209-215.	2.1	4
16	PD-L1 and VEGFR-2 expression in synchronous metastatic renal cell carcinoma treated with targeted therapy following cytoreductive nephrectomy. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 78.e9-78.e16.	1.6	4
17	Characterization of molecular genetics and clinicopathology in thymic MALT lymphoma. Annals of Hematology, 2022, 101, 91-97.	1.8	4
18	<p>Combination of Hematology Indicators and Oncological Characteristics as a New Promising Prognostic Factor in Localized Clear Cell Renal Cell Carcinoma</p>. Cancer Management and Research, 2020, Volume 12, 10023-10033.	1.9	3

#	ARTICLE	IF	CITATIONS
19	<p></p>Analysis of Clinicopathological Features of Cervical Mucinous Adenocarcinoma with a Solitary Ovarian Metastatic Mass as the First Manifestation</p>. Cancer Management and Research, 2020, Volume 12, 8965-8973.	1.9	2
20	Ratio of maximum to minimum tumor diameter can predict the pathology type of renal cell carcinoma before surgery. Tumori, 2021, 107, 64-70.	1.1	2
21	Phenotypical screening on metastatic PRCC-TFE3 fusion translocation renal cell carcinoma organoids reveals potential therapeutic agents. Clinical and Translational Oncology, 2022, 24, 1333-1346.	2.4	2
22	Alteration of G1-cyclins (D1 and E) in transitional cell carcinoma of human urinary bladder with infection of HPV-18. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2002, 14, 64-68.	2.2	1
23	Clinicopathological characteristics and health care for Tibetan women with breast cancer: a cross-sectional survey. BMC Cancer, 2019, 19, 380.	2.6	1
24	Separate lateral parametrial lymph node dissection improves detection rate of parametrial lymph node metastasis in early-stage cervical cancer: 10-year clinical evaluation in a single center in China. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2020, 32, 804-814.	2.2	1
25	Novel cutoff values of time from diagnosis to systematic therapy predict the overall survival and the efficacy of targeted therapy in renal cell carcinoma: A long-term, follow-up, retrospective study. International Journal of Urology, 2021, , .	1.0	1
26	Promising Immunotherapy in Metastatic Testicular Sex Cord Stromal Tumours After First-Line Chemotherapy. Frontiers in Immunology, 2021, 12, 720359.	4.8	1