

Shan Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1542738/publications.pdf>

Version: 2024-02-01

26
papers

486
citations

1163117

8
h-index

677142

22
g-index

26
all docs

26
docs citations

26
times ranked

809
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of molecular genetics and clinicopathology in thymic MALT lymphoma. <i>Annals of Hematology</i> , 2022, 101, 91-97.	1.8	4
2	Phenotypical screening on metastatic PRCC-TFE3 fusion translocation renal cell carcinoma organoids reveals potential therapeutic agents. <i>Clinical and Translational Oncology</i> , 2022, 24, 1333-1346.	2.4	2
3	Ratio of maximum to minimum tumor diameter can predict the pathology type of renal cell carcinoma before surgery. <i>Tumori</i> , 2021, 107, 64-70.	1.1	2
4	PD-L1 and VEGFR-2 expression in synchronous metastatic renal cell carcinoma treated with targeted therapy following cytoreductive nephrectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 78.e9-78.e16.	1.6	4
5	Impact of Primary Tumor Size on Prognosis in Patients With Metastatic Renal Cell Carcinoma Receiving Cytoreductive Nephrectomy: A Population Study of a Chinese Center and the US SEER Database. <i>Technology in Cancer Research and Treatment</i> , 2021, 20, 153303382110195.	1.9	5
6	Neoadjuvant Chemotherapyâ€“Guided Bladder-Sparing Treatment for Muscle-Invasive Bladder Cancer: Results of a Pilot Phase II Study. <i>Cancer Research and Treatment</i> , 2021, 53, 1156-1165.	3.0	10
7	CYR61 as a potential biomarker for the preoperative identification of muscle-invasive bladder cancers. <i>Annals of Translational Medicine</i> , 2021, 9, 761-761.	1.7	5
8	Novel cutâ€“off values of time from diagnosis to systematic therapy predict the overall survival and the efficacy of targeted therapy in renal cell carcinoma: A longâ€“term, followâ€“up, retrospective study. <i>International Journal of Urology</i> , 2021, , .	1.0	1
9	Promising Immunotherapy in Metastatic Testicular Sex Cord Stromal Tumours After First-Line Chemotherapy. <i>Frontiers in Immunology</i> , 2021, 12, 720359.	4.8	1
10	Prognostic Significance of NLR About NETosis and Lymphocytes Perturbations in Localized Renal Cell Carcinoma With Tumor Thrombus. <i>Frontiers in Oncology</i> , 2021, 11, 771545.	2.8	10
11	<p>Analysis of Clinicopathological Features of Cervical Mucinous Adenocarcinoma with a Solitary Ovarian Metastatic Mass as the First Manifestation</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 8965-8973.	1.9	2
12	<p>Combination of Hematology Indicators and Oncological Characteristics as a New Promising Prognostic Factor in Localized Clear Cell Renal Cell Carcinoma</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 10023-10033.	1.9	3
13	Characteristics and treatment results of recurrence in adult-type granulosa cell tumor of ovary. <i>Journal of Ovarian Research</i> , 2020, 13, 19.	3.0	17
14	Separate lateral parametrial lymph node dissection improves detection rate of parametrial lymph node metastasis in early-stage cervical cancer: 10-year clinical evaluation in a single center in China. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020, 32, 804-814.	2.2	1
15	Clinicopathological characteristics and health care for Tibetan women with breast cancer: a cross-sectional survey. <i>BMC Cancer</i> , 2019, 19, 380.	2.6	1
16	Long-term survival and prognostic factors for locally advanced renal cell carcinoma with renal vein tumor thrombus. <i>BMC Cancer</i> , 2019, 19, 144.	2.6	19
17	Distinct subcellular localization of E-cadherin between epithelioid angiomyolipoma and triphasic angiomyolipoma: A preliminary case-control study. <i>Oncology Letters</i> , 2017, 14, 695-704.	1.8	5
18	Age-related terminal duct lobular unit involution in benign tissues from Chinese breast cancer patients with luminal and triple-negative tumors. <i>Breast Cancer Research</i> , 2017, 19, 61.	5.0	16

#	ARTICLE	IF	CITATIONS
19	Better pathologic complete response and relapse-free survival after carboplatin plus paclitaxel compared with epirubicin plus paclitaxel as neoadjuvant chemotherapy for locally advanced triple-negative breast cancer: a randomized phase 2 trial. <i>Oncotarget</i> , 2016, 7, 60647-60656.	1.8	63
20	A suggestion for pathological grossing and reporting based on prognostic indicators of malignancies from a pooled analysis of renal epithelioid angiomyolipoma. <i>International Urology and Nephrology</i> , 2015, 47, 1643-1651.	1.4	15
21	A CLDN1-Negative Phenotype Predicts Poor Prognosis in Triple-Negative Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e112765.	2.5	33
22	Epidemiologic study of compliance to postmastectomy radiation therapy guidelines in breast cancer patients in China between 1999 and 2008. <i>Practical Radiation Oncology</i> , 2013, 3, 209-215.	2.1	4
23	The pathologic characteristics of breast cancer in China and its shift during 1999-2008: A national-wide multicenter cross-sectional image over 10 years. <i>International Journal of Cancer</i> , 2012, 131, 2622-2631.	5.1	65
24	Characteristics of Mammary Paget's Disease in China: a National-wide Multicenter Retrospective Study During 1999-2008. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 1887-1893.	1.2	8
25	A Nation-Wide multicenter 10-year (1999-2008) retrospective clinical epidemiological study of female breast cancer in china. <i>BMC Cancer</i> , 2011, 11, 364.	2.6	189
26	Alteration of G1-cyclins (D1 and E) in transitional cell carcinoma of human urinary bladder with infection of HPV-18. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2002, 14, 64-68.	2.2	1