

Ke Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1543223/ke-wang-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

3,521
citations

31
h-index

56
g-index

118
ext. papers

3,812
ext. citations

3.8
avg, IF

4.93
L-index

#	Paper	IF	Citations
115	Hydrogen-bond-dominated mechanical stretchability in PVA films: from phenomenological to numerical insights.. <i>Physical Chemistry Chemical Physics</i> , 2022 , 24, 1885-1895	3.6	2
114	TMEM2 binds to CSNK2A3 to inhibit HBV infection via activation of the JAK/STAT pathway. <i>Experimental Cell Research</i> , 2021 , 400, 112517	4.2	2
113	FTIR and NMR characterization of thermosetting methyl methacrylate terminated poly(2,6-dimethyl-1,4-phenylene oxide)triallyl isocyanurate copolymer. <i>Journal of Polymer Research</i> , 2021 , 28, 1	2.7	1
112	Influence of molecular weight on molding efficiency and properties of sintered UHMWPE thick-size products. <i>Journal of Polymer Research</i> , 2021 , 28, 1	2.7	1
111	Gut microbiota as prognosis markers for patients with HBV-related acute-on-chronic liver failure. <i>Gut Microbes</i> , 2021 , 13, 1-15	8.8	7
110	Intercalation of copper microparticles in an expanded graphite film with improved through-plane thermal conductivity. <i>Journal of Materials Science</i> , 2020 , 55, 7351-7358	4.3	1
109	Realizing self-reinforcement of polyethylene via high-speed shear processing. <i>Journal of Polymer Research</i> , 2019 , 26, 1	2.7	2
108	Progresses in Manufacturing Techniques of Lithium-Ion Battery Separators in China. <i>Chinese Journal of Chemistry</i> , 2019 , 37, 1207-1215	4.9	22
107	Effects of montmorillonite on structures and properties of injection-molded polypropylene. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47442	2.9	4
106	Structure variation and puncture resistance of stretched crosslinked polyethylene film: Effects of stretching temperature. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47542	2.9	2
105	Exploitation of a promising flame-retardant engineering plastics by molten composited polyketone and diethyl zinc phosphinate. <i>Polymers for Advanced Technologies</i> , 2019 , 30, 1978-1988	3.2	3
104	Effects of thermo-oxidative aging on structure and low temperature impact performance of rotationally molded products. <i>Polymer Degradation and Stability</i> , 2019 , 161, 150-156	4.7	6
103	Correlations between microstructure of flow nuclei and polymorphism of shear-induced iPP/carbon fiber cylindrite. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2019 , 57, 368-377	2.6	5
102	Structural origins of mechanical strengthening in poly(phenylene sulfide)/multiwalled carbon nanotube nanocomposites obtained via hot-stretching. <i>Polymer Composites</i> , 2019 , 40, E589	3	4
101	Study of Mechanical Property and Cellular structure Based on the Controllable Crosslinking Polyethylene Foaming Materials. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 544, 012058	0.4	
100	Simultaneously reinforce and toughen polypropylene by in-situ introducing polylactic acid microfibrils. <i>Polymers for Advanced Technologies</i> , 2018 , 29, 1469-1477	3.2	3
99	Largely Improved Stretch Ductility and Form Room-temperature Durability of Poly(vinylidene fluoride) by Incorporating Aliphatic Polyketone. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2018 , 36, 1277-1285	3.5	7

98	Morphology and internal structure control over PLA microspheres by compounding PLLA and PDLA and effects on drug release behavior. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 172, 105-112	6	17
97	Significant toughness improvement in iPP/PLLA/EGMA blend by introducing dicumyl peroxide as the morphology governor. <i>Colloid and Polymer Science</i> , 2018 , 296, 31-39	2.4	5
96	Preparation of high oil-absorptive uniform gel with controllable oil-absorbency by radiation. <i>RSC Advances</i> , 2017 , 7, 31519-31524	3.7	1
95	Facilely assess the soluble behaviour of the nucleating agent by gradient temperature field for the construction of heterogeneous crystalline-frameworks in iPP. <i>Soft Matter</i> , 2016 , 12, 594-601	3.6	23
94	Reduction of graphene oxide with the presence of polypropylene micro-latex for facile preparation of polypropylene/graphene nanosheet composites. <i>Colloid and Polymer Science</i> , 2015 , 293, 1495-1503	2.4	10
93	Confine Clay in an Alternating Multilayered Structure through Injection Molding: A Simple and Efficient Route to Improve Barrier Performance of Polymeric Materials. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 10178-89	9.5	26
92	A novel non-releasing antibacterial poly(styrene-acrylate)/waterborne polyurethane composite containing gemini quaternary ammonium salt. <i>RSC Advances</i> , 2015 , 5, 89763-89770	3.7	20
91	Manipulation of multiphase morphology in the reactive blending system OBC/PLA/EGMA. <i>RSC Advances</i> , 2015 , 5, 96353-96359	3.7	9
90	Soluble ST2 plasma concentrations predict mortality in HBV-related acute-on-chronic liver failure. <i>Mediators of Inflammation</i> , 2015 , 2015, 535938	4.3	16
89	Preparation of polypropylene/graphite nanocomposite with the aids of rotating solid-state mixing and dynamic packing injection molding. <i>Polymer Composites</i> , 2014 , 35, 1943-1951	3	4
88	Effect of melting temperature on interfacial interaction and mechanical properties of polypropylene (PP) fiber reinforced olefin block copolymers (OBCs). <i>RSC Advances</i> , 2014 , 4, 45234-45243	3.7	16
87	Towards high-performance poly(L-lactide)/elastomer blends with tunable interfacial adhesion and matrix crystallization via constructing stereocomplex crystallites at the interface. <i>RSC Advances</i> , 2014 , 4, 49374-49385	3.7	43
86	The resistivity-strain behavior of conductive polymer composites: stability and sensitivity. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17085-17098	13	132
85	Comparison of the toughening behavior for poly(ethylene terephthalate) with spherulitic or ellipsoid elastomer-particles. <i>Journal of Polymer Research</i> , 2014 , 21, 1	2.7	2
84	Enhanced interfacial adhesion via interfacial crystallization between sisal fiber and isotactic polypropylene: direct evidence from single-fiber fragmentation testing. <i>Polymer International</i> , 2014 , 63, 646-651	3.3	16
83	Control of the hierarchical structure of polymer articles via structuring-processing. <i>Progress in Polymer Science</i> , 2014 , 39, 891-920	29.6	54
82	Brittle-ductile transition behavior of poly(ethylene terephthalate)/poly(ethylene-octene) blend: the roles of compatibility and test temperature. <i>Journal of Materials Science</i> , 2014 , 49, 1794-1804	4.3	7
81	Size distribution and anisotropy of the minor phase droplets in polypropylene/ethylene-octene copolymer blends: Effects of shear and component miscibility. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2014 , 32, 9-20	3.5	9

80	Synergistic effects of polyethylene glycol and ammonium polyphosphate on intumescent flame-retardant polypropylene. <i>Polymer Engineering and Science</i> , 2013 , 53, 410-416	2.3	10
79	Combined effect of nucleating agent and processing melt temperature on the toughness of impact polypropylene copolymer. <i>Polymer International</i> , 2013 , 62, 172-178	3.3	13
78	Effect of surface wettability on transparency in different water conditions 2013 , 10, 641-647		8
77	Enhanced crystallization behaviors of poly(ethylene terephthalate) via adding expanded graphite and poly(ethylene glycol). <i>Colloid and Polymer Science</i> , 2013 , 291, 911-917	2.4	4
76	Interfacial strength and mechanical properties of biocomposites based on ramie fibers and poly(butylene succinate). <i>RSC Advances</i> , 2013 , 3, 26418	3.7	39
75	Oscillatory shear-accelerated exfoliation of graphite in polypropylene melt during injection molding. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2013 , 31, 98-109	3.5	17
74	The preparation and properties of polystyrene/functionalized graphene nanocomposite foams using supercritical carbon dioxide. <i>Polymer International</i> , 2013 , 62, 1077-1084	3.3	55
73	Synergistic effects of modification and impact polypropylene copolymer on brittle-ductile transition of polypropylene random copolymer. <i>Journal of Applied Polymer Science</i> , 2013 , 129, 3613-3622	2.9	11
72	Thermal annealing-induced superior toughness in polypropylene/poly(ethylene glycol) blend and its structural origin. <i>Polymer Engineering and Science</i> , 2013 , 53, 2053-2060	2.3	6
71	Combined effect of nucleating agent and multi-walled carbon nanotubes on polymorphic composition and morphology of isotactic polypropylene. <i>Journal of Thermal Analysis and Calorimetry</i> , 2012 , 107, 733-743	4.1	38
70	Effect of annealing on the microstructure and mechanical properties of polypropylene with oriented shish-kebab structure. <i>Polymer International</i> , 2012 , 61, 252-258	3.3	39
69	The interfacial enhancement of LLDPE/whisker composites via interfacial crystallization. <i>Polymers for Advanced Technologies</i> , 2012 , 23, 431-440	3.2	12
68	Acid-modified carbon nanotubes distribution and mechanical enhancement in polystyrene/elastomer blends. <i>Polymer Engineering and Science</i> , 2012 , 52, 964-971	2.3	4
67	Interfacial enhancement of maleated polypropylene/silica composites using graphene oxide. <i>Journal of Applied Polymer Science</i> , 2012 , 125, E348	2.9	30
66	Unusual rheological characteristics of polypropylene/organoclay nanocomposites in continuous cooling process. <i>Journal of Applied Polymer Science</i> , 2012 , 125, E292	2.9	2
65	Morphology and mechanical properties of poly(ethyleneoctene) copolymers obtained by dynamic packing injection molding. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2012 , 30, 603-612	3.5	9
64	Fabrication of a transparent superamphiphobic coating with improved stability. <i>Soft Matter</i> , 2011 , 7, 6435	3.6	119
63	PET Clay Nanocomposites by In-situ Polymerization 2011 , 105-122		

62	Superior tensile extensibility of PETG/PC amorphous blends induced via uniaxial stretching. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2011 , 29, 125-132	3.5	6
61	Effects of matrix molecular weight on structure and reinforcement of high density polyethylene/mica composites. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2011 , 29, 377-389	3.5	10
60	High speed injection molding of high density polyethylene [Effects of injection speed on structure and properties. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2011 , 29, 456-464	3.5	9
59	The variable role of clay on the crystallization behavior of DMDBS-nucleated polypropylene. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2011 , 29, 732-740	3.5	8
58	Epitaxial crystallization and oriented structure of linear low-density polyethylene/isotactic polypropylene blends obtained via dynamic packing injection molding. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 225-231	3.2	8
57	Polystyrene-wrapping multi-walled carbon nanotubes obtained via simple physical modification of melt mixing. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 1359-1365	3.2	4
56	Dependence of mechanical properties on Eform content and crystalline morphology for E-nucleated isotactic polypropylene. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 2044-2054	3.2	64
55	Ordered long-helical conformation of isotactic polypropylene obtained in constrained environment of nanoclay. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 1375-1380	3.2	10
54	Toughening of polypropylene with crystallizable poly(ethylene oxide). <i>Polymer International</i> , 2011 , 60, 781-786	3.3	5
53	Tailoring toughness of injection molded bar of polypropylene random copolymer through processing melt temperature. <i>Polymer International</i> , 2011 , 60, 1705-1714	3.3	11
52	Preparation, structure and properties of thermoplastic olefin nanocomposites containing functionalized carbon nanotubes. <i>Polymer International</i> , 2011 , 60, 1629-1637	3.3	25
51	Extension-induced mechanical reinforcement in melt-spun fibers of polyamide 66/multiwalled carbon nanotube composites. <i>Polymer International</i> , 2011 , 60, 1646-1654	3.3	25
50	Shear-induced fibrillation and resultant mechanical properties of injection-molded polyamide 1010/isotactic polypropylene blends. <i>Polymer International</i> , 2011 , 60, 1655-1662	3.3	10
49	Improving tensile strength and toughness of melt processed polyamide 6/multiwalled carbon nanotube composites by in situ polymerization and filler surface functionalization. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 133-140	2.9	17
48	Improved thermal stability and mechanical properties of poly(propylene carbonate) by reactive blending with maleic anhydride. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 3565-3573	2.9	35
47	Preparation and properties of poly(ethylene terephthalate)/inorganic whiskers composites. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 604-611	2.9	10
46	Strengthening and toughening of thermoplastic polyolefin elastomer using polypropylene-grafted multiwalled carbon nanotubes. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 2104-2112	2.9	23
45	A promising alternative to conventional polyethylene with poly(propylene carbonate) reinforced by graphene oxide nanosheets. <i>Journal of Materials Chemistry</i> , 2011 , 21, 17627		51

44	Effect of melt temperature on the phase morphology, thermal behavior and mechanical properties of injection-molded PP/LLDPE blends. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2010 , 28, 249-255	3.5	13
43	Shear-induced clay dispersion in HDPE/PEgMA/organoclay composites as studied via real-time rheological method. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010 , 48, 302-312	2.6	4
42	Plasma treatment-induced fluorine-functionalized multi-walled carbon nanotubes to modify poly(ethylene terephthalate) obtained via in situ polymerization. <i>Polymer International</i> , 2010 , 59, 198-203	3.3	6
41	Largely improved tensile extensibility of poly(L-lactic acid) by adding poly(ϵ -caprolactone). <i>Polymer International</i> , 2010 , 59, n/a-n/a	3.3	4
40	Combined effect of shear and nucleating agent on the multilayered structure of injection-molded bar of isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 1104-1113	2.9	18
39	Toughening of polyamide 11 via addition of crystallizable polyethylene derivatives. <i>Polymer International</i> , 2009 , 58, 538-544	3.3	10
38	Brittle-ductile transition in the PETG/PC blends by adding PTW elastomer. <i>Polymers for Advanced Technologies</i> , 2009 , 21, n/a-n/a	3.2	4
37	Phase behavior and properties of polyvinyl alcohol/gelatin blends with novel pH-dependence. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009 , 47, 239-247	2.6	9
36	Direct Formation of Nanohybrid Shish-Kebab in the Injection Molded Bar of Polyethylene/Multiwalled Carbon Nanotubes Composite. <i>Macromolecules</i> , 2009 , 42, 7016-7023	5.5	143
35	New Understanding in Tuning Toughness of Polypropylene: The Role of Nucleated Crystalline Morphology. <i>Macromolecules</i> , 2009 , 42, 9325-9331	5.5	241
34	Miscibility and isothermal crystallization behavior of polyamide 6/poly(vinyl alcohol) blend. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008 , 46, 1360-1368	2.6	18
33	The Effect of Nanofiller on the Thermomechanical Properties of Polyimide/Clay Nanocomposites. <i>Macromolecular Chemistry and Physics</i> , 2008 , 209, 643-650	2.6	16
32	Enhanced compatibilization and orientation of polyvinyl alcohol/gelatin composite fibers using carbon nanotubes. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 4070-4075	2.9	31
31	Nanostructures and nanoporosity in thermoset epoxy blends with an amphiphilic polyisoprene-block-poly(4-vinyl pyridine) reactive diblock copolymer. <i>Polymer</i> , 2008 , 49, 1737-1742	3.9	42
30	Morphology, crystallization, and mechanical properties of poly(ethylene terephthalate)/multiwall carbon nanotube nanocomposites via in situ polymerization with very low content of multiwall carbon nanotubes. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 3695-3701	2.9	27
29	Dispersion and mechanical properties of polypropylene/multiwall carbon nanotubes composites obtained via dynamic packing injection molding. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 1880-1886	2.9	61
28	Rheological Investigations in Understanding Shear-Enhanced Crystallization of Isotactic Poly(propylene)/Multi-Walled Carbon Nanotube Composites. <i>Macromolecular Rapid Communications</i> , 2007 , 28, 1257-1264	4.8	25
27	Characterization of fluoroalkylsilane monolayer on polystyrene sphere arrays after plasma treatment. <i>Surface Science</i> , 2007 , 601, 1394-1402	1.8	6

26	Hydrophobicity of model surfaces with closely packed nano- and micro-spheres. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007 , 296, 123-131	5.1	47
25	Preparation, microstructure and thermal mechanical properties of epoxy/crude clay nanocomposites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2007 , 38, 192-197	8.4	36
24	Microstructure and fracture behavior of polypropylene/barium sulfate composites. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 1207-1213	2.9	21
23	Electrically Conductive Epoxy/Clay/Vapor Grown Carbon Fiber Hybrids. <i>Macromolecules</i> , 2006 , 39, 908-915	5.5	56
22	Hydrophobicity of model surfaces with loosely packed polystyrene spheres after plasma etching. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 11241-6	3.4	46
21	Preparation, morphology and thermal/mechanical properties of epoxy/nanoclay composite. <i>Composites Part A: Applied Science and Manufacturing</i> , 2006 , 37, 1890-1896	8.4	175
20	Effect of Interfacial Modification on the Rheological Properties and Nucleation Behaviour of PP-BaSO ₄ Composites. <i>Polymers and Polymer Composites</i> , 2006 , 14, 473-481	0.8	2
19	Hydrothermal effects on the thermomechanical properties of high performance epoxy/clay nanocomposites. <i>Polymer Engineering and Science</i> , 2006 , 46, 215-221	2.3	34
18	Phase behavior, crystallization, and nanostructures in thermoset blends of epoxy resin and amphiphilic star-shaped block copolymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006 , 44, 975-985	2.6	40
17	Nanostructured thermoset epoxy resin templated by an amphiphilic poly(ethylene oxide)-block-poly(dimethylsiloxane) diblock copolymer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006 , 44, 3042-3052	2.6	37
16	The role of clay network on macromolecular chain mobility and relaxation in isotactic polypropylene/organoclay nanocomposites. <i>Polymer</i> , 2006 , 47, 7131-7144	3.9	163
15	Poly(ester urethane)s consisting of poly[(R)-3-hydroxybutyrate] and poly(ethylene glycol) as candidate biomaterials: characterization and mechanical property study. <i>Biomacromolecules</i> , 2005 , 6, 2740-7	6.9	95
14	Epoxy Nanocomposites with Highly Exfoliated Clay: Mechanical Properties and Fracture Mechanisms. <i>Macromolecules</i> , 2005 , 38, 788-800	5.5	470
13	Preparation of highly exfoliated epoxy/clay nanocomposites by "slurry compounding": process and mechanisms. <i>Langmuir</i> , 2005 , 21, 3613-8	4	125
12	Poly(propylene)/Clay Nanocomposites Prepared by Reactive Compounding with an Epoxy Based Masterbatch. <i>Macromolecular Materials and Engineering</i> , 2005 , 290, 1029-1036	3.9	9
11	An observation of accelerated exfoliation in iPP/organoclay nanocomposite as induced by repeated shear during melt solidification. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005 , 43, 2005-2012	2.6	22
10	Crystallization and melting behaviour of polypropylene/barium sulfate composites. <i>Polymer International</i> , 2004 , 53, 838-843	3.3	12
9	Low density polyethylene-polypropylene blends: Part 1 - Ductility and tensile properties. <i>Plastics, Rubber and Composites</i> , 2003 , 32, 21-26	1.5	10

8	Low density polyethylene-polypropylene blends: Part 2 - Strengthening and toughening with copolymer. <i>Plastics, Rubber and Composites</i> , 2003 , 32, 27-31	1.5	11
7	Super hydrophobic property of PVDF/CaCO ₃ nanocomposite coatings. <i>Journal of Materials Science Letters</i> , 2003 , 22, 1713-1717		43
6	Fracture toughness and fracture mechanisms of PBT/PC/IM blends: Part V Effect of PBT-PC interfacial strength on the fracture and tensile properties of the PBT/PC blends. <i>Journal of Materials Science</i> , 2003 , 38, 183-191	4.3	19
5	Radial growth rate of spherulites in polypropylene/barium sulfate composites. <i>European Polymer Journal</i> , 2003 , 39, 1647-1652	5.2	31
4	Mechanical properties and toughening mechanisms of polypropylene/barium sulfate composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2003 , 34, 1199-1205	8.4	82
3	Microstructures and fracture behavior of glass-fiber reinforced PBT/PC/E-GMA elastomer blends: microstructures. <i>Composites Science and Technology</i> , 2001 , 61, 1529-1538	8.6	23
2	Mechanical Properties and Fracture Mechanisms of Fiber Reinforced PBT/PC/Elastomer Blends. <i>Key Engineering Materials</i> , 2000 , 177-180, 363-368	0.4	4
1	Polypropylene/Clay Nanocomposites 251-282		