

Joaquin Perez-Pariente

List of Publications by Citations

Source: <https://exaly.com/author-pdf/154434/joaquin-perez-pariente-publications-by-citations.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

4,331
citations

33
h-index

62
g-index

134
ext. papers

4,614
ext. citations

5.6
avg, IF

5.25
L-index

#	Paper	IF	Citations
126	Synthesis of a titaniumsilicoaluminate isomorphous to zeolite beta and its application as a catalyst for the selective oxidation of large organic molecules. <i>Journal of the Chemical Society Chemical Communications</i> , 1992 , 589-590		304
125	Functionalization of mesoporous materials with long alkyl chains as a strategy for controlling drug delivery pattern. <i>Journal of Materials Chemistry</i> , 2006 , 16, 462-466		283
124	Zeolite-based materials for novel catalytic applications: Opportunities, perspectives and open problems. <i>Catalysis Today</i> , 2012 , 179, 2-15	5.3	247
123	Crystallization mechanism of zeolite beta from (TEA)2O, Na2O and K2O containing aluminosilicate gels.. <i>Applied Catalysis</i> , 1987 , 31, 35-64		193
122	Synthesis of MCM-41 with Different Pore Diameters without Addition of Auxiliary Organics. <i>Chemistry of Materials</i> , 1997 , 9, 2123-2126	9.6	191
121	Release evaluation of drugs from ordered three-dimensional silica structures. <i>European Journal of Pharmaceutical Sciences</i> , 2005 , 26, 365-73	5.1	189
120	Strategies to improve the epoxidation activity and selectivity of Ti-MCM-41. <i>Chemical Communications</i> , 1998 , 2211-2212	5.8	182
119	Three-Dimensional Cubic Mesoporous Structures of SBA-12 and Related Materials by Electron Crystallography. <i>Journal of Physical Chemistry B</i> , 2002 , 106, 3118-3123	3.4	141
118	Solid-state NMR study of ordered mesoporous aluminosilicate MCM-41 synthesized on a liquid-crystal template. <i>Solid State Nuclear Magnetic Resonance</i> , 1993 , 2, 253-9	3.1	105
117	SSZ-23: An Odd Zeolite with Pore Openings of Seven and Nine Tetrahedral Atoms. <i>Angewandte Chemie - International Edition</i> , 1998 , 37, 2122-2126	16.4	100
116	Factors affecting the synthesis efficiency of zeolite BETA from aluminosilicate gels containing alkali and tetraethylammonium ions. <i>Zeolites</i> , 1988 , 8, 46-53		97
115	Infrared spectroscopy, thermoproduced desorption, and nuclear magnetic resonance study of the acidity, structure, and stability of zeolite MCM-22. <i>Zeolites</i> , 1995 , 15, 576-582		88
114	Controlled release of Ibuprofen from dealuminated faujasites. <i>Solid State Sciences</i> , 2006 , 8, 1459-1465	3.4	83
113	Controlling the Aluminum Distribution in the Zeolite Ferrierite via the Organic Structure Directing Agent. <i>Chemistry of Materials</i> , 2013 , 25, 3654-3661	9.6	82
112	Cooperative Structure Directing Role of the Cage-Forming Tetramethylammonium Cation and the Bulkier Benzylmethylpyrrolidinium in the Synthesis of Zeolite Ferrierite. <i>Chemistry of Materials</i> , 2007 , 19, 5617-5626	9.6	80
111	27Al and 29Si MAS NMR Study of Zeolite MCM-22. <i>The Journal of Physical Chemistry</i> , 1995 , 99, 7002-7008		75
110	Phosphorous-doped MCM-41 as bioactive material. <i>Solid State Sciences</i> , 2005 , 7, 233-237	3.4	72

109	Solid Catalysts for the Synthesis of Fatty Esters of Glycerol, Polyglycerols and Sorbitol from Renewable Resources. <i>Topics in Catalysis</i> , 2004 , 27, 105-117	2.3	67
108	Synthesis of zeolite A from Ethiopian kaolin. <i>Microporous and Mesoporous Materials</i> , 2015 , 215, 29-36	5.3	63
107	Direct observation of growth defects in zeolite beta. <i>Journal of the American Chemical Society</i> , 2005 , 127, 494-5	16.4	60
106	Natural zeolites from Ethiopia for elimination of fluoride from drinking water. <i>Separation and Purification Technology</i> , 2013 , 120, 224-229	8.3	59
105	Computational study of the structure-directing effect of benzylpyrrolidine and its fluorinated derivatives in the synthesis of the aluminophosphate ALPO-5. <i>Journal of the American Chemical Society</i> , 2004 , 126, 12097-102	16.4	56
104	Conventional versus alkali fusion synthesis of zeolite A from low grade kaolin. <i>Applied Clay Science</i> , 2016 , 132-133, 485-490	5.2	50
103	Supramolecular chemistry in the structure direction of microporous materials from aromatic structure-directing agents. <i>Journal of the American Chemical Society</i> , 2008 , 130, 13274-84	16.4	49
102	Synthesis of Spongelike Functionalized MCM-41 Materials from Gels Containing Amino Acids. <i>Chemistry of Materials</i> , 2002 , 14, 4641-4646	9.6	41
101	AlMePO-□inclusion and thermal removal of structure directing agent and the topotactic reconstructive transformation to its polymorph AlMePO-□. <i>Journal of Materials Chemistry</i> , 1997 , 7, 2287-2292	39	39
100	Computational study of a chiral supramolecular arrangement of organic structure directing molecules for the AFI structure. <i>Physical Chemistry Chemical Physics</i> , 2006 , 8, 486-93	3.6	39
99	Dopant-siting selectivity in nanoporous catalysts: control of proton accessibility in zeolite catalysts through the rational use of templates. <i>Chemical Communications</i> , 2010 , 46, 2073-5	5.8	37
98	Mesoporous titanosilicates synthesized from TS-1 precursors with enhanced catalytic activity in the □pinene selective oxidation. <i>Applied Catalysis A: General</i> , 2008 , 343, 77-86	5.1	37
97	Ion-exchange in natural zeolite stilbite and significance in defluoridation ability. <i>Microporous and Mesoporous Materials</i> , 2014 , 193, 93-102	5.3	35
96	Ferrocenyl Dendrimers Incorporated into Mesoporous Silica:’ New Hybrid Redox-Active Materials□. <i>Chemistry of Materials</i> , 2003 , 15, 1073-1079	9.6	35
95	Organising disordered matter: strategies for ordering the network of mesoporous materials. <i>Comptes Rendus Chimie</i> , 2005 , 8, 569-578	2.7	35
94	An Approach Toward the Synthesis of Platelike Ordered Mesoporous Materials from Layered Zeolite Precursors. <i>Chemistry of Materials</i> , 2006 , 18, 2283-2292	9.6	34
93	Molecular insights into the self-aggregation of aromatic molecules in the synthesis of nanoporous aluminophosphates: a multilevel approach. <i>Journal of the American Chemical Society</i> , 2009 , 131, 16509-24	16.4	33
92	Cooperative Structure-Directing Effect of Fluorine-Containing Organic Molecules and Fluoride Anions in the Synthesis of Zeolites. <i>Chemistry of Materials</i> , 2005 , 17, 4374-4385	9.6	33

91	Structural study by transmission and scanning electron microscopy of the time-dependent structural change in M41S mesoporous silica (MCM-41 to MCM-48, and MCM-50). <i>Journal of Materials Chemistry</i> , 2004 , 14, 48-53	32
90	Synthesis of ferrierite zeolite with pyrrolidine as structure directing agent: A combined X-ray diffraction and computational study. <i>Microporous and Mesoporous Materials</i> , 2010 , 129, 164-172	5.3 31
89	Atomic Observations of Microporous Materials Highly Unstable under the Electron Beam: The Cases of Ti-Doped AlPO4-5 and ZnMOF-74. <i>ChemCatChem</i> , 2015 , 7, 3719-3724	5.2 29
88	High acid catalytic activity of aluminosilicate molecular sieves with MCM-41 structure synthesized from precursors of colloidal faujasite. <i>Chemical Communications</i> , 2003 , 150-1	5.8 28
87	Defluoridation performance of nano-hydroxyapatite/stilbite composite compared with bone char. <i>Separation and Purification Technology</i> , 2016 , 157, 241-248	8.3 27
86	Control of CO2 adsorption heats by the Al distribution in FER zeolites. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 1117-20	3.6 27
85	Structure-directing role of molecules containing benzyl rings in the synthesis of a large-pore aluminophosphate molecular sieve: an experimental and computational study. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 21539-48	3.4 27
84	Direct evidence of the effect of synthesis conditions on aluminum siting in zeolite ferrierite: A 27Al MQ MAS NMR study. <i>Microporous and Mesoporous Materials</i> , 2014 , 193, 111-114	5.3 26
83	Optimization of the preparation method of HSO3-functionalized MCM-41 solid catalysts. <i>Catalysis Today</i> , 2005 , 107-108, 868-873	5.3 25
82	Characterization of Ga-substituted zeolite Beta by X-ray absorption spectroscopy. <i>Journal of Materials Chemistry</i> , 2000 , 10, 1383-1387	25
81	(1R,2S)-Ephedrine: A New Self-Assembling Chiral Template for the Synthesis of Aluminophosphate Frameworks. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 3069-3077	3.8 24
80	Effect of synthesis conditions on zeolite Beta properties and its performance in vacuum gas oil hydrocracking activity. <i>Microporous and Mesoporous Materials</i> , 2016 , 234, 347-360	5.3 23
79	Cooperative Effect of Hydroxide and Fluorinated Organic Ions as Structure Directing Agent in the Synthesis of Crystalline Microporous Aluminophosphates. <i>Chemistry of Materials</i> , 2008 , 20, 987-995	9.6 23
78	Fluorine-containing organic molecules as structure directing agents in the synthesis of crystalline microporous materials. Part I: Synthesis of AlPO4-5 and SAPO-5 from fluorobenzyl-pyrrolidine. <i>Microporous and Mesoporous Materials</i> , 2005 , 78, 189-197	5.3 23
77	Textural properties of nanocrystalline tin oxide obtained by spray pyrolysis. <i>Journal of Materials Chemistry</i> , 2003 , 13, 2290-2296	22
76	Insights into structure direction of microporous aluminophosphates: competition between organic molecules and water. <i>Chemistry - A European Journal</i> , 2009 , 15, 1478-90	4.8 20
75	Hydrothermal transformation of natural clinoptilolite to zeolites Y and P1: Influence of the Na, K content. <i>Zeolites</i> , 1989 , 9, 33-39	20
74	Highly Luminescent and Optically Switchable Hybrid Material by One-Pot Encapsulation of Dyes into MgAPO-11 Unidirectional Nanopores. <i>ACS Photonics</i> , 2014 , 1, 205-211	6.3 19

73	Supramolecular Chemistry Controlled by Conformational Space during Structure Direction of Nanoporous Materials: Self-Assembly of Ephedrine and Pseudoephedrine. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 28214-28225	3.8	19
72	Tailoring the acid strength of microporous silicoaluminophosphates through the use of mixtures of templates: Control of the silicon incorporation mechanism. <i>Microporous and Mesoporous Materials</i> , 2009 , 121, 129-137	5.3	19
71	Generation of hierarchical porosity in beta zeolite by post-synthesis treatment with the cetyltrimethylammonium cationic surfactant under alkaline conditions. <i>Microporous and Mesoporous Materials</i> , 2019 , 280, 144-150	5.3	18
70	Synthesis of zeolite A using kaolin from Ethiopia and its application in detergents. <i>New Journal of Chemistry</i> , 2016 , 40, 3440-3446	3.6	17
69	(S)-(R)-N-benzylpyrrolidine-2-methanol: A new and efficient structure directing agent for the synthesis of crystalline microporous aluminophosphates with AFI-type structure. <i>Microporous and Mesoporous Materials</i> , 2007 , 100, 55-62	5.3	17
68	Synthesis of SiVPI-5 with enhanced activity in acid catalysed reactions. <i>Journal of the Chemical Society Chemical Communications</i> , 1995 , 731-732		17
67	Vacuum gas-oil hydrocracking performance of Beta zeolite obtained by hydrothermal synthesis using carbon nanotubes as mesoporous template. <i>Fuel</i> , 2016 , 182, 236-247	7.1	16
66	Enhanced catalytic activity of TAPO-5 in the oxidation of cyclohexene with hydrogen peroxide under anhydrous conditions. <i>Catalysis Today</i> , 2013 , 213, 211-218	5.3	16
65	Towards chiral distributions of dopants in microporous frameworks: helicoidal supramolecular arrangement of (1R,2S)-ephedrine and transfer of chirality. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 348-57	3.6	15
64	Formation of a Nonlinear Optical Host-Guest Hybrid Material by Tight Confinement of LDS 722 into Aluminophosphate 1D Nanochannels. <i>Chemistry - A European Journal</i> , 2016 , 22, 15700-15711	4.8	15
63	Modulating dye aggregation by incorporation into 1D-MgAPO nanochannels. <i>Chemistry - A European Journal</i> , 2013 , 19, 9859-65	4.8	15
62	Diastereoselective Structure Directing Effect of (1S,2S)-2-Hydroxymethyl-1-benzyl-1-methylpyrrolidinium in the Synthesis of ZSM-12. <i>Chemistry of Materials</i> , 2010 , 22, 2276-2286	9.6	14
61	Aggregation behavior of (S)-(R)-N-benzylpyrrolidine-2-methanol in the synthesis of the AFI structure in the presence of dopants. <i>Microporous and Mesoporous Materials</i> , 2009 , 119, 299-305	5.3	14
60	Ti(III)APO-5 materials as selective catalysts for the allylic oxidation of cyclohexene: Effect of Ti source and Ti content. <i>Catalysis Today</i> , 2014 , 227, 57-64	5.3	13
59	Supramolecular chemistry of chiral (1R,2S)-ephedrine confined within the AFI framework as a function of the synthesis conditions. <i>Catalysis Today</i> , 2016 , 277, 9-20	5.3	12
58	Synthesis of the Aluminophosphate ICP-1 by Self-Assembly of 1,3-Diphenylguanidine: Insights into Supramolecular Aggregation. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 4835-4845	3.8	11
57	Controlled growth of hydroxyapatite on the surface of natural stilbite from Ethiopia: application in mitigation of fluorosis. <i>RSC Advances</i> , 2014 , 4, 7998	3.7	11
56	Structure-direction of chiral 2-hydroxymethyl-1-benzyl-1-methylpyrrolidinium in the cotelated synthesis of ferrierite: Fundaments of diastereo-recognition from non-chiral microporous structures. <i>Microporous and Mesoporous Materials</i> , 2011 , 146, 57-68	5.3	11

55	Supramolecular assemblies of fluoro-aromatic organic molecules as structure directing agents of microporous materials: Different effects of fluorine. <i>Microporous and Mesoporous Materials</i> , 2008 , 109, 494-504	5.3	11
54	Synthesis and Characterisation of Ordered Mesoporous Acid Catalysts for Synthesis of Biodegradable Surfactants. <i>Collection of Czechoslovak Chemical Communications</i> , 2003 , 68, 1914-1926		11
53	Synthesis of mesoporous-zeolite materials using Beta zeolite nanoparticles as precursors and their catalytic performance in m-xylene isomerization and disproportionation. <i>Applied Catalysis A: General</i> , 2018 , 568, 148-156	5.1	11
52	One-Directional Antenna Systems: Energy Transfer from Monomers to J-Aggregates within 1D Nanoporous Aluminophosphates. <i>ACS Photonics</i> , 2018 , 5, 151-157	6.3	10
51	Generation of gold nanoparticles according to procedures described in the eighteenth century. <i>Gold Bulletin</i> , 2014 , 47, 161-165	1.6	10
50	Stripping voltammetric determination of pyridine-2-aldoxime methochloride at the iron(III) doped zeolite modified glassy carbon electrode. <i>Analyst, The</i> , 2012 , 137, 5625-31	5	10
49	Structure-Directing Effect of (S)-(1-N-Benzylpyrrolidine-2-methanol and Benzylpyrrolidine in the Synthesis of STA-1: A New Computational Model for Structure Direction of Nanoporous Systems. <i>Chemistry of Materials</i> , 2009 , 21, 3447-3457	9.6	10
48	Synthesis of ferrierite by a new combination of co-structure-directing agents: 1,6-bis(N -methylpyrrolidinium)hexane and tetramethylammonium. <i>Microporous and Mesoporous Materials</i> , 2016 , 232, 218-226	5.3	9
47	The origin of the Instituto de Catálisis y Petroleoquímica (ICP, Institute of Catalysis and Petroleum Chemistry) of the Spanish National Research Council and its relationship with the development of catalysis in Spain. <i>Catalysis Today</i> , 2016 , 259, 3-8	5.3	9
46	Effect of Fluorine and Molecular Charge-State on the Aggregation Behavior of (S)-(1-N-Benzylpyrrolidine-2-methanol Confined within the AFI Nanoporous Structure. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 8832-8839	3.8	9
45	Synthesis of Zn-containing microporous aluminophosphate with the STA-1 structure. <i>Dalton Transactions</i> , 2011 , 40, 8125-31	4.3	9
44	Layering of ferrierite sheets by using large co-structure directing agents: Zeolite synthesis using 1-benzyl-1-methylpyrrolidinium and tetraethylammonium. <i>Microporous and Mesoporous Materials</i> , 2010 , 132, 375-383	5.3	9
43	Pore-size control of Al-MCM-41 materials by spontaneous swelling. <i>Studies in Surface Science and Catalysis</i> , 1999 , 125, 53-60	1.8	9
42	SAPO-37: the implications of structure flexibility on acidity. <i>Journal of the Chemical Society Chemical Communications</i> , 1993 , 676-678		9
41	Comparison of the structure-directing effect of ephedrine and pseudoephedrine during crystallization of nanoporous aluminophosphates. <i>Microporous and Mesoporous Materials</i> , 2017 , 254, 211-224	5.3	8
40	Controlled growth of nano-hydroxyapatite on stilbite: Defluoridation performance. <i>Microporous and Mesoporous Materials</i> , 2017 , 254, 86-95	5.3	8
39	Chiral distributions of dopants in microporous materials: A new concept of chirality. <i>Microporous and Mesoporous Materials</i> , 2012 , 155, 14-15	5.3	8
38	Incorporation of Ti(III) into the AlPO4-5 framework by direct synthesis. <i>Microporous and Mesoporous Materials</i> , 2014 , 190, 334-345	5.3	8

37	One-Dimensional Antenna Systems by Crystallization Inclusion of Dyes (One-Pot Synthesis) within Zeolitic MgAPO-36 Nanochannels. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 24063-24070	3.8	8
36	Synthesis of Open Zeolite Structures from Mixtures of Tetramethylammonium and Benzylmethylalkylammonium Cations: A Step Towards Driving Aluminium Location in the Framework. <i>Topics in Catalysis</i> , 2010 , 53, 1297-1303	2.3	8
35	Supramolecular chemistry controlled by packing interactions during structure-direction of nanoporous materials: Effect of the addition of methyl groups on ephedrine derivatives. <i>Microporous and Mesoporous Materials</i> , 2017 , 239, 432-443	5.3	7
34	Anisotropic fluorescence materials: Effect of the synthesis conditions over the incorporation, alignment and aggregation of Pyronine Y within MgAPO-5. <i>Microporous and Mesoporous Materials</i> , 2013 , 172, 190-199	5.3	7
33	Structure Directing Effect of (1S,2S)-2-Hydroxymethyl-1-benzyl-1-methylpyrrolidinium in the Synthesis of AlPO-5. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 8320-8327	3.8	7
32	Transmission Electron Microscopy Study of the Porous Structure of Aluminas Synthesized by Non-Ionic Surfactant Templating Route. <i>Collection of Czechoslovak Chemical Communications</i> , 2003 , 68, 1937-1948		7
31	ICP-2: A New Hybrid Organo-Inorganic Ferrierite Precursor with Expanded Layers Stabilized by π Stacking Interactions. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 24114-24127	3.8	6
30	Un-assemblable layered aluminophosphates from self-assembling structure-directing agents: Effect of fluorine. <i>Microporous and Mesoporous Materials</i> , 2014 , 183, 99-107	5.3	6
29	Synthesis of Ferrierite from Gels Containing a Mixture of Two Templates. <i>Collection of Czechoslovak Chemical Communications</i> , 2007 , 72, 666-678		6
28	Influence of Si Incorporation into the Novel Ti(III)APO-5 Catalysts on the Oxidation of Cyclohexene in Liquid Phase. <i>Topics in Catalysis</i> , 2016 , 59, 326-336	2.3	5
27	Study of the structure directing effect of the chiral cation (1S,2S)-2-hydroxymethyl-1-benzyl-1-methylpyrrolidinium in aluminosilicate preparations in the presence of co-structure directing agents. <i>Catalysis Today</i> , 2012 , 179, 16-26	5.3	5
26	Accordion-like effect of flexible organic structure-directing agents in the synthesis of ferrierite zeolite. <i>Microporous and Mesoporous Materials</i> , 2020 , 300, 110149	5.3	4
25	Conformational Space of (1R,2S)-Dimethyl-Ephedrinium and (1S,2S)-Dimethyl-Pseudoephedrinium in the Synthesis of Nanoporous Aluminophosphates. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 20377-20390	3.8	4
24	Conformational sieving effect of organic structure-directing agents during the synthesis of zeolitic materials. <i>Microporous and Mesoporous Materials</i> , 2019 , 287, 56-64	5.3	3
23	Strategies to Improve the Accessibility to the Intracrystalline Void of Zeolite Materials: Some Chemical Reflections 2015 , 1-30		3
22	Zeolite synthesis using 1-benzyl-1-methylpyrrolidinium in the presence of Na ⁺ as co-structure directing agent. <i>Microporous and Mesoporous Materials</i> , 2009 , 118, 273-279	5.3	3
21	Organising Disordered Matter: Strategies for Ordering the Network of Mesoporous Materials. <i>ChemInform</i> , 2005 , 36, no		3
20	Short-channel mesoporous SBA-15 silica modified by aluminum grafting as a support for CoRu Fischer-Tropsch synthesis catalysts. <i>Catalysis Science and Technology</i> , 2021 , 11, 4245-4258	5.5	3

19	The Alchemical Manuscripts of David Lindsay (1587-1641), Lord Lindsay of Balcarres. <i>Ambix</i> , 2017 , 64, 234-262	0.2	2
18	Co-Templates in Synthesis of Zeolites 2010 , 107-129		2
17	Synthesis of open zeolite frameworks by using a combination of bulky and cage-forming structure directing agents. <i>Studies in Surface Science and Catalysis</i> , 2008 , 135-140	1.8	2
16	Dynamics of PEO-PPO-PEO block copolymer aggregation and silicate mesophase formation monitored by time-resolved ATR-FTIR spectroscopy. <i>Studies in Surface Science and Catalysis</i> , 2008 , 333-336	1.8	2
15	Cooperative structure directing effects in the synthesis of crystalline molecular sieves. <i>Studies in Surface Science and Catalysis</i> , 2008 , 174, 85-90	1.8	2
14	Synthesis and Catalytic Evaluation of Ferrierite-Related Materials Synthesized in the Presence of co-Structure Directing Agents. <i>Collection of Czechoslovak Chemical Communications</i> , 2008 , 73, 1089-1104		2
13	Influence of amines in the synthesis and properties of mesostructured aluminas and assessment as supports for Co-based Fischer-Tropsch synthesis catalysts. <i>Fuel Processing Technology</i> , 2020 , 205, 106433	7.2	2
12	Synthesis of large-pore zeolites from chiral structure-directing agents with two l-prolinol units. <i>Dalton Transactions</i> , 2020 , 49, 9618-9631	4.3	1
11	A new synthetic smectite-like vanadosilicate containing V3+ in the framework. <i>Applied Clay Science</i> , 2020 , 186, 105452	5.2	1
10	Self-assembly of chiral (1R,2S)-ephedrine and (1S,2S)-pseudoephedrine into low-dimensional aluminophosphate materials driven by their amphiphilic nature. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 8564-8578	3.6	1
9	Synthesis and Properties of Zeolite Materials Guided by Periodic Considerations. <i>Structure and Bonding</i> , 2019 , 53-88	0.9	1
8	Enabling the use of the large-pore three-dimensional microporous zinc aluminophosphate STA-1 for catalysis. <i>Microporous and Mesoporous Materials</i> , 2012 , 153, 263-266	5.3	1
7	Glass technology in Spain in XVIIIth century according to printed sources: the Spanish annotated translation of L'Arte Vetraria. <i>Journal of Cultural Heritage</i> , 2008 , 9, e81-e84	2.9	1
6	Aluminum incorporation into plate-like ordered mesoporous materials obtained from layered zeolite precursors. <i>Studies in Surface Science and Catalysis</i> , 2007 , 177-180	1.8	1
5	Vanadosilicate with MWW zeolite structure synthesized from VCl3 by cooperative assembly of organic templates. <i>Microporous and Mesoporous Materials</i> , 2019 , 279, 252-261	5.3	1
4	Biosynthesis of Gold Clusters and Nanoparticles by Using Extracts of Mexican Plants and Evaluation of Their Catalytic Activity in Oxidation Reactions. <i>Catalysis Letters</i> , 2021 , 151, 1604-1611	2.8	1
3	A Career in Catalysis: Avelino Corma. <i>ACS Catalysis</i> , 2017 , 7054-7123	13.1	1
2	Direct synthesis of bulk ALPON basic catalysts in ionic liquids. <i>Journal of Catalysis</i> , 2017 , 348, 177-188	7.3	

- 1 Composite materials based on zeolite stilbite from Faroe Islands for the removal of fluoride from drinking water. *American Mineralogist*, 2019, 104, 1556-1564 2.9