

# Wan-Uk Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1544902/publications.pdf>

Version: 2024-02-01

131  
papers

4,875  
citations

76326

40  
h-index

114465

63  
g-index

134  
all docs

134  
docs citations

134  
times ranked

7346  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic deficiency of nuclear factor of activated T cells 5 attenuates the development of osteoarthritis in mice. <i>Joint Bone Spine</i> , 2022, 89, 105273.	1.6	3
2	A Rare Case of Ankylosing Spondylitis Coexisting with Relapsing Polychondritis, Antiphospholipid Syndrome, and Myelodysplastic Syndrome. <i>Internal Medicine</i> , 2022, , .	0.7	0
3	Can whole spine magnetic resonance imaging predict radiographic progression and inflammatory activity in axial spondyloarthritis?. <i>Joint Bone Spine</i> , 2022, 89, 105352.	1.6	4
4	Targeted Immunotherapy for Autoimmune Disease. <i>Immune Network</i> , 2022, 22, e9.	3.6	46
5	Golden Age of Immunotherapy: Challenges and Opportunities. <i>Immune Network</i> , 2022, 22, e1.	3.6	1
6	Lipidome profile predictive of disease evolution and activity in rheumatoid arthritis. <i>Experimental and Molecular Medicine</i> , 2022, 54, 143-155.	7.7	20
7	Chronic kidney disease in Korean patients with lupus nephritis: over a 35-year period at a single center. <i>Clinical Rheumatology</i> , 2022, 41, 1665-1674.	2.2	2
8	8-Shogaol inhibits rheumatoid arthritis through targeting TAK1. <i>Pharmacological Research</i> , 2022, 178, 106176.	7.1	11
9	Time-integrated Cumulative Parameters Predictive of Radiographic Progression of Rheumatoid Arthritis: Real-world Data From a Prospective Single-center Cohort. <i>Journal of Rheumatic Diseases</i> , 2022, 29, 98-107.	1.1	1
10	Switching from TNF $\pm$ inhibitor to tacrolimus as maintenance therapy in rheumatoid arthritis after achieving low disease activity with TNF $\pm$ inhibitors and methotrexate: 24-week result from a non-randomized, prospective, active-controlled trial. <i>Arthritis Research and Therapy</i> , 2021, 23, 182.	3.5	1
11	Renal function deterioration is an independent mortality determinant in Koreans diagnosed with lupus nephritis. <i>Lupus</i> , 2021, 30, 1896-1905.	1.6	2
12	Association of periodontitis with radiographic knee osteoarthritis. <i>Journal of Periodontology</i> , 2020, 91, 369-376.	3.4	9
13	Regulation of tumor growth by leukocyte-specific protein 1 in T cells. , 2020, 8, e001180.		5
14	Clinical Efficacy and Safety of Injection of Stromal Vascular Fraction Derived from Autologous Adipose Tissues in Systemic Sclerosis Patients with Hand Disability: A Proof-Of-Concept Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 3023.	2.4	15
15	Development of Monitoring System for Assessing Rheumatoid Arthritis within 5 Minutes Using a Drop of Bio-Fluids. <i>Journal of Clinical Medicine</i> , 2020, 9, 3499.	2.4	5
16	Angiogenic cytokines can reflect the synovitis severity and treatment response to biologics in rheumatoid arthritis. <i>Experimental and Molecular Medicine</i> , 2020, 52, 843-853.	7.7	27
17	The Role of Calcium $\hat{=}$ Calcineurin $\hat{=}$ NFAT Signaling Pathway in Health and Autoimmune Diseases. <i>Frontiers in Immunology</i> , 2020, 11, 195.	4.8	163
18	Dynamic transcriptome analysis unveils key proresolving factors of chronic inflammatory arthritis. <i>Journal of Clinical Investigation</i> , 2020, 130, 3974-3986.	8.2	11

#	ARTICLE	IF	CITATIONS
19	Low bone mineral density of vertebral lateral projections can predict spinal radiographic damage in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2019, 38, 3567-3574.	2.2	17
20	Placental growth factor regulates the generation of TH17 cells to link angiogenesis with autoimmunity. <i>Nature Immunology</i> , 2019, 20, 1348-1359.	14.5	34
21	Recognition of the microbiota by Nod2 contributes to the oral adjuvant activity of cholera toxin through the induction of interleukin-17. <i>Immunology</i> , 2019, 158, 219-229.	4.4	11
22	Role of NFAT5 in the Immune System and Pathogenesis of Autoimmune Diseases. <i>Frontiers in Immunology</i> , 2019, 10, 270.	4.8	65
23	Distinct Urinary Metabolic Profile in Rheumatoid Arthritis Patients: A Possible Link between Diet and Arthritis Phenotype. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 46.	1.1	3
24	Clinical outcomes and pathological characteristics of immunoglobulin G4-related ophthalmic disease versus orbital inflammatory pseudotumor. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 220-226.	1.7	10
25	Rheumatoid arthritis is associated with early tooth loss: results from Korea National Health and Nutrition Examination Survey V to VI. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1381-1391.	1.7	16
26	Review: The Tumor-Like Phenotype of Rheumatoid Synovium: Molecular Profiling and Prospects for Precision Medicine. <i>Arthritis and Rheumatology</i> , 2018, 70, 637-652.	5.6	68
27	A miRNA181a/NFAT5 axis links impaired T cell tolerance induction with autoimmune type 1 diabetes. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	49
28	Atherogenic dyslipidemia promotes autoimmune follicular helper T cell responses via IL-27. <i>Nature Immunology</i> , 2018, 19, 583-593.	14.5	60
29	Transcription Factor NFAT5 Promotes Migration and Invasion of Rheumatoid Synoviocytes via Coagulation Factor III and CCL2. <i>Journal of Immunology</i> , 2018, 201, 359-370.	0.8	17
30	Suppression of NFAT5-mediated Inflammation and Chronic Arthritis by Novel Î²B-binding Inhibitors. <i>EBioMedicine</i> , 2017, 18, 261-273.	6.1	27
31	Modelling cytokine signalling networks. <i>Nature Reviews Rheumatology</i> , 2017, 13, 5-6.	8.0	14
32	Microbiota in T-cell homeostasis and inflammatory diseases. <i>Experimental and Molecular Medicine</i> , 2017, 49, e340-e340.	7.7	143
33	Dysregulation of gut microbiota and chronic inflammatory disease: from epithelial defense to host immunity. <i>Experimental and Molecular Medicine</i> , 2017, 49, e337-e337.	7.7	11
34	MicroRNA-143 and -145 modulate the phenotype of synovial fibroblasts in rheumatoid arthritis. <i>Experimental and Molecular Medicine</i> , 2017, 49, e363-e363.	7.7	48
35	Mesenchymal Cell-Specific MyD88 Signaling Promotes Systemic Dissemination of <i>Salmonella Typhimurium</i> via Inflammatory Monocytes. <i>Journal of Immunology</i> , 2017, 199, 1362-1371.	0.8	6
36	Interleukin-7 Induces Osteoclast Formation via STAT5, Independent of Receptor Activator of NF-kappaB Ligand. <i>Frontiers in Immunology</i> , 2017, 8, 1376.	4.8	30

#	ARTICLE	IF	CITATIONS
37	Transcription factor NFAT5 promotes macrophage survival in rheumatoid arthritis. <i>Journal of Clinical Investigation</i> , 2017, 127, 954-969.	8.2	76
38	Elevated levels of soluble CD40 ligand are associated with antiphospholipid antibodies in patients with systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 823-830.	0.8	8
39	Editorial: Can an Increase in Antineutrophil Cytoplasmic Autoantibody Titer Predict Relapses in Antineutrophil Cytoplasmic Antibody-Associated Vasculitis?. <i>Arthritis and Rheumatology</i> , 2016, 68, 1571-1573.	5.6	13
40	Urinary interleukin-6 as a predictor of radiographic progression in rheumatoid arthritis: A 3-year evaluation. <i>Scientific Reports</i> , 2016, 6, 35242.	3.3	7
41	Anti-inflammatory effects of essential oils extracted from <i>Chamaecyparis obtusa</i> on murine models of inflammation and RAW 264.7 cells. <i>Molecular Medicine Reports</i> , 2016, 13, 3335-3341.	2.4	15
42	Systems Approaches to Autoimmune Diseases. , 2016, , 135-149.		0
43	<i>MIF</i> allele-dependent regulation of the MIF coreceptor CD44 and role in rheumatoid arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E7917-E7926.	7.1	54
44	Editorial: Can <i>Prevotella copri</i> Be a Causative Pathobiont in Rheumatoid Arthritis?. <i>Arthritis and Rheumatology</i> , 2016, 68, 2565-2567.	5.6	21
45	Gut microbiota in autoimmunity: potential for clinical applications. <i>Archives of Pharmacal Research</i> , 2016, 39, 1565-1576.	6.3	45
46	GREM1 Is a Key Regulator of Synoviocyte Hyperplasia and Invasiveness. <i>Journal of Rheumatology</i> , 2016, 43, 474-485.	2.0	28
47	Identification of novel urinary biomarkers for assessing disease activity and prognosis of rheumatoid arthritis. <i>Experimental and Molecular Medicine</i> , 2016, 48, e211-e211.	7.7	30
48	High levels of uric acid in systemic lupus erythematosus is associated with pulmonary hypertension. <i>International Journal of Rheumatic Diseases</i> , 2015, 18, 524-532.	1.9	28
49	Association of Anemic Hypoxia and Increased Pulmonary Artery Systolic Pressure in Patients With Systemic Lupus Erythematosus. <i>Arthritis Care and Research</i> , 2015, 67, 1702-1711.	3.4	8
50	Proteomics in Rheumatoid Arthritis Research. <i>Immune Network</i> , 2015, 15, 177.	3.6	30
51	Antinociceptive and anti-inflammatory effects of essential oil extracted from <i>Chamaecyparis obtusa</i> in mice. <i>International Immunopharmacology</i> , 2015, 29, 320-325.	3.8	15
52	Editorial: Dual Effects of Tumor Necrosis Factor Inhibitors on Septic Arthritis: From a "Bad Friend" to a "Good Enemy". <i>Arthritis and Rheumatology</i> , 2015, 67, 11-13.	5.6	5
53	Functional interaction between CTGF and FPRL1 regulates VEGF-A-induced angiogenesis. <i>Cellular Signalling</i> , 2015, 27, 1439-1448.	3.6	16
54	Placental Growth Factor-1 and -2 Induce Hyperplasia and Invasiveness of Primary Rheumatoid Synoviocytes. <i>Journal of Immunology</i> , 2015, 194, 2513-2521.	0.8	22

#	ARTICLE	IF	CITATIONS
55	Rheumatoid arthritis patients fulfilling Korean National Health Insurance reimbursement guidelines for anti-tumor necrosis factor- $\hat{\pm}$ treatment and comparison to other guidelines. <i>Rheumatology International</i> , 2015, 35, 1817-1823.	3.0	6
56	Leukocyte-specific protein 1 regulates T-cell migration in rheumatoid arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6535-43.	7.1	28
57	Elevated Serum Levels of Syndecan-1 Are Associated with Renal Involvement in Patients with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2015, 42, 202-209.	2.0	35
58	Applications of systems approaches in the study of rheumatic diseases. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 148.	1.7	5
59	Allopurinol hypersensitivity syndrome in patients with hematological malignancies: characteristics and clinical outcomes. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 521.	1.7	11
60	Role of Endoplasmic Reticulum Stress in Rheumatoid Arthritis Pathogenesis. <i>Journal of Korean Medical Science</i> , 2014, 29, 2.	2.5	57
61	IL-6 Receptor $\hat{\pm}$ Defines Effector Memory CD8+T Cells Producing Th2 Cytokines and Expanding in Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 190, 1383-1394.	5.6	38
62	The xanthine oxidase $\hat{\pm}$ NFAT5 pathway regulates macrophage activation and TLR $\hat{\pm}$ induced inflammatory arthritis. <i>European Journal of Immunology</i> , 2014, 44, 2721-2736.	2.9	41
63	Identification of key regulators for the migration and invasion of rheumatoid synoviocytes through a systems approach. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 550-555.	7.1	98
64	Bone Erosion Is Associated With Reduction of Circulating Endothelial Progenitor Cells and Endothelial Dysfunction in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2014, 66, 1450-1460.	5.6	24
65	Continuous monitoring of arthritis in animal models using optical imaging modalities. <i>Journal of Biomedical Optics</i> , 2014, 19, 106010.	2.6	6
66	Ultrasonography is useful to detect subclinical synovitis in SLE patients without musculoskeletal involvement before symptoms appear. <i>Clinical Rheumatology</i> , 2014, 33, 341-348.	2.2	38
67	Urinary Proteome Profile Predictive of Disease Activity in Rheumatoid Arthritis. <i>Journal of Proteome Research</i> , 2014, 13, 5206-5217.	3.7	29
68	Transcriptional Regulator CTR9 Inhibits Th17 Differentiation via Repression of IL-17 Expression. <i>Journal of Immunology</i> , 2014, 192, 1440-1448.	0.8	8
69	Interaction of Mesenchymal Stem Cells with Fibroblast-like Synoviocytes via Cadherin-11 Promotes Angiogenesis by Enhanced Secretion of Placental Growth Factor. <i>Journal of Immunology</i> , 2014, 192, 3003-3010.	0.8	35
70	Thrombotic risk in patients with immune thrombocytopenia and its association with antiphospholipid antibodies. <i>British Journal of Haematology</i> , 2013, 161, 706-714.	2.5	52
71	Osteoprotegerin Causes Apoptosis of Endothelial Progenitor Cells by Induction of Oxidative Stress. <i>Arthritis and Rheumatism</i> , 2013, 65, 2172-2182.	6.7	26
72	Application of laser speckle contrast image in the evaluation of arthritis animal model. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
73	Association of Polymorphisms Modulating Low-density Lipoprotein Cholesterol with Susceptibility, Severity, and Progression of Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 798-808.	2.0	8
74	Reactive oxygen species regulate context-dependent inhibition of NFAT5 target genes. <i>Experimental and Molecular Medicine</i> , 2013, 45, e32-e32.	7.7	30
75	Systems Approach to Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2013, 20, 348.	1.1	0
76	LDL Cholesterolemia as a Novel Risk Factor for Radiographic Progression of Rheumatoid Arthritis: A Single-Center Prospective Study. <i>PLoS ONE</i> , 2013, 8, e68975.	2.5	14
77	Role of Macrophage Migration Inhibitory Factor in the Regulatory T Cell Response of Tumor-Bearing Mice. <i>Journal of Immunology</i> , 2012, 189, 3905-3913.	0.8	47
78	A novel pathogenic role of the ER chaperone GRP78/BiP in rheumatoid arthritis. <i>Journal of Experimental Medicine</i> , 2012, 209, 871-886.	8.5	128
79	1,25-Dihydroxyvitamin D3 Promotes <i>FOXP3</i> Expression via Binding to Vitamin D Response Elements in Its Conserved Noncoding Sequence Region. <i>Journal of Immunology</i> , 2012, 188, 5276-5282.	0.8	160
80	Serum leptin levels are associated with the presence of syndesmophytes in male patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2012, 31, 1231-1238.	2.2	20
81	A Systems Approach to Rheumatoid Arthritis. <i>PLoS ONE</i> , 2012, 7, e51508.	2.5	26
82	Involvement of endoplasmic reticulum stress in homocysteine-induced apoptosis of osteoblastic cells. <i>Journal of Bone and Mineral Metabolism</i> , 2012, 30, 474-484.	2.7	38
83	The Wnt inhibitor secreted Frizzled-Related Protein 1 (sFRP1) promotes human Th17 differentiation. <i>European Journal of Immunology</i> , 2012, 42, 2564-2573.	2.9	39
84	Regulation of inflammatory responses and fibroblast-like synoviocyte apoptosis by calcineurin-binding protein 1 in mice with collagen-induced arthritis. <i>Arthritis and Rheumatism</i> , 2012, 64, 2191-2200.	6.7	19
85	Low <i>C/EBPβ</i> levels is associated with neutropenia in a proportion of patients with myelodysplastic syndrome: retrospective analysis. <i>International Journal of Rheumatic Diseases</i> , 2012, 15, 86-94.	1.9	8
86	The efficacy of tramadol/acetaminophen combination tablets (Ultracet®) as add-on and maintenance therapy in knee osteoarthritis pain inadequately controlled by nonsteroidal anti-inflammatory drug (NSAID). <i>Clinical Rheumatology</i> , 2012, 31, 317-323.	2.2	16
87	A novel pathogenic role of the ER chaperone GRP78/BiP in rheumatoid arthritis. <i>Journal of Cell Biology</i> , 2012, 197, i2-i2.	5.2	0
88	Suppression of neovascularization and experimental arthritis by D-form of anti-flt-1 peptide conjugated with mini-PEG <sub>40</sub> . <i>Angiogenesis</i> , 2011, 14, 431-442.	7.2	16
89	NF-AT5 is a critical regulator of inflammatory arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 1843-1852.	6.7	75
90	Simultaneous presentation of hemophagocytic syndrome and mesenteric vasculitis in a patient with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2011, 21, 330-333.	1.8	5

#	ARTICLE	IF	CITATIONS
91	Role of placenta growth factor in cancer and inflammation. <i>Experimental and Molecular Medicine</i> , 2011, 44, 10.	7.7	75
92	Common variants at the promoter region of the APOM confer a risk of rheumatoid arthritis. <i>Experimental and Molecular Medicine</i> , 2011, 43, 613.	7.7	31
93	Simultaneous presentation of hemophagocytic syndrome and mesenteric vasculitis in a patient with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2011, 21, 330-333.	1.8	4
94	Inhibition of synovial hyperplasia, rheumatoid T cell activation, and experimental arthritis in mice by sulforaphane, a naturally occurring isothiocyanate. <i>Arthritis and Rheumatism</i> , 2010, 62, 159-170.	6.7	65
95	Anti-neuropilin-1 peptide inhibition of synoviocyte survival, angiogenesis, and experimental arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 179-190.	6.7	51
96	Invasive fungal infections in patients with systemic lupus erythematosus: experience from affiliated hospitals of Catholic University of Korea. <i>Lupus</i> , 2009, 18, 661-666.	1.6	46
97	Phase 2 enzyme inducer sulphoraphane blocks matrix metalloproteinase production in articular chondrocytes. <i>Rheumatology</i> , 2009, 48, 932-938.	1.9	25
98	Toll-like receptors in systemic lupus erythematosus; prospects for therapeutic intervention. <i>Autoimmunity Reviews</i> , 2009, 8, 204-208.	5.8	70
99	Role of placenta growth factor and its receptor flt-1 in rheumatoid inflammation: A link between angiogenesis and inflammation. <i>Arthritis and Rheumatism</i> , 2009, 60, 345-354.	6.7	90
100	Tomographie Ã©mission de positons au 18fluor-fluorodÃ©soxyglucose couplÃ©e Ã la tomodensitomÃ©trie dans la dermatomyosite. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008, 75, 695-697.	0.0	0
101	18Fluorine fluorodeoxyglucose-positron emission tomography/computed tomography in dermatomyositis. <i>Joint Bone Spine</i> , 2008, 75, 508-510.	1.6	8
102	Proinflammatory Role of Vascular Endothelial Growth Factor in the Pathogenesis of Rheumatoid Arthritis: Prospects for Therapeutic Intervention. <i>Mediators of Inflammation</i> , 2008, 2008, 1-6.	3.0	93
103	Soluble Fas ligand inhibits angiogenesis in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2007, 9, R42.	3.5	30
104	Expression and Function of Plexin A1 in Rheumatoid Synoviocytes. <i>The Journal of the Korean Rheumatism Association</i> , 2007, 14, 125.	0.1	0
105	Calcineurin modulates the catabolic and anabolic activity of chondrocytes and participates in the progression of experimental osteoarthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 2299-2311.	6.7	27
106	Comparison of the Clinical Manifestations, Brain MRI and Prognosis between NeuroBehÃ©t's Disease and Neuropsychiatric Lupus. <i>Korean Journal of Internal Medicine</i> , 2007, 22, 77.	1.7	10
107	MLN51 and GM-CSF involvement in the proliferation of fibroblast-like synoviocytes in the pathogenesis of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2006, 8, R170.	3.5	27
108	Calcineurin Is Expressed and Plays a Critical Role in Inflammatory Arthritis. <i>Journal of Immunology</i> , 2006, 177, 2681-2690.	0.8	56

#	ARTICLE	IF	CITATIONS
109	Interaction of Vascular Endothelial Growth Factor 165 with Neuropilin-1 Protects Rheumatoid Synoviocytes from Apoptotic Death by Regulating Bcl-2 Expression and Bax Translocation. <i>Journal of Immunology</i> , 2006, 177, 5727-5735.	0.8	59
110	Serum Amyloid A Binding to Formyl Peptide Receptor-Like 1 Induces Synovial Hyperplasia and Angiogenesis. <i>Journal of Immunology</i> , 2006, 177, 5585-5594.	0.8	131
111	Preparation and characterization of biodegradable nanoparticles entrapping immunodominant peptide conjugated with PEG for oral tolerance induction. <i>Journal of Controlled Release</i> , 2005, 105, 77-88.	9.9	38
112	Arginine-Rich Anti-Vascular Endothelial Growth Factor (Anti-VEGF) Hexapeptide Inhibits Collagen-Induced Arthritis and VEGF-Stimulated Productions of TNF- $\alpha$ and IL-6 by Human Monocytes. <i>Journal of Immunology</i> , 2005, 174, 5846-5855.	0.8	102
113	Elevated matrix metalloproteinase-9 in patients with systemic sclerosis. <i>Arthritis Research</i> , 2005, 7, R71.	2.0	90
114	T cell proliferative response to type II collagen in the inflammatory process and joint damage in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005, 32, 225-30.	2.0	8
115	Short Communication The MCP-1 Promoter -2518 Polymorphism in Behcet's Disease: Correlation Between Allele Types, MCP-1 Production and Clinical Symptoms among Korean Patients. <i>Autoimmunity</i> , 2004, 37, 77-80.	2.6	41
116	Augmented production of chemokines by the interaction of type II collagen-reactive T cells with rheumatoid synovial fibroblasts. <i>Arthritis and Rheumatism</i> , 2004, 50, 1146-1155.	6.7	35
117	IL-17 induces production of IL-6 and IL-8 in rheumatoid arthritis synovial fibroblasts via NF-kappaB- and PI3-kinase/Akt-dependent pathways. <i>Arthritis Research</i> , 2004, 6, R120.	2.0	346
118	Type II Collagen Autoimmunity in Rheumatoid Arthritis. <i>American Journal of the Medical Sciences</i> , 2004, 327, 202-211.	1.1	65
119	Increase of cyclooxygenase-2 expression by interleukin 15 in rheumatoid synoviocytes. <i>Journal of Rheumatology</i> , 2004, 31, 875-83.	2.0	13
120	Association of homozygous deletion of the Humh3005 and the VH3-30.3 genes with renal involvement in systemic lupus erythematosus. <i>Lupus</i> , 2003, 12, 400-405.	1.6	11
121	Antiphospholipid Antibodies Induce Monocyte Chemoattractant Protein-1 in Endothelial Cells. <i>Journal of Immunology</i> , 2002, 168, 4209-4215.	0.8	48
122	Elevated Soluble Fas in Aqueous Humor of Patients With Behçet's Uveitis Correlation With Uveitis Severity. <i>Japanese Journal of Ophthalmology</i> , 2002, 46, 18-23.	1.9	3
123	Association of MICA Polymorphism with HLA-B51 and Disease Severity in Korean Patients with Behcet's Disease. <i>Journal of Korean Medical Science</i> , 2002, 17, 366.	2.5	53
124	Cyclosporine differentially regulates interleukin-10, interleukin-15, and tumor necrosis factor $\gamma$ production by rheumatoid synoviocytes. <i>Arthritis and Rheumatism</i> , 2002, 46, 42-51.	6.7	57
125	Suppression of collagen-induced arthritis by single administration of poly(lactic-co-glycolic acid) nanoparticles entrapping type II collagen: A novel treatment strategy for induction of oral tolerance. <i>Arthritis and Rheumatism</i> , 2002, 46, 1109-1120.	6.7	133
126	Cyclosporine inhibition of vascular endothelial growth factor production in rheumatoid synovial fibroblasts. <i>Arthritis and Rheumatism</i> , 2002, 46, 1202-1209.	6.7	67



#	ARTICLE	IF	CITATIONS
127	Shift toward T helper 1 cytokines by type II collagen-reactive T cells in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 561-569.	6.7	46
128	Association of the interleukin-4 receptor $\beta$ variant Q576R with Th1/Th2 imbalance in connective tissue disease. <i>Immunogenetics</i> , 2000, 51, 743-746.	2.4	30
129	CD40 Engagement on Synovial Fibroblast Up-Regulates Production of Vascular Endothelial Growth Factor. <i>Journal of Immunology</i> , 2000, 164, 5055-5061.	0.8	107
130	Intramedullary tuberculosis manifested as Brown $\text{\AA}$ -Sequard syndrome in a patient with systemic lupus erythematosus. <i>Lupus</i> , 2000, 9, 147-150.	1.6	11
131	Enhanced T cell proliferative response to type II collagen and synthetic peptide CII (255-274) in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 2085-2093.	6.7	108