
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1545445/publications.pdf Version: 2024-02-01



SADANODI AKITA

#	Article	IF	CITATIONS
1	Effects of Hand Hygiene Using 4% Chlorhexidine Gluconate or Natural Soap During Hand Rubbing Followed by Alcohol-Based 1% Chlorhexidine Gluconate Sanitizer Lotion in the Operating Room. Advances in Wound Care, 2022, 11, 1-9.	2.6	1
2	Cellular Mechanism Underlying Highly-Active or Antiretroviral Therapy-Induced Lipodystrophy: Atazanavir, a Protease Inhibitor, Compromises Adipogenic Conversion of Adipose-Derived Stem/Progenitor Cells through Accelerating ER Stress-Mediated Cell Death in Differentiating Adipocytes. International Journal of Molecular Sciences, 2021, 22, 2114.	1.8	6
3	Topical Erythropoietin Accelerates Wound Closure in Patients with Diabetic Foot Ulcers: A Prospective, Multicenter, Single-Blind, Randomized, Controlled Trial. Rejuvenation Research, 2021, 24, 251-261.	0.9	7
4	Fatty acid potassium improves human dermal fibroblast viability and cytotoxicity, accelerating human epidermal keratinocyte wound healing in vitro and in human chronic wounds. International Wound Journal, 2021, 18, 467-477.	1.3	2
5	Evaluation of pain incidence due to venous malformation based on data from 85 institutions in Japan. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2020, 8, 244-250.	0.9	8
6	Japanese Clinical Practice Guidelines for Vascular Anomalies 2017. Journal of Dermatology, 2020, 47, e138-e183.	0.6	6
7	Japanese clinical practice guidelines for vascular anomalies 2017. Pediatrics International, 2020, 62, 260-307.	0.2	7
8	Japanese clinical practice guidelines for vascular anomalies 2017. Japanese Journal of Radiology, 2020, 38, 287-342.	1.0	16
9	Utilization of Natural Detergent Potassium Laurate for Decellularization in Lung Bioengineering. Tissue Engineering - Part C: Methods, 2019, 25, 459-471.	1.1	25
10	Biological Features Implies Potential Use of Autologous Adipose-Derived Stem/Progenitor Cells in Wound Repair and Regenerations for the Patients with Lipodystrophy. International Journal of Molecular Sciences, 2019, 20, 5505.	1.8	9
11	Fatty Acid Potassium Had Beneficial Bactericidal Effects and Removed Staphylococcus aureus Biofilms while Exhibiting Reduced Cytotoxicity towards Mouse Fibroblasts and Human Keratinocytes. International Journal of Molecular Sciences, 2019, 20, 312.	1.8	11
12	Interim Results of the Remede d'Or Study: A Multicenter, Single-Blind, Randomized, Controlled Trial to Assess the Safety and Efficacy of an Innovative Topical Formulation of Erythropoietin for Treating Diabetic Foot Ulcers. Advances in Wound Care, 2019, 8, 514-521.	2.6	9
13	Wound Repair and Regeneration: Mechanisms, Signaling. International Journal of Molecular Sciences, 2019, 20, 6328.	1.8	37
14	Diagnosis and Treatment of Keloids and Hypertrophic Scars—Japan Scar Workshop Consensus Document 2018. Burns and Trauma, 2019, 7, 39.	2.3	96
15	Treatment of Periorbital and Palpebral Arteriovenous Malformations. Advances in Wound Care, 2019, 8, 256-262.	2.6	1
16	Adipose-derived mesenchymal stem cells attenuate rejection in a rat lung transplantation model. Journal of Surgical Research, 2018, 227, 17-27.	0.8	12
17	Medical, Surgical, and Wound Care Management of Ulcerated Infantile Hemangiomas: A Systematic Review. Journal of Cutaneous Medicine and Surgery, 2018, 22, 495-504.	0.6	12
18	Novel Application of Cultured Epithelial Autografts (CEA) with Expanded Mesh Skin Grafting Over an Artificial Dermis or Dermal Wound Bed Preparation. International Journal of Molecular Sciences, 2018, 19, 57.	1.8	18

#	Article	IF	CITATIONS
19	Adipose-Derived Stem Cells and Vascularized Lymph Node Transfers Successfully Treat Mouse Hindlimb Secondary Lymphedema by Early Reconnection of the Lymphatic System and Lymphangiogenesis. Plastic and Reconstructive Surgery, 2017, 139, 639-651.	0.7	49
20	Transplantation of bioengineered rat lungs recellularized with endothelial and adipose-derived stromal cells. Scientific Reports, 2017, 7, 8447.	1.6	58
21	Reply. Plastic and Reconstructive Surgery, 2017, 140, 762e-763e.	0.7	0
22	Surgical treatment algorithms for post-burn contractures. Burns and Trauma, 2017, 5, 9.	2.3	26
23	Evaluation of the use of recombinant human basic fibroblast growth factor in combination with negative pressure wound therapy with instillation and dwell time in porcine fullâ€thickness wound model. Wound Repair and Regeneration, 2017, 25, 972-975.	1.5	6
24	The neck burn scar contracture: a concept of effective treatment. Burns and Trauma, 2017, 5, 22.	2.3	15
25	Increased drug resistance of meticillin-resistant Staphylococcus aureus biofilms formed on a mouse dermal chip model. Journal of Medical Microbiology, 2017, 66, 542-550.	0.7	14
26	Wound Healing and Angiogenesis through Combined Use of a Vascularized Tissue Flap and Adipose-Derived Stem Cells in a Rat Hindlimb Irradiated Ischemia Model. Plastic and Reconstructive Surgery, 2016, 137, 1486-1497.	0.7	17
27	Radiodermatitis: A Review of Our Current Understanding. American Journal of Clinical Dermatology, 2016, 17, 277-292.	3.3	218
28	Optimizing Technology Use for Chronic Lower-Extremity Wound Healing. International Journal of Lower Extremity Wounds, 2016, 15, 102-119.	0.6	47
29	Effectiveness of basic fibroblast growth factor for pediatric hand burns. Journal of Tissue Viability, 2016, 25, 220-224.	0.9	19
30	Silver Sulfadiazine–Impregnated Hydrocolloid Dressing Is Beneficial in Split-Thickness Skin-Graft Donor Wound Healing in a Small Randomized Controlled Study. International Journal of Lower Extremity Wounds, 2016, 15, 338-343.	0.6	3
31	Lower Extremity Wounds in Patients With Idiopathic Thrombocytopenic Purpura and Systemic Lupus Erythematosus. International Journal of Lower Extremity Wounds, 2015, 14, 224-230.	0.6	4
32	Adipose-derived stem cell transplantation for therapeutic lymphangiogenesis in a mouse secondary lymphedema model. Regenerative Medicine, 2015, 10, 549-562.	0.8	41
33	Surgical Debridement. , 2015, , 257-263.		0
34	How to Manage Radiation Injuries. , 2015, , 71-74.		0
35	Infection Context: Necrotizing Fasciitis. , 2015, , 83-87.		0
36	Lipid-Colloid Dressing Shows Improved Reepithelialization, Pain Relief, and Corneal Barrier Function in Split-Thickness Skin-Graft Donor Wound Healing. International Journal of Lower Extremity Wounds, 2014, 13, 220-225.	0.6	14

#	Article	IF	CITATIONS
37	Vascular Malformations That Were Diagnosed as or Accompanied by Malignant Tumors. Dermatologic Surgery, 2014, 40, 1225-1232.	0.4	3
38	Management of Vascular Malformations. Plastic and Reconstructive Surgery - Global Open, 2014, 2, e128.	0.3	11
39	Treatment of Radiation Injury. Advances in Wound Care, 2014, 3, 1-11.	2.6	29
40	Vascular anomalies and wounds. Journal of Tissue Viability, 2013, 22, 103-111.	0.9	4
41	Oneâ€stage, simultaneous skin grafting with artificial dermis and basic fibroblast growth factor successfully improves elasticity with maturation of scar formation. Wound Repair and Regeneration, 2013, 21, 141-154.	1.5	22
42	Basic Fibroblast Growth Factor in Scarless Wound Healing. Advances in Wound Care, 2013, 2, 44-49.	2.6	101
43	WUWHS 2012 — Better care, better life. Journal of Wound Care, 2012, 21, 357-357.	0.5	1
44	Autologous adipose-derived regenerative cells are effective for chronic intractable radiation injuries. Radiation Protection Dosimetry, 2012, 151, 656-660.	0.4	54
45	Better Care, Better Life. International Journal of Lower Extremity Wounds, 2012, 11, 76-76.	0.6	Ο
46	No Evidence of Association between 8q24 and Susceptibility to Nonsyndromic Cleft Lip with or without Palate in Japanese Population. Cleft Palate-Craniofacial Journal, 2012, 49, 714-717.	0.5	8
47	Vascularised fat flaps lose 44% of their weight 24 weeks after transplantation. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2012, 65, 1403-1409.	0.5	10
48	Early Experiences with Stem Cells in Treating Chronic Wounds. Clinics in Plastic Surgery, 2012, 39, 281-292.	0.7	41
49	The usefulness of basic fibroblast growth factor for radiationâ€exposed tissue. Wound Repair and Regeneration, 2012, 20, 91-102.	1.5	19
50	Surgical management of pressure ulcers. , 2012, , 143-155.		1
51	Quality of pediatric second-degree burn wound scars following the application of basic fibroblast growth factor: results of a randomized, controlled pilot study . Ostomy - Wound Management, 2012, 58, 32-6.	0.8	14
52	MESENCHYMAL STEM CELL THERAPY FOR CUTANEOUS RADIATION SYNDROME. Health Physics, 2010, 98, 858-862.	0.3	65
53	Basic fibroblast growth factor is beneficial for postoperative color uniformity in split-thickness skin grafting. Wound Repair and Regeneration, 2010, 18, 560-566.	1.5	23
54	Noncultured Autologous Adipose-Derived Stem Cells Therapy for Chronic Radiation Injury. Stem Cells International, 2010, 2010, 1-8.	1.2	79

#	Article	IF	CITATIONS
55	Prevention of Scar Using bFGF. , 2010, , 62-71.		1
56	Basic fibroblast growth factor accelerates and improves secondâ€degree burn wound healing. Wound Repair and Regeneration, 2008, 16, 635-641.	1.5	138
57	Human mesenchymal stem cells may be involved in keloid pathogenesis. International Journal of Dermatology, 2008, 47, 1112-1117.	0.5	32
58	A Basic Fibroblast Growth Factor Improves Lower Extremity Wound Healing With a Porcine-Derived Skin Substitute. Journal of Trauma, 2008, 64, 809-815.	2.3	41
59	Combined Surgical Excision and Radiation Therapy for Keloid Treatment. Journal of Craniofacial Surgery, 2007, 18, 1164-1169.	0.3	45
60	Traumatic Unilateral Temporomandibular Joint Dislocation Overlooked for More Than Two Decades. Journal of Craniofacial Surgery, 2007, 18, 1466-1470.	0.3	7
61	Reconstruction for local radiation injuries and proposed regeneration therapy for acute systemic radiation injuries. International Congress Series, 2007, 1299, 196-202.	0.2	Ο
62	Acceleration of Sensory Neural Regeneration and Wound Healing with Human Mesenchymal Stem Cells in Immunodeficient Rats. Stem Cells, 2007, 25, 2956-2963.	1.4	8
63	Lower extremity reconstruction after necrotising fasciitis and necrotic skin lesions usinga porcine-derived skin substitute. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2006, 59, 759-763.	0.5	26
64	A polyurethane dressing is beneficial for split-thickness skin-graft donor wound healing. Burns, 2006, 32, 447-451.	1.1	49
65	Therapeutic Choice for Craniofacial Venous Malformations. Journal of Craniofacial Surgery, 2006, 17, 729-735.	0.3	12
66	Sleep Disturbances Detected by a Sleep Apnea Monitor in Craniofacial Surgical Patients. Journal of Craniofacial Surgery, 2006, 17, 44-49.	0.3	11
67	The Quality of Pediatric Burn Scars Is Improved by Early Administration of Basic Fibroblast Growth Factor. Journal of Burn Care and Research, 2006, 27, 333-338.	0.2	65
68	A Mutation in RYK is a Genetic Factor for Nonsyndromic Cleft Lip and Palate. Cleft Palate-Craniofacial Journal, 2006, 43, 310-316.	0.5	32
69	Usefulness of Simultaneous Pre-Maxillary Osteotomy and Bone Grafting in the Bilateral Clefts. Journal of Craniofacial Surgery, 2006, 17, 291-296.	0.3	10
70	Elevated Circulating Leukemia Inhibitory Factor in Patients With Extensive Burns. Journal of Burn Care and Research, 2006, 27, 221-225.	0.2	17
71	Cranioplasty With Auto-Purified Bone Flap After Infection. Journal of Craniofacial Surgery, 2006, 17, 1076-1079.	0.3	10
72	Attenuation of cysteinyl leukotrienes induces human mesenchymal stem cell differentiation. Wound Repair and Regeneration, 2006, 14, 343-349.	1.5	12

#	Article	IF	CITATIONS
73	PAX9 and TGFB3 are linked to susceptibility to nonsyndromic cleft lip with or without cleft palate in the Japanese: population-based and family-based candidate gene analyses. Journal of Human Genetics, 2006, 51, 38-46.	1.1	55
74	A Mutation in RYK Is a Genetic Factor for Nonsyndromic Cleft Lip and Palate. Cleft Palate-Craniofacial Journal, 2006, 43, 310.	0.5	0
75	Surgical Modifications for Microform Cleft Lip Repairs. Journal of Craniofacial Surgery, 2005, 16, 1106-1110.	0.3	14
76	Human mesenchymal stem cells successfully improve skin-substitute wound healing. British Journal of Dermatology, 2005, 153, 29-36.	1.4	201
77	Ectopic bone formation facilitated by human mesenchymal stem cells and osteogenic cytokines via nutrient vessel injection in a nude rat model. Wound Repair and Regeneration, 2005, 13, 332-340.	1.5	7
78	Early cellular changes of human mesenchymal stem cells and their interaction with other cells. Wound Repair and Regeneration, 2005, 13, 434-440.	1.5	32
79	A Novel Molecular Marker of Pituitary Tumor Transforming Gene Involves in a Rat Liver Regeneration1. Journal of Surgical Research, 2005, 129, 142-146.	0.8	21
80	A basic fibroblast growth factor improved the quality of skin grafting in burn patients. Burns, 2005, 31, 855-858.	1.1	95
81	Analysis of pediatric burns in Nagasaki University from 1983 to 2002. Burns, 2005, 31, 1041-1044.	1.1	20
82	Cranial bone defect healing is accelerated by mesenchymal stem cells induced by coadministration of bone morphogenetic protein-2 and basic fibroblast growth factor. Wound Repair and Regeneration, 2004, 12, 252-259.	1.5	86
83	Leukemia inhibitory factor-transfected embryonic fibroblasts and vascular endothelial growth factor successfully improve the skin substitute wound healing by increasing angiogenesis and matrix production. Journal of Dermatological Science, 2004, 36, 11-23.	1.0	12
84	Bone morphogenetic protein-2 regulates proliferation of human mesenchymal stem cells. Wound Repair and Regeneration, 2003, 11, 354-360.	1.5	42
85	Cytokine-Dependent gp130 Receptor Subunit Regulates Rat Modified Axial-Pattern Epigastric Flap. Journal of Investigative Surgery, 2002, 15, 137-151.	0.6	2
86	Leukemia Inhibitory Factor Enhances Bone Formation in Calvarial Bone Defect. Journal of Craniofacial Surgery, 2000, 11, 513-520.	0.3	23
87	LEUKEMIA INHIBITORY FACTOR GENE IMPROVES SKIN ALLOGRAFT SURVIVAL IN THE MOUSE MODEL1. Transplantation, 2000, 70, 1026-1031.	0.5	35
88	Coadministration of Basic Fibroblast Growth Factor and Sucrose Octasulfate (Sucralfate) Facilitates the Rat Dorsal Flap Survival and Viability. Plastic and Reconstructive Surgery, 1999, 103, 941-948.	0.7	38
89	Klippel-Trenaunay-Weber Syndrome Associated with Intra-abdominal Lymphangioma Requiring Multiple Surgical Interventions. Annals of Plastic Surgery, 1997, 39, 435-437.	0.5	6
90	Pituitary-directed leukemia inhibitory factor transgene forms Rathke's cleft cysts and impairs adult pituitary function. A model for human pituitary Rathke's cysts Journal of Clinical Investigation, 1997, 99, 2462-2469.	3.9	66

#	Article	IF	CITATIONS
91	Disrupted murine leukemia inhibitory factor (LIF) gene attenuates adrenocorticotropic hormone (ACTH) secretion Endocrinology, 1996, 137, 3140-3143.	1.4	66
92	Identification of IGF-I in the Calvarial Suture of Young Rats: Histochemical Analysis of the Cranial Sagittal Sutures in a Hyperthyroid Rat Model. Plastic and Reconstructive Surgery, 1996, 97, 1-12.	0.7	24
93	Leukemia inhibitory factor (LIF) induces acute adrenocorticotrophic hormone (ACTH) secretion in fetal rhesus macaque primates: a novel dynamic test of pituitary function. Journal of Clinical Endocrinology and Metabolism, 1996, 81, 4170-4178.	1.8	23
94	Craniofacial Deformities Associated with Juvenile Hyperthyroidism. Cleft Palate-Craniofacial Journal, 1995, 32, 328-333.	0.5	9
95	Craniofacial Deformities Associated with Juvenile Hyperthyroidism. Cleft Palate-Craniofacial Journal, 1995, 32, 328-333.	0.5	11
96	Human and murine pituitary expression of leukemia inhibitory factor. Novel intrapituitary regulation of adrenocorticotropin hormone synthesis and secretion Journal of Clinical Investigation, 1995, 95, 1288-1298.	3.9	129
97	Thyroid Hormone Action on Rat Calvarial Sutures. Thyroid, 1994, 4, 99-106.	2.4	33
98	Modified Coronal Incision: Distribution of Stress in the Scalp and Cranium. Cleft Palate-Craniofacial Journal, 1993, 30, 382-386.	0.5	6