List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1547677/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Sensing Materials: Graphene. , 2023, , 367-388.		2
2	Sensing Materials: Electrochemical Sensors Enabled by 3D Printing. , 2023, , 73-88.		2
3	Batch injection analysis with amperometric detection for fluoroquinolone determination in urine, pharmaceutical formulations, and milk samples using a reduced graphene oxide–modified glassy carbon electrode. Analytical and Bioanalytical Chemistry, 2022, 414, 5309-5318.	3.7	7
4	Synthesis and characterization of cellulose acetate from cellophane industry residues. Application as acetaminophen controlled-release membranes. Journal of Thermal Analysis and Calorimetry, 2022, 147, 7265-7275.	3.6	3
5	Posttreatment of 3Dâ€printed surfaces for electrochemical applications: A critical review on proposed protocols. Electrochemical Science Advances, 2022, 2, e2100136.	2.8	26
6	Amperometric Detection for Bioanalysis. , 2022, , 253-264.		1
7	Simple and fast batch injection analysis method for monitoring diuron herbicide residues in juice and tap water samples using reduced graphene oxide sensor. Journal of Food Composition and Analysis, 2022, 106, 104284.	3.9	14
8	Fast on-site screening of 3,4-methylenedioxyethylamphetamine (MDEA) in forensic samples using carbon screen-printed electrode and square wave voltammetry. Electrochimica Acta, 2022, 403, 139599.	5.2	5
9	Electrochemical determination of several biofuel antioxidants in biodiesel and biokerosene using polylactic acid loaded with carbon black within 3D-printed devices. Mikrochimica Acta, 2022, 189, 57.	5.0	6
10	Portable amperometric method for selective determination of caffeine in samples with the presence of interfering electroactive chemical species. Journal of Electroanalytical Chemistry, 2022, 906, 116006.	3.8	9
11	New conductive filament ready-to-use for 3D-printing electrochemical (bio)sensors: Towards the detection of SARS-CoV-2. Analytica Chimica Acta, 2022, 1191, 339372.	5.4	62
12	Selective Electrochemical Detection of Catechin Compounds in Herbal Medicines. Journal of the Electrochemical Society, 2022, 169, 017516.	2.9	8
13	Electrochemical (Bio)Sensors Enabled by Fused Deposition Modeling-Based 3D Printing: A Guide to Selecting Designs, Printing Parameters, and Post-Treatment Protocols. Analytical Chemistry, 2022, 94, 6417-6429.	6.5	72
14	Affordable equipment to fabricate laser-induced graphene electrodes for portable electrochemical sensing. Mikrochimica Acta, 2022, 189, 185.	5.0	11
15	Carbon-Black Integrated Polylactic Acid Electrochemical Sensor for Chloramphenicol Determination in Milk and Water Samples. Journal of the Electrochemical Society, 2022, 169, 047517.	2.9	12
16	Prussian blue-modified laser-induced graphene platforms for detection of hydrogen peroxide. Mikrochimica Acta, 2022, 189, 188.	5.0	15
17	3D-printed carbon black/polylactic acid electrochemical sensor combined with batch injection analysis: A cost-effective and portable tool for naproxen sensing. Microchemical Journal, 2022, 180, 107565.	4.5	18
18	Additively manufactured electrodes for the electrochemical detection of hydroxychloroquine. Talanta, 2022, 250, 123727.	5.5	6

#	Article	IF	CITATIONS
19	Oxidative stability and corrosivity of biodiesel produced from residual cooking oil exposed to copper and carbon steel under simulated storage conditions: Dual effect of antioxidants. Renewable Energy, 2021, 164, 1485-1495.	8.9	14
20	A Batch Injection Analysis System with Squareâ€wave Voltammetric Detection for Fast and Simultaneous Determination of Zinc and Ascorbic Acid. Electroanalysis, 2021, 33, 90-96.	2.9	3
21	Fast and portable voltammetric method for the determination of the amphetamine adulterant ephedrine in natural over-the-counter weight-loss products. Microchemical Journal, 2021, 160, 105757.	4.5	10
22	Multifunctional spinel MnCo <sub>2</sub> O <sub>4</sub> based materials for energy storage and conversion: a review on emerging trends, recent developments and future perspectives. Journal of Materials Chemistry A, 2021, 9, 3095-3124.	10.3	88
23	Recent trends and perspectives in electrochemical sensors based on MOF-derived materials. Journal of Materials Chemistry C, 2021, 9, 8718-8745.	5.5	100
24	Feasible strategies to promote the sensing performances of spinel MCo <sub>2</sub> O <sub>4</sub> (M) Tj ETQ 2021, 9, 7852-7887.	90 0 0 rgE 5.5	3T /Overlock 43
25	3D-printing for forensic chemistry: voltammetric determination of cocaine on additively manufactured graphene–polylactic acid electrodes. Analytical Methods, 2021, 13, 1788-1794.	2.7	21
26	Simple and rapid voltammetric method for the detection of the synthetic adulterant fluoxetine in weight loss products. Journal of Electroanalytical Chemistry, 2021, 882, 115028.	3.8	8
27	Al2O3 microparticles immobilized on glassyâ€ʿcarbon electrode as catalytic sites for the electrochemical oxidation and high detectability of naproxen: Experimental and simulation insights. Journal of Electroanalytical Chemistry, 2021, 882, 114988.	3.8	13
28	Development of conductive inks for electrochemical sensors and biosensors. Microchemical Journal, 2021, 164, 105998.	4.5	81
29	Biosensing strategies for the electrochemical detection of viruses and viral diseases – A review. Analytica Chimica Acta, 2021, 1159, 338384.	5.4	73
30	A 3D Printer Guide for the Development and Application of Electrochemical Cells and Devices. Frontiers in Chemistry, 2021, 9, 684256.	3.6	31
31	Use of reduced graphene oxide for sensitive determination of sulfanilamide in synthetic biological fluids and environmental samples by batch injection analysis. Journal of Electroanalytical Chemistry, 2021, 892, 115298.	3.8	16
32	Promising Applications of Additive-Manufactured (3D-printed) Electrochemical Sensors for Forensic Chemistry. Brazilian Journal of Analytical Chemistry, 2021, , .	0.5	1
33	3D-printing in forensic electrochemistry: Atropine determination in beverages using an additively manufactured graphene-polylactic acid electrode. Microchemical Journal, 2021, 167, 106324.	4.5	26
34	An indirect electrochemical method for aqueous sulfide determination in freshwaters using a palladium chelate as a selective sensor. Talanta, 2021, 231, 122413.	5.5	5
35	Simple and rapid electrochemical detection of 1-benzylpiperazine on carbon screen-printed electrode. Microchemical Journal, 2021, 167, 106282.	4.5	15
36	Identification of Substances Produced by Cercospora brachiata in Absence of Light and Evaluation of Antibacterial Activity. Journal of Fungi (Basel, Switzerland), 2021, 7, 680.	3.5	4

#	Article	IF	CITATIONS
37	Electrochemical methods for the determination of antibiotic residues in milk: A critical review. Analytica Chimica Acta, 2021, 1173, 338569.	5.4	59
38	Development of a simple and rapid screening method for the detection of 1-(3-chlorophenyl)piperazine in forensic samples. Talanta, 2021, 233, 122597.	5.5	11
39	Reactive oxygen plasma treatment of 3D-printed carbon electrodes towards high-performance electrochemical sensors. Sensors and Actuators B: Chemical, 2021, 347, 130651.	7.8	28
40	Reagentless and sub-minute laser-scribing treatment to produce enhanced disposable electrochemical sensors via additive manufacture. Chemical Engineering Journal, 2021, 425, 130594.	12.7	41
41	Additively manufactured carbon/black-integrated polylactic acid 3Dprintedsensor for simultaneous quantification of uric acid and zinc in sweat. Mikrochimica Acta, 2021, 188, 388.	5.0	13
42	An Environmentally Friendly Three-Dimensional Printed Graphene-Integrated Polylactic Acid Electrochemical Sensor for the Quality Control of Biofuels. ACS Sustainable Chemistry and Engineering, 2021, 9, 16052-16062.	6.7	7
43	Adsorptive stripping voltammetric determination of chloramphenicol residues in milk samples using reduced graphene oxide sensor. Analytical Methods, 2021, 13, 5711-5718.	2.7	6
44	Investigation of midazolam electro-oxidation on boron doped diamond electrode by voltammetric techniques and density functional theory calculations: Application in beverage samples. Talanta, 2020, 207, 120319.	5.5	10
45	Improved anodic stripping voltammetric detection of zinc on a disposable screen-printed gold electrode. Ionics, 2020, 26, 2611-2621.	2.4	13
46	Electrochemical detection of 2,4,6-trinitrotoluene on carbon nanotube modified electrode: Effect of acid functionalization. Journal of Solid State Electrochemistry, 2020, 24, 121-129.	2.5	19
47	3D-Printed graphene/polylactic acid electrode for bioanalysis: Biosensing of glucose and simultaneous determination of uric acid and nitrite in biological fluids. Sensors and Actuators B: Chemical, 2020, 307, 127621.	7.8	142
48	3D printing pen using conductive filaments to fabricate affordable electrochemical sensors for trace metal monitoring. Journal of Electroanalytical Chemistry, 2020, 876, 114701.	3.8	27
49	3D-printed reduced graphene oxide/polylactic acid electrodes: A new prototyped platform for sensing and biosensing applications. Biosensors and Bioelectronics, 2020, 170, 112684.	10.1	78
50	Antioxidant compounds from Banisteriopsis argyrophylla leaves as α-amylase, α-glucosidase, lipase, and glycation inhibitors. Bioorganic Chemistry, 2020, 105, 104335.	4.1	10
51	Electrochemical Study of Different Sensors for Simple and fast Quantification of Ciprofloxacin in Pharmaceutical Formulations and Bovine Milk. Electroanalysis, 2020, 32, 2266-2272.	2.9	17
52	In situ electrochemical exfoliation of embedded graphite to superficial graphene sheets for electroanalytical purposes. Electrochimica Acta, 2020, 354, 136762.	5.2	9
53	Electrochemical Determination of the Steroid Tibolone and Its Metabolites in Saliva Samples. ChemElectroChem, 2020, 7, 4469-4476.	3.4	2
54	Development of an Electrochemical Immunosensor for Specific Detection of Visceral Leishmaniasis Using Gold-Modified Screen-Printed Carbon Electrodes. Biosensors, 2020, 10, 81.	4.7	25

#	Article	IF	CITATIONS
55	Voltammetric determination of traces of 4-chloroaniline in antiseptic samples on a cathodically-treated boron-doped diamond electrode. Journal of Electroanalytical Chemistry, 2020, 877, 114500.	3.8	6
56	3D-printing pen versus desktop 3D-printers: Fabrication of carbon black/polylactic acid electrodes for single-drop detection of 2,4,6-trinitrotoluene. Analytica Chimica Acta, 2020, 1132, 10-19.	5.4	42
57	A lab-made screen-printed electrode as a platform to study the effect of the size and functionalization of carbon nanotubes on the voltammetric determination of caffeic acid. Microchemical Journal, 2020, 158, 105297.	4.5	51
58	Production of 3D-printed disposable electrochemical sensors for glucose detection using a conductive filament modified with nickel microparticles. Analytica Chimica Acta, 2020, 1132, 1-9.	5.4	58
59	Simultaneous determination of lead and antimony in gunshot residue using a 3D-printed platform working as sampler and sensor. Analytica Chimica Acta, 2020, 1130, 126-136.	5.4	31
60	Critical evaluation of voltammetric techniques for antioxidant capacity and activity: Presence of alumina on glassy-carbon electrodes alters the results. Electrochimica Acta, 2020, 358, 136925.	5.2	29
61	A Multi-Pump Magnetohydrodynamics Lab-On-A-Chip Device for Automated Flow Control and Analyte Delivery. Sensors, 2020, 20, 4909.	3.8	8
62	Cloud-point extraction associated with voltammetry: preconcentration and elimination of the sample matrix for trace determination of methyl parathion in honey. Analytical Methods, 2020, 12, 5801-5814.	2.7	5
63	Batch injection analysis with electrochemical detection for the simultaneous determination of the diuretics furosemide and hydrochlorothiazide in synthetic urine and pharmaceutical samples. Microchemical Journal, 2020, 157, 105027.	4.5	19
64	Electrochemical synthesis of Prussian blue from iron impurities in 3D-printed graphene electrodes: Amperometric sensing platform for hydrogen peroxide. Talanta, 2020, 219, 121289.	5.5	30
65	Electrochemical detection of 3,4-methylenedioxymethamphetamine (ecstasy) using a boron-doped diamond electrode with differential pulse voltammetry: Simple and fast screening method for application in forensic analysis. Microchemical Journal, 2020, 157, 105088.	4.5	33
66	An Overview of Recent Electroanalytical Applications Utilizing Screenâ€Printed Electrodes Within Flow Systems. ChemElectroChem, 2020, 7, 2211-2221.	3.4	39
67	Additive-manufactured sensors for biofuel analysis: copper determination in bioethanol using a 3D-printed carbon black/polylactic electrode. Analytical and Bioanalytical Chemistry, 2020, 412, 2755-2762.	3.7	39
68	Pyrolyzed cotton balls for protein removal: Analysis of pharmaceuticals in serum by capillary electrophoresis. Analytica Chimica Acta, 2020, 1110, 90-97.	5.4	7
69	Trace manganese detection <i>via</i> differential pulse cathodic stripping voltammetry using disposable electrodes: additively manufactured nanographite electrochemical sensing platforms. Analyst, The, 2020, 145, 3424-3430.	3.5	32
70	Coupling electrochemistry with a fluorescence reporting reaction enabled by bipolar electrochemistry. Journal of Electroanalytical Chemistry, 2020, 872, 113921.	3.8	12
71	Potential of Mafura seed oil as a feedstock for biodiesel production. Biofuels, 2020, , 1-7.	2.4	3
72	Improved electrochemical detection of metals in biological samples using 3D-printed electrode: Chemical/electrochemical treatment exposes carbon-black conductive sites. Electrochimica Acta, 2020, 335, 135688.	5.2	97

#	Article	IF	CITATIONS
73	Determination of levofloxacin in pharmaceutical formulations and urine at reduced graphene oxide and carbon nanotube-modified electrodes. Journal of Solid State Electrochemistry, 2020, 24, 1165-1173.	2.5	21
74	Additive-manufactured (3D-printed) electrochemical sensors: A critical review. Analytica Chimica Acta, 2020, 1118, 73-91.	5.4	265
75	Direct analysis of ascorbic acid in food beverage samples by flow injection analysis using reduced graphene oxide sensor. Food Chemistry, 2020, 319, 126509.	8.2	41
76	Reduced graphene oxide/multi-walled carbon nanotubes/prussian blue nanocomposites for amperometric detection of strong oxidants. Materials Chemistry and Physics, 2020, 250, 123011.	4.0	24
77	High-throughput screening of cocaine, adulterants, and diluents in seized samples using capillary electrophoresis with capacitively coupled contactless conductivity detection. Talanta, 2020, 217, 120987.	5.5	22
78	EFEITO DO TEOR DE GLICEROL NO TRANSPORTE DE VAPOR D'ÃGUA ATRAVÉS DE FILMES DE TRIACETATO CELULOSE PRODUZIDOS A PARTIR DO APROVEITAMENTO DA PALHA DE MILHO (ZEA MAYS L.). Quimica Nova, 2020, , .	DE 0.3	0
79	Electrochemical Portable Method for <i>on site</i> Screening of Scopolamine in Beverage and Urine Samples. Electroanalysis, 2019, 31, 567-574.	2.9	26
80	Batchâ€injection Amperometric Analysis on Screenâ€printed Electrodes: Analytical System for Highâ€throughput Determination of Pharmaceutical Molecules. Electroanalysis, 2019, 31, 518-526.	2.9	7
81	Improved electrochemical performance of pyrolytic graphite paper: Electrochemical versus reactive cold-plasma activation. Electrochemistry Communications, 2019, 105, 106497.	4.7	13
82	Effect of alumina supported on glassy-carbon electrode on the electrochemical reduction of 2,4,6-trinitrotoluene: A simple strategy for its selective detection. Journal of Electroanalytical Chemistry, 2019, 851, 113385.	3.8	13
83	3D Printed Graphene Electrodes Modified with Prussian Blue: Emerging Electrochemical Sensing Platform for Peroxide Detection. ACS Applied Materials & Interfaces, 2019, 11, 35068-35078.	8.0	89
84	Complete Additively Manufactured (3D-Printed) Electrochemical Sensing Platform. Analytical Chemistry, 2019, 91, 12844-12851.	6.5	176
85	3Dâ€printed Portable Platform for Mechanized Handling and Injection of Microvolumes Coupled to Electrochemical Detection. Electroanalysis, 2019, 31, 771-777.	2.9	22
86	Fast methods for simultaneous determination of arginine, ascorbic acid and aspartic acid by capillary electrophoresis. Talanta, 2019, 204, 353-358.	5.5	34
87	Tuning electrochemical and morphological properties of Prussian blue/carbon nanotubes films through scan rate in cyclic voltammetry. Solid State Ionics, 2019, 338, 5-11.	2.7	10
88	Graphite sheet as a novel material for the collection and electrochemical sensing of explosive residues. Talanta, 2019, 203, 106-111.	5.5	21
89	3D-printed flexible device combining sampling and detection of explosives. Sensors and Actuators B: Chemical, 2019, 292, 308-313.	7.8	82
90	Nanomaterial-Based Electrochemical Sensors for Environmental and Energy Applications. , 2019, ,		1

197-228.

#	Article	IF	CITATIONS
91	Corrosive character of Moringa oleifera Lam biodiesel exposed to carbon steel under simulated storage conditions. Renewable Energy, 2019, 139, 1263-1271.	8.9	17
92	Boron Doped Diamond Electrodes in Flow-Based Systems. Frontiers in Chemistry, 2019, 7, 190.	3.6	52
93	Highly sensitive procedure for determination of Cu(II) by GF AAS using single-drop microextraction. Microchemical Journal, 2019, 147, 894-898.	4.5	38
94	Voltammetric determination of copper and tert-butylhydroquinone in biodiesel: A rapid quality control protocol. Talanta, 2019, 201, 433-440.	5.5	28
95	Indirect determination of formaldehyde by square-wave voltammetry based on the electrochemical oxidation of 3,5–diacetyl–1,4–dihydrolutidine using an unmodified glassy-carbon electrode. Talanta, 2019, 198, 237-241.	5.5	19
96	Iron (III) determination in bioethanol fuel using a smartphone-based device. Microchemical Journal, 2019, 146, 1134-1139.	4.5	32
97	High-throughput amperometric determination of tetracycline residues in milk and quality control of pharmaceutical formulations: flow-injection <i>versus</i> batch-injection analysis. Analytical Methods, 2019, 11, 5328-5336.	2.7	23
98	Evaluation of graphite sheets for production of high-quality disposable sensors. Journal of Electroanalytical Chemistry, 2019, 833, 560-567.	3.8	24
99	Simple Strategy for Selective Determination of Levamisole in Seized Cocaine and Pharmaceutical Samples Using Disposable Screenâ€printed Electrodes. Electroanalysis, 2019, 31, 153-159.	2.9	16
100	Rapid method for simultaneous determination of ascorbic acid and zinc in effervescent tablets by capillary zone electrophoresis with contactless conductivity detection. Journal of Separation Science, 2019, 42, 754-759.	2.5	16
101	A simple and fast-portable method for the screening of the appetite-suppressant drug sibutramine in natural products and multivitamins supplements. Sensors and Actuators B: Chemical, 2019, 282, 449-456.	7.8	23
102	Chemicallyâ€reduced Graphene Oxide Sensor for Dipyrone Quantification in Pharmaceutical Samples Using Amperometric Detection. Electroanalysis, 2019, 31, 646-651.	2.9	16
103	Investigation on acid functionalization of double-walled carbon nanotubes of different lengths on the development of amperometric sensors. Electrochimica Acta, 2019, 299, 762-771.	5.2	16
104	Solenoid Microâ€pumps: A New Tool for Sample Introduction in Batch Injection Analysis Systems with Electrochemical Detection. Electroanalysis, 2018, 30, 180-186.	2.9	5
105	Electrochemical sensing of NBOMes and other new psychoactive substances in blotting paper by square-wave voltammetry on a boron-doped diamond electrode. Analytical Methods, 2018, 10, 2411-2418.	2.7	21
106	Carbonâ€nanotube Modified Screenâ€printed Electrode for the Simultaneous Determination of Nitrite and Uric Acid in Biological Fluids Using Batchâ€injection Amperometric Detection. Electroanalysis, 2018, 30, 1870-1879.	2.9	16
107	Batchâ€injection Analysis Better than ever: New Materials for Improved Electrochemical Detection and Onâ€site Applications. Electroanalysis, 2018, 30, 1386-1399.	2.9	59
108	Fast Determination of Antioxidant Capacity of Food Samples Using Continuous Amperometric Detection on Polyester Screenâ€printed Graphitic Electrodes. Electroanalysis, 2018, 30, 1192-1197.	2.9	6

#	Article	IF	CITATIONS
109	Development of a Novel Versatile Method for Determination of two Antihistamines in Association with Naphazoline Using Cathodically Pretreated Boronâ€doped Diamond Electrode. Electroanalysis, 2018, 30, 868-876.	2.9	15
110	Carbon nanotube/reduced graphene oxide thin-film nanocomposite formed at liquid-liquid interface: Characterization and potential electroanalytical applications. Sensors and Actuators B: Chemical, 2018, 269, 293-303.	7.8	30
111	Influence of Al2O3 nanoparticles structure immobilized upon glassy-carbon electrode on the electrocatalytic oxidation of phenolic compounds. Sensors and Actuators B: Chemical, 2018, 262, 646-654.	7.8	28
112	Chemically versus electrochemically reduced graphene oxide: Improved amperometric and voltammetric sensors of phenolic compounds on higher roughness surfaces. Sensors and Actuators B: Chemical, 2018, 254, 701-708.	7.8	55
113	Altered electrochemistry of oxcarbazepine on cathodically treated boron-doped diamond electrode: Selective detection by pulsed amperometric detection coupled to flow-injection analysis. Electrochimica Acta, 2018, 260, 564-570.	5.2	16
114	Stripping Voltammetric Determination of Mercury in Fish Oil Capsules Using a Screenâ€printed Gold Electrode. Electroanalysis, 2018, 30, 20-23.	2.9	18
115	Screen-printed electrodes for quality control of liquid (Bio)fuels. TrAC - Trends in Analytical Chemistry, 2018, 108, 210-220.	11.4	13
116	Forensics in hand: new trends in forensic devices (2013–2017). Analytical Methods, 2018, 10, 5135-5163.	2.7	59
117	Ultrafast capillary electrophoresis method for the simultaneous determination of ammonium and diphenhydramine in pharmaceutical samples. Journal of Separation Science, 2018, 41, 2969-2975.	2.5	9
118	Detection of Analgesics and Sedation Drugs in Whiskey Using Electrochemical Paperâ€based Analytical Devices. Electroanalysis, 2018, 30, 2250-2257.	2.9	54
119	Highly-sensitive voltammetric detection of trinitrotoluene on reduced graphene oxide/carbon nanotube nanocomposite sensor. Analytica Chimica Acta, 2018, 1035, 14-21.	5.4	36
120	Fast determination of cocaine and some common adulterants in seized cocaine samples by capillary electrophoresis with capacitively coupled contactless conductivity detection. Analytical Methods, 2018, 10, 2875-2880.	2.7	13
121	In situ electrochemical determination of free Cu(II) ions in biodiesel using screen-printed electrodes: Direct correlation with oxidation stability. Fuel, 2018, 234, 1452-1458.	6.4	19
122	3D printing for electroanalysis: From multiuse electrochemical cells to sensors. Analytica Chimica Acta, 2018, 1033, 49-57.	5.4	196
123	Portable analytical platforms for forensic chemistry: A review. Analytica Chimica Acta, 2018, 1034, 1-21.	5.4	196
124	Fast determination of codeine, orphenadrine, promethazine, scopolamine, tramadol, and paracetamol in pharmaceutical formulations by capillary electrophoresis. Journal of Separation Science, 2017, 40, 1815-1823.	2.5	41
125	Highly sensitive amperometric detection of drugs and antioxidants on non-functionalized multi-walled carbon nanotubes: Effect of metallic impurities?. Electrochimica Acta, 2017, 240, 80-89.	5.2	26
126	Squareâ€wave Voltammetric Determination of Propyphenazone, Paracetamol, and Caffeine: Comparative Study between Batch Injection Analysis and Conventional Electrochemical Systems. Electroanalysis, 2017, 29, 1860-1866.	2.9	19

#	Article	IF	CITATIONS
127	Portable electrochemical system using screen-printed electrodes for monitoring corrosion inhibitors. Talanta, 2017, 174, 420-427.	5.5	14
128	Amperometric determination of omeprazole on screen-printed electrodes using batch injection analysis. Microchemical Journal, 2017, 133, 398-403.	4.5	24
129	Use of pyrolyzed paper as disposable substrates for voltammetric determination of trace metals. Talanta, 2017, 165, 33-38.	5.5	33
130	A portable electrochemical method for cocaine quantification and rapid screening of common adulterants in seized samples. Sensors and Actuators B: Chemical, 2017, 243, 557-565.	7.8	84
131	Electrochemically Reduced Graphene Oxide for Forensic Electrochemistry: Detection of Cocaine and its Adulterants Paracetamol, Caffeine and Levamisole. Electroanalysis, 2017, 29, 2418-2422.	2.9	24
132	Singleâ€run capillary electrophoresis method for the fast simultaneous determination of amoxicillin, clavulanate, and potassium. Journal of Separation Science, 2017, 40, 3557-3562.	2.5	25
133	Voltammetric signatures of 2,5-dimethoxy-N-(2-methoxybenzyl) phenethylamines on boron-doped diamond electrodes: Detection in blotting paper samples. Electrochemistry Communications, 2017, 82, 121-124.	4.7	22
134	Eucalyptus pulp as an adsorbent for metal removal from biodiesel. Industrial Crops and Products, 2017, 95, 1-5.	5.2	15
135	Batch-Injection Amperometric Determination of Pyrogallol in Biodiesel Using a Multi-Walled Carbon Nanotube Modified Electrode. Journal of the Brazilian Chemical Society, 2016, , .	0.6	0
136	Electrochemical Oxidation of Astaxanthin on Glassyâ€carbon Electrode and its Amperometric Determination Using Batch Injection Analysis (BIA). Electroanalysis, 2016, 28, 2143-2148.	2.9	9
137	Voltammetric Lead Determination in Aviation Fuel Samples Using a Screenâ€Printed Gold Electrode and Batchâ€Injection Analysis. Electroanalysis, 2016, 28, 633-639.	2.9	19
138	Voltammetric Determination of Pb, Cu and Hg in Biodiesel Using Gold Screenâ€printed Electrode: Comparison of Batchâ€injection Analysis with Conventional Electrochemical Systems. Electroanalysis, 2016, 28, 940-946.	2.9	23
139	Batchâ€injection versus Flowâ€injection Analysis Using Screenâ€printed Electrodes: Determination of Ciprofloxacin in Pharmaceutical Formulations. Electroanalysis, 2016, 28, 350-357.	2.9	26
140	Simple and Sensitive Paper-Based Device Coupling Electrochemical Sample Pretreatment and Colorimetric Detection. Analytical Chemistry, 2016, 88, 5145-5151.	6.5	66
141	Fast determination of diphenhydramine, pyridoxine, and 8-chlorotheophylline by capillary electrophoresis with capacitively coupled contactless conductivity detection. Analytical Methods, 2016, 8, 4432-4437.	2.7	14
142	A high-throughput BIA-MPA method for the simultaneous determination of amiloride and furosemide. Analytical Methods, 2016, 8, 7959-7965.	2.7	12
143	A sub-minute electrophoretic method for simultaneous determination of naphazoline and zinc. Journal of Chromatography A, 2016, 1472, 134-137.	3.7	12
144	A Compact Batch Injection Analysis Cell for Screen Printed Electrodes: A Portable Electrochemical System for Onâ€site Analysis. Electroanalysis, 2016, 28, 1856-1859.	2.9	28

#	Article	IF	CITATIONS
145	Organic-resistant screen-printed graphitic electrodes: Application to on-site monitoring of liquid fuels. Analytica Chimica Acta, 2016, 934, 1-8.	5.4	24
146	Determination of Amlodipine and Atenolol by Batch Injection Analysis with Amperometric Detection on Boronâ€doped Diamond Electrode. Electroanalysis, 2016, 28, 1455-1461.	2.9	19
147	Size effects of multi-walled carbon nanotubes on the electrochemical oxidation of propionic acid derivative drugs: Ibuprofen and naproxen. Journal of Electroanalytical Chemistry, 2016, 775, 342-349.	3.8	30
148	Simultaneous determination of three species with a single-injection step using batch injection analysis with multiple pulse amperometric detection. Talanta, 2016, 146, 670-675.	5.5	39
149	Amperometric determination of the insecticide fipronil using batch injection analysis: comparison between unmodified and carbon-nanotube-modified electrodes. Journal of Solid State Electrochemistry, 2016, 20, 2453-2459.	2.5	21
150	A batch injection analysis system with square-wave voltammetric detection for fast and simultaneous determination of naphazoline and zinc. Talanta, 2016, 152, 308-313.	5.5	35
151	Controlled release of drugs from cellulose acetate matrices produced from sugarcane bagasse: monitoring by square-wave voltammetry. Drug Development and Industrial Pharmacy, 2016, 42, 1066-1072.	2.0	10
152	A simple and fast batch injection analysis method for simultaneous determination of phenazopyridine, sulfamethoxazole, and trimethoprim on boron-doped diamond electrode. Journal of Electroanalytical Chemistry, 2016, 766, 87-93.	3.8	34
153	Carbon-nanotube amperometric sensor for selective determination of 4-chloroaniline in commercial chlorhexidine solutions. Sensors and Actuators B: Chemical, 2016, 231, 38-44.	7.8	11
154	Paper-based enzymatic reactors for batch injection analysis of glucose on 3D printed cell coupled with amperometric detection. Sensors and Actuators B: Chemical, 2016, 226, 196-203.	7.8	57
155	Morphology of ZnO nanoparticles bound to carbon nanotubes affects electrocatalytic oxidation of phenolic compounds. Sensors and Actuators B: Chemical, 2016, 223, 557-565.	7.8	29
156	Combination of sonication and heating for metal extraction from inorganic fertilizers prior to microwave-induced plasma spectrometry determinations. Applied Acoustics, 2016, 103, 124-128.	3.3	14
157	Batch-injection analysis with amperometric detection of the DPPH radical for evaluation of antioxidant capacity. Food Chemistry, 2016, 192, 691-697.	8.2	53
158	Simultaneous Determination of Caffeine, Ibuprofen, and Paracetamol by Flowâ€injection Analysis with Multipleâ€pulse Amperometric Detection on Boronâ€doped Diamond Electrode. Electroanalysis, 2015, 27, 2785-2791.	2.9	34
159	Simultaneous determination of caffeine, paracetamol, and ibuprofen in pharmaceutical formulations by highâ€performance liquid chromatography with UV detection and by capillary electrophoresis with conductivity detection. Journal of Separation Science, 2015, 38, 1657-1662.	2.5	79
160	Squareâ€Wave Voltammetry as Analytical Tool for Realâ€Time Study of Controlled Naproxen Releasing from Cellulose Derivative Materials. Electroanalysis, 2015, 27, 1847-1854.	2.9	15
161	Eucalyptus pulp as an adsorbent for biodiesel purification. Cellulose, 2015, 22, 1263-1274.	4.9	19
162	Moringa oleifera : A potential source for production of biodiesel and antioxidant additives. Fuel, 2015, 146, 75-80.	6.4	76

#	Article	IF	CITATIONS
163	On‣ite Determination of Carbendazim, Cathecol and Hydroquinone in Tap Water Using a Homemade Batch Injection Analysis Cell for Screen Printed Electrodes. Electroanalysis, 2015, 27, 271-275.	2.9	17
164	Multi-walled carbon nanotubes: Size-dependent electrochemistry of phenolic compounds. Electrochimica Acta, 2015, 176, 36-43.	5.2	47
165	Rapid synthesis of Co, Ni co-doped ZnO nanoparticles: Optical and electrochemical properties. Journal of Solid State Chemistry, 2015, 230, 343-349.	2.9	35
166	Electrochemical determination of picoxystrobin on boron-doped diamond electrode: Square-wave voltammetry versus BIA-multiple pulse amperometry. Microchemical Journal, 2015, 123, 1-8.	4.5	21
167	Batch-injection stripping voltammetry of zinc at a gold electrode: application for fuel bioethanol analysis. Electrochimica Acta, 2015, 164, 90-96.	5.2	21
168	Simultaneous determination of captopril and hydrochlorothiazide on boron-doped diamond electrode by batch injection analysis with multiple pulse amperometric detection. Sensors and Actuators B: Chemical, 2015, 212, 411-418.	7.8	49
169	Tetrahydrocurcuminoids as potential antioxidants for biodiesels. Fuel, 2015, 160, 490-494.	6.4	16
170	Ultrasound-assisted digestion of biodiesel samples for determination of metals by stripping voltammetry. Analytical Methods, 2015, 7, 7170-7176.	2.7	19
171	Fast ultrasound-assisted treatment of inorganic fertilizers for mercury determination by atomic absorption spectrometry and microwave-induced plasma spectrometry with the aid of the cold-vapor technique. Microchemical Journal, 2015, 118, 40-44.	4.5	34
172	FAST AND SIMULTANEOUS DETERMINATION OF SULFAMETHOXAZOLE AND TRIMETHOPRIM USING BATCH INJECTION ANALYSIS WITH AMPEROMETRIC DETECTION AND BORON-DOPED DIAMOND ELECTRODE. Quimica Nova, 2015, , .	0.3	1
173	Flow-Injection Analysis with Multiple-Pulse Amperometry for Simultaneous Determination of Paracetamol and Naproxen Using a Homemade Flow Cell for Screen-Printed Electrodes. Journal of the Brazilian Chemical Society, 2014, , .	0.6	10
174	Electrochemical Oxidation of the Fungicide Dimoxystrobin and Its Amperometric Determination by Batch-Injection Analysis. Analytical Letters, 2014, 47, 492-503.	1.8	14
175	Exploring Multiwalled Carbon Nanotubes for Naproxen Detection. Electroanalysis, 2014, 26, 1449-1453.	2.9	39
176	Rapid preparation of α-FeOOH and α-Fe2O3 nanostructures by microwave heating and their application in electrochemical sensors. Materials Research Bulletin, 2014, 49, 572-576.	5.2	47
177	Two simple and fast electrochemical methods for simultaneous determination of promethazine and codeine. Journal of Electroanalytical Chemistry, 2014, 713, 32-38.	3.8	37
178	Fast Determination of Ciprofloxacin by Batch Injection Analysis with Amperometric Detection and Capillary Electrophoresis with Capacitively Coupled Contactless Conductivity Detection. Electroanalysis, 2014, 26, 432-438.	2.9	57
179	Influence of blending soybean, sunflower, colza, corn, cottonseed, and residual cooking oil methyl biodiesels on the oxidation stability. Fuel, 2014, 118, 16-20.	6.4	43
180	Batch-injection stripping voltammetry of metals in fuel bioethanol. Fuel, 2014, 117, 952-956.	6.4	21

#	Article	IF	CITATIONS
181	Development of an algorithm for correction of specific gravity ofÂbiodiesel. Renewable Energy, 2014, 63, 507-510.	8.9	1
182	Development of a Simple and Fast Electrochemical Method for Screening and Stoichiometric Determination of Dimenhydrinate. Electroanalysis, 2014, 26, 1905-1911.	2.9	23
183	Determination of propranolol and hydrochlorothiazide by batch injection analysis with amperometric detection and capillary electrophoresis with capacitively coupled contactless conductivity detection. Analytical Methods, 2014, 6, 3261-3267.	2.7	26
184	Fast and direct determination of mancozeb through batch injection analysis with amperometric detection on boron-doped diamond electrodes. Journal of Electroanalytical Chemistry, 2014, 733, 85-90.	3.8	25
185	Electrochemical Determination of Organic Compounds in Automotive Fuels. Electroanalysis, 2014, 26, 233-242.	2.9	18
186	Stripping voltammetric determination of manganese in bioethanol. Microchemical Journal, 2014, 116, 178-182.	4.5	12
187	Combination of screen-printed electrodes and batch injection analysis: A simple, robust, high-throughput, and portable electrochemical system. Sensors and Actuators B: Chemical, 2014, 202, 93-98.	7.8	66
188	On-site fuel electroanalysis: Determination of lead, copper and mercury in fuel bioethanol by anodic stripping voltammetry using screen-printed gold electrodes. Analytica Chimica Acta, 2014, 837, 38-43.	5.4	69
189	Ultra-fast determination of caffeine, dipyrone, and acetylsalicylic acid by capillary electrophoresis with capacitively coupled contactless conductivity detection and identification of degradation products. Journal of Chromatography A, 2014, 1327, 149-154.	3.7	33
190	Ultra-Fast Determination of Scopolamine, Orphenadrine, Mepyramine, Caffeine, Dipyrone, and Ascorbic Acid by Capillary Electrophoresis with Capacitively Coupled Contactless Conductivity Detection. Journal of the Brazilian Chemical Society, 2014, , .	0.6	2
191	Fast and simultaneous determination of nimesulide and paracetamol by batch injection analysis with amperometric detection on bare boron-doped diamond electrode. Diamond and Related Materials, 2013, 39, 41-46.	3.9	59
192	Two new electrochemical methods for fast and simultaneous determination of codeine and diclofenac. Talanta, 2013, 116, 1026-1032.	5.5	61
193	Storage stability and corrosive character of stabilised biodiesel exposed to carbon and galvanised steels. Fuel, 2013, 107, 609-614.	6.4	65
194	Simultaneous determination of diclofenac and its common counterâ€ions in less than 1 minute using capillary electrophoresis with contactless conductivity detection. Electrophoresis, 2013, 34, 1423-1428.	2.4	36
195	Simultaneous determination of ethanol and methanol in fuel ethanol using cyclic voltammetry. Fuel, 2013, 103, 725-729.	6.4	50
196	Electrochemical Oxidation of Ibuprofen and Its Voltammetric Determination at a Boronâ€Doped Diamond Electrode. Electroanalysis, 2013, 25, 1585-1588.	2.9	43
197	Graphiteâ€Composite Electrodes Bulkâ€Modified with (BiO) <sub>2</sub> CO <sub>3</sub> and Bi <sub>2</sub> O <sub>3</sub> Platesâ€Like Nanostructures for Trace Metal Determination by Anodic Stripping Voltammetry. Electroanalysis, 2013, 25, 765-770.	2.9	28
198	Determinação rápida de hidroquinona usando análise por injeção em batelada (BIA) com detecção amperométrica. Quimica Nova, 2013, 36, 663-668.	0.3	8

#	Article	IF	CITATIONS
199	Electrochemical Oxidation of Chlorhexidine and its Amperometric Determination by Flow-Injection Analysis. Journal of the Brazilian Chemical Society, 2013, , .	0.6	0
200	Fast batch injection analysis system for on-site determination of ethanol in gasohol and fuel ethanol. Talanta, 2012, 90, 99-102.	5.5	56
201	Fast simultaneous determination of BHA and TBHQ antioxidants in biodiesel by batch injection analysis using pulsed-amperometric detection. Talanta, 2012, 99, 527-531.	5.5	70
202	Low-potential reduction of sulfite at a ruthenium-oxide hexacyanoferrate modified electrode. Electrochemistry Communications, 2012, 21, 26-29.	4.7	21
203	A Simple Strategy to Improve the Accuracy of the Injection Step in Batch Injection Analysis Systems with Amperometric Detection. Electroanalysis, 2012, 24, 1805-1810.	2.9	25
204	Fast determination of naproxen in pharmaceutical formulations by batch injection analysis with pulsed amperometric detection. Journal of the Brazilian Chemical Society, 2012, 23, 1834-1838.	0.6	47
205	Flowâ€Injection Pulsedâ€Amperometric Determination of Free Glycerol in Biodiesel at a Gold Electrode. Electroanalysis, 2012, 24, 1160-1163.	2.9	16
206	Electrochemical Determination of Inorganic Contaminants in Automotive Fuels. Electroanalysis, 2012, 24, 1681-1691.	2.9	10
207	Rapid and selective determination of hydrogen peroxide residues in milk by batch injection analysis with amperometric detection. Food Chemistry, 2012, 133, 200-204.	8.2	132
208	Preparation and characterization of methylic and ethylic biodiesel from cottonseed oil and effect of tert-butylhydroquinone on its oxidative stability. Fuel, 2012, 97, 658-661.	6.4	76
209	Determinação simultânea de ácido ascórbico e ácido acetilsalicÃlico usando análise por injeç£o em fluxo com detecção amperométrica pulsada. Quimica Nova, 2012, 35, 1459-1463.	0.3	9
210	Batch injection analysis with amperometric detection: application for simultaneous analysis using a single working electrode. Analytical Methods, 2011, 3, 2804.	2.7	48
211	Fast and direct determination of butylated hydroxyanisole in biodiesel by batch injection analysis with amperometric detection. Talanta, 2011, 85, 1274-1278.	5.5	65
212	Uso de amêndoas de baru (Dypterix alata) para remoção de Ni(ii) em etanol combustÃvel. Quimica Nova, 2011, 34, 923-927.	0.3	4
213	Alternative analytical method for metal determination in inorganic fertilizers based on ultrasound-assisted extraction. Journal of the Brazilian Chemical Society, 2011, 22, 1519-1524.	0.6	10
214	Behaviour of the antioxidant tert-butylhydroquinone on the storage stability and corrosive character of biodiesel. Fuel, 2011, 90, 3480-3484.	6.4	75
215	Flowâ€Injection Amperometric Method for Determination of Diclofenac in Pharmaceutical Formulations Using a Boronâ€Doped Diamond Electrode. Electroanalysis, 2011, 23, 2521-2525.	2.9	36
216	Development of a Simple and Fast Electrochemical Method to Evaluate Physical Stress in Athletes. Electroanalysis, 2011, 23, 2601-2606.	2.9	8

#	Article	IF	CITATIONS
217	A Simple Strategy for Simultaneous Determination of Paracetamol and Caffeine Using Flow Injection Analysis with Multiple Pulse Amperometric Detection. Electroanalysis, 2011, 23, 2764-2770.	2.9	46
218	Determinação de peróxido de hidrogênio em antisséptico bucal usando um microdispositivo contendo partÃculas de Azul da Prússia. Quimica Nova, 2011, 34, 987-991.	0.3	3
219	Flowâ€Injection Amperometric Method for Indirect Determination of Dopamine in the Presence of a Large Excess of Ascorbic Acid. Electroanalysis, 2010, 22, 74-78.	2.9	36
220	Disposable Graphite Foil Based Electrodes and Their Application in Pharmaceutical Analysis. Electroanalysis, 2010, 22, 1290-1296.	2.9	8
221	Direct Determination of Copper in Biodiesel Using Stripping Analysis. Electroanalysis, 2010, 22, 1846-1850.	2.9	32
222	Threeâ€Electrodeâ€Integrated Sensor into a Micropipette Tip. Electroanalysis, 2010, 22, 2167-2171.	2.9	13
223	Internal standard in flow injection analysis with amperometric detection. Electrochemistry Communications, 2010, 12, 216-218.	4.7	32
224	Direct amperometric determination of tert-butylhydroquinone in biodiesel. Talanta, 2010, 82, 1599-1603.	5.5	38
225	Desenvolvimento, caracterização e aplicação eletroanalÃŧica de um compósito fluido de adesivo epóxi, grafite e ciclo-hexanona. Quimica Nova, 2010, 33, 1398-1402.	0.3	6
226	Investigation of interfacial processes at tetraruthenated zinc porphyrin films using electrochemical surface plasmon resonance and electrochemical quartz crystal microbalance. Electrochimica Acta, 2009, 54, 2971-2976.	5.2	6
227	â€~One-step' simplified electrochemical sensing of TATP based on its acid treatment. Analyst, The, 2007, 132, 560-565.	3.5	49
228	Electroanalysis of Crude Oil and Petroleum-Based Fuel for Trace Metals:Â Evaluation of Different Microwave-Assisted Sample Decompositions and Stripping Techniques. Energy & Fuels, 2007, 21, 295-302.	5.1	42
229	Ultrasound-assisted treatment of coconut water samples for potentiometric stripping determination of zinc. Journal of the Brazilian Chemical Society, 2007, 18, 410-415.	0.6	11
230	Heat-transference of toner masks onto conductive substrates: A rapid and easy way to produce microelectrode ensembles. Electrochemistry Communications, 2007, 9, 1091-1096.	4.7	10
231	Analytical procedure for total mercury determination in fishes and shrimps by chronopotentiometric stripping analysis at gold film electrodes after microwave digestion. Food Chemistry, 2007, 101, 579-584.	8.2	43
232	Highly sensitive electrochemical detection of trace liquid peroxide explosives at a Prussian-blue †artificial-peroxidase' modified electrode. Analyst, The, 2006, 131, 1279.	3.5	71
233	Combination of ultrasonic extraction and stripping analysis: An effective and reliable way for the determination of Cu and Pb in lubricating oils. Talanta, 2006, 68, 850-856.	5.5	52
234	Fast ultrasound-assisted treatment of urine samples for chronopotentiometric stripping determination of mercury at gold film electrodes. Analytica Chimica Acta, 2006, 571, 93-98.	5.4	46

#	Article	IF	CITATIONS
235	Electrochemistry Inside Microdroplets of Kerosene: Electroanalysis of (Methylcyclopentadienyl) Manganese(I) Tricarbonyl(I). Electroanalysis, 2006, 18, 621-626.	2.9	11
236	The Electrochemistry of Tetraphenyl Porphyrin Iron(III) Within Immobilized Droplets Supported on Platinum Electrodes. Electroanalysis, 2006, 18, 649-654.	2.9	7
237	Chronopotentiometric Stripping Analysis Using Cold Electrodes, an Efficient Technique for Mercury Quantification in Natural Waters. Electroanalysis, 2005, 17, 755-761.	2.9	39
238	Potentiometric Stripping Analysis for Simultaneous Determination of Copper and Lead in Lubricating Oils After Total Digestion in a Focused Microwave-Assisted Oven. Mikrochimica Acta, 2005, 149, 199-204.	5.0	32
239	Determination of anions, cations, and sugars in coconut water by capillary electrophoresis. Journal of the Brazilian Chemical Society, 2005, 16, 1134.	0.6	37
240	Determination of inorganic ions in ethanol fuel by capillary electrophoresis. Journal of the Brazilian Chemical Society, 2004, 15, 523-526.	0.6	33
241	Simultaneous determination of copper and lead in ethanol fuel by anodic stripping voltammetry. Microchemical Journal, 2004, 77, 157-162.	4.5	45
242	Gold electrodes from compact discs modified with platinum for amperometric determination of ascorbic acid in pharmaceutical formulations. Talanta, 2001, 55, 855-860.	5.5	41
243	Amperometric determination of dipyrone in pharmaceutical formulations with a flow cell containing gold electrodes from recordable compact discs. Journal of Pharmaceutical Sciences, 2001, 90, 1972-1977.	3.3	29
244	Amperometric determination of dipyrone in pharmaceutical formulations with a flow cell containing gold electrodes from recordable compact discs. Journal of Pharmaceutical Sciences, 2001, 90, 1972-1977.	3.3	0
245	Biodiesel: Production, Characterization, Metallic Corrosion and Analytical Methods for Contaminants. , 0, , .		13
246	Bioethanol and Biodiesel as Vehicular Fuels in Brazil — Assessment of Atmospheric Impacts from the Long Period of Biofuels Use. , 0, , .		10
247	Sub-Minute Method for Determination of Naphazoline in the Presence of Diphenhydramine, Pheniramine or Chlorpheniramine by Capillary Electrophoresis. Journal of the Brazilian Chemical Society, 0, , .	0.6	1
248	A Multicommuted Flow System for Spectrophotometric Determination of Formaldehyde in Mushroom. Journal of the Brazilian Chemical Society, 0, , .	0.6	3
249	Square-Wave Voltammetry Determination of Ciprofloxacin in Pharmaceutical Formulations and Milk Using a Reduced Graphene Oxide Sensor. Journal of the Brazilian Chemical Society, 0, , .	0.6	9
250	Amperometric determination of 8-chlorotheophylline, caffeine, and diphenhydramine in a single run. Quimica Nova, 0, , .	0.3	1
251	DETERMINAÇÃO RÃPIDA E SIMULTÃ,NEA DE PROPIFENAZONA, PARACETAMOL E CAFEÃNA UTILIZANDO ANÃLIS POR INJEǃO EM BATELADA COM DETECÇÃO AMPEROMÉTRICA. Quimica Nova, 0, , .	E 0.3	1
252	Chemically Reduced Graphene Oxide on Gold Electrodes from Recordable CDs: Characterization and Potential Sensing Applications. Journal of the Brazilian Chemical Society, 0, , .	0.6	2

#	Article	IF	CITATIONS
253	Electroanalytical Method for Determination of Trace Metals in Struvite Using Electrochemically Treated Screen-Printed Gold Electrodes. Journal of the Brazilian Chemical Society, 0, , .	0.6	6
254	Drawing Electrochemical Sensors Using a 3D Printing Pen. Journal of the Brazilian Chemical Society, 0, , .	0.6	10
255	USO DE PALHA DE AÇO COMERCIAL PARA O TRATAMENTO DE EFLUENTES CONTENDO CROMO HEXAVALENTE PROVENIENTES DE PROCESSOS DE ELETROCOLORAÇÃO DE AÇOS INOXIDÃVEIS. Quimica Nova, 0, , .	0.3	1
256	ELECTROCHEMICAL DETERMINATION OF 2-NAPHTHYLAMINE IN PERFUME SAMPLES USING BORONDOPED DIAMOND ELECTRODE. Quimica Nova, 0, , .	0.3	0
257	Voltammetric Determination of Free and Total Manganese in Tea Infusions. Journal of the Brazilian Chemical Society, 0, , .	0.6	0
258	Additive Manufacturing towards the Fabrication of Greener Electrochemical Sensors for Antioxidants. Journal of the Brazilian Chemical Society, 0, , .	0.6	4
259	Internet of Things as a Tool for Sustainable Analytical Chemistry: A Review. Journal of the Brazilian Chemical Society, 0, , .	0.6	4
260	Infrared laser $\hat{a} {f \in } {f i}$ nduced graphene sensor for tyrosine detection. ChemElectroChem, 0, , .	3.4	3
261	Infrared Laserâ€Induced Graphene Sensor for Tyrosine Detection. ChemElectroChem, 0, ,	3.4	0