

# Ben Thuy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1548309/publications.pdf>

Version: 2024-02-01

36

papers

962

citations

840776

11

h-index

477307

29

g-index

38

all docs

38

docs citations

38

times ranked

751

citing authors

#	ARTICLE	IF	CITATIONS
1	Global Diversity of Brittle Stars (Echinodermata: Ophiuroidea). PLoS ONE, 2012, 7, e31940.	2.5	217
2	Phylogenomic Resolution of the Class Ophiuroidea Unlocks a Global Microfossil Record. Current Biology, 2014, 24, 1874-1879.	3.9	122
3	Restructuring higher taxonomy using broad-scale phylogenomics: The living Ophiuroidea. Molecular Phylogenetics and Evolution, 2017, 107, 415-430.	2.7	122
4	Unexpected Early Triassic marine ecosystem and the rise of the Modern evolutionary fauna. Science Advances, 2017, 3, e1602159.	10.3	103
5	Lateral arm plate morphology in brittle stars (Echinodermata: Ophiuroidea): new perspectives for ophiuroid micropalaeontology and classification. Zootaxa, 2011, 3013, .	0.5	73
6	A New Morphological Phylogeny of the Ophiuroidea (Echinodermata) Accords with Molecular Evidence and Renders Microfossils Accessible for Cladistics. PLoS ONE, 2016, 11, e0156140.	2.5	63
7	Ancient Origin of the Modern Deep-Sea Fauna. PLoS ONE, 2012, 7, e46913.	2.5	53
8	Morphological diagnoses of higher taxa in Ophiuroidea (Echinodermata) in support of a new classification. European Journal of Taxonomy, 2018, , .	0.6	28
9	First glimpse into Lower Jurassic deep-sea biodiversity: in situ diversification and resilience against extinction. Proceedings of the Royal Society B: Biological Sciences, 2014, 281, 20132624.	2.6	26
10	A new echinoderm Lagerst�te from the Pliensbachian (Early Jurassic) of the French Ardennes. Swiss Journal of Palaeontology, 2011, 130, 173-185.	1.7	20
11	Exceptionally well-preserved brittle stars from the Pliensbachian (Early Jurassic) of the French Ardennes. Palaeontology, 2011, 54, 215-233.	2.2	13
12	The pitfalls of extrapolating modern depth ranges to fossil assemblages: new insights from Middle Jurassic brittle stars (Echinodermata: Ophiuroidea) from Switzerland. Swiss Journal of Palaeontology, 2013, 132, 5-21.	1.7	13
13	Unravelling the origin of the basket stars and their allies (Echinodermata, Ophiuroidea, Euryalida). Scientific Reports, 2018, 8, 8493.	3.3	13
14	A starfish bed in the Middle Miocene Grand Bay Formation of Carriacou, The Grenadines (West Indies). Geological Magazine, 2014, 151, 381-393.	1.5	10
15	A new brittle star (Ophiuroidea: Ophiidermatina) from the Early Triassic Paris Biota (Bear Lake) Tj ETQq1 1 0.784314 rgBT /Overlock 10		
16	Lower Jurassic (Pliensbachian-Toarcian) belemnites from Fresney-le-Puceux (Calvados, France): taxonomy, chronostratigraphy and diversity. Geodiversitas, 2018, 40, 87-113.	0.8	9
17	Emergence and early radiation of cyrtocrinids, with new species from a Lower to Middle Jurassic rock reef of Feuguerolles (Normandy, France). Swiss Journal of Palaeontology, 2018, 137, 133-158.	1.7	9
18	A new species of Stegophiura (Ophiuroidea, Ophiopyrgidae) from the mid-Cretaceous of southern Japan. Swiss Journal of Palaeontology, 2018, 137, 319-325.	1.7	7

#	ARTICLE	IF	CITATIONS
19	Early Jurassic ostracods from the Glasenbach Gorge, Northern Calcareous Alps, Austria, and evidence for upper slope deposition. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2014, 273, 1-11.	0.4	6
20	An unusual assemblage of ophiuroids (Echinodermata) from the late Maastrichtian of South Carolina, USA. <i>Swiss Journal of Palaeontology</i> , 2018, 137, 337-356.	1.7	6
21	A remarkable example of a Late Jurassic shallow-water ophiuroid assemblage from the Swiss Jura Mountains. <i>Swiss Journal of Geosciences</i> , 2013, 106, 409-426.	1.2	5
22	Brittle stars from the British Oxford Clay: unexpected ophiuroid diversity on Jurassic sublittoral mud bottoms. <i>Journal of Paleontology</i> , 2017, 91, 781-798.	0.8	4
23	A new paedomorphic protasterid brittle star (Echinodermata, Ophiuroidea) from the Early Devonian of Luxembourg and Germany. <i>Swiss Journal of Palaeontology</i> , 2018, 137, 327-335.	1.7	4
24	Miniaturization during a Silurian environmental crisis generated the modern brittle star body plan. <i>Communications Biology</i> , 2022, 5, 14.	4.4	4
25	Brittle-star mass occurrence on a Late Cretaceous methane seep from South Dakota, USA. <i>Scientific Reports</i> , 2018, 8, 9617.	3.3	3
26	Digging into the ancestral stocks of Jurassic lineages: ostracods (Crustacea) from Carnian (Late) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 De France, 2019, 190, 9.	2.2	3
27	Brittle stars looking like starfish: the first fossil record of the Astrophiuridae and a remarkable case of convergent evolution. <i>PeerJ</i> , 2019, 7, e8008.	2.0	3
28	A New Species of Ophiura (Echinodermata, Ophiuroidea) from Miocene Deep-Sea Deposits in the Pohang Basin, Korea. <i>Paleontological Research</i> , 2022, 26, .	1.0	3
29	Brittlestar diversity at the dawn of the Jenkyns Event (early Toarcian Oceanic Anoxic Event): new microfossils from the Dudelange drill core, Luxembourg. <i>Geological Society Special Publication</i> , 0, , SP514-2021-3.	1.3	2
30	A new ophiacanthid brittle star (Echinodermata, Ophiuroidea) from sublittoral crinoid and seagrass communities of late Maastrichtian age in the southeast Netherlands. <i>PeerJ</i> , 2020, 8, e9671.	2.0	2
31	Biogeography and taxonomy of Ophiuroidea (Echinodermata) from the Îles Saint-Paul and Amsterdam in the southern Indian Ocean. <i>Zootaxa</i> , 2022, 5124, 1-49.	0.5	2
32	An Early Triassic small shelly fossil-style assemblage from the Virgin Limestone Member, Moenkopi Formation, western United States. <i>Lethaia</i> , 2021, 54, 368-377.	1.4	1
33	New fossils of Jurassic ophiurid brittle stars (Ophiuroidea; Ophiurida) provide evidence for early clade evolution in the deep sea. <i>Royal Society Open Science</i> , 2021, 8, 210643.	2.4	1
34	Fossil Lateral Arm Plates of Stegophiura sladoni (Echinodermata: Ophiuroidea: Ophiurida) from the Middle Pleistocene of Japan. <i>Paleontological Research</i> , 2022, 26, .	1.0	1
35	A new phosphatized ophiuroid from the lower Triassic of Nevada and its position in the evolutionary history of the Ophiuroidea (Echinodermata). <i>Zootaxa</i> , 2021, 5071, 369-383.	0.5	0
36	New Brittle Stars (Echinodermata, Ophiuroidea) from the Oligocene of the Mainz Basin, Germany. <i>Taxonomy</i> , 2022, 2, 196-207.	1.0	0