

Nicholas F Sculthorpe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1550174/publications.pdf>

Version: 2024-02-01

80
papers

2,230
citations

201385

27
h-index

243296

44
g-index

84
all docs

84
docs citations

84
times ranked

2882
citing authors

#	ARTICLE	IF	CITATIONS
1	Differentiation between pathologic and physiologic left ventricular hypertrophy by tissue doppler assessment of long-axis function in patients with hypertrophic cardiomyopathy or systemic hypertension and in athletes. <i>American Journal of Cardiology</i> , 2001, 88, 53-58.	0.7	293
2	Evidence from randomised controlled trials did not support the introduction of dietary fat guidelines in 1977 and 1983: a systematic review and meta-analysis. <i>Open Heart</i> , 2015, 2, e000196.	0.9	128
3	More Than 100 Persistent Symptoms of SARS-CoV-2 (Long COVID): A Scoping Review. <i>Frontiers in Medicine</i> , 2021, 8, 750378.	1.2	93
4	A new VO_{2max} protocol allowing self-pacing in maximal incremental exercise. <i>British Journal of Sports Medicine</i> , 2012, 46, 59-63.	3.1	84
5	Exercise-Induced Responses in Salivary Testosterone, Cortisol, and Their Ratios in Men: A Meta-Analysis. <i>Sports Medicine</i> , 2015, 45, 713-726.	3.1	81
6	Impact of low-volume, high-intensity interval training on maximal aerobic capacity, health-related quality of life and motivation to exercise in ageing men. <i>Age</i> , 2015, 37, 25.	3.0	79
7	Salivary nitrite production is elevated in individuals with a higher abundance of oral nitrate-reducing bacteria. <i>Free Radical Biology and Medicine</i> , 2018, 120, 80-88.	1.3	73
8	Text Messaging Interventions for Improvement in Physical Activity and Sedentary Behavior in Youth: Systematic Review. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10799.	1.8	71
9	High intensity interval training (HIIT) improves resting blood pressure, metabolic (MET) capacity and heart rate reserve without compromising cardiac function in sedentary aging men. <i>Experimental Gerontology</i> , 2018, 109, 75-81.	1.2	69
10	Left ventricular long-axis diastolic function is augmented in the hearts of endurance-trained compared with strength-trained athletes. <i>Clinical Science</i> , 2002, 103, 249-257.	1.8	68
11	High Intensity Interval Training (HIIT) Improves Cardiorespiratory Fitness (CRF) in Healthy, Overweight and Obese Adolescents: A Systematic Review and Meta-Analysis of Controlled Studies. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2955.	1.2	55
12	Left Ventricular Speckle Tracking-Derived Cardiac Strain and Cardiac Twist Mechanics in Athletes: A Systematic Review and Meta-Analysis of Controlled Studies. <i>Sports Medicine</i> , 2017, 47, 1145-1170.	3.1	54
13	Blood pressure and rate pressure product response in males using high-dose anabolic androgenic steroids (AAS). <i>Journal of Science and Medicine in Sport</i> , 2003, 6, 307-312.	0.6	53
14	One session of high-intensity interval training (HIIT) every 5 days, improves muscle power but not static balance in lifelong sedentary ageing men. <i>Medicine (United States)</i> , 2017, 96, e6040.	0.4	51
15	Dietary nitrate supplementation alters the oral microbiome but does not improve the vascular responses to an acute nitrate dose. <i>Nitric Oxide - Biology and Chemistry</i> , 2019, 89, 54-63.	1.2	49
16	Exercise training improves free testosterone in lifelong sedentary aging men. <i>Endocrine Connections</i> , 2017, 6, 306-310.	0.8	47
17	Acute whole body UVA irradiation combined with nitrate ingestion enhances time trial performance in trained cyclists. <i>Nitric Oxide - Biology and Chemistry</i> , 2015, 48, 3-9.	1.2	45
18	Variability in nitrate-reducing oral bacteria and nitric oxide metabolites in biological fluids following dietary nitrate administration: An assessment of the critical difference. <i>Nitric Oxide - Biology and Chemistry</i> , 2019, 83, 1-10.	1.2	42

#	ARTICLE	IF	CITATIONS
19	Testosterone enables growth and hypertrophy in fusion impaired myoblasts that display myotube atrophy: deciphering the role of androgen and IGF-I receptors. <i>Biogerontology</i> , 2016, 17, 619-639.	2.0	40
20	Exercising Caution: Prolonged Recovery from a Single Session of High-Intensity Interval Training in Older Men. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 817-818.	1.3	34
21	Six weeks of conditioning exercise increases total, but not free testosterone in lifelong sedentary aging men. <i>Aging Male</i> , 2015, 18, 195-200.	0.9	34
22	Left and right ventricular longitudinal strain-volume/area relationships in elite athletes. <i>International Journal of Cardiovascular Imaging</i> , 2016, 32, 1199-1211.	0.7	34
23	HIIT produces increases in muscle power and free testosterone in male masters athletes. <i>Endocrine Connections</i> , 2017, 6, 430-436.	0.8	34
24	Impaired hypertrophy in myoblasts is improved with testosterone administration. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013, 138, 152-161.	1.2	33
25	Lifelong exercise, but not short-term high-intensity interval training, increases GDF11, a marker of successful aging: a preliminary investigation. <i>Physiological Reports</i> , 2017, 5, e13343.	0.7	33
26	Long-Term Aerobic Exercise Improves Vascular Function Into Old Age: A Systematic Review, Meta-Analysis and Meta Regression of Observational and Interventional Studies. <i>Frontiers in Physiology</i> , 2019, 10, 31.	1.3	32
27	Evidence of Altered Cardiac Electrophysiology Following Prolonged Androgenic Anabolic Steroid Use. <i>Cardiovascular Toxicology</i> , 2010, 10, 239-243.	1.1	29
28	Resting steroid hormone concentrations in lifetime exercisers and lifetime sedentary males. <i>Aging Male</i> , 2015, 18, 22-26.	0.9	28
29	Partial heat acclimation of athletes with spinal cord lesion. <i>European Journal of Applied Physiology</i> , 2013, 113, 109-115.	1.2	26
30	The effects of dietary nitrate supplementation on the adaptations to sprint interval training in previously untrained males. <i>Journal of Science and Medicine in Sport</i> , 2017, 20, 92-97.	0.6	26
31	Age related vascular endothelial function following lifelong sedentariness: positive impact of cardiovascular conditioning without further improvement following low frequency high intensity interval training. <i>Physiological Reports</i> , 2015, 3, e12234.	0.7	23
32	High-intensity interval training (HIIT) increases insulin-like growth factor-I (IGF-I) in sedentary aging men but not masters athletes: an observational study. <i>Aging Male</i> , 2017, 20, 54-59.	0.9	23
33	The Effect of Different Environmental Conditions on the Decision-making Performance of Soccer Goal Line Officials. <i>Research in Sports Medicine</i> , 2014, 22, 425-437.	0.7	22
34	Critical difference applied to exercise-induced salivary testosterone and cortisol using enzyme-linked immunosorbent assay (ELISA): distinguishing biological from statistical change. <i>Journal of Physiology and Biochemistry</i> , 2014, 70, 991-996.	1.3	22
35	Sprint Interval Training and the School Curriculum: Benefits Upon Cardiorespiratory Fitness, Physical Activity Profiles, and Cardiometabolic Risk Profiles of Healthy Adolescents. <i>Pediatric Exercise Science</i> , 2019, 31, 296-305.	0.5	17
36	A comparison of activity levels of girls in single-gender and mixed-gender physical education. <i>European Physical Education Review</i> , 2020, 26, 231-240.	1.2	17

#	ARTICLE	IF	CITATIONS
37	Exposure to hot and cold environmental conditions does not affect the decision making ability of soccer referees following an intermittent sprint protocol. <i>Frontiers in Physiology</i> , 2014, 5, 185.	1.3	16
38	Poor levels of agreement between serum and saliva testosterone measurement following exercise training in aging men. <i>Aging Male</i> , 2015, 18, 67-70.	0.9	16
39	Sprint interval training (SIT) is an effective method to maintain cardiorespiratory fitness (CRF) and glucose homeostasis in Scottish adolescents. <i>Biology of Sport</i> , 2015, 32, 307-313.	1.7	16
40	A Personalized Smartphone-Delivered Just-in-time Adaptive Intervention (JitaBug) to Increase Physical Activity in Older Adults: Mixed Methods Feasibility Study. <i>JMIR Formative Research</i> , 2022, 6, e34662.	0.7	16
41	Salivary testosterone measurement does not identify biochemical hypogonadism in aging men: a ROC analysis. <i>Endocrine</i> , 2015, 50, 256-259.	1.1	13
42	Low-Frequency High-Intensity Interval Training is an Effective Method to Improve Muscle Power in Lifelong Sedentary Aging Men: A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2412-2413.	1.3	12
43	Evaluating functional electrical stimulation (FES) cycling on cardiovascular, musculoskeletal and functional outcomes in adults with multiple sclerosis and mobility impairment: A systematic review. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 37, 101485.	0.9	12
44	Exercise-Induced Cardiac Fatigue after a 45-Minute Bout of High-Intensity Running Exercise Is Not Altered under Hypoxia. <i>Journal of the American Society of Echocardiography</i> , 2021, 34, 511-521.	1.2	12
45	Aerobic Training Protects Cardiac Function During Advancing Age: A Meta-Analysis of Four Decades of Controlled Studies. <i>Sports Medicine</i> , 2019, 49, 199-219.	3.1	11
46	High Intensity Interval Training (HIIT) as a Potential Countermeasure for Phenotypic Characteristics of Sarcopenia: A Scoping Review. <i>Frontiers in Physiology</i> , 2021, 12, 715044.	1.3	11
47	Nitrate-rich beetroot juice offsets salivary acidity following carbohydrate ingestion before and after endurance exercise in healthy male runners. <i>PLoS ONE</i> , 2020, 15, e0243755.	1.1	11
48	Superior cardiac mechanics without structural adaptations in pre-adolescent soccer players. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1494-1501.	0.8	10
49	High intensity interval training (HIIT) produces small improvements in fasting glucose, insulin, and insulin resistance in sedentary older men but not masters athletes. <i>Experimental Gerontology</i> , 2020, 140, 111074.	1.2	10
50	Cardiac Response to Exercise in Normal Ageing: What Can We Learn from Masters Athletes?. <i>Current Cardiology Reviews</i> , 2018, 14, 245-253.	0.6	10
51	Re: Emotions, immunity and sport: Winner and loser athlete's profile of fighting sport. <i>Brain, Behavior, and Immunity</i> , 2015, 47, 238.	2.0	8
52	Left ventricular twist mechanics during incremental cycling and knee extension exercise in healthy men. <i>European Journal of Applied Physiology</i> , 2017, 117, 139-150.	1.2	8
53	Should We Use Activity Tracker Data From Smartphones and Wearables to Understand Population Physical Activity Patterns?. <i>Journal for the Measurement of Physical Behaviour</i> , 2022, 5, 3-7.	0.5	8
54	The influence of training status on right ventricular morphology and segmental strain in elite pre-adolescent soccer players. <i>European Journal of Applied Physiology</i> , 2021, 121, 1419-1429.	1.2	7

#	ARTICLE	IF	CITATIONS
55	The effect of short-term creatine loading on active range of movement. <i>Applied Physiology, Nutrition and Metabolism</i> , 2010, 35, 507-511.	0.9	6
56	Strength adaptation to squat exercise is different between Caucasian and South Asian novice exercisers. <i>Research in Sports Medicine</i> , 2017, 25, 373-383.	0.7	6
57	Six weeks of high intensity interval training (HIIT) facilitates a four year preservation of aerobic capacity in sedentary older males: A reunion study. <i>Experimental Gerontology</i> , 2021, 150, 111373.	1.2	6
58	Effect of long-term soccer training on changes in cardiac function during exercise in elite youth soccer players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2022, 32, 892-902.	1.3	6
59	Utility of three anthropometric indices in assessing the cardiometabolic risk profile in children. <i>American Journal of Human Biology</i> , 2017, 29, e22934.	0.8	5
60	Sex differences in heel pad stiffness during in vivo loading and unloading. <i>Journal of Anatomy</i> , 2020, 237, 520-528.	0.9	5
61	A novel simplified biomechanical assessment of the heel pad during foot plantarflexion. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2021, 235, 197-207.	1.0	5
62	Short-Term and Lifelong Exercise Training Lowers Inflammatory Mediators in Older Men. <i>Frontiers in Physiology</i> , 2021, 12, 702248.	1.3	5
63	Evidence of direct cardiac damage following high-intensity exercise in chronic energy restriction. <i>Medicine (United States)</i> , 2017, 96, e7030.	0.4	4
64	Lower limb ischemic preconditioning combined with dietary nitrate supplementation does not influence time-trial performance in well-trained cyclists. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 852-857.	0.6	4
65	Prolonged androgenic anabolic steroid (AAS) induced QT interval shortening: a suitable screening tool?. <i>Drug Testing and Analysis</i> , 2016, 8, 120-122.	1.6	3
66	Observation of Age-Related Decline in the Performance of the Transverse Abdominis Muscle. <i>PM and R</i> , 2016, 8, 45-50.	0.9	3
67	Caucasian and south Asian men show equivalent improvements in surrogate biomarkers of cardiovascular and metabolic health following 6-weeks of supervised resistance training. <i>F1000Research</i> , 2018, 7, 1334.	0.8	3
68	Blood lactate concentrations during rest and exercise in people with Multiple Sclerosis: A systematic review and meta-analysis. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 57, 103454.	0.9	3
69	Cardiovascular risk and androgenic anabolic steroids. <i>British Journal of Cardiac Nursing</i> , 2012, 7, 266-275.	0.0	2
70	Caucasian and south Asian men show equivalent improvements in surrogate biomarkers of cardiovascular and metabolic health following 6-weeks of supervised resistance training. <i>F1000Research</i> , 2018, 7, 1334.	0.8	2
71	The effect of varying intensities of lower limb eccentric muscle contractions on left ventricular function. <i>European Journal of Applied Physiology</i> , 2020, 120, 539-548.	1.2	2
72	Electromyographic Assessment of the Lower Leg Muscles during Concentric and Eccentric Phases of Standing Heel Raise. <i>Healthcare (Switzerland)</i> , 2021, 9, 465.	1.0	2

#	ARTICLE	IF	CITATIONS
73	Acute exercise-induced changes in cardiac function relates to right ventricular remodeling following 12-wk hypoxic exercise training. <i>Journal of Applied Physiology</i> , 2021, 131, 511-519.	1.2	2
74	A commentary on "Testosterone and cortisol jointly modulate risk-taking" by P.H. Mehta, K.M. Welker, S. Zilioli, J.M. Carre, <i>Psychoneuroendocrinology</i> , 2015, 56, 88-99. <i>Psychoneuroendocrinology</i> , 2016, 63, 380-381.	1.3	1
75	Global and regional left ventricular circumferential strain during incremental cycling and isometric knee extension exercise. <i>Echocardiography</i> , 2018, 35, 1149-1156.	0.3	1
76	Electrocardiogram-Based Timings Cause Systematic Errors in Vascular Strain Measures: A Method for Error Correction and Estimation of Pulse Transit Time. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 636-638.	1.2	1
77	Long-term athletic training does not alter age-associated reductions of left-ventricular mid-diastolic lengthening or expansion at rest. <i>European Journal of Applied Physiology</i> , 2020, 120, 2059-2073.	1.2	1
78	Cardiovascular responses during submaximal cycling with and without left-lateral tilting: insights for practical applications of stress echocardiography. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 178-181.	0.9	1
79	Letter to the Editor: RE: Excessive Sugar Consumption May Be a Difficult Habit to Break: A View From the Brain and Body.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, L56-L57.	1.8	1
80	Neuromuscular Adaptation to Resistance Training Involving Compound Exercises is Different between Caucasians and South Asians.. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 541.	0.2	0