

Henri J Dumont

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1551179/publications.pdf>

Version: 2024-02-01

176
papers

4,772
citations

147801
31
h-index

123424
61
g-index

181
all docs

181
docs citations

181
times ranked

2962
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | The dry weight estimate of biomass in a selection of Cladocera, Copepoda and Rotifera from the plankton, periphyton and benthos of continental waters. <i>Oecologia</i> , 1975, 19, 75-97. | 2.0 | 1,087 |
| 2 | Invasion of the Caspian Sea by the Comb Jellyfish <i>Mnemiopsis Leidyi</i> (Ctenophora). <i>Biological Invasions</i> , 2000, 2, 255-258. | 2.4 | 158 |
| 3 | On the diversity of the Cladocera in the tropics. <i>Hydrobiologia</i> , 1994, 272, 27-38. | 2.0 | 110 |
| 4 | A molecular phylogeny of the Odonata (Insecta). <i>Systematic Entomology</i> , 2010, 35, 6-18. | 3.9 | 110 |
| 5 | Separation of Anthalona gen.n. from Alona Baird, 1843 (Branchiopoda: Cladocera: Anomopoda): morphology and evolution of scraping stenothermic alonines. <i>Zootaxa</i> , 2011, 2875, 1. | 0.5 | 106 |
| 6 | Phylogenetic Relationships Inferred from Ribosomal ITS Sequences and Biogeographic Patterns in Representatives of the Genus Calopteryx (Insecta: Odonata) of the West Mediterranean and Adjacent West European Zone. <i>Molecular Phylogenetics and Evolution</i> , 2001, 20, 89-99. | 2.7 | 99 |
| 7 | The classification and diversity of dragonflies and damselflies (Odonata). ; Zhang, Z.-Q. (Ed.) Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013) . <i>Zootaxa</i> , 2012, 3703, 36. | 0.5 | 97 |
| 8 | <p>A checklist of names in Alona Baird 1843 (Crustacea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 genus</p>. <i>Zootaxa</i> , 2010, 2330, 1-63. | 0.5 | 92 |
| 9 | Phylogenetic Relationships, Divergence Time Estimation, and Global Biogeographic Patterns of Calopterygoid Damselflies (Odonata, Zygoptera) Inferred from Ribosomal DNA Sequences. <i>Systematic Biology</i> , 2005, 54, 347-362. | 5.6 | 87 |
| 10 | Ecocide in the Caspian Sea. <i>Nature</i> , 1995, 377, 673-674. | 27.8 | 84 |
| 11 | The distribution and ecology of the fresh- and brackish-water medusae of the world. <i>Hydrobiologia</i> , 1994, 272, 1-12. | 2.0 | 83 |
| 12 | Rotifera of some lakes in the floodplain of the River Niger (Imo State, Nigeria). <i>Hydrobiologia</i> , 1993, 250, 63-71. | 2.0 | 77 |
| 13 | Estimating lacustrine zooplankton species richness and complementarity. <i>Hydrobiologia</i> , 1996, 341, 125-132. | 2.0 | 77 |
| 14 | Laboratory studies on the population dynamics of <i>Anuraeopsis fissa</i> (Rotifera) in relation to food density. <i>Freshwater Biology</i> , 1995, 33, 39-46. | 2.4 | 73 |
| 15 | Crustacean Species Richness in Temporary Pools: Relationships with Habitat Traits. <i>Hydrobiologia</i> , 2004, 525, 125-130. | 2.0 | 63 |
| 16 | The Tanganyika Sardine in Lake Kivu: Another Ecodisaster for Africa?. <i>Environmental Conservation</i> , 1986, 13, 143-148. | 1.3 | 60 |
| 17 | Further division of Alona Baird, 1843: separation and position of Coronatella Dybowski & Grochowski and Ovalona gen.n. (Crustacea: Cladocera). <i>Zootaxa</i> , 2008, 1960, 1-44. | 0.5 | 60 |
| 18 | A redescription of <i>Eucyclops serrulatus</i> (Fischer, 1851) (Crustacea: Copepoda: Cyclopoida) and some related taxa, with a phylogeny of the <i>E. serrulatus</i> -group. <i>Zoologica Scripta</i> , 2006, 35, 123-147. | 1.7 | 57 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Biogeography and evolution of the Holarctic zooplankton genus <i>Leptodora</i> (Crustacea: Tj ETQql 1 0.784314 rgBT _{3.0} /Overlock 10 Tf 507 | | |
| 20 | Title is missing!. <i>Hydrobiologia</i> , 2000, 435, 61-82. | 2.0 | 52 |
| 21 | Phylogenetic analysis of anostracans (Branchiopoda: Anostraca) inferred from nuclear 18S ribosomal DNA (18S rDNA) sequences. <i>Molecular Phylogenetics and Evolution</i> , 2002, 25, 535-544. | 2.7 | 52 |
| 22 | The end of moai quarrying and its effect on Lake Rano Raraku, Easter Island. <i>Journal of Paleolimnology</i> , 1998, 20, 409-422. | 1.6 | 50 |
| 23 | Holocene evolution of the crater lake at Malha, Northwest Sudan. <i>Journal of Paleolimnology</i> , 1991, 5, 227. | 1.6 | 49 |
| 24 | Title is missing!. , 1998, 384, 119-149. | | 47 |
| 25 | Phylogeny, evolution and classification of the Branchiopoda (Crustacea). , 1999, 412, 191-212. | | 47 |
| 26 | Lake Borullus of the Nile Delta: A Short History and an Uncertain Future. <i>Ambio</i> , 2007, 36, 677-682. | 5.5 | 45 |
| 27 | Typhloplanid flatworms (Mesostoma and related genera): Mechanisms of predation and evidence that they structure aquatic invertebrate communities. <i>Hydrobiologia</i> , 1990, 198, 61-77. | 2.0 | 44 |
| 28 | A review of the diversity, adaptations and groundwater colonization pathways in Cladocera and Calanoida (Crustacea), two rare and contrasting groups of stygobionts. <i>Fundamental and Applied Limnology</i> , 2007, 168, 3-17. | 0.7 | 42 |
| 29 | Title is missing!. <i>Hydrobiologia</i> , 2000, 429, 207-218. | 2.0 | 41 |
| 30 | Interactions between the invading ctenophores <i>Mnemiopsis leidyi</i> (A. Agassiz) and <i>Beroe ovata</i> Mayer 1912, and their influence on the Pelagic ecosystem of the Northeastern Black Sea. , 2004, , 33-70. | | 40 |
| 31 | Cyst ornamentation in aquatic invertebrates: a defence against egg-predation. <i>Hydrobiologia</i> , 2002, 486, 161-167. | 2.0 | 38 |
| 32 | Redescription of <i>Leydigia parva</i> Daday, 1905 and assignment to <i>Parvalona</i> <i>gen. nov.</i> (Cladocera: Anomopoda: Chydoridae). <i>Journal of Natural History</i> , 2005, 39, 2125-2136. | 0.5 | 35 |
| 33 | Flatworm predator (Mesostoma cf. lingua) releases a toxin to catch planktonic prey (<i>Daphnia magna</i>). <i>Limnology and Oceanography</i> , 1987, 32, 699-702. | 3.1 | 34 |
| 34 | Large branchiopod assemblages common to Mexico and the United States. <i>Hydrobiologia</i> , 1997, 359, 45-62. | 2.0 | 34 |
| 35 | Identifying functional groups and ecological roles of tropical and subtropical freshwater Cladocera in Asia. <i>Hydrobiologia</i> , 2017, 799, 83-99. | 2.0 | 34 |
| 36 | Title is missing!. , 2000, 428, 85-113. | | 32 |

| # | ARTICLE | | IF | CITATIONS |
|----|---|--|------|-----------|
| 37 | Annotated Checklist of Chinese Cladocera (Crustacea: Branchiopoda). Part I. Haplopoda, Ctenopoda, Onychopoda and Anomopoda (families Daphniidae, Moinidae, Bosminidae, Illyocryptidae). Zootaxa, 2015, 3904, 1-27. | | 0.5 | 31 |
| 38 | Adaptations to the hyporheic in Aloninae (Crustacea: Cladocera): allocation of <i>Alona protzi</i> Hartwig, 1900 and related species to Phreatalona gen. nov.. Hydrobiologia, 2009, 618, 1-34. | | 2.0 | 30 |
| 39 | Title is missing!. Hydrobiologia, 2002, 467, 1-44. | | 2.0 | 28 |
| 40 | The freshwater microcrustacea of Easter Island. Hydrobiologia, 1996, 325, 83-99. | | 2.0 | 27 |
| 41 | Species richness of the Cladocera (Branchiopoda: Anomopoda and Ctenopoda) in southern Thailand, and its complementarity with neighboring regions. Hydrobiologia, 2005, 537, 147-156. | | 2.0 | 27 |
| 42 | Why is <i>Diaphanosoma</i> (Crustacea: Ctenopoda) so common in the tropics? Influence of temperature and food on the population parameters of <i>Diaphanosoma dubium</i> , and a hypothesis on the nature of tropical cladocerans. Hydrobiologia, 2011, 668, 109-115. | | 2.0 | 27 |
| 43 | Phototaxis in <i>Daphnia</i> : Interaction of hunger and genotype. Limnology and Oceanography, 1989, 34, 1322-1325. | | 3.1 | 26 |
| 44 | Carnivory and active hunting by the planktonic testate amoeba <i>Difflugia tuberspinifera</i> . Hydrobiologia, 2008, 596, 197-201. | | 2.0 | 26 |
| 45 | Spatial and seasonal variation of the zooplankton in the coastal zone and main khors of Lake Nasser (Egypt). Hydrobiologia, 2003, 491, 119-132. | | 2.0 | 25 |
| 46 | Massive invasion of <i>Arctodiaptomus dorsalis</i> (Copepoda, Calanoida, Diaptomidae) in Philippine lakes: a threat to Asian zooplankton biodiversity?. Biological Invasions, 2012, 14, 2471-2478. | | 2.4 | 25 |
| 47 | Neolithic hyperarid period preceded the present climate of the Central Sahel. Nature, 1978, 274, 356-358. | | 27.8 | 24 |
| 48 | The nature and origin of the crustacean zooplankton of Sahelian Africa, with a note on the Limnomedusa. Hydrobiologia, 1984, 113, 313-325. | | 2.0 | 24 |
| 49 | Groundwater Cladocera: A synopsis. Hydrobiologia, 1987, 145, 169-173. | | 2.0 | 24 |
| 50 | Species and hybrids in the genus <i>Diaphanosoma</i> Fischer, 1850 (Crustacea: Branchiopoda: Cladocera). Molecular Phylogenetics and Evolution, 2018, 118, 369-378. | | 2.7 | 24 |
| 51 | The Branchiopoda (Crustacea: Anomopoda, Ctenopoda and Cyclestherida) of the rain forests of Cameroon, West Africa: low abundances, few endemics and a boreal-tropical disjunction. Journal of Biogeography, 2005, 32, 1611-1620. | | 3.0 | 23 |
| 52 | < i>Daphnia</i> diversity on the Tibetan Plateau measured by < sc>DNA</sc> taxonomy. Ecology and Evolution, 2018, 8, 5069-5078. | | 1.9 | 23 |
| 53 | Predatory and toxic effects of the turbellarian (<i>Stenostomum cf leucops</i>) on the population dynamics of <i>Euchlanis dilatata</i> , <i>Platironus patulus</i> (Rotifera) and <i>Moina macrocopa</i> (Cladocera). Hydrobiologia, 2011, 662, 171-177. | | 2.0 | 22 |
| 54 | Sex in a cyclical parthenogen: mating behaviour of <i>Chydorus sphaericus</i> (Crustacea; Branchiopoda); Tj ETQq0 0 0 rgBT /Overlock 10 Tf 52.4 21 | | | |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effect of algal and bacterial diet on metal bioaccumulation in zooplankton from the Pearl River, South China. <i>Science of the Total Environment</i> , 2019, 675, 151-164. | 8.0 | 21 |
| 56 | Structural differences between the resting eggs of <i>Brachionus plicatilis</i> and <i>Brachionus rotundiformis</i> (Rotifers, Brachionidae): an electron microscopic study. <i>Hydrobiologia</i> , 1996, 318, 219-223. | 2.0 | 20 |
| 57 | Title is missing!. <i>Hydrobiologia</i> , 1999, 403, 39-61. | 2.0 | 20 |
| 58 | STREPTOCEPHALUS SIRINDHORNAE, NEW SPECIES OF FRESHWATER FAIRY SHRIMP (ANOSTRACA) FROM THAILAND. <i>Journal of Crustacean Biology</i> , 2000, 20, 559-565. | 0.8 | 20 |
| 59 | Cyst hatching in Anostraca accelerated by retinoic acid, amplified by Calcium Ionophore A23187, and inhibited by Calcium-channel blockers. <i>Hydrobiologia</i> , 1992, 230, 1-7. | 2.0 | 19 |
| 60 | Predatory Filter-Feeding in Fairy Shrimps: Functional Response of <i>Streptocephalus proboscideus</i> (Crustacea: Anostraca) Fed <i>Anuraeopsis fissa</i> (Rotifera). <i>International Review of Hydrobiology</i> , 1994, 79, 511-519. | 0.6 | 19 |
| 61 | Life cycle of <i>Boeckella poppei</i> Mrazek and <i>Branchinecta gaini</i> Daday (King George Island, South) Tj ETQq1 1 0.784314 rgBT /Overlock 10 | | |
| 62 | Annotated Checklist of Chinese Cladocera (Crustacea: Branchiopoda). Part II. Order Anomopoda (families Macrotrichidae, Eury cercidae and Chydoridae). <i>Zootaxa</i> , 2015, 4044, 241. | 0.5 | 19 |
| 63 | The evolution of groundwater Cladocera. <i>Hydrobiologia</i> , 1995, 307, 69-74. | 2.0 | 18 |
| 64 | A conspectus of the Cladocera of the subterranean waters of the world. <i>Hydrobiologia</i> , 1996, 325, 1-30. | 2.0 | 18 |
| 65 | A Description of the Nile Basin, and a Synopsis of Its History, Ecology, Biogeography, Hydrology, and Natural Resources. <i>Monographiae Biologicae</i> , 2009, , 1-21. | 0.1 | 18 |
| 66 | Carnivorous planktonic Difflugia (Protista, Amoebina Testacea) and their predators. <i>European Journal of Protistology</i> , 2011, 47, 214-223. | 1.5 | 17 |
| 67 | An examination of some <i>Hexarthra</i> species (Rotatoria) from western Canada and Nepal. <i>Canadian Journal of Zoology</i> , 1978, 56, 440-445. | 1.0 | 16 |
| 68 | A laboratory study of the feeding of <i>Mesostoma lingua</i> (Schmidt) (Turbellaria: Neorhabdocoela) on <i>Daphnia magna</i> Straus at four different temperatures. <i>Hydrobiologia</i> , 1990, 198, 79-89. | 2.0 | 16 |
| 69 | ECOLOGY AND DISTRIBUTION OF<i>LINDENIA TETRAPHYLLA</i>(INSECTA, ODONATA, GOMPHIDAE): A REVIEW. <i>International Journal of Odonatology</i> , 1998, 1, 65-88. | 0.5 | 16 |
| 70 | An annotated check-list of the Odonata of Iran. <i>Zoology in the Middle East</i> , 2002, 26, 133-150. | 0.6 | 16 |
| 71 | <i>Pyrrhosoma</i> and its relatives: a phylogenetic study (Odonata: Zygoptera). <i>International Journal of Odonatology</i> , 2013, 16, 247-257. | 0.5 | 16 |
| 72 | Alona alsafadii n. sp. from Yemen, a primitive, groundwater-dwelling member of the A. karua-group. <i>Hydrobiologia</i> , 1994, 281, 57-64. | 2.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | A review of typhloplanid flatworm ecology, with emphasis on pelagic species. <i>Inland Waters</i> , 2014, 4, 257-270. | 2.2 | 15 |
| 74 | Five new species of leaf litter harpacticoids (Crustacea, Copepoda) from Nepal*. <i>Zoologica Scripta</i> , 1988, 17, 55-68. | 1.7 | 14 |
| 75 | Title is missing!. <i>Hydrobiologia</i> , 1997, 361, 201-223. | 2.0 | 14 |
| 76 | Taxonomic diversity and biogeography of Chironomidae (Insecta: Diptera) in lakes of tropical West Africa using subfossil remains extracted from surface sediments. <i>Journal of Biogeography</i> , 2005, 32, 1063-1083. | 3.0 | 14 |
| 77 | Seven Decades of Change in the Zooplankton (s.l.) of the Nile Delta Lakes (Egypt), with Particular Reference to Lake Borullus. <i>International Review of Hydrobiology</i> , 2008, 93, 44-61. | 0.9 | 14 |
| 78 | Notes on chydorid endemism in continental Africa: Matralona gen. n., a monotypic Alonine from the Fouta Djalon Plateau (Guinea, West Africa) (Crustacea: Cladocera: Anomopoda). <i>Zootaxa</i> , 2009, 2051, 26-40. | 0.5 | 14 |
| 79 | Heterotrophic microbes upgrade food value of a terrestrial carbon resource for <i>Daphnia magna</i> . <i>Limnology and Oceanography</i> , 2019, 64, 474-482. | 3.1 | 14 |
| 80 | A reappraisal of the genus <i>Phyllodiaptomus</i> Kiefer, 1936, with the description of <i>P. wellekensae</i> n.sp. from India, and a redescription of <i>P. tungidus</i> Shen & Tai, 1964 from China (Copepoda, Calanoida). <i>Hydrobiologia</i> , 1993, 263, 65-93. | 2.0 | 13 |
| 81 | Title is missing!. <i>Hydrobiologia</i> , 1997, 360, 33-46. | 2.0 | 13 |
| 82 | Stage-Specific Cannibalism and Spontaneous Cyst Hatching in the Freshwater Fairy Shrimp <i>Streptocephalus Proboscideus</i> Frauenfeld. <i>Hydrobiologia</i> , 2004, 524, 103-113. | 2.0 | 13 |
| 83 | <i>Branchinecta Mexicana</i> , New Species (Branchiopoda: Anostraca), a Fairy Shrimp From Central Mexico. <i>Journal of Crustacean Biology</i> , 1993, 13, 585-593. | 0.8 | 12 |
| 84 | Title is missing!. , 1998, 391, 257-264. | | 12 |
| 85 | Thermal reaction norms of a subtropical and a tropical species of <i>< i>Diaphanosoma</i></i> (cladocera) explain their distribution. <i>Limnology and Oceanography</i> , 2018, 63, 1204-1220. | 3.1 | 12 |
| 86 | Mitogenomics of Cladocera (Branchiopoda): Marked gene order rearrangements and independent predation roots. <i>Molecular Phylogenetics and Evolution</i> , 2021, 164, 107275. | 2.7 | 12 |
| 87 | A QUANTITATIVE METHOD FOR THE STUDY OF PERIPHYTON. <i>Limnology and Oceanography</i> , 1969, 14, 303-307. | 3.1 | 11 |
| 88 | Confirmation of <i>Streptocephalus Rubricaudatus</i> as a Good Species (Anostraca). <i>Crustaceana</i> , 1989, 56, 211-212. | 0.3 | 11 |
| 89 | Reinstatement of the genus <i>Paralona</i> Sramek-Husek et al., 1962, and assessment of morphological variability in the <i>Paralona pigra</i> -group (Anomopoda: Chydoridae). <i>Hydrobiologia</i> , 1996, 333, 29-36. | 2.0 | 11 |
| 90 | A DROUGHT-RESISTANT LARVA OF PANTALA FLAVESCENS (FABRICIUS, 1798) (ODONATA: LIBELLULIDAE) IN THE LENÃ‰OIS MARANHENSES, NE-BRAZIL. <i>International Journal of Odonatology</i> , 1999, 2, 69-76. | 0.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Wlassicsia, Bunops & Onchobunops (Anomopoda), three related genera. <i>Hydrobiologia</i> , 2001, 442, 1-28. | 2.0 | 11 |
| 92 | Redescription of <i>Ilyocryptus sarsi</i> Stingelin, 1913. <i>Hydrobiologia</i> , 2002, 472, 207-222. | 2.0 | 11 |
| 93 | Taxonomic Revision of Eastern Part of Western Palaearctic <i>Cordulegaster</i> Using Molecular Phylogeny and Morphology, with the Description of Two New Species (Odonata: Anisoptera) Tj ETQq1 1 0.784314ngBT /Overlock 10 | | |
| 94 | <i>Phyllodiaptomus praedictus</i> n. sp. (Copepoda, Calanoida) from Thailand. <i>Hydrobiologia</i> , 1994, 273, 101-110. | 2.0 | 10 |
| 95 | The potential of freshwater Anostraca for technical applications. <i>Hydrobiologia</i> , 1997, 358, 193-197. | 2.0 | 10 |
| 96 | A new species of <i>Moina</i> Baird, 1950 (Crustacea: Anomopoda) from Socotra Island, Yemen. <i>Zootaxa</i> , 2008, 1721, 24. | 0.5 | 10 |
| 97 | Pelagic flatworm predation on daphniids in a subtropical reservoir: different effects on <i>Daphnia galeata</i> and on <i>Ceriodaphnia quadrangula</i> . <i>Hydrobiologia</i> , 2011, 658, 139-146. | 2.0 | 10 |
| 98 | Checklist of the dragonflies (Odonata) of Iran with new records and notes on distribution and taxonomy. <i>Zootaxa</i> , 2018, 4394, 1-40. | 0.5 | 10 |
| 99 | Title is missing!. <i>Hydrobiologia</i> , 2001, 458, 201-220. | 2.0 | 9 |
| 100 | Title is missing!. <i>Hydrobiologia</i> , 2002, 467, 45-56. | 2.0 | 9 |
| 101 | Odonata from the Republic of Mongolia and from the Autonomous Region of Inner Mongolia. <i>International Journal of Odonatology</i> , 2003, 6, 127-146. | 0.5 | 9 |
| 102 | Critical species of Odonata in Turkey, Iran and the Caucasus. <i>International Journal of Odonatology</i> , 2004, 7, 325-339. | 0.5 | 9 |
| 103 | Female morphs of a colour polymorphic damselfly differ in developmental instability and fecundity. <i>Animal Biology</i> , 2009, 59, 41-54. | 1.0 | 9 |
| 104 | Dynamics in space and time of four testate amoebae (<i>Diffugia</i> spp.) co-existing in the zooplankton of a reservoir in southern China. <i>European Journal of Protistology</i> , 2011, 47, 224-230. | 1.5 | 9 |
| 105 | A global analysis of cladoceran body size and its variation linking to habitat, distribution and taxonomy. <i>Zoological Journal of the Linnean Society</i> , 2019, 187, 1119-1130. | 2.3 | 9 |
| 106 | Dragonflies of Dragonâ€™s Blood Island: Atlas of the Odonata of the Socotra Archipelago (Yemen). <i>Rendiconti Lincei</i> , 2020, 31, 571-605. | 2.2 | 9 |
| 107 | <i>Allocyclops Ritae</i> N. Sp. (Copepoda, Cyclopoida), the Second Representative of the Remarkable Genus <i>Allocyclops</i> Kiefer, 1933. <i>Crustaceana</i> , 1978, 35, 22-26. | 0.3 | 8 |
| 108 | Sex- and morph-specific predation risk: Colour or behaviour dependency?. <i>European Journal of Entomology</i> , 2004, 101, 373-377. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Genetic diversity, population structure and taxonomy of <i>Calopteryx splendens</i> (Odonata: Tj ETQq1 1 0.784314 rgBT _{1.2} /Overlock 10 Tf 50 | | |
| 110 | Description of <i>Phyllodiaptomus christineae</i> n.sp. from Thailand, and distinction of two subgenera within <i>Phyllodiaptomus</i> Kiefer, 1936 (Copepoda, Calanoida). <i>Hydrobiologia</i> , 1996, 323, 139-148. | 2.0 | 7 |
| 111 | Morphology and Systematic Significance of the <i>Mystax</i> , a Hitherto Undescribed Cephalic Structure of Males in Certain Notostraca (Branchiopoda). <i>Journal of Crustacean Biology</i> , 2007, 27, 18-23. | 0.8 | 7 |
| 112 | Relict populations of <i>Diaphanosoma</i> (Cladocera: Ctenopoda) in the Chadian Sahara, with the description of a new species. <i>Zootaxa</i> , 2014, 3856, 135-42. | 0.5 | 7 |
| 113 | <i>Moina hemanti</i> sp. nov., a new species of the genus <i>Moina</i> s.l. (Branchiopoda: Anomopoda) from Pune, India. <i>Zootaxa</i> , 2014, 3860, 561-70. | 0.5 | 7 |
| 114 | Zooplankton in a continuous waterscape: environmental and spatial factors shaping spring zooplankton community structure in a large canyon reservoir at the tropic of cancer. <i>Hydrobiologia</i> , 2020, 847, 3621-3635. | 2.0 | 7 |
| 115 | Reservoirs of Guangdong Province, South China: An Increasing Threat of Eutrophication. <i>Oecologia Australis</i> , 2011, 15, 643-654. | 0.2 | 7 |
| 116 | Intra- and interspecific variation in the chitin content of some anostracans. <i>Hydrobiologia</i> , 1997, 359, 223-228. | 2.0 | 6 |
| 117 | Recent dragonfly observations in Armenia, with an updated checklist. <i>Zoology in the Middle East</i> , 2004, 31, 93-102. | 0.6 | 6 |
| 118 | <i> <i>Micromoina arboricola</i> </i> n. gen., n. spec. (Crustacea: Cladocera), a new moinid living in a forest tree-hole in Minas Gerais, Brazil. <i>Zootaxa</i> , 2013, 3652, 533. | 0.5 | 6 |
| 119 | Variation in the shape of the wings and taxonomy of Eurasian populations of the <i>Calopteryx splendens</i> complex (Odonata: Calopterygidae). <i>European Journal of Entomology</i> , 2014, 111, 575-583. | 1.2 | 6 |
| 120 | Diversity and zoogeography of the fairy shrimps (Branchiopoda: Anostraca) on the Indian subcontinent. <i>Hydrobiologia</i> , 2017, 801, 117-128. | 2.0 | 6 |
| 121 | Updated checklist and distribution of the diaptomid copepods (Copepoda, Calanoida, Diaptomidae) of China. <i>Crustaceana</i> , 2018, 91, 335-352. | 0.3 | 6 |
| 122 | Toward a phylogeny and biogeography of <i>Diaphanosoma</i> (Crustacea: Cladocera). <i>Aquatic Ecology</i> , 2021, 55, 1207-1222. | 1.5 | 6 |
| 123 | A new set of highly efficient primers for COI amplification in rotifers. <i>Mitochondrial DNA Part B: Resources</i> , 2021, 6, 636-640. | 0.4 | 6 |
| 124 | <i>Vallisneria natans</i> detritus supports <i>Daphnia magna</i> somatic growth and reproduction under addition of periphyton. <i>Aquatic Ecology</i> , 2021, 55, 579-588. | 1.5 | 6 |
| 125 | Cladoceran studies: where do we go from here?. <i>Hydrobiologia</i> , 1997, 360, 301-303. | 2.0 | 5 |
| 126 | Rotifers, the jelly plankton of freshwater. <i>Hydrobiologia</i> , 2007, 593, 59-66. | 2.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The Crustacean Zooplankton (Copepoda, Branchiopoda), Atyid Decapoda, and Syncarida of the Nile Basin. <i>Monographiae Biologicae</i> , 2009, , 521-545. | 0.1 | 5 |
| 128 | Mitogenome of <i>Daphnia laevis</i> (Cladocera, Daphniidae) from Brazil. <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 194-196. | 0.4 | 5 |
| 129 | First record of a ctenophore in lakes: the comb-jelly <i>Mnemiopsis leidy</i> A. Agassiz, 1865 invades the Fayum, Egypt. <i>BiolInvasions Records</i> , 2016, 5, 21-24. | 1.1 | 5 |
| 130 | Climate change and niche unfilling tend to favor range expansion of <i>Moina macrocopa</i> Straus 1820, a potentially invasive cladoceran in temporary waters. <i>Hydrobiologia</i> , 2022, 849, 4015-4027. | 2.0 | 5 |
| 131 | Redescription of <i>Heliodiaptomus elegans</i> Kiefer, 1935, a rare south-east Asian calanoid copepod. <i>Hydrobiologia</i> , 1999, 394, 145-152. | 2.0 | 4 |
| 132 | Some Freshwater Cyclopoids (Crustacea: Copepoda) of the Island of Soqatra (Indian Ocean), with the Description of Three New Species. <i>International Review of Hydrobiology</i> , 2000, 85, 471-489. | 0.9 | 4 |
| 133 | Seasonal and diurnal variation in the proportions of female morphs of the damselfly <i>Enallagma cyathigerum</i> . <i>Animal Biology</i> , 2007, 57, 217-230. | 1.0 | 4 |
| 134 | Corrections and additions to the Dumontiidae Santos-Flores & Dodson, 2003 (Crustacea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 399-401. | 2.0 | 4 |
| 135 | The Odonata of Lebanon. <i>Zoology in the Middle East</i> , 2011, 52, 63-70. | 0.6 | 4 |
| 136 | Spatial heterogeneity and long-term dynamics of cladoceran ephippia in a monsoonal reservoir, driven by hydrology and eutrophication. <i>Journal of Paleolimnology</i> , 2017, 58, 571-584. | 1.6 | 4 |
| 137 | Geographic Variation of <i>Phyllodiaptomus tungidus</i> Mitogenomes: Genetic Differentiation and Phylogeny. <i>Frontiers in Genetics</i> , 2021, 12, 711992. | 2.3 | 4 |
| 138 | Complete mitochondrial genome of <i>Ovalona pulchella</i> (Branchiopoda, Cladocera) as the first representative in the family Chydoridae: Gene rearrangements and phylogenetic analysis of Cladocera. <i>Gene</i> , 2022, 818, 146230. | 2.2 | 4 |
| 139 | Need for protection of some European dragonflies. <i>Biological Conservation</i> , 1971, 3, 223-228. | 4.1 | 3 |
| 140 | Dragonflies from Azerbaijan. <i>Zoology in the Middle East</i> , 2004, 31, 87-92. | 0.6 | 3 |
| 141 | <i>Eodiaptomus indawgyi</i> n. sp., a pelagic calanoid copepod presumed endemic to ancient Lake Indawgyi, Myanmar. <i>Hydrobiologia</i> , 2005, 533, 41-44. | 2.0 | 3 |
| 142 | <i>Leptodora kindtii</i> (Focke, 1844) from Bremen, Germany: discovered, forgotten, and rediscovered. <i>Crustaceana</i> , 2009, 82, 1457-1461. | 0.3 | 3 |
| 143 | Biogeography of the "water flea" <i>Daphnia</i> O. F. Müller (Crustacea: Branchiopoda: Anomopoda) on the Indian subcontinent. <i>Journal of Limnology</i> , 0, . | 1.1 | 3 |
| 144 | Development of microsatellite markers for <i>Diaphanosoma dubium</i> (Crustacea, Cladocera) and application to seasonal population dynamics. <i>Aquatic Ecology</i> , 2021, 55, 1189-1206. | 1.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | The mitochondrial genome of <i>< i>Diaphanosoma</i> < i>excisum</i></i> Sars, 1885 (Crustacea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 FF 1279-1280. | 0.4 | 3 |
| 146 | Species Diversity and Community Assembly of Cladocera in the Sand Ponds of the Ulan Buh Desert, Inner Mongolia of China. Diversity, 2021, 13, 502. | 1.7 | 3 |
| 147 | The Oracle of Delphiâ€”a molecular phylogenetic approach to Greek Cordulegaster Leach in Brewster, 1815 (Odonata: Anisoptera: Cordulegastridae). Zootaxa, 2022, 5125, 182-204. | 0.5 | 3 |
| 148 | Modeling and Prediction of the Speciesâ€™ Range of <i>Neurobasis chinensis</i> (Linnaeus, 1758) under Climate Change. Biology, 2022, 11, 868. | 2.8 | 3 |
| 149 | On the Validity of the Generic Name <i>Simocephalus</i> Schoedler, 1858 (Cladocera). Crustaceana, 1977, 32, 106-107. | 0.3 | 2 |
| 150 | Why are there no aquatic turtles in the relict waters of the Sahara?. Journal of Arid Environments, 1987, 12, 151-158. | 2.4 | 2 |
| 151 | Rice bran as a diet for culturing <i>Streptocephalus proboscideus</i> (Crustacea: Anostraca). Hydrobiologia, 2002, 486, 249-254. | 2.0 | 2 |
| 152 | First record of <i>Libellula fulva pontica</i> Selys, 1887 (Odonata, Anisoptera) from Iran. Zoology in the Middle East, 2004, 32, 116-117. | 0.6 | 2 |
| 153 | Biodiversity: a resource with a monetary value?. Hydrobiologia, 2005, 542, 11-14. | 2.0 | 2 |
| 154 | Dragonflies from northern Syria. Zoology in the Middle East, 2010, 51, 105-112. | 0.6 | 2 |
| 155 | Seasonal Dynamics of <i>Daphnia galeata</i> in a Reservoir at the Edge of the Tropics Before and After Yearly Stocking with Bighead Carp. Monographiae Biologicae, 2012, , 43-58. | 0.1 | 2 |
| 156 | New records of dragonflies (Odonata) from Belutschistan-e-Sistan province in Iran. Zoology in the Middle East, 2015, 61, 288-290. | 0.6 | 2 |
| 157 | Dynamics and effects of <i>Ligula intestinalis</i> (L.) infection in the native fish <i>Barbus callensis</i> Valenciennes, 1842 in Algeria. Acta Parasitologica, 2016, 61, 307-18. | 1.1 | 2 |
| 158 | Phylogenetic insights into the Anomopoda, mainly derived from a comparative study of trunk limbÂ1. Crustaceana, 2016, 89, 307-319. | 0.3 | 2 |
| 159 | On <i>Filipinodiaptomus</i> Lai, Mamaril Sr. & Fernando, 1979 (Calanoida, Diaptomidae): redescription and re-allocation of the Philippine endemic <i>Diaptomus vexillifer</i> Brehm, 1933. Crustaceana, 2019, 92, 513-536. | 0.3 | 2 |
| 160 | The mitochondrial genome of <i>Phyllodiaptomus tunguidus</i> Shen & Tai, 1964 (Copepoda, Calanoida) and its phylogeny. Mitochondrial DNA Part B: Resources, 2020, 5, 2521-2522. | 0.4 | 2 |
| 161 | Predation and reproductive performance in two pelagic typhloplanid turbellarians. PLoS ONE, 2018, 13, e0193472. | 2.5 | 2 |
| 162 | ON A COLLECTION OF ZOOPLANKTON FROM SOMALIA, WITH A DESCRIPTION OF THREE NEW SPECIES OF COPEPODA. Monitore Zoologico Italiano Supplemento, 1981, 14, 103-111. | 0.1 | 1 |

| # | ARTICLE | | IF | CITATIONS |
|-----|--|-----|-----|-----------|
| 163 | Determination of ions, amino acids/amines in the haemolymph of fairy shrimps by capillary electrophoresis with indirect UV and laser-induced fluorescence detection. <i>Hydrobiologia</i> , 1996, 319, 103-109. | | 2.0 | 1 |
| 164 | THE GENUS <i>PSEUDAGRION</i> (ODONATA: ZYGOPTERA) IN IRAN. <i>International Journal of Odonatology</i> , 1998, 1, 159-163. | | 0.5 | 1 |
| 165 | A Third Genus of Freshwater Calanoids (Copepoda, Diaptomidae, Diaptominae) in Lowland Tropical Africa: <i>Camerundiaptomus</i> , New Genus. <i>Journal of Crustacean Biology</i> , 2002, 22, 619-626. | | 0.8 | 1 |
| 166 | Title is missing!. <i>Hydrobiologia</i> , 2002, 489, 99-106. | | 2.0 | 1 |
| 167 | Sexual anomalies in male and female <i>Phyllodiaptomus tungidus</i> Shen & Tai in a Chinese reservoir (Copepoda, Calanoida). <i>Crustaceana</i> , 2010, 83, 671-675. | | 0.3 | 1 |
| 168 | <i>Cornigerius lacustris</i> of Lake Hazar, Turkey, a synonym of <i>Cornigerius maeoticus</i> (Pengo) of the Ponto-Caspian (Cladocera: Onychopoda). <i>Zootaxa</i> , 2019, 4619, 177-183. | | 0.5 | 1 |
| 169 | A set of new primers for COI (cytochrome oxidase subunit 1 mitochondrial gene) amplification in <i>< i>Phyllodiaptomus tungidus</i></i> (Copepoda, Calanoida, Diaptomidae). <i>Mitochondrial DNA Part B: Resources</i> , 2020, 5, 1622-1624. | | 0.4 | 1 |
| 170 | <i>< i>Archineura incarnata</i></i> (Karsch, 1892) and <i>< i>Atrocalopteryx melli</i></i> (Ris, 1912) in southern China (Odonata: Calopterygidae). <i>International Journal of Odonatology</i> , 2012, 15, 229-239. | | 0.5 | 0 |
| 171 | Water Supply and Eutrophication of Reservoirs in Guangdong Province, South China. <i>Monographiae Biologicae</i> , 2012, , 279-292. | | 0.1 | 0 |
| 172 | Species richness of Cladocera (Crustacea: Branchiopoda) in the Western Ghats of Maharashtra and Goa (India), with biogeographical comments. <i>Journal of Limnology</i> , 2014, 73, . | | 1.1 | 0 |
| 173 | Albert LiÃ©vin (1810-1881), pioneer of branchiopod research. <i>Crustaceana</i> , 2015, 88, 243-245. | | 0.3 | 0 |
| 174 | A freshwater medusa (Limnocoidea) pictured in the Neolithic rock art of the Central Sahara (Tan) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 | 2.0 | | |
| 175 | Miocene cladocera from Poland. <i>Scientific Reports</i> , 2020, 10, 12107. | | 3.3 | 0 |
| 176 | Hybridization in Selected Species and Genera of Diaptomid Copepods in China. <i>Water</i> (Switzerland), 2021, 13, 1181. | | 2.7 | 0 |