

Henri J Dumont

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1551179/publications.pdf>

Version: 2024-02-01

176
papers

4,772
citations

147801

31
h-index

123424

61
g-index

181
all docs

181
docs citations

181
times ranked

2962
citing authors

#	ARTICLE	IF	CITATIONS
1	Complete mitochondrial genome of <i>Ovalona pulchella</i> (Branchiopoda, Cladocera) as the first representative in the family Chydoridae: Gene rearrangements and phylogenetic analysis of Cladocera. <i>Gene</i> , 2022, 818, 146230.	2.2	4
2	Climate change and niche unfilling tend to favor range expansion of <i>Moina macrocopa</i> Straus 1820, a potentially invasive cladoceran in temporary waters. <i>Hydrobiologia</i> , 2022, 849, 4015-4027.	2.0	5
3	The Oracle of Delphiâ€™a molecular phylogenetic approach to Greek <i>Cordulegaster</i> Leach in Brewster, 1815 (Odonata: Anisoptera: Cordulegastridae). <i>Zootaxa</i> , 2022, 5125, 182-204.	0.5	3
4	Modeling and Prediction of the Speciesâ€™ Range of <i>Neurobasis chinensis</i> (Linnaeus, 1758) under Climate Change. <i>Biology</i> , 2022, 11, 868.	2.8	3
5	Development of microsatellite markers for <i>Diaphanosoma dubium</i> (Crustacea, Cladocera) and application to seasonal population dynamics. <i>Aquatic Ecology</i> , 2021, 55, 1189-1206.	1.5	3
6	Toward a phylogeny and biogeography of <i>Diaphanosoma</i> (Crustacea: Cladocera). <i>Aquatic Ecology</i> , 2021, 55, 1207-1222.	1.5	6
7	A new set of highly efficient primers for COI amplification in rotifers. <i>Mitochondrial DNA Part B: Resources</i> , 2021, 6, 636-640.	0.4	6
8	The mitochondrial genome of <i>Diaphanosoma excisum</i> Sars, 1885 (Crustacea: Cladocera). <i>Mitochondrial DNA Part B: Resources</i> , 2021, 6, 641-647.	0.4	3
9	<i>Vallisneria natans</i> detritus supports <i>Daphnia magna</i> somatic growth and reproduction under addition of periphyton. <i>Aquatic Ecology</i> , 2021, 55, 579-588.	1.5	6
10	Hybridization in Selected Species and Genera of Diaptomid Copepods in China. <i>Water (Switzerland)</i> , 2021, 13, 1181.	2.7	0
11	Geographic Variation of <i>Phyllodiaptomus tunguidus</i> Mitogenomes: Genetic Differentiation and Phylogeny. <i>Frontiers in Genetics</i> , 2021, 12, 711992.	2.3	4
12	Mitogenomics of Cladocera (Branchiopoda): Marked gene order rearrangements and independent predation roots. <i>Molecular Phylogenetics and Evolution</i> , 2021, 164, 107275.	2.7	12
13	Species Diversity and Community Assembly of Cladocera in the Sand Ponds of the Ulan Buh Desert, Inner Mongolia of China. <i>Diversity</i> , 2021, 13, 502.	1.7	3
14	Taxonomic Revision of Eastern Part of Western Palaearctic <i>Cordulegaster</i> Using Molecular Phylogeny and Morphology, with the Description of Two New Species (Odonata: Anisoptera: Libellulidae). <i>Zootaxa</i> , 2021, 5021, 1-17.	1.1	1
15	The mitochondrial genome of <i>Phyllodiaptomus tunguidus</i> Shen & Tai, 1964 (Copepoda, Calanoida) and its phylogeny. <i>Mitochondrial DNA Part B: Resources</i> , 2020, 5, 2521-2522.	0.4	2
16	Dragonflies of Dragonâ€™s Blood Island: Atlas of the Odonata of the Socotra Archipelago (Yemen). <i>Rendiconti Lincei</i> , 2020, 31, 571-605.	2.2	9
17	Miocene cladocera from Poland. <i>Scientific Reports</i> , 2020, 10, 12107.	3.3	0
18	Zooplankton in a continuous waterscape: environmental and spatial factors shaping spring zooplankton community structure in a large canyon reservoir at the tropic of cancer. <i>Hydrobiologia</i> , 2020, 847, 3621-3635.	2.0	7

#	ARTICLE	IF	CITATIONS
19	A set of new primers for COI (cytochrome oxidase subunit 1 mitochondrial gene) amplification in <i>Phyllodiaptomus tunguidus</i> (Copepoda, Calanoida, Diaptomidae). Mitochondrial DNA Part B: Resources, 2020, 5, 1622-1624.	0.4	1
20	A global analysis of cladoceran body size and its variation linking to habitat, distribution and taxonomy. Zoological Journal of the Linnean Society, 2019, 187, 1119-1130.	2.3	9
21	<i>Cornigerius lacustris</i> of Lake Hazar, Turkey, a synonym of <i>Cornigerius maeoticus</i> (Pengo) of the Ponto-Caspian (Cladocera: Onychopoda). Zootaxa, 2019, 4619, 177-183.	0.5	1
22	Effect of algal and bacterial diet on metal bioaccumulation in zooplankton from the Pearl River, South China. Science of the Total Environment, 2019, 675, 151-164.	8.0	21
23	On <i>Filipinodiaptomus</i> Lai, Mamaril Sr. & Fernando, 1979 (Calanoida, Diaptomidae): redescription and re-allocation of the Philippine endemic <i>Diaptomus vexillifer</i> Brehm, 1933. Crustaceana, 2019, 92, 513-536.	0.3	2
24	Mitogenome of <i>Daphnia laevis</i> (Cladocera, Daphniidae) from Brazil. Mitochondrial DNA Part B: Resources, 2019, 4, 194-196.	0.4	5
25	Heterotrophic microbes upgrade food value of a terrestrial carbon resource for <i>Daphnia magna</i> . Limnology and Oceanography, 2019, 64, 474-482.	3.1	14
26	Updated checklist and distribution of the diaptomid copepods (Copepoda, Calanoida, Diaptomidae) of China. Crustaceana, 2018, 91, 335-352.	0.3	6
27	Thermal reaction norms of a subtropical and a tropical species of <i>Diaphanosoma</i> (cladocera) explain their distribution. Limnology and Oceanography, 2018, 63, 1204-1220.	3.1	12
28	Species and hybrids in the genus <i>Diaphanosoma</i> Fischer, 1850 (Crustacea: Branchiopoda: Cladocera). Molecular Phylogenetics and Evolution, 2018, 118, 369-378.	2.7	24
29	Checklist of the dragonflies (Odonata) of Iran with new records and notes on distribution and taxonomy. Zootaxa, 2018, 4394, 1-40.	0.5	10
30	<i>Daphnia</i> diversity on the Tibetan Plateau measured by DNA taxonomy. Ecology and Evolution, 2018, 8, 5069-5078.	1.9	23
31	Predation and reproductive performance in two pelagic typhloplanid turbellarians. PLoS ONE, 2018, 13, e0193472.	2.5	2
32	Diversity and zoogeography of the fairy shrimps (Branchiopoda: Anostraca) on the Indian subcontinent. Hydrobiologia, 2017, 801, 117-128.	2.0	6
33	Identifying functional groups and ecological roles of tropical and subtropical freshwater Cladocera in Asia. Hydrobiologia, 2017, 799, 83-99.	2.0	34
34	Spatial heterogeneity and long-term dynamics of cladoceran ephippia in a monsoonal reservoir, driven by hydrology and eutrophication. Journal of Paleolimnology, 2017, 58, 571-584.	1.6	4
35	A freshwater medusa (Limnocoeloida) pictured in the Neolithic rock art of the Central Sahara (Tan) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.0	0
36	Dynamics and effects of <i>Ligula intestinalis</i> (L.) infection in the native fish <i>Barbus callensis</i> Valenciennes, 1842 in Algeria. Acta Parasitologica, 2016, 61, 307-18.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Phylogenetic insights into the Anomopoda, mainly derived from a comparative study of trunk limb 1. Crustaceana, 2016, 89, 307-319.	0.3	2
38	First record of a ctenophore in lakes: the comb-jelly Mnemiopsis leidyi A. Agassiz, 1865 invades the Fayum, Egypt. BiolInvasions Records, 2016, 5, 21-24.	1.1	5
39	Annotated Checklist of Chinese Cladocera (Crustacea: Branchiopoda). Part I. Haplopoda, Ctenopoda, Onychopoda and Anomopoda (families Daphniidae, Moinidae, Bosminidae, Ilyocryptidae). Zootaxa, 2015, 3904, 1-27.	0.5	31
40	Annotated Checklist of Chinese Cladocera (Crustacea: Branchiopoda). Part II. Order Anomopoda (families Macrotrichidae, Eurycercidae and Chydoridae). Zootaxa, 2015, 4044, 241.	0.5	19
41	New records of dragonflies (Odonata) from Belutschistan-e-Sistan province in Iran. Zoology in the Middle East, 2015, 61, 288-290.	0.6	2
42	Albert Liévin (1810-1881), pioneer of branchiopod research. Crustaceana, 2015, 88, 243-245.	0.3	0
43	A review of typhloplanid flatworm ecology, with emphasis on pelagic species. Inland Waters, 2014, 4, 257-270.	2.2	15
44	Relict populations of Diaphanosoma (Cladocera: Ctenopoda) in the Chadian Sahara, with the description of a new species. Zootaxa, 2014, 3856, 135-42.	0.5	7
45	Species richness of Cladocera (Crustacea: Branchiopoda) in the Western Ghats of Maharashtra and Goa (India), with biogeographical comments. Journal of Limnology, 2014, 73, .	1.1	0
46	Variation in the shape of the wings and taxonomy of Eurasian populations of the Calopteryx splendens complex (Odonata: Calopterygidae). European Journal of Entomology, 2014, 111, 575-583.	1.2	6
47	Moina hemanti sp. nov., a new species of the genus Moina s.l. (Branchiopoda: Anomopoda) from Pune, India. Zootaxa, 2014, 3860, 561-70.	0.5	7
48	<i>Pyrrhosoma</i> and its relatives: a phylogenetic study (Odonata: Zygoptera). International Journal of Odonatology, 2013, 16, 247-257.	0.5	16
49	<i>Micromoina arboricola</i> n. gen., n. spec. (Crustacea: Cladocera), a new moinid living in a forest tree-hole in Minas Gerais, Brazil. Zootaxa, 2013, 3652, 533.	0.5	6
50	The classification and diversity of dragonflies and damselflies (Odonata).In Zhang, Z.-Q. (Ed.) Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013) . Zootaxa, 2013, 3703, 36.	0.5	97
51	<i>Archineura incarnata</i> (Karsch, 1892) and <i>Atrocalopteryx melli</i> (Ris, 1912) in southern China (Odonata: Calopterygidae). International Journal of Odonatology, 2012, 15, 229-239.	0.5	0
52	Water Supply and Eutrophication of Reservoirs in Guangdong Province, South China. Monographiae Biologicae, 2012, , 279-292.	0.1	0
53	Massive invasion of Arctodiaptomus dorsalis (Copepoda, Calanoida, Diaptomidae) in Philippine lakes: a threat to Asian zooplankton biodiversity?. Biological Invasions, 2012, 14, 2471-2478.	2.4	25
54	Seasonal Dynamics of Daphnia galeata in a Reservoir at the Edge of the Tropics Before and After Yearly Stocking with Bighead Carp. Monographiae Biologicae, 2012, , 43-58.	0.1	2

#	ARTICLE	IF	CITATIONS
55	The Odonata of Lebanon. <i>Zoology in the Middle East</i> , 2011, 52, 63-70.	0.6	4
56	Separation of <i>Anthalona</i> gen.n. from <i>Alona</i> Baird, 1843 (Branchiopoda: Cladocera: Anomopoda): morphology and evolution of scraping stenothermic alonines. <i>Zootaxa</i> , 2011, 2875, 1.	0.5	106
57	Biogeography and evolution of the Holarctic zooplankton genus <i>Leptodora</i> (Crustacea:). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i>	3.0	56
58	Carnivorous planktonic <i>Diffugia</i> (Protista, Amoebina Testacea) and their predators. <i>European Journal of Protistology</i> , 2011, 47, 214-223.	1.5	17
59	Dynamics in space and time of four testate amoebae (<i>Diffugia</i> spp.) co-existing in the zooplankton of a reservoir in southern China. <i>European Journal of Protistology</i> , 2011, 47, 224-230.	1.5	9
60	Pelagic flatworm predation on daphniids in a subtropical reservoir: different effects on <i>Daphnia galeata</i> and on <i>Ceriodaphnia quadrangula</i> . <i>Hydrobiologia</i> , 2011, 658, 139-146.	2.0	10
61	Predatory and toxic effects of the turbellarian (<i>Stenostomum cf leucops</i>) on the population dynamics of <i>Euchlanis dilatata</i> , <i>Plationus patulus</i> (Rotifera) and <i>Moina macrocopa</i> (Cladocera). <i>Hydrobiologia</i> , 2011, 662, 171-177.	2.0	22
62	Why is <i>Diaphanosoma</i> (Crustacea: Ctenopoda) so common in the tropics? Influence of temperature and food on the population parameters of <i>Diaphanosoma dubium</i> , and a hypothesis on the nature of tropical cladocerans. <i>Hydrobiologia</i> , 2011, 668, 109-115.	2.0	27
63	Reservoirs of Guangdong Province, South China: An Increasing Threat of Eutrophication. <i>Oecologia Australis</i> , 2011, 15, 643-654.	0.2	7
64	A molecular phylogeny of the Odonata (Insecta). <i>Systematic Entomology</i> , 2010, 35, 6-18.	3.9	110
65	<p>A checklist of names in <i>Alona</i> Baird 1843 (Crustacea:). <i>Zootaxa</i> , 2010, 2330, 1-63.	0.5	92
66	Dragonflies from northern Syria. <i>Zoology in the Middle East</i> , 2010, 51, 105-112.	0.6	2
67	Sexual anomalies in male and female <i>Phyllodiptomus tunguidus</i> Shen & Tai in a Chinese reservoir (Copepoda, Calanoida). <i>Crustaceana</i> , 2010, 83, 671-675.	0.3	1
68	Genetic diversity, population structure and taxonomy of <i>Calopteryx splendens</i> (Odonata:). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td</i>	1.2	8
69	Notes on chydorid endemism in continental Africa: <i>Matralona</i> gen. n., a monotypic Alonine from the Fouta Djallon Plateau (Guinea, West Africa) (Crustacea: Cladocera: Anomopoda). <i>Zootaxa</i> , 2009, 2051, 26-40.	0.5	14
70	Female morphs of a colour polymorphic damselfly differ in developmental instability and fecundity. <i>Animal Biology</i> , 2009, 59, 41-54.	1.0	9
71	<i>Leptodora kindtii</i> (Focke, 1844) from Bremen, Germany: discovered, forgotten, and rediscovered. <i>Crustaceana</i> , 2009, 82, 1457-1461.	0.3	3
72	Adaptations to the hyporheic in Aloninae (Crustacea: Cladocera): allocation of <i>Alona protzi</i> Hartwig, 1900 and related species to <i>Phreatalona</i> gen. nov.. <i>Hydrobiologia</i> , 2009, 618, 1-34.	2.0	30

#	ARTICLE	IF	CITATIONS
73	A Description of the Nile Basin, and a Synopsis of Its History, Ecology, Biogeography, Hydrology, and Natural Resources. <i>Monographiae Biologicae</i> , 2009, , 1-21.	0.1	18
74	The Crustacean Zooplankton (Copepoda, Branchiopoda), Atyid Decapoda, and Syncarida of the Nile Basin. <i>Monographiae Biologicae</i> , 2009, , 521-545.	0.1	5
75	Carnivory and active hunting by the planktonic testate amoeba <i>Diffugia tuberspinifera</i> . <i>Hydrobiologia</i> , 2008, 596, 197-201.	2.0	26
76	Corrections and additions to the Dumontiidae Santos-Flores & Dodson, 2003 (Crustacea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 399-401.	2.0	4
77	Seven Decades of Change in the Zooplankton (s.l.) of the Nile Delta Lakes (Egypt), with Particular Reference to Lake Borullus. <i>International Review of Hydrobiology</i> , 2008, 93, 44-61.	0.9	14
78	A new species of <i>Moina</i> Baird, 1950 (Crustacea: Anomopoda) from Socotra Island, Yemen. <i>Zootaxa</i> , 2008, 1721, 24.	0.5	10
79	Further division of <i>Alona</i> Baird, 1843: separation and position of <i>Coronatella</i> Dybowski & Grochowski and <i>Ovalona</i> gen.n. (Crustacea: Cladocera). <i>Zootaxa</i> , 2008, 1960, 1-44.	0.5	60
80	Lake Borullus of the Nile Delta: A Short History and an Uncertain Future. <i>Ambio</i> , 2007, 36, 677-682.	5.5	45
81	Seasonal and diurnal variation in the proportions of female morphs of the damselfly <i>Enallagma cyathigerum</i> . <i>Animal Biology</i> , 2007, 57, 217-230.	1.0	4
82	A review of the diversity, adaptations and groundwater colonization pathways in Cladocera and Calanoida (Crustacea), two rare and contrasting groups of stygobionts. <i>Fundamental and Applied Limnology</i> , 2007, 168, 3-17.	0.7	42
83	Morphology and Systematic Significance of the <i>Mystax</i> , a Hitherto Undescribed Cephalic Structure of Males in Certain Notostraca (Branchiopoda). <i>Journal of Crustacean Biology</i> , 2007, 27, 18-23.	0.8	7
84	Life cycle of <i>Boeckella poppei</i> Mrazek and <i>Branchinecta gaini</i> Daday (King George Island, South) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 1.2 19	1.2	19
85	Rotifers, the jelly plankton of freshwater. <i>Hydrobiologia</i> , 2007, 593, 59-66.	2.0	5
86	A redescription of <i>Eucyclops serrulatus</i> (Fischer, 1851) (Crustacea: Copepoda: Cyclopoida) and some related taxa, with a phylogeny of the <i>E. serrulatus</i> -group. <i>Zoologica Scripta</i> , 2006, 35, 123-147.	1.7	57
87	Sex in a cyclical parthenogen: mating behaviour of <i>Chydorus sphaericus</i> (Crustacea; Branchiopoda;) Tj ETQq1 1 0.784314 rgBT /Overlock 2.4 21	2.4	21
88	Phylogenetic Relationships, Divergence Time Estimation, and Global Biogeographic Patterns of Calopterygoid Damselflies (Odonata, Zygoptera) Inferred from Ribosomal DNA Sequences. <i>Systematic Biology</i> , 2005, 54, 347-362.	5.6	87
89	Taxonomic diversity and biogeography of Chironomidae (Insecta: Diptera) in lakes of tropical West Africa using subfossil remains extracted from surface sediments. <i>Journal of Biogeography</i> , 2005, 32, 1063-1083.	3.0	14
90	The Branchiopoda (Crustacea: Anomopoda, Ctenopoda and Cyclestherida) of the rain forests of Cameroon, West Africa: low abundances, few endemics and a boreal-tropical disjunction. <i>Journal of Biogeography</i> , 2005, 32, 1611-1620.	3.0	23

#	ARTICLE	IF	CITATIONS
91	Eodiaptomus indawgyi n. sp., a pelagic calanoid copepod presumed endemic to ancient Lake Indawgyi, Myanmar. Hydrobiologia, 2005, 533, 41-44.	2.0	3
92	Species richness of the Cladocera (Branchiopoda: Anomopoda and Ctenopoda) in southern Thailand, and its complementarity with neighboring regions. Hydrobiologia, 2005, 537, 147-156.	2.0	27
93	Biodiversity: a resource with a monetary value?. Hydrobiologia, 2005, 542, 11-14.	2.0	2
94	Redescription of <i>Leydigia parva</i> Daday, 1905 and assignment to <i>Parvalona</i> gen. nov. (Cladocera: Anomopoda: Chydoridae). Journal of Natural History, 2005, 39, 2125-2136.	0.5	35
95	First record of <i>Libellula fulva pontica</i> Selys, 1887 (Odonata, Anisoptera) from Iran. Zoology in the Middle East, 2004, 32, 116-117.	0.6	2
96	Stage-Specific Cannibalism and Spontaneous Cyst Hatching in the Freshwater Fairy Shrimp <i>Streptocephalus Proboscideus</i> Frauenfeld. Hydrobiologia, 2004, 524, 103-113.	2.0	13
97	Crustacean Species Richness in Temporary Pools: Relationships with Habitat Traits. Hydrobiologia, 2004, 525, 125-130.	2.0	63
98	Recent dragonfly observations in Armenia, with an updated checklist. Zoology in the Middle East, 2004, 31, 93-102.	0.6	6
99	Dragonflies from Azerbaijan. Zoology in the Middle East, 2004, 31, 87-92.	0.6	3
100	Interactions between the invading ctenophores <i>Mnemiopsis leidyi</i> (A. Agassiz) and <i>Beroe ovata</i> Mayer 1912, and their influence on the Pelagic ecosystem of the Northeastern Black Sea. , 2004, , 33-70.		40
101	Critical species of Odonata in Turkey, Iran and the Caucasus. International Journal of Odonatology, 2004, 7, 325-339.	0.5	9
102	Sex- and morph-specific predation risk: Colour or behaviour dependency?. European Journal of Entomology, 2004, 101, 373-377.	1.2	8
103	Spatial and seasonal variation of the zooplankton in the coastal zone and main khors of Lake Nasser (Egypt). Hydrobiologia, 2003, 491, 119-132.	2.0	25
104	Odonata from the Republic of Mongolia and from the Autonomous Region of Inner Mongolia. International Journal of Odonatology, 2003, 6, 127-146.	0.5	9
105	A Third Genus of Freshwater Calanoids (Copepoda, Diaptomidae, Diaptominae) in Lowland Tropical Africa: <i>Camerundiaptomus</i> , New Genus. Journal of Crustacean Biology, 2002, 22, 619-626.	0.8	1
106	An annotated check-list of the Odonata of Iran. Zoology in the Middle East, 2002, 26, 133-150.	0.6	16
107	Phylogenetic analysis of anostracans (Branchiopoda: Anostraca) inferred from nuclear 18S ribosomal DNA (18S rDNA) sequences. Molecular Phylogenetics and Evolution, 2002, 25, 535-544.	2.7	52
108	Title is missing!. Hydrobiologia, 2002, 467, 45-56.	2.0	9

#	ARTICLE	IF	CITATIONS
109	Title is missing!. Hydrobiologia, 2002, 467, 1-44.	2.0	28
110	Redescription of <i>Ilyocryptus sarsi</i> Stingelin, 1913. Hydrobiologia, 2002, 472, 207-222.	2.0	11
111	Cyst ornamentation in aquatic invertebrates: a defence against egg-predation. Hydrobiologia, 2002, 486, 161-167.	2.0	38
112	Rice bran as a diet for culturing <i>Streptocephalus proboscideus</i> (Crustacea: Anostraca). Hydrobiologia, 2002, 486, 249-254.	2.0	2
113	Title is missing!. Hydrobiologia, 2002, 489, 99-106.	2.0	1
114	Phylogenetic Relationships Inferred from Ribosomal ITS Sequences and Biogeographic Patterns in Representatives of the Genus <i>Calopteryx</i> (Insecta: Odonata) of the West Mediterranean and Adjacent West European Zone. Molecular Phylogenetics and Evolution, 2001, 20, 89-99.	2.7	99
115	<i>Wlassicsia</i> , <i>Bunops</i> & <i>Onchobunops</i> (Anomopoda), three related genera. Hydrobiologia, 2001, 442, 1-28.	2.0	11
116	Title is missing!. Hydrobiologia, 2001, 458, 201-220.	2.0	9
117	Some Freshwater Cyclopoids (Crustacea: Copepoda) of the Island of Soqatra (Indian Ocean), with the Description of Three New Species. International Review of Hydrobiology, 2000, 85, 471-489.	0.9	4
118	Title is missing!. , 2000, 428, 85-113.		32
119	Title is missing!. Hydrobiologia, 2000, 429, 207-218.	2.0	41
120	Title is missing!. Hydrobiologia, 2000, 435, 61-82.	2.0	52
121	Invasion of the Caspian Sea by the Comb Jellyfish <i>Mnemiopsis leidyi</i> (Ctenophora). Biological Invasions, 2000, 2, 255-258.	2.4	158
122	STREPTOCEPHALUS SIRINDHORNAE, NEW SPECIES OF FRESHWATER FAIRY SHRIMP (ANOSTRACA) FROM THAILAND. Journal of Crustacean Biology, 2000, 20, 559-565.	0.8	20
123	Redescription of <i>Heliodiaptomus elegans</i> Kiefer, 1935, a rare south-east Asian calanoid copepod. Hydrobiologia, 1999, 394, 145-152.	2.0	4
124	Title is missing!. Hydrobiologia, 1999, 403, 39-61.	2.0	20
125	Phylogeny, evolution and classification of the Branchiopoda (Crustacea). , 1999, 412, 191-212.		47
126	A DROUGHT-RESISTANT LARVA OF <i>PANTALA FLAVESCENS</i> (FABRICIUS, 1798) (ODONATA: LIBELLULIDAE) IN THE LEN��IS MARANHENSES, NE-BRAZIL. International Journal of Odonatology, 1999, 2, 69-76.	0.5	11

#	ARTICLE	IF	CITATIONS
127	The end of moai quarrying and its effect on Lake Rano Raraku, Easter Island. <i>Journal of Paleolimnology</i> , 1998, 20, 409-422.	1.6	50
128	Title is missing!. , 1998, 384, 119-149.		47
129	Title is missing!. , 1998, 391, 257-264.		12
130	ECOLOGY AND DISTRIBUTION OF <i>LINDENIA TETRAPHYLLA</i> (INSECTA, ODONATA, GOMPHIDAE): A REVIEW. <i>International Journal of Odonatology</i> , 1998, 1, 65-88.	0.5	16
131	THE GENUS <i>PSEUDAGRION</i> (ODONATA: ZYGOPTERA) IN IRAN. <i>International Journal of Odonatology</i> , 1998, 1, 159-163.	0.5	1
132	Large branchiopod assemblages common to Mexico and the United States. <i>Hydrobiologia</i> , 1997, 359, 45-62.	2.0	34
133	Intra- and interspecific variation in the chitin content of some anostracans. <i>Hydrobiologia</i> , 1997, 359, 223-228.	2.0	6
134	Title is missing!. <i>Hydrobiologia</i> , 1997, 360, 33-46.	2.0	13
135	Title is missing!. <i>Hydrobiologia</i> , 1997, 361, 201-223.	2.0	14
136	Cladoceran studies: where do we go from here?. <i>Hydrobiologia</i> , 1997, 360, 301-303.	2.0	5
137	The potential of freshwater Anostraca for technical applications. <i>Hydrobiologia</i> , 1997, 358, 193-197.	2.0	10
138	Structural differences between the resting eggs of <i>Brachionus plicatilis</i> and <i>Brachionus rotundiformis</i> (Rotifers, Brachionidae): an electron microscopic study. <i>Hydrobiologia</i> , 1996, 318, 219-223.	2.0	20
139	Determination of ions, amino acids/amines in the haemolymph of fairy shrimps by capillary electrophoresis with indirect UV and laser-induced fluorescence detection. <i>Hydrobiologia</i> , 1996, 319, 103-109.	2.0	1
140	Description of <i>Phyllodiaptomus christineae</i> n.sp. from Thailand, and distinction of two subgenera within <i>Phyllodiaptomus</i> Kiefer, 1936 (Copepoda, Calanoida). <i>Hydrobiologia</i> , 1996, 323, 139-148.	2.0	7
141	Estimating lacustrine zooplankton species richness and complementarity. <i>Hydrobiologia</i> , 1996, 341, 125-132.	2.0	77
142	Reinstatement of the genus <i>Paralona</i> Sramek-Husek et al., 1962, and assessment of morphological variability in the <i>Paralona pigra</i> -group (Anomopoda: Chydoridae). <i>Hydrobiologia</i> , 1996, 333, 29-36.	2.0	11
143	A conspectus of the Cladocera of the subterranean waters of the world. <i>Hydrobiologia</i> , 1996, 325, 1-30.	2.0	18
144	The freshwater microcrustacea of Easter Island. <i>Hydrobiologia</i> , 1996, 325, 83-99.	2.0	27

#	ARTICLE	IF	CITATIONS
145	The evolution of groundwater Cladocera. <i>Hydrobiologia</i> , 1995, 307, 69-74.	2.0	18
146	Laboratory studies on the population dynamics of <i>Anuraeopsis fissa</i> (Rotifera) in relation to food density. <i>Freshwater Biology</i> , 1995, 33, 39-46.	2.4	73
147	Ecocide in the Caspian Sea. <i>Nature</i> , 1995, 377, 673-674.	27.8	84
148	The distribution and ecology of the fresh- and brackish-water medusae of the world. <i>Hydrobiologia</i> , 1994, 272, 1-12.	2.0	83
149	On the diversity of the Cladocera in the tropics. <i>Hydrobiologia</i> , 1994, 272, 27-38.	2.0	110
150	<i>Alona alsafadii</i> n. sp. from Yemen, a primitive, groundwater-dwelling member of the <i>A. karua</i> -group. <i>Hydrobiologia</i> , 1994, 281, 57-64.	2.0	15
151	<i>Phyllodiptomus praedictus</i> n. sp. (Copepoda, Calanoida) from Thailand. <i>Hydrobiologia</i> , 1994, 273, 101-110.	2.0	10
152	Predatory Filter-Feeding in Fairy Shrimps: Functional Response of <i>Streptocephalus proboscideus</i> (Crustacea: Anostraca) Fed <i>Anuraeopsis fissa</i> (Rotifera). <i>International Review of Hydrobiology</i> , 1994, 79, 511-519.	0.6	19
153	A reappraisal of the genus <i>Phyllodiptomus</i> Kiefer, 1936, with the description of <i>P. wellekensae</i> n.sp. from India, and a redescription of <i>P. tunguidus</i> Shen & Tai, 1964 from China (Copepoda, Calanoida). <i>Hydrobiologia</i> , 1993, 263, 65-93.	2.0	13
154	Rotifera of some lakes in the floodplain of the River Niger (Imo State, Nigeria). <i>Hydrobiologia</i> , 1993, 250, 63-71.	2.0	77
155	<i>Branchinecta Mexicana</i> , New Species (Branchiopoda: Anostraca), a Fairy Shrimp From Central Mexico. <i>Journal of Crustacean Biology</i> , 1993, 13, 585-593.	0.8	12
156	Cyst hatching in Anostraca accelerated by retinoic acid, amplified by Calcium Ionophore A23187, and inhibited by Calcium-channel blockers. <i>Hydrobiologia</i> , 1992, 230, 1-7.	2.0	19
157	Holocene evolution of the crater lake at Malha, Northwest Sudan. <i>Journal of Paleolimnology</i> , 1991, 5, 227.	1.6	49
158	Typhloplanid flatworms (<i>Mesostoma</i> and related genera): Mechanisms of predation and evidence that they structure aquatic invertebrate communities. <i>Hydrobiologia</i> , 1990, 198, 61-77.	2.0	44
159	A laboratory study of the feeding of <i>Mesostoma lingua</i> (Schmidt) (Turbellaria: Neorhabdoceola) on <i>Daphnia magna</i> Straus at four different temperatures. <i>Hydrobiologia</i> , 1990, 198, 79-89.	2.0	16
160	Confirmation of <i>Streptocephalus rubricaudatus</i> as a Good Species (Anostraca). <i>Crustaceana</i> , 1989, 56, 211-212.	0.3	11
161	Phototaxis in <i>Daphnia</i> : Interaction of hunger and genotype. <i>Limnology and Oceanography</i> , 1989, 34, 1322-1325.	3.1	26
162	Five new species of leaf litter harpacticoids (Crustacea, Copepoda) from Nepal*. <i>Zoologica Scripta</i> , 1988, 17, 55-68.	1.7	14

#	ARTICLE	IF	CITATIONS
163	Flatworm predator (<i>Mesostoma cf. lingua</i>) releases a toxin to catch planktonic prey (<i>Daphnia magna</i>)1. <i>Limnology and Oceanography</i> , 1987, 32, 699-702.	3.1	34
164	Why are there no aquatic turtles in the relict waters of the Sahara?. <i>Journal of Arid Environments</i> , 1987, 12, 151-158.	2.4	2
165	Groundwater Cladocera: A synopsis. <i>Hydrobiologia</i> , 1987, 145, 169-173.	2.0	24
166	The Tanganyika Sardine in Lake Kivu: Another Ecodisaster for Africa?. <i>Environmental Conservation</i> , 1986, 13, 143-148.	1.3	60
167	The nature and origin of the crustacean zooplankton of Sahelian Africa, with a note on the <i>Limnomedusa</i> . <i>Hydrobiologia</i> , 1984, 113, 313-325.	2.0	24
168	ON A COLLECTION OF ZOOPLANKTON FROM SOMALIA, WITH A DESCRIPTION OF THREE NEW SPECIES OF COPEPODA. <i>Monitore Zoologico Italiano Supplemento</i> , 1981, 14, 103-111.	0.1	1
169	Neolithic hyperarid period preceded the present climate of the Central Sahel. <i>Nature</i> , 1978, 274, 356-358.	27.8	24
170	<i>Allocyclops Ritae</i> N. Sp. (Copepoda, Cyclopoida), the Second Representative of the Remarkable Genus <i>Allocyclops</i> Kiefer, 1933. <i>Crustaceana</i> , 1978, 35, 22-26.	0.3	8
171	An examination of some <i>Hexarthra</i> species (Rotatoria) from western Canada and Nepal. <i>Canadian Journal of Zoology</i> , 1978, 56, 440-445.	1.0	16
172	On the Validity of the Generic Name <i>Simocephalus</i> Schoedler, 1858 (Cladocera). <i>Crustaceana</i> , 1977, 32, 106-107.	0.3	2
173	The dry weight estimate of biomass in a selection of Cladocera, Copepoda and Rotifera from the plankton, periphyton and benthos of continental waters. <i>Oecologia</i> , 1975, 19, 75-97.	2.0	1,087
174	Need for protection of some European dragonflies. <i>Biological Conservation</i> , 1971, 3, 223-228.	4.1	3
175	A QUANTITATIVE METHOD FOR THE STUDY OF PERIPHYTON. <i>Limnology and Oceanography</i> , 1969, 14, 303-307.	3.1	11
176	Biogeography of the "water flea"™ <i>Daphnia</i> O. F. MÅ¼ller (Crustacea: Branchiopoda: Anomopoda) on the Indian subcontinent. <i>Journal of Limnology</i> , 0, , .	1.1	3