

Barbara Dillenburg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1551696/publications.pdf>

Version: 2024-02-01

14
papers

264
citations

1163117

8
h-index

1125743

13
g-index

15
all docs

15
docs citations

15
times ranked

408
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypomania and saccadic changes in Parkinson's disease: influence of D2 and D3 dopaminergic signalling. <i>Npj Parkinson's Disease</i> , 2020, 6, 5.	5.3	4
2	Saccades to Explicit and Virtual Features in the Poggendorff Figure Show Perceptual Biases. <i>i-Perception</i> , 2017, 8, 204166951769922.	1.4	2
3	Geometrical features underlying the perception of collinearity. <i>Vision Research</i> , 2016, 128, 83-94.	1.4	3
4	Saccadic eye movements reveal an orientational bias, but not a position bias, in the Poggendorff figure. <i>Journal of Vision</i> , 2015, 15, 606.	0.3	0
5	Computation of relative numerosity of circular dot textures. <i>Journal of Vision</i> , 2013, 13, 17-17.	0.3	15
6	Observers can voluntarily shift their psychometric functions without losing sensitivity. <i>Attention, Perception, and Psychophysics</i> , 2012, 74, 185-193.	1.3	94
7	Functional magnetic resonance imaging of awake monkeys: some approaches for improving imaging quality. <i>Magnetic Resonance Imaging</i> , 2012, 30, 36-47.	1.8	30
8	Differential fMRI activation to noxious heat and tactile stimuli in parasyllian areas of new world monkeys. <i>Pain</i> , 2012, 153, 158-169.	4.2	20
9	High-resolution functional magnetic resonance imaging mapping of noxious heat and tactile activations along the central sulcus in New World monkeys. <i>Pain</i> , 2011, 152, 522-532.	4.2	31
10	Methods for Fine Scale Functional Imaging of Tactile Motion in Human and Nonhuman Primates. <i>Open Neuroimaging Journal</i> , 2011, 5, 160-171.	0.2	3
11	Influence of Parallel and Orthogonal Real Lines on Illusory Contour Perception. <i>Journal of Neurophysiology</i> , 2010, 103, 55-64.	1.8	9
12	Orientation and direction-of-motion response in the middle temporal visual area (MT) of New World owl monkeys as revealed by intrinsic-signal optical imaging. <i>Frontiers in Neuroanatomy</i> , 2010, 4, 23.	1.7	14
13	Vastly differing variances in the ratio of red and green cones between female and male human observers. <i>Journal of Vision</i> , 2010, 2, 150-150.	0.3	0
14	The Organization of Orientation-Selective, Luminance-Change and Binocular-Preference Domains in the Second (V2) and Third (V3) Visual Areas of New World Owl Monkeys as Revealed by Intrinsic Signal Optical Imaging. <i>Cerebral Cortex</i> , 2009, 19, 1394-1407.	2.9	36