

Christine Videlot-Ackermann

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1552427/christine-videlot-ackermann-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

1,600
citations

22
h-index

37
g-index

88
ext. papers

1,714
ext. citations

6.2
avg, IF

4.17
L-index

#	Paper	IF	Citations
83	Exploring Charge Transport in High-Temperature Polymorphism of ITIC Derivatives in Simple Processed Unipolar Bottom Contact Organic Field-Effect Transistor. <i>Advanced Electronic Materials</i> , 2022 , 8, 2100743	6.4	1
82	High-Efficiency Digital Inkjet-Printed Non-Fullerene Polymer Blends Using Non-Halogenated Solvents. <i>Advanced Energy and Sustainability Research</i> , 2021 , 2, 2000086	1.6	6
81	Non-Fullerene Acceptors with an Extended π -Conjugated Core: Third Components in Ternary Blends for High-Efficiency, Post-Treatment-Free Organic Solar Cells. <i>ChemSusChem</i> , 2021 , 14, 3502-3510 ^{8.3}	8.3	4
80	Organic/inorganic doped nickel oxide nanocrystals for hole transport layers in inverted polymer solar cells with color tuning. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 418-429	7.8	3
79	Theoretical insight on PTB7:PC71BM, PTB7-th:PC71BM and Si-PCPDTBT:PC71BM interactions governing blend nanoscale morphology for efficient solar cells. <i>Nano Energy</i> , 2021 , 82, 105708	17.1	3
78	Direct Correlation of Nanoscale Morphology and Device Performance to Study Photocurrent Generation in Donor-Enriched Phases of Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 28404-28415	9.5	3
77	In situ measurements of the structure and strain of a π -conjugated semiconducting polymer under mechanical load. <i>Journal of Applied Physics</i> , 2020 , 127, 045108	2.5	4
76	Visualizing morphological principles for efficient photocurrent generation in organic non-fullerene acceptor blends. <i>Energy and Environmental Science</i> , 2020 , 13, 1259-1268	35.4	34
75	New Antimony-Based Organic-Inorganic Hybrid Material as Electron Extraction Layer for Efficient and Stable Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 44820-44828	9.5	2
74	Fabrication and Characterization of Hybrid Organic-Inorganic Electron Extraction Layers for Polymer Solar Cells toward Improved Processing Robustness and Air Stability. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 17309-17317	9.5	4
73	Interplay of Interfacial Layers and Blend Composition To Reduce Thermal Degradation of Polymer Solar Cells at High Temperature. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 3874-3884	9.5	6
72	Ammonia Detection at Low Temperature by Tungsten Oxide Nanowires. <i>Proceedings (mdpi)</i> , 2018 , 2, 983	0.3	1
71	P-type semiconductor surfactant modified zinc oxide nanorods for hybrid bulk heterojunction solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 159, 608-616	6.4	15
70	Morphological and crystalline characterization of pulsed laser deposited pentacene thin films for organic transistor applications. <i>Applied Surface Science</i> , 2017 , 418, 446-451	6.7	4
69	Reduction of Charge-Carrier Recombination at ZnO-Polymer Blend Interfaces in PTB7-Based Bulk Heterojunction Solar Cells Using Regular Device Structure: Impact of ZnO Nanoparticle Size and Surfactant. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 17256-17264	9.5	11
68	The influence of branched alkyl side chains in AD Δ oligothiophenes on the photovoltaic performance and morphology of solution-processed bulk-heterojunction solar cells. <i>Organic Chemistry Frontiers</i> , 2017 , 4, 1561-1573	5.2	23
67	Time evolution studies of dithieno[3,2-b:2',3'-d]pyrrole-based AD Δ oligothiophene bulk heterojunctions during solvent vapor annealing towards optimization of photocurrent generation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 1005-1013	13	17

66	The effect of air exposure on the crystal structure of oligo-thiophene thin films investigated using in situ X-ray diffraction. <i>Journal of Crystal Growth</i> , 2017 , 468, 816-820	1.6	1
65	Toward High-Temperature Stability of PTB7-Based Bulk Heterojunction Solar Cells: Impact of Fullerene Size and Solvent Additive. <i>Advanced Energy Materials</i> , 2017 , 7, 1601486	21.8	46
64	Ozone Sensors Working at Room Temperature Using Zinc Oxide Nanocrystals Annealed at Low Temperature. <i>Proceedings (mdpi)</i> , 2017 , 1, 423	0.3	3
63	Ligand-Free Synthesis of Aluminum-Doped Zinc Oxide Nanocrystals and their Use as Optical Spacers in Color-Tuned Highly Efficient Organic Solar Cells. <i>Advanced Functional Materials</i> , 2016 , 26, 243-253	15.6	38
62	Enhanced Ultraviolet Stability of Air-Processed Polymer Solar Cells by Al Doping of the ZnO Interlayer. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 1635-43	9.5	62
61	Square-Centimeter-Sized High-Efficiency Polymer Solar Cells: How the Processing Atmosphere and Film Quality Influence Performance at Large Scale. <i>Advanced Energy Materials</i> , 2016 , 6, 1600290	21.8	24
60	Effect of ZnO nanoparticles on the photochemical and electronic stability of P3HT used in polymer solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016 , 155, 79-87	6.4	22
59	Impact of surfactants covering ZnO nanoparticles on solution-processed field-effect transistors: From dispersion state to solid state. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016 , 500, 214-221	5.1	9
58	Insight about electrical properties of low-temperature solution-processed Al-doped ZnO nanoparticle based layers for TFT applications. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2016 , 214, 11-18	3.1	5
57	Direct Hydrogen Evolution from Saline Water Reduction at Neutral pH using Organic Photocathodes. <i>ChemSusChem</i> , 2016 , 9, 3062-3066	8.3	13
56	Light absorption and hole-transport properties of copper corroles: from aggregates to a liquid crystal mesophase. <i>New Journal of Chemistry</i> , 2015 , 39, 7140-7146	3.6	5
55	Laser-induced forward transfer of multi-layered structures for OTFT applications. <i>Applied Surface Science</i> , 2015 , 336, 11-15	6.7	19
54	Laser-induced forward transfer of a bis-pyrene compound for OTFTs. <i>Applied Surface Science</i> , 2015 , 336, 133-137	6.7	1
53	Thermal behaviour and thin film properties of a bis-pyrene compound for organic thin film transistor applications. <i>Synthetic Metals</i> , 2015 , 209, 29-33	3.6	4
52	Microcapacitors with controlled electrical capacity in the pF/fF range printed by laser-induced forward transfer (LIFT). <i>Organic Electronics</i> , 2015 , 20, 1-7	3.5	7
51	Functional multilayered capacitor pixels printed by picosecond laser-induced forward transfer using a smart beam shaping technique. <i>Sensors and Actuators A: Physical</i> , 2015 , 224, 111-118	3.9	10
50	Interplay of Optical, Morphological, and Electronic Effects of ZnO Optical Spacers in Highly Efficient Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2014 , 4, 1400805	21.8	69
49	Interfacial Engineering of P3HT/ZnO Hybrid Solar Cells Using Phthalocyanines: A Joint Theoretical and Experimental Investigation. <i>Advanced Energy Materials</i> , 2014 , 4, 1301694	21.8	38

48	Morphology and microstructure of picene thin-films for air-operating transistors. <i>Applied Surface Science</i> , 2014 , 314, 704-710	6.7	5
47	Crystal structure of oligothiophene thin films characterized by two-dimensional grazing incidence X-ray diffraction. <i>Japanese Journal of Applied Physics</i> , 2014 , 53, 01AD01	1.4	6
46	Towards solution-processed ambipolar hybrid thin-film transistors based on ZnO nanoparticles and P3HT polymer. <i>Superlattices and Microstructures</i> , 2013 , 58, 144-153	2.8	17
45	A star-shaped molecule as hole transporting material in solution-processed thin-film transistors. <i>Synthetic Metals</i> , 2013 , 184, 35-40	3.6	8
44	Electronic Properties and Field-Effect Transistors of Oligomers End-Capped with Benzofuran Moieties. <i>ChemPlusChem</i> , 2013 , 78, 459-466	2.8	14
43	Toward n-channel organic thin film transistors based on a distyryl-bithiophene derivatives. <i>Tetrahedron</i> , 2012 , 68, 4664-4671	2.4	5
42	Laser printing of a semiconducting oligomer as active layer in organic thin film transistors: Impact of a protecting triazene layer. <i>Thin Solid Films</i> , 2012 , 520, 3043-3047	2.2	31
41	Laser printing of air-stable high performing organic thin film transistors. <i>Organic Electronics</i> , 2012 , 13, 2035-2041	3.5	23
40	Perfluoroarene units in distyryl-oligothiophene analogues: An efficient electron density confinement preventing n-type transport in organic thin film transistors. <i>Synthetic Metals</i> , 2012 , 162, 857-861	3.6	5
39	Structure properties relationships of liquid crystal bent core organic semiconductors based on benzo[2,1-b:3,4-b']dithiophene-4,5-dione. <i>Journal of Materials Chemistry</i> , 2012 , 22, 23159		19
38	Organic transistors and phototransistors based on small molecules. <i>Polymer International</i> , 2012 , 61, 374-389	3.8	81
37	In situ Structural Study of Organic Semiconductor Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1402, 54		1
36	Organic Thin Film Transistors Based on Distyryl-Oligothiophenes: Role of AFM Images in Analyses of Charge Transport Properties. <i>Open Journal of Applied Sciences</i> , 2012 , 02, 283-293	0.3	1
35	A New Active Organic Component for Flexible Ammonia Gas Sensors. <i>Procedia Engineering</i> , 2011 , 25, 1069-1072		3
34	Effect of molecular structure on bias stress effect in organic thin-film transistors. <i>Applied Surface Science</i> , 2011 , 257, 9386-9389	6.7	6
33	Top gate copper phthalocyanine thin film transistors with laser-printed dielectric. <i>Synthetic Metals</i> , 2011 , 161, 888-893	3.6	8
32	Ambipolar organic field-effect transistors based on CuPc and F16CuPc: Impact of the fine microstructure at organic/organic interface. <i>Synthetic Metals</i> , 2011 , 161, 1915-1920	3.6	21
31	Multilayer laser printing for Organic Thin Film Transistors. <i>Applied Surface Science</i> , 2011 , 257, 5152-5155	6.7	16

30	Improvement in semiconductor laser printing using a sacrificial protecting layer for organic thin-film transistors fabrication. <i>Applied Surface Science</i> , 2011 , 257, 5245-5249	6.7	15
29	Functionalization of kite-shaped styryl end-capped benzodithiophene with ketone groups: synthesis, characterization and properties. <i>Tetrahedron</i> , 2011 , 67, 1628-1632	2.4	8
28	Acetylenic spacers in phenylene end-substituted oligothiophene core for highly air-stable organic field-effect transistors. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 3845-51	3.6	16
27	Comparison of p-channel transistors based on hexyl-distyryl-bithiophene prepared using various film deposition methods. <i>Thin Solid Films</i> , 2010 , 518, 5311-5320	2.2	8
26	Shelf-life time test of p- and n-channel organic thin film transistors using copper phthalocyanines. <i>Thin Solid Films</i> , 2010 , 518, 5593-5598	2.2	25
25	Core-cyanated distyryl-bithiophene: Synthesis and impact on charge transport in field-effect transistors. <i>Thin Solid Films</i> , 2010 , 519, 578-586	2.2	9
24	p-Type and n-type quaterthiophene based semiconductors for thin film transistors operating in air?. <i>Current Applied Physics</i> , 2009 , 9, 26-33	2.6	12
23	Liquid Crystal Hexyl-Distyryl-Bithiophene: Morphology and Charge Transport Properties in Organic Thin Film Transistors. <i>Molecular Crystals and Liquid Crystals</i> , 2009 , 507, 178-187	0.5	4
22	Influence of Phenyl Perfluorination on Charge Transport Properties of Distyryl-Oligothiophenes in Organic Field-Effect Transistors. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 1567-1574	3.8	22
21	Pulsed-laser printing of organic thin-film transistors. <i>Applied Physics Letters</i> , 2009 , 95, 171109	3.4	81
20	A "kite" shaped styryl end-capped benzo[2,1-b:3,4-b']dithiophene with high electrical performances in organic thin film transistors. <i>Journal of the American Chemical Society</i> , 2008 , 130, 17681-3	16.4	39
19	Inkjet printing of new photosensitive sensors based on organic thin films 2008 ,		1
18	Solution Growth and Structures of Semiconducting Distyryl-Oligothiophene. <i>Molecular Crystals and Liquid Crystals</i> , 2008 , 491, 264-269	0.5	4
17	Comparative time resolved shadowgraphic imaging studies of nanosecond and picosecond laser transfer of organic materials 2008 ,		2
16	Effect of end-substitutions of distyryl-oligothiophenes by hexyl chains on environmental stability in organic thin film transistors. <i>Organic Electronics</i> , 2008 , 9, 591-601	3.5	20
15	Characterization of in-plane structures of vapor deposited thin-films of distyryl-oligothiophenes by grazing incidence x-ray diffractometry. <i>Crystal Research and Technology</i> , 2007 , 42, 1228-1231	1.3	3
14	Charge transfer effects in organic field-effect transistors containing a donor/acceptor heterojunction. <i>Synthetic Metals</i> , 2007 , 157, 551-557	3.6	25
13	Epitaxial Relationships of Vapor Deposited Thin Films of Octithiophene on KBr (001). <i>Molecular Crystals and Liquid Crystals</i> , 2006 , 445, 35/[325]-41/[331]	0.5	

12	Synthesis and thin film electronic properties of two pyrene-substituted oligothiophene derivatives. <i>Journal of Materials Chemistry</i> , 2006 , 16, 2380		42
11	Third-order nonlinear optical properties of oligothiophene-based thin films investigated by electroabsorption spectroscopy: Influence of conjugated chain length and electron-withdrawing substituents. <i>Synthetic Metals</i> , 2006 , 156, 154-161	3.6	14
10	Organic thin films based on a dicyanovinyl-quaterthiophene: Influence of electrode configuration on third-order nonlinear optical properties measured by electroabsorption spectroscopy. <i>Applied Surface Science</i> , 2006 , 253, 1517-1521	6.7	2
9	Environmentally stable organic thin-films transistors: Terminal styryl vs central divinyl benzene building blocks for p-type oligothiophene semiconductors. <i>Organic Electronics</i> , 2006 , 7, 465-473	3.5	36
8	Alpha,omega-distyryl oligothiophenes: high mobility semiconductors for environmentally stable organic thin film transistors. <i>Journal of the American Chemical Society</i> , 2005 , 127, 16346-7	16.4	119
7	Highly Efficient Hybrid Solar Cells Based on an Octithiophene/CuAs Heterojunction. <i>Advanced Functional Materials</i> , 2005 , 15, 810-817	15.6	25
6	Design of organic semiconductors: tuning the electronic properties of pi-conjugated oligothiophenes with the 3,4-ethylenedioxythiophene (EDOT) building block. <i>Chemistry - A European Journal</i> , 2005 , 11, 3742-52	4.8	194
5	Conductive polymer interconnections for three-dimensional computing structures. <i>Surface Science</i> , 2003 , 532-535, 1182-1186	1.8	10
4	Growth of organic semiconductors for hybrid solar cell application. <i>Thin Solid Films</i> , 2002 , 403-404, 157-161	16.1	32
3	Morphology and structure of organic thin films for solar cells and transistors application. <i>Thin Solid Films</i> , 2002 , 403-404, 380-383	2.2	10
2	Influence of molecular orientation on the photovoltaic properties of octithiophene. <i>Synthetic Metals</i> , 1999 , 102, 885-888	3.6	27
1	Photovoltaic solar cells based on rare earth bisphthalocyanine complexes. <i>Synthetic Metals</i> , 1999 , 102, 1052	3.6	6