# Ignatios Ikonomidis

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1552974/ignatios-ikonomidis-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

236 papers

5,788 citations

38 h-index 65 g-index

267 ext. papers

6,932 ext. citations

4./
avg, IF

5.51 L-index

#	Paper	IF	Citations
236	Myocardial work and vascular dysfunction are partially improved at twelve months after COVID-19 infection European Journal of Heart Failure, <b>2022</b> ,	12.3	8
235	Diabetes and COVID-19; A Bidirectional Interplay Frontiers in Endocrinology, 2022, 13, 780663	5.7	5
234	The value of myocardial strain imaging in the evaluation of patients with repaired Tetralogy of Fallot: a review of the literature <i>Heart Failure Reviews</i> , <b>2022</b> , 1	5	O
233	Mealth-related quality of life in operated adult patients with Tetralogy of Fallot and correlation with advanced imaging indexes and cardiopulmonary exercise test@ narrative review Current Problems in Cardiology, 2022, 101184	17.1	
232	Left atrial deformation in heart failure: a clinical update Current Problems in Cardiology, 2022, 101183	17.1	
231	Cardioprotection by selective SGLT-2 inhibitors in a non-diabetic mouse model of myocardial ischemia/reperfusion injury: a class or a drug effect?. <i>Basic Research in Cardiology</i> , <b>2022</b> , 117, 27	11.8	1
230	Pharmacologic Rate versus Rhythm Control for Atrial Fibrillation in Heart Failure Patients. <i>Medicina</i> (Lithuania), <b>2022</b> , 58, 743	3.1	O
229	The prognostic role of RBP-4 and adiponectin in patients with peripheral arterial disease undergoing lower limb endovascular revascularization. <i>Cardiovascular Diabetology</i> , <b>2021</b> , 20, 221	8.7	2
228	High take off left main coronary artery accompanied by multicryptic left ventricle myocardium detected by cardiac computerized tomography in a young male: case report. <i>BMC Cardiovascular Disorders</i> , <b>2021</b> , 21, 557	2.3	
227	Impaired Endothelial Glycocalyx Predicts Adverse Outcome in Subjects Without Overt Cardiovascular Disease: a 6-Year Follow-up Study. <i>Journal of Cardiovascular Translational Research</i> , <b>2021</b> , 1	3.3	3
226	Myocardial Work: Methodology and Clinical Applications. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	17
225	Association of ventricular-arterial interaction with the response to cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 1238-1240	12.3	O
224	Effects of Treatment With Continuous Subcutaneous Insulin Infusion on Arterial Stiffness and Endothelial Glycocalyx Compared to MDI Intensification in Patients With Type 1 Diabetes: Improvement After a Six-Month Pump Treatment. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A458-A459	0.4	78
223	Type 1 Diabetes Mellitus in the SARS-CoV-2 Pandemic: Oxidative Stress as a Major Pathophysiological Mechanism Linked to Adverse Clinical Outcomes. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	5
222	Effects of Anti-Inflammatory Treatment and Surgical Intervention on Endothelial Glycocalyx, Peripheral and Coronary Microcirculatory Function and Myocardial Deformation in Inflammatory Bowel Disease Patients: A Two-Arms Two-Stage Clinical Trial. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	2
221	May We Use Non-Invasive Indices of Aortic Stiffness and Endothelial Glycocalyx as Biomarkers for Idiopathic Pulmonary Artery Hypertension Follow-Up?. <i>Medicina (Lithuania)</i> , <b>2021</b> , 57,	3.1	
220	Differential effects of heat-not-burn and conventional cigarettes on coronary flow, myocardial and vascular function. <i>Scientific Reports</i> , <b>2021</b> , 11, 11808	4.9	2

219	Effects of hormone replacement therapy on endothelial function, arterial stiffness and myocardial deformation in women with Turner syndrome. <i>Journal of Hypertension</i> , <b>2021</b> , 39, 2051-2057	1.9	O
218	Cardiac imaging in cardiotoxicity: a focus on clinical practice. <i>Heart Failure Reviews</i> , <b>2021</b> , 26, 1175-1187	<b>'</b> 5	4
217	Differential Effects of Antihypertensive Therapy on Myocardial Deformation. <i>Journal of Cardiovascular Translational Research</i> , <b>2021</b> , 14, 129-130	3.3	
216	Cardiac amyloidosis: in search of the ideal diagnostic tool. <i>Herz</i> , <b>2021</b> , 46, 9-14	2.6	2
215	An indirect effect of covid-19 on the heart: A case report. JRSM Cardiovascular Disease, 2021, 10, 20480	04.020	974238
214	Hypertension-mediated organ damage regression associates with blood pressure variability improvement three years after successful treatment initiation in essential hypertension. <i>Journal of Clinical Hypertension</i> , <b>2021</b> , 23, 1150-1158	2.3	4
213	Is there any true distinction in extreme dipping versus nondipping or dipping phenotype regarding hypertension-mediated organ damage in newly diagnosed and never-treated hypertensive patients?. <i>Journal of Human Hypertension</i> , <b>2021</b> ,	2.6	1
212	The association of bullous pemphigoid with dipeptidyl-peptidase 4 inhibitors: a ten-year prospective observational study. <i>BMC Endocrine Disorders</i> , <b>2021</b> , 21, 23	3.3	4
211	Vascular conditioning prevents adverse left ventricular remodelling after acute myocardial infarction: a randomised remote conditioning study. <i>Basic Research in Cardiology</i> , <b>2021</b> , 116, 9	11.8	8
210	Association of COVID-19 with impaired endothelial glycocalyx, vascular function and Imyocardial deformation 4 months after infection. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 1916-1926	12.3	24
209	The Effect of Antioxidant and Anti-Inflammatory Capacity of Diet on Psoriasis and Psoriatic Arthritis Phenotype: Nutrition as Therapeutic Tool?. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	8
208	MitraClip and left ventricular reverse remodelling: a strain imaging study. <i>ESC Heart Failure</i> , <b>2020</b> , 7, 1409-1418	3.7	10
207	Effects of combustible tobacco smoking and novel tobacco products on oxidative stress: Different sides of the same coin?. <i>Current Opinion in Toxicology</i> , <b>2020</b> , 20-21, 41-47	4.4	4
206	Obesity and COVID-19: immune and metabolic derangement as a possible link to adverse clinical outcomes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2020</b> , 319, E105-E109	6	104
205	Global Longitudinal Strain of the Systemic Ventricle Is Correlated with Plasma Galectin-3 and Predicts Major Cardiovascular Events in Adult Patients with Congenital Heart Disease. <i>Medicina</i> (Lithuania), <b>2020</b> , 56,	3.1	1
204	A Narrative and Critical Review of Randomized-Controlled Clinical Trials on Patent Foramen Ovale Closure for Reducing the Risk of Stroke Recurrence. <i>Frontiers in Neurology</i> , <b>2020</b> , 11, 434	4.1	4
203	Late Takayasu Arteritis Diagnosis in heremale Patient With Prior Coronary Artery Bypass Grafting. JACC: Case Reports, <b>2020</b> , 2, 19-23	1.2	
202	EAmyloid and mitochondrial-derived peptide-c are additive predictors of adverse outcome to high-on-treatment platelet reactivity in type 2 diabetics with revascularized coronary artery disease. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2020</b> , 49, 365-376	5.1	2

201	Association of impaired arterial wall properties with the presence of coronary artery disease in patients with abdominal aortic aneurysms. <i>Journal of Clinical Hypertension</i> , <b>2020</b> , 22, 187-193	2.3	2
200	Chronic inflammatory diseases, myocardial function and cardioprotection. <i>British Journal of Pharmacology</i> , <b>2020</b> , 177, 5357-5374	8.6	6
199	Mid-term effects of electronic cigarette use on vascular function and oxidative stress. <i>Cardiovascular Research</i> , <b>2020</b> , 116, e82	9.9	1
198	Effects of Glucagon-Like Peptide-1 Receptor Agonists, Sodium-Glucose Cotransporter-2 Inhibitors, and Their Combination on Endothelial Glycocalyx, Arterial Function, and Myocardial Work Index in Patients With Type 2 Diabetes Mellitus After 12-Month Treatment. <i>Journal of the American Heart</i>	6	44
197	Effects of electronic cigarette on platelet and vascular function after four months of use. <i>Food and Chemical Toxicology</i> , <b>2020</b> , 141, 111389	4.7	11
196	Endothelial and Cardiac Dysfunction in Inflammatory Bowel Diseases: Does Treatment Modify the Inflammatory Load on Arterial and Cardiac Structure and Function?. <i>Current Vascular Pharmacology</i> , <b>2020</b> , 18, 27-37	3.3	4
195	The Endothelial Glycocalyx as a Key Mediator of Albumin Handling and the Development of Diabetic Nephropathy. <i>Current Vascular Pharmacology</i> , <b>2020</b> , 18, 619-631	3.3	4
194	Investigating the Link between Psoriasis and Cardiovascular Disease: Current Evidence, Therapeutic Implications and Perspectives. <i>Current Vascular Pharmacology</i> , <b>2020</b> , 18, 592-609	3.3	3
193	Temporal changes of noninvasive electrocardiographic risk factors for sudden cardiac death in post-myocardial infarction patients with preserved ejection fraction: Insights from the PRESERVE-EF study. <i>Annals of Noninvasive Electrocardiology</i> , <b>2020</b> , 25, e12701	1.5	3
192	Authors response to the letter on HREV-D-19-00059R-1: Advancements in the diagnostic workup, prognostic evaluation and treatment of Takotsubo syndrome. <i>Heart Failure Reviews</i> , <b>2020</b> , 25, 887-889	5	1
191	Systemic endothelial glycocalyx and aortic stiffness are preserved in pulmonary arterial hypertension. <i>Hellenic Journal of Cardiology</i> , <b>2020</b> , 61, 288-290	2.1	2
190	Optimal Blood Pressure Control Improves Left Ventricular Torsional Deformation and Vascular Function in Newly Diagnosed Hypertensives: a 3-Year Follow-up Study. <i>Journal of Cardiovascular Translational Research</i> , <b>2020</b> , 13, 814-825	3.3	9
189	Safety and efficacy of salt substitution with a low sodium-potassium enriched dietary salt in patients with heart failure with reduced ejection fraction: A pilot study. <i>Clinical Nutrition ESPEN</i> , <b>2020</b> , 35, 90-94	1.3	7
188	Tocilizumab improves oxidative stress and endothelial glycocalyx: A mechanism that may explain the effects of biological treatment on COVID-19. <i>Food and Chemical Toxicology</i> , <b>2020</b> , 145, 111694	4.7	19
187	PCSK9 in Myocardial Infarction and Cardioprotection: Importance of Lipid Metabolism and Inflammation. <i>Frontiers in Physiology</i> , <b>2020</b> , 11, 602497	4.6	2
186	Prevalence of patent foramen ovale in the Greek population is high and impacts on the interpretation of the risk of paradoxical embolism (RoPE) score. <i>Therapeutic Advances in Neurological Disorders</i> , <b>2020</b> , 13, 1756286420964673	6.6	3
185	Pre-Existing Cytokine and NLRP3 Inflammasome Activation and Increased Vascular Permeability in Diabetes: A Possible Fatal Link With Worst COVID-19 Infection Outcomes?. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 557235	8.4	12
184	Are Unattended Blood Pressure Measurements Necessary in All Patients Visiting an Outpatient Cardiology Clinic?. <i>High Blood Pressure and Cardiovascular Prevention</i> , <b>2020</b> , 27, 389-397	2.9	

#### (2019-2020)

183	Sex-related associations of high-density lipoprotein cholesterol with aortic stiffness and endothelial glycocalyx integrity in treated hypertensive patients. <i>Journal of Clinical Hypertension</i> , <b>2020</b> , 22, 1827-1834	2.3	4	
182	The Dual Role of Echocardiography in the Diagnosis of Acute Cardiac Complications and Treatment Monitoring for Coronavirus Disease 2019 (COVID-19). <i>Frontiers in Cardiovascular Medicine</i> , <b>2020</b> , 7, 129	5.4	9	
181	Heart failure and sepsis: practical recommendations for the optimal management. <i>Heart Failure Reviews</i> , <b>2020</b> , 25, 183-194	5	13	
180	Recurrent atherosclerosis complications as a mechanism for stent failure. <i>Hellenic Journal of Cardiology</i> , <b>2020</b> , 61, 9-14	2.1	7	
179	Pharmacodynamic comparison of low-dose ticagrelor to low-dose prasugrel in patients with prior myocardial infarction: the ALTIC-2 study. <i>Platelets</i> , <b>2020</b> , 31, 812-814	3.6	1	
178	Advancements in the diagnostic workup, prognostic evaluation, and treatment of takotsubo syndrome. <i>Heart Failure Reviews</i> , <b>2020</b> , 25, 757-771	5	9	
177	Effects of Interleukin 17A Inhibition on Myocardial Deformation and Vascular Function in Psoriasis. <i>Canadian Journal of Cardiology</i> , <b>2020</b> , 36, 100-111	3.8	22	
176	Pulse wave analysis using the Mobil-O-Graph, Arteriograph and Complior device: a comparative study. <i>Blood Pressure</i> , <b>2019</b> , 28, 107-113	1.7	19	
175	Real world data from the use of secukinumab in the treatment of moderate-to-severe psoriasis, including scalp and palmoplantar psoriasis: A 104-week clinical study. <i>Dermatologic Therapy</i> , <b>2019</b> , 32, e13006	2.2	23	
174	The prognostic value of multiple electrode aggregometry and light transmittance aggregometry in stable cardiovascular patients with type 2 diabetes mellitus. <i>Thrombosis Research</i> , <b>2019</b> , 180, 47-54	8.2	3	
173	Imaging Risk in Multisystem Inflammatory Diseases. <i>JACC: Cardiovascular Imaging</i> , <b>2019</b> , 12, 2517-2537	8.4	7	
172	Hypertrophic cardiomyopathy: an updated review on diagnosis, prognosis, and treatment. <i>Heart Failure Reviews</i> , <b>2019</b> , 24, 439-459	5	25	
171	Isolated extramedullary leukemic involvement of the heart presenting as fulminant heart failure. <i>Annals of Hematology</i> , <b>2019</b> , 98, 1775-1776	3	1	
170	Differential effects of inhibition of interleukin 1 and 6 on myocardial, coronary and vascular function. <i>Clinical Research in Cardiology</i> , <b>2019</b> , 108, 1093-1101	6.1	25	
169	Cardiology Working Group on Aorta & Peripheral Vascular Diseases, European Association of	12.3	95	
168	Cardiovascular Imaging, and Heart Failure Association. European Journal of Heart Failure, <b>2019</b> , 21, 402- Cryoballoon ablation under transesophageal echocardiographic guidance in dextrocardia. Hellenic Journal of Cardiology, <b>2019</b> , 60, 61-63	-424 2.1	2	
167	Impaired Arterial Elastic Properties and Endothelial Glycocalyx in Patients with Embolic Stroke of Undetermined Source. <i>Thrombosis and Haemostasis</i> , <b>2019</b> , 119, 1860-1868	7	14	
166	Effects of Different Antidiabetic Medications on Endothelial Glycocalyx, Myocardial Function, and Vascular Function in Type 2 Diabetic Patients: One Year Follow-Up Study. <i>Journal of Clinical Medicine</i> <b>2019</b> 8	5.1	15	

165	Measurement of central augmentation index by three different methods and techniques: Agreement among Arteriograph, Complior, and Mobil-O-Graph devices. <i>Journal of Clinical Hypertension</i> , <b>2019</b> , 21, 1386-1392	2.3	8
164	Clinical and Neuroimaging Characteristics in Embolic Stroke of Undetermined versus Cardioembolic Origin: A Population-Based Study. <i>Journal of Neuroimaging</i> , <b>2019</b> , 29, 737-742	2.8	1
163	Inotropes in Acute Heart Failure: From Guidelines to Practical Use: Therapeutic Options and Clinical Practice. <i>Cardiac Failure Review</i> , <b>2019</b> , 5, 133-139	4.2	16
162	Patent Foramen Ovale: Risk Factors and Diagnostic Comparison of Transcranial Doppler versus Echocardiography for Secondary Stroke Prevention <b>2019</b> , 11, 22-33		0
161	Potential Utility of Neurosonology in Paroxysmal Atrial Fibrillation Detection in Patients with Cryptogenic Stroke. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	5
160	Pulse wave velocity to global longitudinal strain ratio in hypertension. <i>European Journal of Clinical Investigation</i> , <b>2019</b> , 49, e13049	4.6	20
159	Transthoracic 3D echocardiography used as a low-cost and precise technique to facilitate ablation of ventricular tachycardia from the left posteromedial papillary muscle. <i>Hellenic Journal of Cardiology</i> , <b>2019</b> , 60, 261-263	2.1	O
158	Overview of mitral regurgitation in Europe: results from the European Registry of mitral regurgitation (EuMiClip). <i>European Heart Journal Cardiovascular Imaging</i> , <b>2018</b> , 19, 503-507	4.1	29
157	Association of impaired endothelial glycocalyx with arterial stiffness, coronary microcirculatory dysfunction, and abnormal myocardial deformation in untreated hypertensives. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 672-679	2.3	33
156	Electronic Cigarette Smoking Increases Arterial Stiffness and Oxidative Stress to a Lesser Extent Than a Single Conventional Cigarette: An Acute and Chronic Study. <i>Circulation</i> , <b>2018</b> , 137, 303-306	16.7	45
155	Effects of functional electrical stimulation of lower limb muscles on circulating endothelial progenitor cells, CD34+ cells and vascular endothelial growth factor-A in heart failure with reduced ejection fraction. <i>European Journal of Heart Failure</i> , <b>2018</b> , 20, 1162-1163	12.3	2
154	Bilateral sphenopalatine ganglion block reduces blood pressure in never treated patients with essential hypertension. A randomized controlled single-blinded study. <i>International Journal of Cardiology</i> , <b>2018</b> , 250, 233-239	3.2	5
153	Association of mineralocorticoid receptor antagonist use and in-hospital outcomes in patients with acute heart failure. <i>Clinical Research in Cardiology</i> , <b>2018</b> , 107, 76-86	6.1	10
152	Rationale and design of a multicentre, randomized, placebo-controlled trial of mirabegron, a Beta3-adrenergic receptor agonist on left ventricular mass and diastolic function in patients with structural heart disease Beta3-left ventricular hypertrophy (Beta3-LVH). ESC Heart Failure, 2018, 5, 830	3.7 -841	20
151	Effects of 6-month treatment with the glucagon like peptide-1 analogue liraglutide on arterial stiffness, left ventricular myocardial deformation and oxidative stress in subjects with newly diagnosed type 2 diabetes. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 8	8.7	72
150	Percutaneous patent foramen ovale closure for secondary stroke prevention: Network meta-analysis. <i>Neurology</i> , <b>2018</b> , 91, e8-e18	6.5	16
149	Laboratory Assessment of the Anticoagulant Activity of Apixaban in Patients With Nonvalvular Atrial Fibrillation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2018</b> , 24, 194S-201S	3.3	4
148	Implantable devices to monitor patients with heart failure. <i>Heart Failure Reviews</i> , <b>2018</b> , 23, 849-857	5	2

147	HDL cholesterol levels and endothelial glycocalyx integrity in treated hypertensive patients. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 1615-1623	2.3	9
146	Ticagrelor Versus Clopidogrel as Part of Dual or Triple Antithrombotic Therapy: a Systematic Review and Meta-Analysis. <i>Cardiovascular Drugs and Therapy</i> , <b>2018</b> , 32, 287-294	3.9	20
145	Effects of levosimendan on markers of kidney function in patients with acutely decompensated heart failure and renal impairment. <i>Journal of Cardiovascular Medicine</i> , <b>2017</b> , 18, 771-773	1.9	7
144	Early detection of left ventricular dysfunction in first-degree relatives of diabetic patients by myocardial deformation imaging: The role of endothelial glycocalyx damage. <i>International Journal of Cardiology</i> , <b>2017</b> , 233, 105-112	3.2	16
143	Multidimensional contractile reserve predicts adverse outcome in patients with severe systolic heart failure: a 4-year follow-up study. <i>European Journal of Heart Failure</i> , <b>2017</b> , 19, 846-861	12.3	15
142	Effects of varenicline and nicotine replacement therapy on arterial elasticity, endothelial glycocalyx and oxidative stress during a 3-month smoking cessation program. <i>Atherosclerosis</i> , <b>2017</b> , 262, 123-130	3.1	27
141	Acute heart failure with mid-range left ventricular ejection fraction: clinical profile, in-hospital management, and short-term outcome. <i>Clinical Research in Cardiology</i> , <b>2017</b> , 106, 359-368	6.1	45
140	Lowering Interleukin-12 Activity Improves Myocardial and Vascular Function Compared With Tumor Necrosis Factor-a Antagonism or Cyclosporine in Psoriasis. <i>Circulation: Cardiovascular Imaging</i> , <b>2017</b> , 10,	3.9	39
139	Deformation Analysis of Myocardial Layers Detects Early Cardiac Dysfunction after Chemotherapy in Bone Marrow Transplantation Patients: A Continuous and Additive Cardiotoxicity Process. Journal of the American Society of Echocardiography, 2017, 30, 1091-1102	5.8	14
138	Blood Pressure Reduction and Secondary Stroke Prevention: A Systematic Review and Metaregression Analysis of Randomized Clinical Trials. <i>Hypertension</i> , <b>2017</b> , 69, 171-179	8.5	92
137	The interplay between renin-angiotensin system activation, abnormal myocardial deformation and neurohumoral activation in hypertensive heart disease: a speckle tracking echocardiography study. <i>International Journal of Cardiovascular Imaging</i> , <b>2017</b> , 33, 323-329	2.5	7
136	Severity of Alopecia Predicts Coronary Changes and Arterial Stiffness in Untreated Hypertensive Men. <i>Journal of Clinical Hypertension</i> , <b>2017</b> , 19, 51-57	2.3	5
135	Empagliflozin Limits Myocardial Infarction and Cell Death : Role of STAT3, Mitochondria, and Redox Aspects. <i>Frontiers in Physiology</i> , <b>2017</b> , 8, 1077	4.6	70
134	The independent relationship of blood pressure load with target organ damage in untreated hypertensive patients: the role of dipping status. <i>Blood Pressure Monitoring</i> , <b>2016</b> , 21, 366-368	1.3	
133	Body mass index in acute heart failure: association with clinical profile, therapeutic management and in-hospital outcome. <i>European Journal of Heart Failure</i> , <b>2016</b> , 18, 298-305	12.3	23
132	Heart failure and the risk of ischemic stroke recurrence: A systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , <b>2016</b> , 362, 182-7	3.2	23
131	Increased levels of circulating platelet-derived microparticles in psoriasis: Possible implications for the associated cardiovascular risk. <i>World Journal of Cardiology</i> , <b>2016</b> , 8, 667-675	2.1	9
130	Association of arterial stiffness with coronary flow reserve in revascularized coronary artery disease patients. <i>World Journal of Cardiology</i> , <b>2016</b> , 8, 231-9	2.1	12

129	Transcranial Doppler versus transthoracic echocardiography for the detection of patent foramen ovale in patients with cryptogenic cerebral ischemia: A systematic review and diagnostic test accuracy meta-analysis. <i>Annals of Neurology</i> , <b>2016</b> , 79, 625-35	9.4	62
128	Comparative Assessment of the Anticoagulant Activity of Rivaroxaban and Dabigatran in Patients With Nonvalvular Atrial Fibrillation: A Noninterventional Study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e303	7 <sup>1.8</sup>	14
127	The diagnostic yield of transesophageal echocardiography in patients with cryptogenic cerebral ischaemia: a meta-analysis. <i>European Journal of Neurology</i> , <b>2016</b> , 23, 569-79	6	30
126	The independent association of two "priceless" parameters: Pulse pressure and red cell distribution width in recently diagnosed hypertensive patients. <i>Hellenic Journal of Cardiology</i> , <b>2016</b> , 57, 459-462	2.1	5
125	Novel oral anticoagulants for the secondary prevention of cerebral ischemia: a network meta-analysis. <i>Therapeutic Advances in Neurological Disorders</i> , <b>2016</b> , 9, 359-68	6.6	25
124	The value of transesophageal echocardiography for embolic strokes of undetermined source. <i>Neurology</i> , <b>2016</b> , 87, 988-95	6.5	55
123	Impact of dabigatran on platelet function and fibrinolysis. <i>Journal of the Neurological Sciences</i> , <b>2015</b> , 357, 204-8	3.2	7
122	Rapid normalization of vasculitis-induced left ventricular dysfunction related with multiple cardiac thrombi. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2015</b> , 40, 395-9	5.1	2
121	Efficacy and safety of functional electrical stimulation of lower limb muscles in elderly patients with chronic heart failure: A pilot study. <i>European Journal of Preventive Cardiology</i> , <b>2015</b> , 22, 831-6	3.9	15
120	The Association of Elevated HDL Levels With Carotid Atherosclerosis in Middle-Aged Women With Untreated Essential Hypertension. <i>Angiology</i> , <b>2015</b> , 66, 904-10	2.1	7
119	Insulin resistance and acute glucose changes determine arterial elastic properties and coronary flow reserve in dysglycaemic and first-degree relatives of diabetic patients. <i>Atherosclerosis</i> , <b>2015</b> , 241, 455-62	3.1	18
118	Determinants of the direct cost of heart failure hospitalization in a public tertiary hospital. <i>International Journal of Cardiology</i> , <b>2015</b> , 180, 46-9	3.2	27
117	Effect of aliskiren on circulating endothelial progenitor cells and vascular function in patients with type 2 diabetes and essential hypertension. <i>American Journal of Hypertension</i> , <b>2015</b> , 28, 22-9	2.3	29
116	Arterial stiffness and coronary artery disease. <i>Current Opinion in Cardiology</i> , <b>2015</b> , 30, 422-31	2.1	51
115	Association of impaired left ventricular twisting-untwisting with vascular dysfunction, neurohumoral activation and impaired exercise capacity in hypertensive heart disease. <i>European Journal of Heart Failure</i> , <b>2015</b> , 17, 1240-51	12.3	46
114	Arterial Stiffness Alterations and Inflammatory Response Following Endovascular Aortic Repair: Based on a Presentation at the 2013 VEITH Symposium, November 19-23, 2013 (New York, NY, USA). <i>Aorta</i> , <b>2015</b> , 3, 75-80	0.9	14
113	Is Arterial Hypertension Control Enough to Improve Aortic Stiffness in Untreated Patients With Hypertension? A 3-Year Follow-Up Study. <i>Angiology</i> , <b>2015</b> , 66, 759-65	2.1	11
112	Similarities in coronary function and myocardial deformation between psoriasis and coronary artery disease: the role of oxidative stress and inflammation. <i>Canadian Journal of Cardiology</i> , <b>2015</b> , 31, 287-95	3.8	45

## (2013-2015)

1	11	Laboratory assessment of the anticoagulant activity of dabigatran. <i>Clinical and Applied Thrombosis/Hemostasis</i> , <b>2015</b> , 21, 434-45	3.3	9
1	10	Prognostic value of in-hospital change in cystatin C in patients with acutely decompensated heart failure and renal dysfunction. <i>International Journal of Cardiology</i> , <b>2015</b> , 182, 74-6	3.2	9
1	09	Dobutamine-induced changes of multidimensional cardiac deformation predict functional capacity in patients with advanced systolic heart failure. <i>International Journal of Cardiology</i> , <b>2014</b> , 176, 1438-40	3.2	4
1	08	Selenium contributes to myocardial injury and cardiac remodeling in heart failure. <i>International Journal of Cardiology</i> , <b>2014</b> , 176, 272-3	3.2	15
1	07	Association of Lp-PLA2 with digital reactive hyperemia, coronary flow reserve, carotid atherosclerosis and arterial stiffness in coronary artery disease. <i>Atherosclerosis</i> , <b>2014</b> , 234, 34-41	3.1	30
1	06	Differences in clinical characteristics, management and short-term outcome between acute heart failure patients chronic obstructive pulmonary disease and those without this co-morbidity. <i>Clinical Research in Cardiology</i> , <b>2014</b> , 103, 733-41	6.1	25
1	05	Differential effects of stent-graft fabrics on arterial stiffness in patients undergoing endovascular aneurysm repair. <i>Journal of Endovascular Therapy</i> , <b>2014</b> , 21, 850-8	2.5	50
1	04	Clinical usefulness of novel serum and imaging biomarkers in risk stratification of patients with stable angina. <i>Disease Markers</i> , <b>2014</b> , 2014, 831364	3.2	5
1	03	Increased benefit of interleukin-1 inhibition on vascular function, myocardial deformation, and twisting in patients with coronary artery disease and coexisting rheumatoid arthritis. <i>Circulation: Cardiovascular Imaging</i> , <b>2014</b> , 7, 619-28	3.9	102
1	02	Coronary flow reserve is associated with tissue ischemia and is an additive predictor of intensive care unit mortality to traditional risk scores in septic shock. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, 103-8	3.2	14
1	01	Phospholipases in Cardiovascular Disease <b>2014</b> , 73-83		1
1	00	Impact of the proton pump inhibitors and CYP2C19*2 polymorphism on platelet response to clopidogrel as assessed by four platelet function assays. <i>Thrombosis Research</i> , <b>2013</b> , 132, e105-11	8.2	22
9	9	Functional electrical stimulation of peripheral muscles improves endothelial function and clinical and emotional status in heart failure patients with preserved left ventricular ejection fraction. American Heart Journal, <b>2013</b> , 166, 760-7	4.9	37
9	8	Gender-related differences in patients with acute heart failure: management and predictors of in-hospital mortality. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 185-9	3.2	27
9	7	Clinical and neurohormonal correlates and prognostic value of serum prolactin levels in patients with chronic heart failure. <i>European Journal of Heart Failure</i> , <b>2013</b> , 15, 1122-30	12.3	18
9	6	The evaluation of pulse wave velocity using Arteriograph and Complior apparatus across multiple cohorts of cardiovascular-related diseases. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4890-2	3.2	17
9	5	Prognostic value of high sensitivity troponin T in patients with acutely decompensated heart failure and non-detectable conventional troponin T levels. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 3609-	-32 <sup>2</sup>	31
9	4	Delayed blood pressure recovery ratio might indicate increased arterial stiffness in hypertensive patients with reduced aerobic exercise capacity. <i>Blood Pressure</i> , <b>2013</b> , 22, 290-6	1.7	7

93	Reply: To PMID 23391092. Journal of Endovascular Therapy, 2013, 20, 127-8	2.5	
92	The effect of acute administration of statins on coronary microcirculation during the pre-revascularization period in patients with myocardial infraction. <i>Atherosclerosis</i> , <b>2012</b> , 223, 184-9	3.1	14
91	Arterial stiffness and novel biomarkers in patients with abdominal aortic aneurysms. <i>Regulatory Peptides</i> , <b>2012</b> , 179, 50-4		45
90	Evaluation of the role of the new INNOVANCE PFA P2Y test cartridge in detection of clopidogrel resistance. <i>Platelets</i> , <b>2012</b> , 23, 481-9	3.6	34
89	Dobutamine-induced changes of left atrial two-dimensional deformation predict clinical and neurohumoral improvement after levosimendan treatment in patients with acutely decompensated chronic heart failure. <i>International Journal of Cardiology</i> , <b>2012</b> , 157, 31-7	3.2	4
88	Acute heart failure in patients with diabetes mellitus: clinical characteristics and predictors of in-hospital mortality. <i>International Journal of Cardiology</i> , <b>2012</b> , 157, 108-13	3.2	41
87	Inflammatory markers in coronary artery disease. <i>BioFactors</i> , <b>2012</b> , 38, 320-8	6.1	32
86	Changes in aortic pulse wave velocity of patients undergoing endovascular repair of abdominal aortic aneurysms. <i>Journal of Endovascular Therapy</i> , <b>2012</b> , 19, 661-6	2.5	38
85	Arterial stiffness is associated with increased monocyte expression of adiponectin receptor mRNA and protein in patients with coronary artery disease. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 746-5	5 <sup>2.3</sup>	20
84	Association of abnormal coronary microcirculatory function with impaired response of longitudinal left ventricular function during adenosine stress echocardiography in untreated hypertensive patients. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2012</b> , 13, 1030-40	4.1	13
83	Effects of sertraline on circulating markers of oxidative stress in depressed patients with chronic heart failure: a pilot study. <i>Journal of Cardiac Failure</i> , <b>2011</b> , 17, 748-54	3.3	21
82	Atherosclerotic vascular disorders in HIV infected patients. <i>Artery Research</i> , <b>2011</b> , 5, 81	2.2	3
81	Association of soluble apoptotic markers with impaired left ventricular deformation in patients with rheumatoid arthritis. Effects of inhibition of interleukin-1 activity by anakinra. <i>Thrombosis and Haemostasis</i> , <b>2011</b> , 106, 959-67	7	14
80	The role of lipoprotein-associated phospholipase A2 (Lp-PLA) in cardiovascular disease. <i>Reviews on Recent Clinical Trials</i> , <b>2011</b> , 6, 108-13	1.2	18
79	Clinical characteristics and predictors of in-hospital mortality in acute heart failure with preserved left ventricular ejection fraction. <i>American Journal of Cardiology</i> , <b>2011</b> , 107, 79-84	3	32
78	Adiponectin levels and expression of adiponectin receptors in isolated monocytes from overweight patients with coronary artery disease. <i>Cardiovascular Diabetology</i> , <b>2011</b> , 10, 14	8.7	37
77	Methods for evaluating endothelial function: a position statement from the European Society of Cardiology Working Group on Peripheral Circulation. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2011</b> , 18, 775-89		203
76	Kinetics of adipose tissue microdialysis-derived metabolites in critically ill septic patients: associations with sepsis severity and clinical outcome. <i>Shock</i> , <b>2011</b> , 35, 343-8	3.4	16

75	Congenital left ventricular aneurysm: a cause of impaired myocardial torsion and peripheral thrombo-embolic events. <i>European Journal of Echocardiography</i> , <b>2011</b> , 12, E7		8
74	The role of aortic elastic properties in prognosis of patients with acute heart failure. <i>American Journal of Hypertension</i> , <b>2011</b> , 24, 737-8	2.3	
73	Effects of adiponectin in TNF-[IL-6, and IL-10 cytokine production from coronary artery disease macrophages. <i>Hormone and Metabolic Research</i> , <b>2011</b> , 43, 537-44	3.1	35
72	The role of the selective serotonin re-uptake inhibitor sertraline in nondepressive patients with chronic ischemic heart failure: a preliminary study. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2010</b> , 33, 1217-23	1.6	10
71	Microcirculatory vascular dysfunction in HIV-1 infected patients receiving highly active antiretroviral therapy. <i>Microcirculation</i> , <b>2010</b> , 17, 303-10	2.9	7
70	Acute pulmonary oedema: clinical characteristics, prognostic factors, and in-hospital management. <i>European Journal of Heart Failure</i> , <b>2010</b> , 12, 1193-202	12.3	40
69	Staccato reperfusion improves myocardial microcirculatory function and long-term left ventricular remodelling: a randomised contrast echocardiography study. <i>Heart</i> , <b>2010</b> , 96, 1898-903	5.1	11
68	Incremental predictive value of carotid intima-media thickness to arterial stiffness for impaired coronary flow reserve in untreated hypertensives. <i>Hypertension Research</i> , <b>2010</b> , 33, 367-73	4.7	17
67	Selective serotonin re-uptake inhibitors decrease the cytokine-induced endothelial adhesion molecule expression, the endothelial adhesiveness to monocytes and the circulating levels of vascular adhesion molecules. <i>International Journal of Cardiology</i> , <b>2010</b> , 139, 150-8	3.2	34
66	Functional electrical stimulation is more effective in severe symptomatic heart failure patients and improves their adherence to rehabilitation programs. <i>Journal of Cardiac Failure</i> , <b>2010</b> , 16, 244-9	3.3	33
65	Association of target organ damage with three arterial stiffness indexes according to blood pressure dipping status in untreated hypertensive patients. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 1265-72	2.3	36
64	Cardiovascular complications of AIDS. Current Opinion in Critical Care, 2010, 16, 408-12	3.5	20
63	Association of left ventricular diastolic dysfunction with elevated NT-pro-BNP in general intensive care unit patients with preserved ejection fraction: a complementary role of tissue Doppler imaging parameters and NT-pro-BNP levels for adverse outcome. <i>Shock</i> , <b>2010</b> , 33, 141-8	3.4	31
62	Aortic distensibility associates with increased ascending thoracic aorta diameter and left ventricular diastolic dysfunction in patients with coronary artery ectasia. <i>Heart and Vessels</i> , <b>2010</b> , 25, 187-94	2.1	11
61	Prognostic value of tissue Doppler right ventricular systolic and diastolic function indexes combined with plasma B-type natriuretic Peptide in patients with advanced heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2010</b> , 105, 249-54	3	27
60	Genetic variation in the adiponectin receptor 2 (ADIPOR2) gene is associated with coronary artery disease and increased ADIPOR2 expression in peripheral monocytes. <i>Cardiovascular Diabetology</i> , <b>2010</b> , 9, 10	8.7	38
59	Multimarker Approach in Cardiovascular Risk Prediction. <i>Disease Markers</i> , <b>2009</b> , 26, 273-285	3.2	17
58	Cognitive impairment is related to increased arterial stiffness and microvascular damage in patients with never-treated essential hypertension. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 525-30	2.3	62

57	Left atrial thrombus after biventricular pacemaker implantation. <i>European Journal of Echocardiography</i> , <b>2009</b> , 10, 582-4		1
56	Plasma B-type natriuretic peptide and anti-inflammatory cytokine interleukin-10 levels predict adverse clinical outcome in chronic heart failure patients with depressive symptoms: a 1-year follow-up study. <i>European Journal of Heart Failure</i> , <b>2009</b> , 11, 967-72	12.3	29
55	Association of highly active antiretroviral therapy with increased arterial stiffness in patients infected with human immunodeficiency virus. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 828-34	2.3	41
54	Effects of Darbepoetin Alfa on plasma mediators of oxidative and nitrosative stress in anemic patients with chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy.  American Journal of Cardiology, 2009, 103, 1134-8	3	28
53	Differential associations of renal function with coronary and peripheral atherosclerosis. <i>International Journal of Cardiology</i> , <b>2009</b> , 135, 162-4	3.2	13
52	Two-dimensional strain analysis in patients with hypertrophic cardiomyopathy and normal systolic function: a 12-month follow-up study. <i>American Heart Journal</i> , <b>2009</b> , 158, 444-50	4.9	32
51	Staccato reperfusion prevents reperfusion injury in patients undergoing coronary angioplasty: a 1-year follow-up pilot study. <i>Atherosclerosis</i> , <b>2009</b> , 204, 497-502	3.1	9
50	Dilated cardiomyopathy as the predominant feature of Cushing@ syndrome. <i>American Journal of the Medical Sciences</i> , <b>2009</b> , 338, 252-3	2.2	13
49	Prognostic importance of increased plasma amino-terminal pro-brain natriuretic peptide levels in a large noncardiac, general intensive care unit population. <i>Shock</i> , <b>2009</b> , 31, 342-7	3.4	31
48	Multimarker approach in cardiovascular risk prediction. <i>Disease Markers</i> , <b>2009</b> , 26, 273-85	3.2	6
47	Usefulness of dobutamine-induced changes of the two-dimensional longitudinal deformation predict clinical and neurohumoral improvement in men after levosimendan treatment in acutely decompensated chronic heart failure. <i>American Journal of Cardiology</i> , <b>2008</b> , 102, 1225-9	3	6
46	Platelet glycoprotein IIb HPA-3 polymorphism and acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2008</b> , 127, 46-50	3.2	10
45	Mobile pulmonary valve thrombus as a cause of chronic thromboembolic pulmonary hypertension. <i>International Journal of Cardiology</i> , <b>2008</b> , 129, e81-3	3.2	3
44	Effects of darbepoetin alpha on right and left ventricular systolic and diastolic function in anemic patients with chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy.  American Heart Journal, 2008, 155, 751.e1-7	4.9	65
43	Additive prognostic value of interleukin-6 at peak phase of dobutamine stress echocardiography in patients with coronary artery disease. A 6-year follow-up study. <i>American Heart Journal</i> , <b>2008</b> , 156, 269	- <b>76</b> 9	8
42	Inflammatory and non-invasive vascular markers: the multimarker approach for risk stratification in coronary artery disease. <i>Atherosclerosis</i> , <b>2008</b> , 199, 3-11	3.1	115
41	Inhibition of interleukin-1 by anakinra improves vascular and left ventricular function in patients with rheumatoid arthritis. <i>Circulation</i> , <b>2008</b> , 117, 2662-9	16.7	224
40	Treatment with granulocyte colony stimulating factor is associated with improvement in endothelial function. <i>Growth Factors</i> , <b>2008</b> , 26, 117-24	1.6	17

### (2006-2008)

dysfunction in untreated patients with essential hypertension. <i>Journal of Human Hypertension</i> , <b>2008</b> , 22, 687-98	2.6	37
Incremental value of pulse wave velocity in the determination of coronary microcirculatory dysfunction in never-treated patients with essential hypertension. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 806-13	2.3	68
HIV-positive patients treated with protease inhibitors have vascular changes resembling those observed in atherosclerotic cardiovascular disease. <i>Clinical Science</i> , <b>2008</b> , 115, 189-96	6.5	36
The acute effect of an echo-contrast agent on right ventricular dimensions and contractility in pigs. <i>Journal of Cardiovascular Pharmacology</i> , <b>2008</b> , 51, 86-91	3.1	6
The immediate effect of aerobic exercise on haemostatic parameters in patients with recently diagnosed mild to moderate essential hypertension. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2008</b> , 25, 179-84	5.1	15
The association of coronary flow changes and inflammatory indices to ischaemia-reperfusion microvascular damage and left ventricular remodelling. <i>Basic Research in Cardiology</i> , <b>2008</b> , 103, 345-55	11.8	17
A case of pulmonary vein obstruction: evaluation using newer echocardiographic imaging techniques. <i>European Journal of Echocardiography</i> , <b>2008</b> , 9, 133-5		3
Effects of levosimendan on coronary artery flow and cardiac performance in patients with advanced heart failure. <i>European Journal of Heart Failure</i> , <b>2007</b> , 9, 1172-7	12.3	29
IgA anticardiolipin antibody is associated with the extent of daily-life ischaemia in patients with chronic coronary artery disease. <i>Heart</i> , <b>2007</b> , 93, 1412-3	5.1	O
Weight loss after bariatric surgery improves aortic elastic properties and left ventricular function in individuals with morbid obesity: a 3-year follow-up study. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 439-47	1.9	83
Amiodarone-induced epididymitis: a case report and review of the literature. <i>International Journal of Cardiology</i> , <b>2007</b> , 121, e15-6	3.2	19
Interrelated modulation of endothelial function in Behcet@ disease by clinical activity and corticosteroid treatment. <i>Arthritis Research and Therapy</i> , <b>2007</b> , 9, R90	5.7	20
Long-term prognostic role of flow-mediated dilatation of the brachial artery after acute coronary syndromes without ST elevation. <i>American Journal of Cardiology</i> , <b>2006</b> , 98, 1424-8	3	96
Inflammatory Markers in Coronary Artery Disease: Pathophysiological Mechanisms, Prognostic and Therapeutic Implications. <i>Current Cardiology Reviews</i> , <b>2006</b> , 2, 173-184	2.4	1
Arterial wave reflection is associated with severity of extracoronary atherosclerosis in patients with coronary artery disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2006</b> , 13, 236	5-42	27
Arterial stiffness and Chlamydia pneumoniae infection in coronary artery disease. Is there a link?. <i>Scandinavian Cardiovascular Journal</i> , <b>2006</b> , 40, 285-90	2	4
Twenty-four-hour heart rate and blood pressure are additive markers of left ventricular mass in hypertensive subjects. <i>American Journal of Hypertension</i> , <b>2006</b> , 19, 170-7	2.3	11
Arterial wave reflections are associated with left ventricular diastolic dysfunction in Adamantiades-Behāt@disease. <i>Journal of Cardiac Failure</i> , <b>2006</b> , 12, 458-63	3.3	13
	dysfunction in untreated patients with essential hypertension. <i>Journal of Human Hypertension</i> , 2008, 22, 687-98  Incremental value of pulse wave velocity in the determination of coronary microcirculatory dysfunction in never-treated patients with essential hypertension. <i>American Journal of Hypertension</i> , 2008, 21, 806-13  HIV-positive patients treated with protease inhibitors have vascular changes resembling those observed in atherosclerotic cardiovascular disease. <i>Clinical Science</i> , 2008, 115, 189-96  The acute effect of an echo-contrast agent on right ventricular dimensions and contractility in pigs. <i>Journal of Cardiovascular Pharmacology</i> , 2008, 51, 86-91  The immediate effect of aerobic exercise on haemostatic parameters in patients with recently diagnosed mild to moderate essential hypertension. <i>Journal of Thrombosis and Thrombolysis</i> , 2008, 25, 179-84  The association of coronary flow changes and inflammatory indices to ischaemia-reperfusion microvascular damage and left ventricular remodelling. <i>Basic Research in Cardiology</i> , 2008, 103, 345-55  A case of pulmonary vein obstruction: evaluation using newer echocardiographic imaging techniques. <i>European Journal of Echocardiography</i> , 2008, 9, 133-5  Effects of levosimendan on coronary artery flow and cardiac performance in patients with advanced heart failure. <i>European Journal of Heart Failure</i> , 2007, 9, 1172-7  IgA anticardiolipin antibody is associated with the extent of daily-life ischaemia in patients with chronic coronary artery disease. <i>Heart</i> , 2007, 93, 1412-3  Weight loss after bariatric surgery improves aortic elastic properties and left ventricular function in individuals with morbid obesity: a 3-year follow-up study. <i>Journal of Hypertension</i> , 2007, 25, 439-47  Amiodarone-induced epididymitis: a case report and review of the literature. <i>International Journal of Cardiology</i> , 2007, 121, e15-6  Interrelated modulation of endothelial function in Behcet0 disease by clinical activity and corticosteroid treatment. <i>Arthritis Research and Therapy</i>	dysfunction in untreated patients with essential hypertension. Journal of Human Hypertension, 2008, 22, 687-98  Incremental value of pulse wave velocity in the determination of coronary microcirculatory dysfunction in never-reated patients with essential hypertension. American Journal of Hypertension, 2008, 21, 306-013  HIV-positive patients treated with protease inhibitors have vascular changes resembling those observed in atherosclerotic cardiovascular disease. Clinical Science, 2008, 115, 189-96  The acute effect of an echo-contrast agent on right ventricular dimensions and contractility in pigs. Journal of Cardiovascular Pharmacology, 2008, 51, 86-91  The immediate effect of aerobic exercise on haemostatic parameters in patients with recently diagnosed mild to moderate essential hypertension. Journal of Thrombosis and Thrombolysis, 2008, 25, 179-84  The association of coronary flow changes and inflammatory indices to ischaemia-reperfusion microvascular damage and left ventricular remodelling. Basic Research in Cardiology, 2008, 103, 345-55  Effects of pulmonary vein obstruction: evaluation using newer echocardiographic imaging techniques. European Journal of Echocardiography, 2008, 9, 133-5  Effects of levosimendan on coronary artery flow and cardiac performance in patients with advanced heart failure. European Journal of Heart Failure, 2007, 9, 1172-7  IgA anticardiolipin antibody is associated with the extent of daily-life ischaemia in patients with advanced heart failure. European Journal of Heart Failure, 2007, 9, 1172-7  Weight loss after bariatric surgery improves aortic elastic properties and left ventricular function in individuals with morbid obesity: a 3-year follow-up study. Journal of Hypertension, 2007, 25, 439-47  Amiodarone-induced epididymitis: a case report and review of the literature. International Journal of Cardiology, 2007, 121, e15-6  Interrelated modulation of endothelial function in Behcet0 disease by clinical activity and corticosteroid treatment. Arthritis Research and Therapy, 20

21	Pressure wave reflections, central blood pressure, and aortic stiffness in patients with Adamantiades-Behcet@ disease: a cross-sectional case-control study underlining the role of chronic corticosteroid treatment. <i>American Journal of Hypertension</i> , <b>2006</b> , 19, 660-6; discussion 667-8	2.3	8
20	Divergent effects of rofecoxib on endothelial function and inflammation in acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2006</b> , 112, 359-66	3.2	7
19	Genetic variations of the endothelial nitric oxide synthase gene are related to increased levels of C-reactive protein and macrophage-colony stimulating-factor in patients with coronary artery disease. <i>Thrombosis and Haemostasis</i> , <b>2006</b> , 96, 520-528	7	8
18	Inflammatory markers for risk stratification in primary prevention of cardiovascular disease: time for a @nultimarker@approach?. <i>Thrombosis and Haemostasis</i> , <b>2006</b> , 95, 397-8	7	2
17	Impact of the time rate of blood pressure variation on left ventricular mass. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 2071-7	1.9	45
16	The combined effect of augmentation index and carotid intima-media thickness on cardiovascular risk in young and middle-aged men without cardiovascular disease. <i>Journal of Human Hypertension</i> , <b>2006</b> , 20, 273-9	2.6	27
15	Genetic variations of the endothelial nitric oxide synthase gene are related to increased levels of C-reactive protein and macrophage-colony stimulating-factor in patients with coronary artery disease. <i>Thrombosis and Haemostasis</i> , <b>2006</b> , 96, 520-8	7	3
14	Myocardial ischemia induces interleukin-6 and tissue factor production in patients with coronary artery disease: a dobutamine stress echocardiography study. <i>Circulation</i> , <b>2005</b> , 112, 3272-9	16.7	61
13	Increased circulating C-reactive protein and macrophage-colony stimulating factor are complementary predictors of long-term outcome in patients with chronic coronary artery disease. <i>European Heart Journal</i> , <b>2005</b> , 26, 1618-24	9.5	34
12	Cigarette smoking is associated with increased circulating proinflammatory and procoagulant markers in patients with chronic coronary artery disease: effects of aspirin treatment. <i>American Heart Journal</i> , <b>2005</b> , 149, 832-9	4.9	59
11	Does alcohol affect CRP levels?. American Heart Journal, 2005, 150, e7	4.9	6
10	Effect of nebivolol and atenolol on brachial artery flow-mediated vasodilation in patients with coronary artery disease. <i>Cardiovascular Drugs and Therapy</i> , <b>2005</b> , 19, 277-81	3.9	36
9	Time rate of blood pressure variation is associated with increased common carotid artery intima-media thickness. <i>Hypertension</i> , <b>2005</b> , 45, 505-12	8.5	171
8	Mitral valve repair versus replacement for isolated non-ischemic mitral regurgitation in patients with preoperative left ventricular dysfunction. A long-term follow-up echocardiography study. European Journal of Echocardiography, <b>2005</b> , 6, 435-42		26
7	Aortic elastic properties and left ventricular diastolic function in patients with Adamantiades-Behcet@disease. <i>Journal of the American College of Cardiology</i> , <b>2004</b> , 43, 1075-81	15.1	74
6	Silent cardiac echinococcosis. <i>Lancet Infectious Diseases, The</i> , <b>2002</b> , 2, 367	25.5	
5	Dispersion of ventricular repolarization is determined by the presence of myocardial viability in patients with old myocardial infarction. A dobutamine stress echocardiography study. <i>European Heart Journal</i> , <b>2000</b> , 21, 446-56	9.5	8
4	Increased proinflammatory cytokines in patients with chronic stable angina and their reduction by aspirin. <i>Circulation</i> , <b>1999</b> , 100, 793-8	16.7	478

#### LIST OF PUBLICATIONS

3	Natural history of early aortic paraprosthetic regurgitation: a five-year follow-up. <i>American Heart Journal</i> , <b>1999</b> , 138, 351-7	4.9	164
2	Significance of persistent left ventricular dysfunction during recovery after dobutamine stress echocardiography. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 30, 621-6	15.1	44
1	Routine arterial oxygen saturation monitoring is not necessary during transesophageal echocardiography. <i>Clinical Cardiology</i> , <b>1997</b> , 20, 547-52	3.3	7