Michele Sterling

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1553182/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Psychological therapy using virtual reality for treatment of driving phobia: a systematic review. Disability and Rehabilitation, 2023, 45, 1582-1594.	1.8	6
2	"l've learned to look at things in a different way― exploring patients' perspectives on participation in physiotherapist delivered integrated stress inoculation training and exercise for acute whiplash. Disability and Rehabilitation, 2022, 44, 5191-5198.	1.8	2
3	Pregabalin vs placebo to prevent chronic pain after whiplash injury in at-risk individuals: results of a feasibility study for a large randomised controlled trial. Pain, 2022, 163, e274-e284.	4.2	2
4	Evaluation of a physical activity promotion intervention for adults with whiplash associated disorders: a single-case experimental design study. Disability and Rehabilitation, 2022, 44, 7255-7268.	1.8	5
5	Nerve pathology and neuropathic pain after whiplash injury: a systematic review and meta-analysis. Pain, 2022, 163, e789-e811.	4.2	6
6	Pain Medication Beliefs Mediate the Relationship Between Pain Catastrophizing and Opioid Prescription Use in Patients With Chronic Non-Cancer Pain. Journal of Pain, 2022, 23, 379-389.	1.4	6
7	Injury perceptions and their association with recovery outcomes in adults with traumatic orthopaedic injuries: a scoping review. Disability and Rehabilitation, 2022, 44, 7707-7722.	1.8	2
8	Features and methods to discriminate between mechanism-based categories of pain experienced in the musculoskeletal system: a Delphi expert consensus study. Pain, 2022, 163, 1812-1828.	4.2	21
9	Reply to Cohen. Pain, 2022, 163, e607-e608.	4.2	0
10	Further exploring the relationship between pressure pain thresholds and function in knee osteoarthritis. Musculoskeletal Science and Practice, 2022, 59, 102542.	1.3	1
11	Are Measures of Physical Function of the Neck Region Associated With Poor Prognosis Following a Whiplash Trauma?. Clinical Journal of Pain, 2022, 38, 208-221.	1.9	1
12	Do expectations of recovery improve risk assessment for people with whiplash-associated disorders? Secondary analysis of a prospective cohort study. BMC Musculoskeletal Disorders, 2022, 23, 395.	1.9	0
13	Reply to Russo et al Pain, 2022, 163, e964-e965.	4.2	2
14	Psycho-sensory relationships in chronic pain. British Journal of Pain, 2021, 15, 134-146.	1.5	1
15	Description and psychometric properties of a prototype to test tactile acuity in the neck. Musculoskeletal Science and Practice, 2021, 51, 102259.	1.3	2
16	Genetic basis to structural grey matter associations with chronic pain. Brain, 2021, 144, 3611-3622.	7.6	10
17	Combining Stress Management With Pain Neuroscience Education and Exercise Therapy in People With Whiplash-Associated Disorders: A Clinical Perspective. Physical Therapy, 2021, 101, .	2.4	7
18	Clinimetrics: Neck Disability Index. Journal of Physiotherapy, 2021, 67, 144.	1.7	7

#	Article	IF	CITATIONS
19	Role of population-based cohorts in understanding the emergence and progression of musculoskeletal pain. Pain, 2021, Publish Ahead of Print, .	4.2	2
20	Physical rehabilitation research and pain science. Pain, 2021, 162, 2621-2624.	4.2	6
21	Comparison of the Accuracy of WhipPredict to That of a Modified Version of the Short-Form Örebro Musculoskeletal Pain Screening Questionnaire to Predict Poor Recovery After Whiplash Injury. Journal of Orthopaedic and Sports Physical Therapy, 2021, 51, 207-215.	3.5	3
22	Central sensitisation in chronic pain conditions: latest discoveries and their potential for precision medicine. Lancet Rheumatology, The, 2021, 3, e383-e392.	3.9	176
23	Chronic nociplastic pain affecting the musculoskeletal system: clinical criteria and grading system. Pain, 2021, 162, 2629-2634.	4.2	205
24	Increased GABA+ in People With Migraine, Headache, and Pain Conditions- A Potential Marker of Pain. Journal of Pain, 2021, 22, 1631-1645.	1.4	14
25	A randomised controlled trial of implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): Statistical analysis plan. Brazilian Journal of Physical Therapy, 2021, 25, 471-480.	2.5	1
26	Clinimetric Properties of Self-reported Disability Scales for Whiplash. Clinical Journal of Pain, 2021, 37, 766-787.	1.9	8
27	Soft-collar use in rehabilitation of whiplash-associated disorders - A systematic review and meta-analysis. Musculoskeletal Science and Practice, 2021, 55, 102426.	1.3	2
28	Trauma-focused cognitive behavioural therapy and exercise for chronic whiplash with comorbid posttraumatic stress disorder: a randomised controlled trial. Pain, 2021, 162, 1221-1232.	4.2	14
29	Comparative effectiveness of physical exercise interventions for chronic non-specific neck pain: a systematic review with network meta-analysis of 40 randomised controlled trials. British Journal of Sports Medicine, 2021, 55, 730-742.	6.7	51
30	Modernising tactile acuity assessment; clinimetrics of semi-automated tests and effects of age, sex and anthropometry on performance. PeerJ, 2021, 9, e12192.	2.0	1
31	Brief Psychological Interventions for Reducing Prescription Opioid Use, Related Harm, and Pain Intensity in Patients With Chronic Pain. Clinical Journal of Pain, 2021, 37, 270-280.	1.9	7
32	Magnetic Resonance Spectroscopy Assessment of Brain Metabolite Concentrations in Individuals With Chronic Whiplash-associated Disorder. Clinical Journal of Pain, 2021, 37, 28-37.	1.9	2
33	Implementation of a novel stratified PAthway of CarE for common musculoskeletal (MSK) conditions in primary care: protocol for a multicentre pragmatic randomised controlled trial (the PACE MSK) Tj ETQq1 1 0.	784 3. 94 rgE	3T Øverlock 1
34	Illusion-enhanced Virtual Reality Exercise for Neck Pain. Clinical Journal of Pain, 2020, 36, 101-109.	1.9	20
35	The association of early life stressors with pain sensitivity and pain experience at 22 years. Pain, 2020, 161, 220-229.	4.2	18
36	Introduction to special issue on new directions in physical rehabilitation of musculoskeletal pain conditions. Pain Reports, 2020, 5, e852.	2.7	2

#	Article	lF	CITATIONS
37	The mechanisms of effect of a physiotherapist-delivered integrated psychological and exercise intervention for acute whiplash-associated disorders: secondary mediation analysis of a randomized controlled trial. Pain Reports, 2020, 5, e835.	2.7	5
38	Cohort profile: why do people keep hurting their back?. BMC Research Notes, 2020, 13, 538.	1.4	8
39	A Comparison of Perceptions of Reassurance in Patients with Nontraumatic Neck Pain and Whiplash-Associated Disorders in Consultations with Primary Care Practitioners—An Online Survey. Pain Medicine, 2020, 21, 3377-3386.	1.9	2
40	The comparative effectiveness of physical exercise interventions in individuals with chronic non-specific neck pain: protocol for a network meta-analysis. BMJ Open, 2020, 10, e034846.	1.9	4
41	Central neurobiological effects of physical exercise in individuals with chronic musculoskeletal pain: a systematic review. BMJ Open, 2020, 10, e036151.	1.9	16
42	Systemic inflammatory markers in neck pain: A systematic review with metaâ€analysis. European Journal of Pain, 2020, 24, 1666-1686.	2.8	31
43	Exercise-induced Hypoalgesia Is Impaired in Chronic Whiplash-associated Disorders (WAD) With Both Aerobic and Isometric Exercise. Clinical Journal of Pain, 2020, 36, 601-611.	1.9	21
44	There's Nothing Broken. You've Had a Whiplash, That's It: A Qualitative Study of Comorbid Posttraumatic Stress Disorder and Whiplash Associated Disorders. Pain Medicine, 2020, 21, 1676-1689.	1.9	4
45	Small fibre pathology in chronic whiplashâ€associated disorder: A crossâ€sectional study. European Journal of Pain, 2020, 24, 1045-1057.	2.8	8
46	Spinal cord injury is not a feature of chronic whiplash-associated disorder: a magnetic resonance spectroscopy study. European Spine Journal, 2020, 29, 1212-1218.	2.2	2
47	A Qualitative Comparison of Reassurance Approaches Used by Physical Therapists to Address Fears and Concerns of Patients With Nonspecific Neck Pain and Whiplash-Associated Disorders: An Online Survey. Physical Therapy, 2020, 100, 1132-1141.	2.4	1
48	Medical and allied health service use during acute and chronic post-injury periods in whiplash injured individuals. BMC Health Services Research, 2020, 20, 260.	2.2	7
49	Best Evidence Rehabilitation for Chronic Pain Part 4: Neck Pain. Journal of Clinical Medicine, 2019, 8, 1219.	2.4	57
50	Examining the validity and reliability of a portable sleep posture assessment protocol, using infrared cameras, under a variety of light and bed cover situations in the home environment. Work, 2019, 63, 291-298.	1.1	2
51	Evaluation of a novel intervention to improve physical activity for adults with whiplash associated disorders: Protocol for a multiple-baseline, single case experimental study. Contemporary Clinical Trials Communications, 2019, 16, 100455.	1.1	9
52	Evidence-based care in high- and low-risk groups following whiplash injury: a multi-centre inception cohort study. BMC Health Services Research, 2019, 19, 806.	2.2	9
53	Physiotherapist-delivered stress inoculation training integrated with exercise versus physiotherapy exercise alone for acute whiplash-associated disorder (StressModex): a randomised controlled trial of a combined psychological/physical intervention. British Journal of Sports Medicine, 2019, 53, 1240-1247.	6.7	60
54	Associations Between Musculoskeletal Pain Experience and Pressure and Cold Pain Sensitivity. Clinical Journal of Pain, 2019, 35, 56-64.	1.9	8

#	Article	IF	CITATIONS
55	Retrospective descriptive observational study of patients who presented to an Australian hospital emergency department with neck soft tissue injury. EMA - Emergency Medicine Australasia, 2019, 31, 805-812.	1.1	2
56	Are Signs of Central Sensitization in Acute Low Back Pain a Precursor to Poor Outcome?. Journal of Pain, 2019, 20, 994-1009.	1.4	44
57	Attachment insecurity as a vulnerability factor in the development of chronic whiplash associated disorder – A prospective cohort study. Journal of Psychosomatic Research, 2019, 118, 56-62.	2.6	9
58	Are physical factors associated with poor prognosis following a whiplash trauma?: a protocol for a systematic review and data synthesis. BMJ Open, 2019, 9, e033298.	1.9	4
59	How are pain and traumatic stress symptoms related in acute whiplash–associated disorders? An investigation of the role of pain-related fear in a daily diary study. Pain, 2019, 160, 1954-1966.	4.2	7
60	Whiplash Patients' Responses on the Impact of Events Scale-R. Clinical Journal of Pain, 2019, 35, 229-237.	1.9	5
61	Recommendations For Core Outcome Domain Set For Whiplash-Associated Disorders (CATWAD). Clinical Journal of Pain, 2019, 35, 727-736.	1.9	19
62	Medicine use during acute and chronic postinjury periods in whiplash-injured individuals. Pain, 2019, 160, 844-851.	4.2	5
63	Agreement is very low between a clinical prediction rule and physiotherapist assessment for classifying the risk of poor recovery of individuals with acute whiplash injury. Musculoskeletal Science and Practice, 2019, 39, 73-79.	1.3	6
64	Cervical spine findings on MRI in people with neck pain compared with painâ€free controls: A systematic review and metaâ€analysis. Journal of Magnetic Resonance Imaging, 2019, 49, 1638-1654.	3.4	39
65	Trajectories of posttraumatic stress symptoms after whiplash: A prospective cohort study. European Journal of Pain, 2019, 23, 515-525.	2.8	15
66	Use of and attitudes to the role of medication for acute whiplash injury: A preliminary survey of emergency department doctors. EMA - Emergency Medicine Australasia, 2019, 31, 471-474.	1.1	0
67	An Interactive Website for Whiplash Management (My Whiplash Navigator): Process Evaluation of Design and Implementation. JMIR Formative Research, 2019, 3, e12216.	1.4	7
68	A Lawyer With Whiplash. , 2019, , 241-258.		0
69	Psychological Factors and the Development of Chronic Whiplash–associated Disorder(s). Clinical Journal of Pain, 2018, 34, 755-768.	1.9	51
70	The influence of isometric exercise on endogenous pain modulation: comparing exercise-induced hypoalgesia and offset analgesia in young, active adults. Scandinavian Journal of Pain, 2018, 18, 513-523.	1.3	13
71	Do findings identified on magnetic resonance imaging predict future neck pain? A systematic review. Spine Journal, 2018, 18, 880-891.	1.3	16
72	Evidence of generalised mechanical hyperalgesia in patients with advanced knee osteoarthritis undergoing total knee arthroplasty. Knee, 2018, 25, 459-465.	1.6	14

#	Article	IF	CITATIONS
73	Individual Variation in Pain Sensitivity and Conditioned Pain Modulation in Acute Low Back Pain: Effect of Stimulus Type, Sleep, and Psychological and Lifestyle Factors. Journal of Pain, 2018, 19, 942.e1-942.e18.	1.4	52
74	A Systematic Review and Meta-Analysis of the Effectiveness of Psychological Interventions Delivered by Physiotherapists on Pain, Disability and Psychological Outcomes in Musculoskeletal Pain Conditions. Clinical Journal of Pain, 2018, 34, 838-857.	1.9	83
75	What information do patients need following a whiplash injury? The perspectives of patients and physiotherapists. Disability and Rehabilitation, 2018, 40, 1135-1141.	1.8	7
76	Investigating the Fear Avoidance Model in People With Whiplash. Clinical Journal of Pain, 2018, 34, 130-137.	1.9	11
77	Information needs of patients with whiplash associated disorders: A Delphi study of patient beliefs. Musculoskeletal Science and Practice, 2018, 33, 29-34.	1.3	4
78	Referral to specialist physiotherapists in the management of whiplash associated disorders: Perspectives of healthcare practitioners. Musculoskeletal Science and Practice, 2018, 34, 14-26.	1.3	15
79	Lateral atlantoaxial joint meniscoid volume in individuals with whiplash associated disorder: A case-control study. Musculoskeletal Science and Practice, 2018, 33, 46-52.	1.3	4
80	Do post-traumatic pain and post-traumatic stress symptomatology mutually maintain each other? A systematic review of cross-lagged studies. Pain, 2018, 159, 2159-2169.	4.2	40
81	Validation of an index of Sensitivity to Movement-Evoked Pain in patients with whiplash injuries. Pain Reports, 2018, 3, e661.	2.7	10
82	A core outcome set for clinical trials in whiplash-associated disorders (WAD): a study protocol. Trials, 2018, 19, 635.	1.6	12
83	Exploring patients' experiences of the whiplash injury-recovery process – a meta-synthesis. Journal of Pain Research, 2018, Volume 11, 1263-1271.	2.0	10
84	Physiotherapist-delivered Stress Inoculation Training for acute whiplash-associated disorders: A qualitative study of perceptions and experiences. Musculoskeletal Science and Practice, 2018, 38, 30-36.	1.3	9
85	Psychophysic-psychological dichotomy in very early acute mTBI pain. Neurology, 2018, 91, e931-e938.	1.1	19
86	Do pain-associated contexts increase pain sensitivity? An investigation using virtual reality. Scandinavian Journal of Pain, 2018, 18, 525-532.	1.3	11
87	Intramuscular fat is present in cervical multifidus but not soleus in patients with chronic whiplash associated disorders. PLoS ONE, 2018, 13, e0197438.	2.5	14
88	Chronic Lateral Epicondylalgia Does Not Exhibit Mechanical Pain Modulation in Response to Noxious Conditioning Heat Stimulus. Clinical Journal of Pain, 2017, 33, 932-938.	1.9	6
89	Multivariate pattern analysis utilizing structural or functional MRI—In individuals with musculoskeletal pain and healthy controls: A systematic review. Seminars in Arthritis and Rheumatism, 2017, 47, 418-431.	3.4	15
90	Cluster Analysis of an International Pressure Pain Threshold Database Identifies 4 Meaningful Subgroups of Adults With Mechanical Neck Pain. Clinical Journal of Pain, 2017, 33, 422-428.	1.9	12

#	Article	IF	CITATIONS
91	â€~De-pathologising' the psychological responses to injury and pain. Musculoskeletal Science and Practice, 2017, 30, vii-viii.	1.3	1
92	Exercise induced hypoalgesia is elicited by isometric, but not aerobic exercise in individuals with chronic whiplash associated disorders. Scandinavian Journal of Pain, 2017, 15, 14-21.	1.3	52
93	Tactile acuity testing at the neck: A comparison of methods. Musculoskeletal Science and Practice, 2017, 32, 23-30.	1.3	22
94	Health practitioners' perceptions of adopting clinical prediction rules in the management of musculoskeletal pain: a qualitative study in Australia. BMJ Open, 2017, 7, e015916.	1.9	13
95	Post-traumatic stress symptom clusters in acute whiplash associated disorder and their prediction of chronic pain-related disability. Pain Reports, 2017, 2, e631.	2.7	13
96	Clinical prediction rules for prognosis and treatment prescription in neck pain: A systematic review. Musculoskeletal Science and Practice, 2017, 27, 155-164.	1.3	33
97	Living with ongoing whiplash associated disorders: a qualitative study of individual perceptions and experiences. BMC Musculoskeletal Disorders, 2017, 18, 531.	1.9	16
98	Management of Whiplash Associated Disorders in Australian general practice. BMC Musculoskeletal Disorders, 2017, 18, 551.	1.9	12
99	Using visuo-kinetic virtual reality to induce illusory spinal movement: the MoOVi Illusion. PeerJ, 2017, 5, e3023.	2.0	20
100	A Web Based Version of the Cervical Joint Position Error Test: Reliability of Measurements from Face Tracking Software. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2017, , 297-301.	0.3	0
101	Effect of verbal persuasion on self-efficacy for pain-related diagnostic sensory testing in individuals with chronic neck pain and healthy controls – a randomized, controlled trial. Journal of Pain Research, 2016, 9, 115.	2.0	3
102	General practitioners knowledge and management of whiplash associated disorders and post-traumatic stress disorder: implications for patient care. BMC Family Practice, 2016, 17, 82.	2.9	14
103	Addition of posttraumatic stress and sensory hypersensitivity more accurately estimates disability and pain than fear avoidance measures alone after whiplash injury. Pain, 2016, 157, 1645-1654.	4.2	31
104	The Impact of Posttraumatic Stress Disorder on Physiological Arousal, Disability, and Sensory Pain Thresholds in Patients With Chronic Whiplash. Clinical Journal of Pain, 2016, 32, 645-653.	1.9	11
105	Using FATIMA — A robot mannequin head — For validation of head tracking software. , 2016, , .		0
106	Implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): protocol of a randomised, controlled trial. Journal of Physiotherapy, 2016, 62, 111.	1.7	26
107	Evaluating the neck joint position sense error with a standard computer and a webcam. Manual Therapy, 2016, 26, 231-234.	1.6	11
108	Recovery Pathways and Prognosis After Whiplash Injury. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 851-861.	3.5	32

#	Article	IF	CITATIONS
109	Pressure and cold pain threshold reference values in a large, young adult, pain-free population. Scandinavian Journal of Pain, 2016, 13, 114-122.	1.3	37
110	Serum C-reactive protein levels predict regional brain responses to noxious cold stimulation of the hand in chronic whiplash associated disorders. Scandinavian Journal of Pain, 2016, 11, 19-26.	1.3	8
111	Reply. Pain, 2015, 156, 1827-1828.	4.2	0
112	Physiotherapists' Beliefs About Whiplashâ€associated Disorder: A Comparison Between Singapore and Queensland, Australia. Physiotherapy Research International, 2015, 20, 77-86.	1.5	9
113	Dry-needling and exercise for chronic whiplash-associated disorders. Pain, 2015, 156, 635-643.	4.2	37
114	Addressing sleep problems and cognitive dysfunctions in comprehensive rehabilitation for chronic musculoskeletal pain. Manual Therapy, 2015, 20, e3-e4.	1.6	2
115	Effect of Types and Anatomic Arrangement of Painful Stimuli on Conditioned Pain Modulation. Journal of Pain, 2015, 16, 176-185.	1.4	45
116	StressModEx – Physiotherapist-led Stress Inoculation Training integrated with exercise for acute whiplash injury: study protocol for a randomised controlled trial. Journal of Physiotherapy, 2015, 61, 157.	1.7	11
117	The Geography of Fatty Infiltrates Within the Cervical Multifidus and Semispinalis Cervicis in Individuals With Chronic Whiplash-Associated Disorders. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 281-288.	3.5	43
118	External Validation of a Clinical Prediction Rule to Predict Full Recovery and Ongoing Moderate/Severe Disability Following Acute Whiplash Injury. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 242-250.	3.5	70
119	Modulation of Cervical Facet Joint Nociception and Pain Attenuates Physical and Psychological Features of Chronic Whiplash: A Prospective Study. PM and R, 2015, 7, 913-921.	1.6	13
120	Measuring Pain Intensity in Patients with Neck Pain: Does It Matter How You Do It?. Pain Practice, 2015, 15, 159-167.	1.9	37
121	Trauma-focused cognitive behaviour therapy and exercise for chronic whiplash: protocol of a randomised, controlled trial. Journal of Physiotherapy, 2015, 61, 218.	1.7	6
122	Reliability of pressure pain threshold testing in healthy pain free young adults. Scandinavian Journal of Pain, 2015, 9, 38-41.	1.3	56
123	Exercise therapy for chronic musculoskeletal pain: Innovation by altering pain memories. Manual Therapy, 2015, 20, 216-220.	1.6	146
124	The University of Queensland study of physical and psychological outcomes for claimants with minor and moderate injuries following a road traffic crash (UQ SuPPORT): design and methods. HA¶gre Utbildning, 2014, 5, .	3.0	14
125	Cervical Radiofrequency Neurotomy Reduces Central Hyperexcitability and Improves Neck Movement in Individuals with Chronic Whiplash. Pain Medicine, 2014, 15, 128-141.	1.9	33
126	Less Efficacious Conditioned Pain Modulation and Sensory Hypersensitivity in Chronic Whiplash-associated Disorders in Singapore. Clinical Journal of Pain, 2014, 30, 436-442.	1.9	30

#	Article	IF	CITATIONS
127	Comprehensive physiotherapy exercise programme or advice for chronic whiplash (PROMISE): a pragmatic randomised controlled trial. Lancet, The, 2014, 384, 133-141.	13.7	139
128	Physiotherapy management of whiplash-associated disorders (WAD). Journal of Physiotherapy, 2014, 60, 5-12.	1.7	67
129	Dose Optimization for Spinal Treatment Effectiveness: A Randomized Controlled Trial Investigating the Effects of High and Low Mobilization Forces in Patients With Neck Pain. Journal of Orthopaedic and Sports Physical Therapy, 2014, 44, 141-152.	3.5	54
130	The Problem of Whiplash Injuries: Aetiology, Assessment and Treatment. Handbooks in Health, Work, and Disability, 2014, , 121-142.	0.0	1
131	Cervical radiofrequency neurotomy reduces psychological features in individuals with chronic whiplash symptoms. Pain Physician, 2014, 17, 265-74.	0.4	11
132	Authors' reply to the comment by <scp>F</scp> errari. European Journal of Pain, 2013, 17, 1261-1262.	2.8	0
133	Management of acute whiplash: A randomized controlled trial of multidisciplinary stratified treatments. Pain, 2013, 154, 1798-1806.	4.2	78
134	Patients with chronic whiplash can be subgrouped on the basis of symptoms of sensory hypersensitivity and posttraumatic stress. Pain, 2013, 154, 1640-1648.	4.2	37
135	An investigation of the use of a numeric pain rating scale with ice application to the neck to determine cold hyperalgesia. Manual Therapy, 2013, 18, 172-174.	1.6	27
136	Derivation of a clinical prediction rule to identify both chronic moderate/severe disability and full recovery following whiplash injury. Pain, 2013, 154, 2198-2206.	4.2	105
137	A comparison of physical and psychological features of responders and non-responders to cervical facet blocks in chronic whiplash. BMC Musculoskeletal Disorders, 2013, 14, 313.	1.9	38
138	Measures of central hyperexcitability in chronic whiplash associated disorder – A systematic review and meta-analysis. Manual Therapy, 2013, 18, 111-117.	1.6	69
139	Laterality judgments are not impaired in patients with chronic whiplash associated disorders. Manual Therapy, 2013, 18, 72-76.	1.6	19
140	Challenges to decrease the burden of spinal pain. European Journal of Physiotherapy, 2013, 15, 101-102.	1.3	0
141	The Course of Serum Inflammatory Biomarkers Following Whiplash Injury and Their Relationship to Sensory and Muscle Measures: a Longitudinal Cohort Study. PLoS ONE, 2013, 8, e77903.	2.5	37
142	Pain, Whiplash Disorder and Traffic Safety. , 2013, , 213-229.		0
143	A Randomized Controlled Trial of Cognitive-behavioral Therapy for the Treatment of PTSD in the Context of Chronic Whiplash. Clinical Journal of Pain, 2012, 28, 755-765.	1.9	83
144	Muscle Trigger Points, Pressure Pain Threshold, and Cervical Range of Motion in Patients With High Level of Disability Related to Acute Whiplash Injury. Journal of Orthopaedic and Sports Physical Therapy, 2012, 42, 634-641.	3.5	63

3

#	Article	IF	CITATIONS
145	Assessment and validation of prognostic models for poor functional recovery 12 months after whiplash injury: A multicentre inception cohort study. Pain, 2012, 153, 1727-1734.	4.2	55
146	Evidence of Spinal Cord Hyperexcitability as Measured With Nociceptive Flexion Reflex (NFR) Threshold in Chronic Lateral Epicondylalgia With or Without a Positive Neurodynamic Test. Journal of Pain, 2012, 13, 676-684.	1.4	37
147	Does fear of movement mediate the relationship between pain intensity and disability in patients following whiplash injury? A prospective longitudinal study. Pain, 2012, 153, 113-119.	4.2	46
148	Does injury compensation lead to worse health after whiplash? A systematic review. Pain, 2012, 153, 1274-1282.	4.2	57
149	Strain-Counterstrain therapy combined with exercise is not more effective than exercise alone on pain and disability in people with acute low back pain: a randomised trial. Journal of Physiotherapy, 2011, 57, 91-98.	1.7	21
150	General Health Questionnaire – 28 (GHQ-28). Journal of Physiotherapy, 2011, 57, 259.	1.7	148
151	Whiplash associated disorders. , 2011, , 112-122.		1
152	Potential Processes Involved in the Initiation and Maintenance of Whiplash-Associated Disorders. Spine, 2011, 36, S322-S329.	2.0	42
153	Does Knowledge of Predictors of Recovery and Nonrecovery Assist Outcomes After Whiplash Injury?. Spine, 2011, 36, S257-S262.	2.0	19
154	Toward Optimal Early Management After Whiplash Injury to Lessen the Rate of Transition to Chronicity. Spine, 2011, 36, S335-S342.	2.0	31
155	Assessing Fear-Avoidance Beliefs in Patients With Whiplash-associated Disorders. Clinical Journal of Pain, 2011, 27, 502-507.	1.9	26
156	Prognosis After Whiplash Injury. Spine, 2011, 36, S330-S334.	2.0	37
157	Relationship Between Pressure Pain Thresholds and Pain Ratings in Patients With Whiplash-associated Disorders. Clinical Journal of Pain, 2011, 27, 495-501.	1.9	57
158	Similar factors predict disability and posttraumatic stress disorder trajectories after whiplash injury. Pain, 2011, 152, 1272-1278.	4.2	102
159	Central hyperexcitability as measured with nociceptive flexor reflex threshold in chronic musculoskeletal pain: A systematic review. Pain, 2011, 152, 1811-1820.	4.2	66
160	Pressure Algometry: What Does It Really Tell Us?. Journal of Orthopaedic and Sports Physical Therapy, 2011, 41, 623-624.	3.5	27
161	Whiplash-associated disorder: musculoskeletal pain and related clinical findings. Journal of Manual and Manipulative Therapy, 2011, 19, 194-200.	1.2	34

162 Clinical presentation of whiplash associated disorders. , 2011, , 9-15.

#	Article	IF	CITATIONS
163	Pain-processing mechanisms in whiplash associated disorders. , 2011, , 40-51.		2
164	Prognostic indicators of non-recovery following whiplash injury. , 2011, , 101-107.		1
165	Primary care management of acute whiplash injury. , 2011, , 108-119.		3
166	Case descriptions. , 2011, , 180-186.		2
167	The Temporal Development of Fatty Infiltrates in the Neck Muscles Following Whiplash Injury: An Association with Pain and Posttraumatic Stress. PLoS ONE, 2011, 6, e21194.	2.5	91
168	Psychologic Processes in Daily Life With Chronic Whiplash: Relations of Posttraumatic Stress Symptoms and Fear-of-pain to Hourly Pain and Uptime. Clinical Journal of Pain, 2010, 26, 573-582.	1.9	47
169	Magnetic Resonance Imaging Findings of Fatty Infiltrate in the Cervical Flexors in Chronic Whiplash. Spine, 2010, 35, 948-954.	2.0	105
170	Compensation claim lodgement and health outcome developmental trajectories following whiplash injury: A prospective study. Pain, 2010, 150, 22-28.	4.2	163
171	Differential development of sensory hypersensitivity and a measure of spinal cord hyperexcitability following whiplash injury. Pain, 2010, 150, 501-506.	4.2	84
172	Sensory hypoaesthesia is a feature of chronic whiplash but not chronic idiopathic neck pain. Manual Therapy, 2010, 15, 48-53.	1.6	81
173	Cervical lateral glide increases nociceptive flexion reflex threshold but not pressureÂor thermal pain thresholds in chronic whiplash associated disorders: A pilot randomised controlled trial. Manual Therapy, 2010, 15, 149-153.	1.6	76
174	Relationships between pain thresholds, catastrophizing and gender in acute whiplash injury. Manual Therapy, 2010, 15, 154-159.	1.6	62
175	Depression may contribute to the sensory changes in whiplash patients? Re: Chien, A, Sterling, M. Sensory hypoaesthesia is a feature of chronic whiplash but not chronic idiopathic neck pain – Authors reply. Manual Therapy, 2010, 15, e2.	1.6	0
176	Sensory characteristics of tender points in the lower back. Manual Therapy, 2010, 15, 451-456.	1.6	22
177	A randomised controlled study examining the short-term effects of Strain–Counterstrain treatment on quantitative sensory measures at digitally tender points in the low back. Manual Therapy, 2010, 15, 536-541.	1.6	21
178	The Development of Sensory Hypoesthesia After Whiplash Injury. Clinical Journal of Pain, 2010, 26, 722-728.	1.9	25
179	Psychological, Cognitive and Quality of Life Features in the Elderly with Chronic Headache. Gerontology, 2009, 55, 683-693.	2.8	15
180	Neck Pain: Much More Than a Psychosocial Condition. Journal of Orthopaedic and Sports Physical Therapy, 2009, 39, 309-311.	3.5	13

#	Article	IF	CITATIONS
181	Hypoaesthesia occurs with sensory hypersensitivity in chronic whiplash – Further evidence of a neuropathic condition. Manual Therapy, 2009, 14, 138-146.	1.6	66
182	A neuropathic pain component is common in acute whiplash and associated with a more complex clinical presentation. Manual Therapy, 2009, 14, 173-179.	1.6	57
183	Physical and psychological aspects of whiplash: Important considerations for primary care assessment, Part 2 – Case studies. Manual Therapy, 2009, 14, e8-e12.	1.6	7
184	Cervical musculoskeletal impairment is common in elders with headache. Manual Therapy, 2009, 14, 636-641.	1.6	28
185	Bring back the biopsychosocial model for neck pain disorders. Manual Therapy, 2009, 14, 117-118.	1.6	18
186	A randomised clinical trial of a comprehensive exercise program for chronic whiplash: trial protocol. BMC Musculoskeletal Disorders, 2009, 10, 149.	1.9	18
187	Dry needling and exercise for chronic whiplash - a randomised controlled trial. BMC Musculoskeletal Disorders, 2009, 10, 160.	1.9	20
188	The clinical presentation of chronic whiplash and the relationship to findings of MRI fatty infiltrates in the cervical extensor musculature: a preliminary investigation. European Spine Journal, 2009, 18, 1371-1378.	2.2	46
189	Widespread Sensory Hypersensitivity Is Not a Feature of Chronic Headache in Elders. Clinical Journal of Pain, 2009, 25, 699-704.	1.9	22
190	Pain, Transportation Issues and Whiplash. , 2009, , 447-471.		0
191	Landers M, Creger R, Baker C, Stutelberg K. The use of fear-avoidance beliefs and non-organic signs in predicting prolonged disability in patients with neck pain. Manual Therapy 2007; doi:10.1016/j.math.2007.01.010. Manual Therapy, 2008, 13, e1-e2.	1.6	1
192	Physical and psychological aspects of whiplash: Important considerations for primary care assessment. Manual Therapy, 2008, 13, 93-102.	1.6	58
193	Alterations in Cervical Muscle Function in Neck Pain. , 2008, , 41-58.		3
194	Sensory Manifestations of Neck Pain. , 2008, , 5-19.		0
195	Structure and Function of the Cervical Region. , 2008, , 21-39.		0
196	The Cervical Spine and Sensorimotor Control. , 2008, , 59-71.		0
197	Whiplash-associated Disorders. , 2008, , 101-115.		2
198	Cervicogenic Headache. , 2008, , 117-130.		1

#	Article	IF	CITATIONS
199	Differential Diagnosis of Cervicobrachial Pain. , 2008, , 131-143.		1
200	Clinical Assessment. , 2008, , 145-153.		0
201	Clinical Assessment. , 2008, , 155-187.		2
202	Principles of Management of Cervical Disorders. , 2008, , 189-206.		2
203	Testing for Sensory Hypersensitivity or Central Hyperexcitability Associated With Cervical Spine Pain. Journal of Manipulative and Physiological Therapeutics, 2008, 31, 534-539.	0.9	44
204	Course and prognostic factors of whiplash: A systematic review and meta-analysis â~†. Pain, 2008, 138, 617-629.	4.2	265
205	Therapeutic Exercise for Cervical Disorders. , 2008, , 207-229.		4
206	Self-Administered Leeds Assessment of Neuropathic Symptoms and Signs. Australian Journal of Physiotherapy, 2008, 54, 285.	0.9	0
207	The Brachial Plexus Provocation Test. Australian Journal of Physiotherapy, 2008, 54, 146.	0.9	2
208	The Impact of Event Scale (IES). Australian Journal of Physiotherapy, 2008, 54, 78.	0.9	20
209	Digitally tender points: their significance in physiotherapy. Physical Therapy Reviews, 2008, 13, 188-196.	0.8	6
210	Whiplash (Grade II) and Cervical Radiculopathy Share a Similar Sensory Presentation: An Investigation Using Quantitative Sensory Testing. Clinical Journal of Pain, 2008, 24, 595-603.	1.9	75
211	Psychologic Factors Are Related to Some Sensory Pain Thresholds but Not Nociceptive Flexion Reflex Threshold in Chronic Whiplash. Clinical Journal of Pain, 2008, 24, 124-130.	1.9	100
212	Hypoesthesia Occurs in Acute Whiplash Irrespective of Pain and Disability Levels and the Presence of Sensory Hypersensitivity. Clinical Journal of Pain, 2008, 24, 759-766.	1.9	38
213	Disturbances in Postural Stability, Head and Eye Movement Control in Cervical Disorders. , 2008, , 73-86.		0
214	Psychological and Psychosocial Factors in Neck Pain. , 2008, , 87-99.		1
215	Whiplash Injury Pain: Basic Science and Current/Future Therapeutics. Reviews in Analgesia, 2007, 9, 105-116.	0.9	5
216	Patient Specific Functional Scale. Australian Journal of Physiotherapy, 2007, 53, 65.	0.9	42

#	Article	IF	CITATIONS
217	The effect of 300 mW, 830 nm laser on chronic neck pain. Australian Journal of Physiotherapy, 2006, 52, 302-303.	0.9	1
218	The relationship between sensory and sympathetic nervous system changes and posttraumatic stress reaction following whiplash injury—a prospective study. Journal of Psychosomatic Research, 2006, 60, 387-393.	2.6	66
219	Physical and psychological factors maintain long-term predictive capacity post-whiplash injury. Pain, 2006, 122, 102-108.	4.2	265
220	Balancing the â€~bio' with the psychosocial in whiplash associated disorders. Manual Therapy, 2006, 11, 180-181.	1.6	16
221	Widespread Sensory Hypersensitivity Is a Feature of Chronic Whiplash-Associated Disorder but not Chronic Idiopathic Neck Pain. Clinical Journal of Pain, 2005, 21, 175-181.	1.9	245
222	Relationship Between Self Reported Pain and Disability and Physical Measures in Chronic Whiplash Associated Disorder(WAD). Journal of Whiplash and Related Disorders, 2005, 4, 11-22.	0.2	1
223	Central hypersensitivity in whiplash: implications for physiotherapy assessment and management. Physical Therapy Reviews, 2005, 10, 237-245.	0.8	2
224	The Neck Disability Index (NDI). Australian Journal of Physiotherapy, 2005, 51, 271.	0.9	33
225	Physical and psychological factors predict outcome following whiplash injury. Pain, 2005, 114, 141-148.	4.2	333
226	A proposed new classification system for whiplash associated disorders—implications for assessment and management. Manual Therapy, 2004, 9, 60-70.	1.6	111
227	Response to Dr Ferrari's Letter to the Editor "The clinical relevance of symptom amplificationâ€, Pain, 2004, 107, 277-278.	4.2	2
228	Response to Drs Greve and Bianchini. Pain, 2004, 110, 501-502.	4.2	1
229	Characterization of Acute Whiplash-Associated Disorders. Spine, 2004, 29, 182-188.	2.0	153
230	Proposal of a Classification System for Patients With Neck Pain. Journal of Orthopaedic and Sports Physical Therapy, 2004, , .	3.5	0
231	The development of psychological changes following whiplash injury. Pain, 2003, 106, 481-489.	4.2	185
232	Development of motor system dysfunction following whiplash injury. Pain, 2003, 103, 65-73.	4.2	293
233	Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery. Pain, 2003, 104, 509-517.	4.2	425
234	Response to comment by Kwan and Friel. Pain, 2003, 105, 508.	4.2	0

#	Article	IF	CITATIONS
235	DIZZINESS AND UNSTEADINESS FOLLOWING WHIPLASH INJURY: CHARACTERISTIC FEATURES AND RELATIONSHIP WITH CERVICAL JOINT POSITION ERROR. Journal of Rehabilitation Medicine, 2003, 35, 36-43.	1.1	326
236	Pressure Pain Thresholds in Chronic Whiplash Associated Disorder: Further Evidence of Altered Central Pain Processing. Journal of Musculoskeletal Pain, 2002, 10, 69-81.	0.3	110
237	Are cervical physical outcome measures influenced by the presence of symptomatology?. Physiotherapy Research International, 2002, 7, 113-121.	1.5	39
238	The effect of musculoskeletal pain on motor activity and control. Journal of Pain, 2001, 2, 135-145.	1.4	167
239	Pressure pain thresholds of upper limb peripheral nerve trunks in asymptomatic subjects. Physiotherapy Research International, 2000, 5, 220-229.	1.5	29
240	Selective acceptance of acute whiplash guidelines: a qualitative analysis of perceptions of health professionals in Australia. Disability and Rehabilitation, 0, , 1-8.	1.8	0