

# Michele Sterling

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1553182/publications.pdf>

Version: 2024-02-01

240  
papers

8,610  
citations

43973

48  
h-index

53109

85  
g-index

253  
all docs

253  
docs citations

253  
times ranked

4350  
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychological therapy using virtual reality for treatment of driving phobia: a systematic review. <i>Disability and Rehabilitation</i> , 2023, 45, 1582-1594.	0.9	6
2	â€œIâ€™ve learned to look at things in a different wayâ€: exploring patientsâ€™ perspectives on participation in physiotherapist delivered integrated stress inoculation training and exercise for acute whiplash. <i>Disability and Rehabilitation</i> , 2022, 44, 5191-5198.	0.9	2
3	Pregabalin vs placebo to prevent chronic pain after whiplash injury in at-risk individuals: results of a feasibility study for a large randomised controlled trial. <i>Pain</i> , 2022, 163, e274-e284.	2.0	2
4	Evaluation of a physical activity promotion intervention for adults with whiplash associated disorders: a single-case experimental design study. <i>Disability and Rehabilitation</i> , 2022, 44, 7255-7268.	0.9	5
5	Nerve pathology and neuropathic pain after whiplash injury: a systematic review and meta-analysis. <i>Pain</i> , 2022, 163, e789-e811.	2.0	6
6	Pain Medication Beliefs Mediate the Relationship Between Pain Catastrophizing and Opioid Prescription Use in Patients With Chronic Non-Cancer Pain. <i>Journal of Pain</i> , 2022, 23, 379-389.	0.7	6
7	Injury perceptions and their association with recovery outcomes in adults with traumatic orthopaedic injuries: a scoping review. <i>Disability and Rehabilitation</i> , 2022, 44, 7707-7722.	0.9	2
8	Features and methods to discriminate between mechanism-based categories of pain experienced in the musculoskeletal system: a Delphi expert consensus study. <i>Pain</i> , 2022, 163, 1812-1828.	2.0	21
9	Reply to Cohen. <i>Pain</i> , 2022, 163, e607-e608.	2.0	0
10	Further exploring the relationship between pressure pain thresholds and function in knee osteoarthritis. <i>Musculoskeletal Science and Practice</i> , 2022, 59, 102542.	0.6	1
11	Are Measures of Physical Function of the Neck Region Associated With Poor Prognosis Following a Whiplash Trauma?. <i>Clinical Journal of Pain</i> , 2022, 38, 208-221.	0.8	1
12	Do expectations of recovery improve risk assessment for people with whiplash-associated disorders? Secondary analysis of a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 395.	0.8	0
13	Reply to Russo et al.. <i>Pain</i> , 2022, 163, e964-e965.	2.0	2
14	Psycho-sensory relationships in chronic pain. <i>British Journal of Pain</i> , 2021, 15, 134-146.	0.7	1
15	Description and psychometric properties of a prototype to test tactile acuity in the neck. <i>Musculoskeletal Science and Practice</i> , 2021, 51, 102259.	0.6	2
16	Genetic basis to structural grey matter associations with chronic pain. <i>Brain</i> , 2021, 144, 3611-3622.	3.7	10
17	Combining Stress Management With Pain Neuroscience Education and Exercise Therapy in People With Whiplash-Associated Disorders: A Clinical Perspective. <i>Physical Therapy</i> , 2021, 101, .	1.1	7
18	Clinimetrics: Neck Disability Index. <i>Journal of Physiotherapy</i> , 2021, 67, 144.	0.7	7

#	ARTICLE	IF	CITATIONS
19	Role of population-based cohorts in understanding the emergence and progression of musculoskeletal pain. <i>Pain</i> , 2021, Publish Ahead of Print, .	2.0	2
20	Physical rehabilitation research and pain science. <i>Pain</i> , 2021, 162, 2621-2624.	2.0	6
21	Comparison of the Accuracy of WhipPredict to That of a Modified Version of the Short-Form Å–rebro Musculoskeletal Pain Screening Questionnaire to Predict Poor Recovery After Whiplash Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 207-215.	1.7	3
22	Central sensitisation in chronic pain conditions: latest discoveries and their potential for precision medicine. <i>Lancet Rheumatology</i> , The, 2021, 3, e383-e392.	2.2	176
23	Chronic nociplastic pain affecting the musculoskeletal system: clinical criteria and grading system. <i>Pain</i> , 2021, 162, 2629-2634.	2.0	205
24	Increased GABA+ in People With Migraine, Headache, and Pain Conditions- A Potential Marker of Pain. <i>Journal of Pain</i> , 2021, 22, 1631-1645.	0.7	14
25	A randomised controlled trial of implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): Statistical analysis plan. <i>Brazilian Journal of Physical Therapy</i> , 2021, 25, 471-480.	1.1	1
26	Clinimetric Properties of Self-reported Disability Scales for Whiplash. <i>Clinical Journal of Pain</i> , 2021, 37, 766-787.	0.8	8
27	Soft-collar use in rehabilitation of whiplash-associated disorders - A systematic review and meta-analysis. <i>Musculoskeletal Science and Practice</i> , 2021, 55, 102426.	0.6	2
28	Trauma-focused cognitive behavioural therapy and exercise for chronic whiplash with comorbid posttraumatic stress disorder: a randomised controlled trial. <i>Pain</i> , 2021, 162, 1221-1232.	2.0	14
29	Comparative effectiveness of physical exercise interventions for chronic non-specific neck pain: a systematic review with network meta-analysis of 40 randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2021, 55, 730-742.	3.1	51
30	Modernising tactile acuity assessment; clinimetrics of semi-automated tests and effects of age, sex and anthropometry on performance. <i>PeerJ</i> , 2021, 9, e12192.	0.9	1
31	Brief Psychological Interventions for Reducing Prescription Opioid Use, Related Harm, and Pain Intensity in Patients With Chronic Pain. <i>Clinical Journal of Pain</i> , 2021, 37, 270-280.	0.8	7
32	Magnetic Resonance Spectroscopy Assessment of Brain Metabolite Concentrations in Individuals With Chronic Whiplash-associated Disorder. <i>Clinical Journal of Pain</i> , 2021, 37, 28-37.	0.8	2
33	Implementation of a novel stratified PATHway of CarE for common musculoskeletal (MSK) conditions in primary care: protocol for a multicentre pragmatic randomised controlled trial (the PACE MSK) Tj ETQq1 1 0.784014 rgBT (Overlock 1	0.784014	1
34	Illusion-enhanced Virtual Reality Exercise for Neck Pain. <i>Clinical Journal of Pain</i> , 2020, 36, 101-109.	0.8	20
35	The association of early life stressors with pain sensitivity and pain experience at 22 years. <i>Pain</i> , 2020, 161, 220-229.	2.0	18
36	Introduction to special issue on new directions in physical rehabilitation of musculoskeletal pain conditions. <i>Pain Reports</i> , 2020, 5, e852.	1.4	2

#	ARTICLE	IF	CITATIONS
37	The mechanisms of effect of a physiotherapist-delivered integrated psychological and exercise intervention for acute whiplash-associated disorders: secondary mediation analysis of a randomized controlled trial. <i>Pain Reports</i> , 2020, 5, e835.	1.4	5
38	Cohort profile: why do people keep hurting their back?. <i>BMC Research Notes</i> , 2020, 13, 538.	0.6	8
39	A Comparison of Perceptions of Reassurance in Patients with Nontraumatic Neck Pain and Whiplash-Associated Disorders in Consultations with Primary Care Practitioners—An Online Survey. <i>Pain Medicine</i> , 2020, 21, 3377-3386.	0.9	2
40	The comparative effectiveness of physical exercise interventions in individuals with chronic non-specific neck pain: protocol for a network meta-analysis. <i>BMJ Open</i> , 2020, 10, e034846.	0.8	4
41	Central neurobiological effects of physical exercise in individuals with chronic musculoskeletal pain: a systematic review. <i>BMJ Open</i> , 2020, 10, e036151.	0.8	16
42	Systemic inflammatory markers in neck pain: A systematic review with meta-analysis. <i>European Journal of Pain</i> , 2020, 24, 1666-1686.	1.4	31
43	Exercise-induced Hypoalgesia Is Impaired in Chronic Whiplash-associated Disorders (WAD) With Both Aerobic and Isometric Exercise. <i>Clinical Journal of Pain</i> , 2020, 36, 601-611.	0.8	21
44	There's Nothing Broken. You've Had a Whiplash, That's It: A Qualitative Study of Comorbid Posttraumatic Stress Disorder and Whiplash Associated Disorders. <i>Pain Medicine</i> , 2020, 21, 1676-1689.	0.9	4
45	Small fibre pathology in chronic whiplash-associated disorder: A cross-sectional study. <i>European Journal of Pain</i> , 2020, 24, 1045-1057.	1.4	8
46	Spinal cord injury is not a feature of chronic whiplash-associated disorder: a magnetic resonance spectroscopy study. <i>European Spine Journal</i> , 2020, 29, 1212-1218.	1.0	2
47	A Qualitative Comparison of Reassurance Approaches Used by Physical Therapists to Address Fears and Concerns of Patients With Nonspecific Neck Pain and Whiplash-Associated Disorders: An Online Survey. <i>Physical Therapy</i> , 2020, 100, 1132-1141.	1.1	1
48	Medical and allied health service use during acute and chronic post-injury periods in whiplash injured individuals. <i>BMC Health Services Research</i> , 2020, 20, 260.	0.9	7
49	Best Evidence Rehabilitation for Chronic Pain Part 4: Neck Pain. <i>Journal of Clinical Medicine</i> , 2019, 8, 1219.	1.0	57
50	Examining the validity and reliability of a portable sleep posture assessment protocol, using infrared cameras, under a variety of light and bed cover situations in the home environment. <i>Work</i> , 2019, 63, 291-298.	0.6	2
51	Evaluation of a novel intervention to improve physical activity for adults with whiplash associated disorders: Protocol for a multiple-baseline, single case experimental study. <i>Contemporary Clinical Trials Communications</i> , 2019, 16, 100455.	0.5	9
52	Evidence-based care in high- and low-risk groups following whiplash injury: a multi-centre inception cohort study. <i>BMC Health Services Research</i> , 2019, 19, 806.	0.9	9
53	Physiotherapist-delivered stress inoculation training integrated with exercise versus physiotherapy exercise alone for acute whiplash-associated disorder (StressModex): a randomised controlled trial of a combined psychological/physical intervention. <i>British Journal of Sports Medicine</i> , 2019, 53, 1240-1247.	3.1	60
54	Associations Between Musculoskeletal Pain Experience and Pressure and Cold Pain Sensitivity. <i>Clinical Journal of Pain</i> , 2019, 35, 56-64.	0.8	8

#	ARTICLE	IF	CITATIONS
55	Retrospective descriptive observational study of patients who presented to an Australian hospital emergency department with neck soft tissue injury. <i>EMA - Emergency Medicine Australasia</i> , 2019, 31, 805-812.	0.5	2
56	Are Signs of Central Sensitization in Acute Low Back Pain a Precursor to Poor Outcome?. <i>Journal of Pain</i> , 2019, 20, 994-1009.	0.7	44
57	Attachment insecurity as a vulnerability factor in the development of chronic whiplash associated disorder – A prospective cohort study. <i>Journal of Psychosomatic Research</i> , 2019, 118, 56-62.	1.2	9
58	Are physical factors associated with poor prognosis following a whiplash trauma?: a protocol for a systematic review and data synthesis. <i>BMJ Open</i> , 2019, 9, e033298.	0.8	4
59	How are pain and traumatic stress symptoms related in acute whiplash-associated disorders? An investigation of the role of pain-related fear in a daily diary study. <i>Pain</i> , 2019, 160, 1954-1966.	2.0	7
60	Whiplash Patients'™ Responses on the Impact of Events Scale-R. <i>Clinical Journal of Pain</i> , 2019, 35, 229-237.	0.8	5
61	Recommendations For Core Outcome Domain Set For Whiplash-Associated Disorders (CATWAD). <i>Clinical Journal of Pain</i> , 2019, 35, 727-736.	0.8	19
62	Medicine use during acute and chronic postinjury periods in whiplash-injured individuals. <i>Pain</i> , 2019, 160, 844-851.	2.0	5
63	Agreement is very low between a clinical prediction rule and physiotherapist assessment for classifying the risk of poor recovery of individuals with acute whiplash injury. <i>Musculoskeletal Science and Practice</i> , 2019, 39, 73-79.	0.6	6
64	Cervical spine findings on MRI in people with neck pain compared with pain-free controls: A systematic review and meta-analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1638-1654.	1.9	39
65	Trajectories of posttraumatic stress symptoms after whiplash: A prospective cohort study. <i>European Journal of Pain</i> , 2019, 23, 515-525.	1.4	15
66	Use of and attitudes to the role of medication for acute whiplash injury: A preliminary survey of emergency department doctors. <i>EMA - Emergency Medicine Australasia</i> , 2019, 31, 471-474.	0.5	0
67	An Interactive Website for Whiplash Management (My Whiplash Navigator): Process Evaluation of Design and Implementation. <i>JMIR Formative Research</i> , 2019, 3, e12216.	0.7	7
68	A Lawyer With Whiplash. , 2019, , 241-258.		0
69	Psychological Factors and the Development of Chronic Whiplash-associated Disorder(s). <i>Clinical Journal of Pain</i> , 2018, 34, 755-768.	0.8	51
70	The influence of isometric exercise on endogenous pain modulation: comparing exercise-induced hypoalgesia and offset analgesia in young, active adults. <i>Scandinavian Journal of Pain</i> , 2018, 18, 513-523.	0.5	13
71	Do findings identified on magnetic resonance imaging predict future neck pain? A systematic review. <i>Spine Journal</i> , 2018, 18, 880-891.	0.6	16
72	Evidence of generalised mechanical hyperalgesia in patients with advanced knee osteoarthritis undergoing total knee arthroplasty. <i>Knee</i> , 2018, 25, 459-465.	0.8	14

#	ARTICLE	IF	CITATIONS
73	Individual Variation in Pain Sensitivity and Conditioned Pain Modulation in Acute Low Back Pain: Effect of Stimulus Type, Sleep, and Psychological and Lifestyle Factors. <i>Journal of Pain</i> , 2018, 19, 942.e1-942.e18.	0.7	52
74	A Systematic Review and Meta-Analysis of the Effectiveness of Psychological Interventions Delivered by Physiotherapists on Pain, Disability and Psychological Outcomes in Musculoskeletal Pain Conditions. <i>Clinical Journal of Pain</i> , 2018, 34, 838-857.	0.8	83
75	What information do patients need following a whiplash injury? The perspectives of patients and physiotherapists. <i>Disability and Rehabilitation</i> , 2018, 40, 1135-1141.	0.9	7
76	Investigating the Fear Avoidance Model in People With Whiplash. <i>Clinical Journal of Pain</i> , 2018, 34, 130-137.	0.8	11
77	Information needs of patients with whiplash associated disorders: A Delphi study of patient beliefs. <i>Musculoskeletal Science and Practice</i> , 2018, 33, 29-34.	0.6	4
78	Referral to specialist physiotherapists in the management of whiplash associated disorders: Perspectives of healthcare practitioners. <i>Musculoskeletal Science and Practice</i> , 2018, 34, 14-26.	0.6	15
79	Lateral atlantoaxial joint meniscoid volume in individuals with whiplash associated disorder: A case-control study. <i>Musculoskeletal Science and Practice</i> , 2018, 33, 46-52.	0.6	4
80	Do post-traumatic pain and post-traumatic stress symptomatology mutually maintain each other? A systematic review of cross-lagged studies. <i>Pain</i> , 2018, 159, 2159-2169.	2.0	40
81	Validation of an index of Sensitivity to Movement-Evoked Pain in patients with whiplash injuries. <i>Pain Reports</i> , 2018, 3, e661.	1.4	10
82	A core outcome set for clinical trials in whiplash-associated disorders (WAD): a study protocol. <i>Trials</i> , 2018, 19, 635.	0.7	12
83	Exploring patients' experiences of the whiplash injury-recovery process &ndash; a meta-synthesis. <i>Journal of Pain Research</i> , 2018, Volume 11, 1263-1271.	0.8	10
84	Physiotherapist-delivered Stress Inoculation Training for acute whiplash-associated disorders: A qualitative study of perceptions and experiences. <i>Musculoskeletal Science and Practice</i> , 2018, 38, 30-36.	0.6	9
85	Psychophysic-psychological dichotomy in very early acute mTBI pain. <i>Neurology</i> , 2018, 91, e931-e938.	1.5	19
86	Do pain-associated contexts increase pain sensitivity? An investigation using virtual reality. <i>Scandinavian Journal of Pain</i> , 2018, 18, 525-532.	0.5	11
87	Intramuscular fat is present in cervical multifidus but not soleus in patients with chronic whiplash associated disorders. <i>PLoS ONE</i> , 2018, 13, e0197438.	1.1	14
88	Chronic Lateral Epicondylalgia Does Not Exhibit Mechanical Pain Modulation in Response to Noxious Conditioning Heat Stimulus. <i>Clinical Journal of Pain</i> , 2017, 33, 932-938.	0.8	6
89	Multivariate pattern analysis utilizing structural or functional MRI in individuals with musculoskeletal pain and healthy controls: A systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 418-431.	1.6	15
90	Cluster Analysis of an International Pressure Pain Threshold Database Identifies 4 Meaningful Subgroups of Adults With Mechanical Neck Pain. <i>Clinical Journal of Pain</i> , 2017, 33, 422-428.	0.8	12

#	ARTICLE	IF	CITATIONS
91	De-pathologising™ the psychological responses to injury and pain. <i>Musculoskeletal Science and Practice</i> , 2017, 30, vii-viii.	0.6	1
92	Exercise induced hypoalgesia is elicited by isometric, but not aerobic exercise in individuals with chronic whiplash associated disorders. <i>Scandinavian Journal of Pain</i> , 2017, 15, 14-21.	0.5	52
93	Tactile acuity testing at the neck: A comparison of methods. <i>Musculoskeletal Science and Practice</i> , 2017, 32, 23-30.	0.6	22
94	Health practitioners™ perceptions of adopting clinical prediction rules in the management of musculoskeletal pain: a qualitative study in Australia. <i>BMJ Open</i> , 2017, 7, e015916.	0.8	13
95	Post-traumatic stress symptom clusters in acute whiplash associated disorder and their prediction of chronic pain-related disability. <i>Pain Reports</i> , 2017, 2, e631.	1.4	13
96	Clinical prediction rules for prognosis and treatment prescription in neck pain: A systematic review. <i>Musculoskeletal Science and Practice</i> , 2017, 27, 155-164.	0.6	33
97	Living with ongoing whiplash associated disorders: a qualitative study of individual perceptions and experiences. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 531.	0.8	16
98	Management of Whiplash Associated Disorders in Australian general practice. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 551.	0.8	12
99	Using visuo-kinetic virtual reality to induce illusory spinal movement: the MoOVi Illusion. <i>PeerJ</i> , 2017, 5, e3023.	0.9	20
100	A Web Based Version of the Cervical Joint Position Error Test: Reliability of Measurements from Face Tracking Software. <i>Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering</i> , 2017, , 297-301.	0.2	0
101	Effect of verbal persuasion on self-efficacy for pain-related diagnostic sensory testing in individuals with chronic neck pain and healthy controls &ndash; a randomized, controlled trial. <i>Journal of Pain Research</i> , 2016, 9, 115.	0.8	3
102	General practitioners knowledge and management of whiplash associated disorders and post-traumatic stress disorder: implications for patient care. <i>BMC Family Practice</i> , 2016, 17, 82.	2.9	14
103	Addition of posttraumatic stress and sensory hypersensitivity more accurately estimates disability and pain than fear avoidance measures alone after whiplash injury. <i>Pain</i> , 2016, 157, 1645-1654.	2.0	31
104	The Impact of Posttraumatic Stress Disorder on Physiological Arousal, Disability, and Sensory Pain Thresholds in Patients With Chronic Whiplash. <i>Clinical Journal of Pain</i> , 2016, 32, 645-653.	0.8	11
105	Using FATIMA ‐ A robot mannequin head ‐ For validation of head tracking software. , 2016, , .		0
106	Implementation of a guideline-based clinical pathway of care to improve health outcomes following whiplash injury (Whiplash ImPaCT): protocol of a randomised, controlled trial. <i>Journal of Physiotherapy</i> , 2016, 62, 111.	0.7	26
107	Evaluating the neck joint position sense error with a standard computer and a webcam. <i>Manual Therapy</i> , 2016, 26, 231-234.	1.6	11
108	Recovery Pathways and Prognosis After Whiplash Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 851-861.	1.7	32

#	ARTICLE	IF	CITATIONS
109	Pressure and cold pain threshold reference values in a large, young adult, pain-free population. <i>Scandinavian Journal of Pain</i> , 2016, 13, 114-122.	0.5	37
110	Serum C-reactive protein levels predict regional brain responses to noxious cold stimulation of the hand in chronic whiplash associated disorders. <i>Scandinavian Journal of Pain</i> , 2016, 11, 19-26.	0.5	8
111	Reply. <i>Pain</i> , 2015, 156, 1827-1828.	2.0	0
112	Physiotherapists' Beliefs About Whiplash-associated Disorder: A Comparison Between Singapore and Queensland, Australia. <i>Physiotherapy Research International</i> , 2015, 20, 77-86.	0.7	9
113	Dry-needling and exercise for chronic whiplash-associated disorders. <i>Pain</i> , 2015, 156, 635-643.	2.0	37
114	Addressing sleep problems and cognitive dysfunctions in comprehensive rehabilitation for chronic musculoskeletal pain. <i>Manual Therapy</i> , 2015, 20, e3-e4.	1.6	2
115	Effect of Types and Anatomic Arrangement of Painful Stimuli on Conditioned Pain Modulation. <i>Journal of Pain</i> , 2015, 16, 176-185.	0.7	45
116	StressModEx – Physiotherapist-led Stress Inoculation Training integrated with exercise for acute whiplash injury: study protocol for a randomised controlled trial. <i>Journal of Physiotherapy</i> , 2015, 61, 157.	0.7	11
117	The Geography of Fatty Infiltrates Within the Cervical Multifidus and Semispinalis Cervicis in Individuals With Chronic Whiplash-Associated Disorders. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 281-288.	1.7	43
118	External Validation of a Clinical Prediction Rule to Predict Full Recovery and Ongoing Moderate/Severe Disability Following Acute Whiplash Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 242-250.	1.7	70
119	Modulation of Cervical Facet Joint Nociception and Pain Attenuates Physical and Psychological Features of Chronic Whiplash: A Prospective Study. <i>PM and R</i> , 2015, 7, 913-921.	0.9	13
120	Measuring Pain Intensity in Patients with Neck Pain: Does It Matter How You Do It?. <i>Pain Practice</i> , 2015, 15, 159-167.	0.9	37
121	Trauma-focused cognitive behaviour therapy and exercise for chronic whiplash: protocol of a randomised, controlled trial. <i>Journal of Physiotherapy</i> , 2015, 61, 218.	0.7	6
122	Reliability of pressure pain threshold testing in healthy pain free young adults. <i>Scandinavian Journal of Pain</i> , 2015, 9, 38-41.	0.5	56
123	Exercise therapy for chronic musculoskeletal pain: Innovation by altering pain memories. <i>Manual Therapy</i> , 2015, 20, 216-220.	1.6	146
124	The University of Queensland study of physical and psychological outcomes for claimants with minor and moderate injuries following a road traffic crash (UQ SuPPORT): design and methods. <i>HÅrge Utbildning</i> , 2014, 5, .	1.4	14
125	Cervical Radiofrequency Neurotomy Reduces Central Hyperexcitability and Improves Neck Movement in Individuals with Chronic Whiplash. <i>Pain Medicine</i> , 2014, 15, 128-141.	0.9	33
126	Less Efficacious Conditioned Pain Modulation and Sensory Hypersensitivity in Chronic Whiplash-associated Disorders in Singapore. <i>Clinical Journal of Pain</i> , 2014, 30, 436-442.	0.8	30



#	ARTICLE	IF	CITATIONS
127	Comprehensive physiotherapy exercise programme or advice for chronic whiplash (PROMISE): a pragmatic randomised controlled trial. <i>Lancet, The</i> , 2014, 384, 133-141.	6.3	139
128	Physiotherapy management of whiplash-associated disorders (WAD). <i>Journal of Physiotherapy</i> , 2014, 60, 5-12.	0.7	67
129	Dose Optimization for Spinal Treatment Effectiveness: A Randomized Controlled Trial Investigating the Effects of High and Low Mobilization Forces in Patients With Neck Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 141-152.	1.7	54
130	The Problem of Whiplash Injuries: Aetiology, Assessment and Treatment. <i>Handbooks in Health, Work, and Disability</i> , 2014, , 121-142.	0.0	1
131	Cervical radiofrequency neurotomy reduces psychological features in individuals with chronic whiplash symptoms. <i>Pain Physician</i> , 2014, 17, 265-74.	0.3	11
132	Authors' reply to the comment by <sc>F</sc>errari. <i>European Journal of Pain</i> , 2013, 17, 1261-1262.	1.4	0
133	Management of acute whiplash: A randomized controlled trial of multidisciplinary stratified treatments. <i>Pain</i> , 2013, 154, 1798-1806.	2.0	78
134	Patients with chronic whiplash can be subgrouped on the basis of symptoms of sensory hypersensitivity and posttraumatic stress. <i>Pain</i> , 2013, 154, 1640-1648.	2.0	37
135	An investigation of the use of a numeric pain rating scale with ice application to the neck to determine cold hyperalgesia. <i>Manual Therapy</i> , 2013, 18, 172-174.	1.6	27
136	Derivation of a clinical prediction rule to identify both chronic moderate/severe disability and full recovery following whiplash injury. <i>Pain</i> , 2013, 154, 2198-2206.	2.0	105
137	A comparison of physical and psychological features of responders and non-responders to cervical facet blocks in chronic whiplash. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 313.	0.8	38
138	Measures of central hyperexcitability in chronic whiplash associated disorder " A systematic review and meta-analysis. <i>Manual Therapy</i> , 2013, 18, 111-117.	1.6	69
139	Laterality judgments are not impaired in patients with chronic whiplash associated disorders. <i>Manual Therapy</i> , 2013, 18, 72-76.	1.6	19
140	Challenges to decrease the burden of spinal pain. <i>European Journal of Physiotherapy</i> , 2013, 15, 101-102.	0.7	0
141	The Course of Serum Inflammatory Biomarkers Following Whiplash Injury and Their Relationship to Sensory and Muscle Measures: a Longitudinal Cohort Study. <i>PLoS ONE</i> , 2013, 8, e77903.	1.1	37
142	Pain, Whiplash Disorder and Traffic Safety. , 2013, , 213-229.		0
143	A Randomized Controlled Trial of Cognitive-behavioral Therapy for the Treatment of PTSD in the Context of Chronic Whiplash. <i>Clinical Journal of Pain</i> , 2012, 28, 755-765.	0.8	83
144	Muscle Trigger Points, Pressure Pain Threshold, and Cervical Range of Motion in Patients With High Level of Disability Related to Acute Whiplash Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 634-641.	1.7	63

#	ARTICLE	IF	CITATIONS
145	Assessment and validation of prognostic models for poor functional recovery 12 months after whiplash injury: A multicentre inception cohort study. <i>Pain</i> , 2012, 153, 1727-1734.	2.0	55
146	Evidence of Spinal Cord Hyperexcitability as Measured With Nociceptive Flexion Reflex (NFR) Threshold in Chronic Lateral Epicondylalgia With or Without a Positive Neurodynamic Test. <i>Journal of Pain</i> , 2012, 13, 676-684.	0.7	37
147	Does fear of movement mediate the relationship between pain intensity and disability in patients following whiplash injury? A prospective longitudinal study. <i>Pain</i> , 2012, 153, 113-119.	2.0	46
148	Does injury compensation lead to worse health after whiplash? A systematic review. <i>Pain</i> , 2012, 153, 1274-1282.	2.0	57
149	Strain-Counterstrain therapy combined with exercise is not more effective than exercise alone on pain and disability in people with acute low back pain: a randomised trial. <i>Journal of Physiotherapy</i> , 2011, 57, 91-98.	0.7	21
150	General Health Questionnaire "28 (GHQ-28). <i>Journal of Physiotherapy</i> , 2011, 57, 259.	0.7	148
151	Whiplash associated disorders. , 2011, , 112-122.		1
152	Potential Processes Involved in the Initiation and Maintenance of Whiplash-Associated Disorders. <i>Spine</i> , 2011, 36, S322-S329.	1.0	42
153	Does Knowledge of Predictors of Recovery and Nonrecovery Assist Outcomes After Whiplash Injury?. <i>Spine</i> , 2011, 36, S257-S262.	1.0	19
154	Toward Optimal Early Management After Whiplash Injury to Lessen the Rate of Transition to Chronicity. <i>Spine</i> , 2011, 36, S335-S342.	1.0	31
155	Assessing Fear-Avoidance Beliefs in Patients With Whiplash-associated Disorders. <i>Clinical Journal of Pain</i> , 2011, 27, 502-507.	0.8	26
156	Prognosis After Whiplash Injury. <i>Spine</i> , 2011, 36, S330-S334.	1.0	37
157	Relationship Between Pressure Pain Thresholds and Pain Ratings in Patients With Whiplash-associated Disorders. <i>Clinical Journal of Pain</i> , 2011, 27, 495-501.	0.8	57
158	Similar factors predict disability and posttraumatic stress disorder trajectories after whiplash injury. <i>Pain</i> , 2011, 152, 1272-1278.	2.0	102
159	Central hyperexcitability as measured with nociceptive flexor reflex threshold in chronic musculoskeletal pain: A systematic review. <i>Pain</i> , 2011, 152, 1811-1820.	2.0	66
160	Pressure Algometry: What Does It Really Tell Us?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 623-624.	1.7	27
161	Whiplash-associated disorder: musculoskeletal pain and related clinical findings. <i>Journal of Manual and Manipulative Therapy</i> , 2011, 19, 194-200.	0.7	34
162	Clinical presentation of whiplash associated disorders. , 2011, , 9-15.		3

#	ARTICLE	IF	CITATIONS
163	Pain-processing mechanisms in whiplash associated disorders. , 2011, , 40-51.		2
164	Prognostic indicators of non-recovery following whiplash injury. , 2011, , 101-107.		1
165	Primary care management of acute whiplash injury. , 2011, , 108-119.		3
166	Case descriptions. , 2011, , 180-186.		2
167	The Temporal Development of Fatty Infiltrates in the Neck Muscles Following Whiplash Injury: An Association with Pain and Posttraumatic Stress. PLoS ONE, 2011, 6, e21194.	1.1	91
168	Psychologic Processes in Daily Life With Chronic Whiplash: Relations of Posttraumatic Stress Symptoms and Fear-of-pain to Hourly Pain and Uptime. Clinical Journal of Pain, 2010, 26, 573-582.	0.8	47
169	Magnetic Resonance Imaging Findings of Fatty Infiltrate in the Cervical Flexors in Chronic Whiplash. Spine, 2010, 35, 948-954.	1.0	105
170	Compensation claim lodgement and health outcome developmental trajectories following whiplash injury: A prospective study. Pain, 2010, 150, 22-28.	2.0	163
171	Differential development of sensory hypersensitivity and a measure of spinal cord hyperexcitability following whiplash injury. Pain, 2010, 150, 501-506.	2.0	84
172	Sensory hypoesthesia is a feature of chronic whiplash but not chronic idiopathic neck pain. Manual Therapy, 2010, 15, 48-53.	1.6	81
173	Cervical lateral glide increases nociceptive flexion reflex threshold but not pressure or thermal pain thresholds in chronic whiplash associated disorders: A pilot randomised controlled trial. Manual Therapy, 2010, 15, 149-153.	1.6	76
174	Relationships between pain thresholds, catastrophizing and gender in acute whiplash injury. Manual Therapy, 2010, 15, 154-159.	1.6	62
175	Depression may contribute to the sensory changes in whiplash patients? Re: Chien, A, Sterling, M. Sensory hypoesthesia is a feature of chronic whiplash but not chronic idiopathic neck pain – Authors reply. Manual Therapy, 2010, 15, e2.	1.6	0
176	Sensory characteristics of tender points in the lower back. Manual Therapy, 2010, 15, 451-456.	1.6	22
177	A randomised controlled study examining the short-term effects of Strain-Counterstrain treatment on quantitative sensory measures at digitally tender points in the low back. Manual Therapy, 2010, 15, 536-541.	1.6	21
178	The Development of Sensory Hypoesthesia After Whiplash Injury. Clinical Journal of Pain, 2010, 26, 722-728.	0.8	25
179	Psychological, Cognitive and Quality of Life Features in the Elderly with Chronic Headache. Gerontology, 2009, 55, 683-693.	1.4	15
180	Neck Pain: Much More Than a Psychosocial Condition. Journal of Orthopaedic and Sports Physical Therapy, 2009, 39, 309-311.	1.7	13

#	ARTICLE	IF	CITATIONS
181	Hypoaesthesia occurs with sensory hypersensitivity in chronic whiplash – Further evidence of a neuropathic condition. <i>Manual Therapy</i> , 2009, 14, 138-146.	1.6	66
182	A neuropathic pain component is common in acute whiplash and associated with a more complex clinical presentation. <i>Manual Therapy</i> , 2009, 14, 173-179.	1.6	57
183	Physical and psychological aspects of whiplash: Important considerations for primary care assessment, Part 2 – Case studies. <i>Manual Therapy</i> , 2009, 14, e8-e12.	1.6	7
184	Cervical musculoskeletal impairment is common in elders with headache. <i>Manual Therapy</i> , 2009, 14, 636-641.	1.6	28
185	Bring back the biopsychosocial model for neck pain disorders. <i>Manual Therapy</i> , 2009, 14, 117-118.	1.6	18
186	A randomised clinical trial of a comprehensive exercise program for chronic whiplash: trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 149.	0.8	18
187	Dry needling and exercise for chronic whiplash - a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 160.	0.8	20
188	The clinical presentation of chronic whiplash and the relationship to findings of MRI fatty infiltrates in the cervical extensor musculature: a preliminary investigation. <i>European Spine Journal</i> , 2009, 18, 1371-1378.	1.0	46
189	Widespread Sensory Hypersensitivity Is Not a Feature of Chronic Headache in Elders. <i>Clinical Journal of Pain</i> , 2009, 25, 699-704.	0.8	22
190	Pain, Transportation Issues and Whiplash. , 2009, , 447-471.		0
191	Landers M, Creger R, Baker C, Stutelberg K. The use of fear-avoidance beliefs and non-organic signs in predicting prolonged disability in patients with neck pain. <i>Manual Therapy</i> 2007; doi:10.1016/j.math.2007.01.010. <i>Manual Therapy</i> , 2008, 13, e1-e2.	1.6	1
192	Physical and psychological aspects of whiplash: Important considerations for primary care assessment. <i>Manual Therapy</i> , 2008, 13, 93-102.	1.6	58
193	Alterations in Cervical Muscle Function in Neck Pain. , 2008, , 41-58.		3
194	Sensory Manifestations of Neck Pain. , 2008, , 5-19.		0
195	Structure and Function of the Cervical Region. , 2008, , 21-39.		0
196	The Cervical Spine and Sensorimotor Control. , 2008, , 59-71.		0
197	Whiplash-associated Disorders. , 2008, , 101-115.		2
198	Cervicogenic Headache. , 2008, , 117-130.		1

#	ARTICLE	IF	CITATIONS
199	Differential Diagnosis of Cervicobrachial Pain. , 2008, , 131-143.		1
200	Clinical Assessment. , 2008, , 145-153.		0
201	Clinical Assessment. , 2008, , 155-187.		2
202	Principles of Management of Cervical Disorders. , 2008, , 189-206.		2
203	Testing for Sensory Hypersensitivity or Central Hyperexcitability Associated With Cervical Spine Pain. Journal of Manipulative and Physiological Therapeutics, 2008, 31, 534-539.	0.4	44
204	Course and prognostic factors of whiplash: A systematic review and meta-analysis . Pain, 2008, 138, 617-629.	2.0	265
205	Therapeutic Exercise for Cervical Disorders. , 2008, , 207-229.		4
206	Self-Administered Leeds Assessment of Neuropathic Symptoms and Signs. Australian Journal of Physiotherapy, 2008, 54, 285.	0.9	0
207	The Brachial Plexus Provocation Test. Australian Journal of Physiotherapy, 2008, 54, 146.	0.9	2
208	The Impact of Event Scale (IES). Australian Journal of Physiotherapy, 2008, 54, 78.	0.9	20
209	Digitally tender points: their significance in physiotherapy. Physical Therapy Reviews, 2008, 13, 188-196.	0.3	6
210	Whiplash (Grade II) and Cervical Radiculopathy Share a Similar Sensory Presentation: An Investigation Using Quantitative Sensory Testing. Clinical Journal of Pain, 2008, 24, 595-603.	0.8	75
211	Psychologic Factors Are Related to Some Sensory Pain Thresholds but Not Nociceptive Flexion Reflex Threshold in Chronic Whiplash. Clinical Journal of Pain, 2008, 24, 124-130.	0.8	100
212	Hypoesthesia Occurs in Acute Whiplash Irrespective of Pain and Disability Levels and the Presence of Sensory Hypersensitivity. Clinical Journal of Pain, 2008, 24, 759-766.	0.8	38
213	Disturbances in Postural Stability, Head and Eye Movement Control in Cervical Disorders. , 2008, , 73-86.		0
214	Psychological and Psychosocial Factors in Neck Pain. , 2008, , 87-99.		1
215	Whiplash Injury Pain: Basic Science and Current/Future Therapeutics. Reviews in Analgesia, 2007, 9, 105-116.	0.9	5
216	Patient Specific Functional Scale. Australian Journal of Physiotherapy, 2007, 53, 65.	0.9	42

#	ARTICLE	IF	CITATIONS
217	The effect of 300 mW, 830 nm laser on chronic neck pain. Australian Journal of Physiotherapy, 2006, 52, 302-303.	0.9	1
218	The relationship between sensory and sympathetic nervous system changes and posttraumatic stress reaction following whiplash injury—a prospective study. Journal of Psychosomatic Research, 2006, 60, 387-393.	1.2	66
219	Physical and psychological factors maintain long-term predictive capacity post-whiplash injury. Pain, 2006, 122, 102-108.	2.0	265
220	Balancing the “bio”™ with the psychosocial in whiplash associated disorders. Manual Therapy, 2006, 11, 180-181.	1.6	16
221	Widespread Sensory Hypersensitivity Is a Feature of Chronic Whiplash-Associated Disorder but not Chronic Idiopathic Neck Pain. Clinical Journal of Pain, 2005, 21, 175-181.	0.8	245
222	Relationship Between Self Reported Pain and Disability and Physical Measures in Chronic Whiplash Associated Disorder(WAD). Journal of Whiplash and Related Disorders, 2005, 4, 11-22.	0.2	1
223	Central hypersensitivity in whiplash: implications for physiotherapy assessment and management. Physical Therapy Reviews, 2005, 10, 237-245.	0.3	2
224	The Neck Disability Index (NDI). Australian Journal of Physiotherapy, 2005, 51, 271.	0.9	33
225	Physical and psychological factors predict outcome following whiplash injury. Pain, 2005, 114, 141-148.	2.0	333
226	A proposed new classification system for whiplash associated disorders—implications for assessment and management. Manual Therapy, 2004, 9, 60-70.	1.6	111
227	Response to Dr Ferrari's Letter to the Editor “The clinical relevance of symptom amplification” Pain, 2004, 107, 277-278.	2.0	2
228	Response to Drs Greve and Bianchini. Pain, 2004, 110, 501-502.	2.0	1
229	Characterization of Acute Whiplash-Associated Disorders. Spine, 2004, 29, 182-188.	1.0	153
230	Proposal of a Classification System for Patients With Neck Pain. Journal of Orthopaedic and Sports Physical Therapy, 2004, , .	1.7	0
231	The development of psychological changes following whiplash injury. Pain, 2003, 106, 481-489.	2.0	185
232	Development of motor system dysfunction following whiplash injury. Pain, 2003, 103, 65-73.	2.0	293
233	Sensory hypersensitivity occurs soon after whiplash injury and is associated with poor recovery. Pain, 2003, 104, 509-517.	2.0	425
234	Response to comment by Kwan and Friel. Pain, 2003, 105, 508.	2.0	0

#	ARTICLE	IF	CITATIONS
235	DIZZINESS AND UNSTEADINESS FOLLOWING WHIPLASH INJURY: CHARACTERISTIC FEATURES AND RELATIONSHIP WITH CERVICAL JOINT POSITION ERROR. <i>Journal of Rehabilitation Medicine</i> , 2003, 35, 36-43.	0.8	326
236	Pressure Pain Thresholds in Chronic Whiplash Associated Disorder: Further Evidence of Altered Central Pain Processing. <i>Journal of Musculoskeletal Pain</i> , 2002, 10, 69-81.	0.3	110
237	Are cervical physical outcome measures influenced by the presence of symptomatology?. <i>Physiotherapy Research International</i> , 2002, 7, 113-121.	0.7	39
238	The effect of musculoskeletal pain on motor activity and control. <i>Journal of Pain</i> , 2001, 2, 135-145.	0.7	167
239	Pressure pain thresholds of upper limb peripheral nerve trunks in asymptomatic subjects. <i>Physiotherapy Research International</i> , 2000, 5, 220-229.	0.7	29
240	Selective acceptance of acute whiplash guidelines: a qualitative analysis of perceptions of health professionals in Australia. <i>Disability and Rehabilitation</i> , 0, , 1-8.	0.9	0