

Weidong He

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1553191/weidong-he-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146 papers	5,288 citations	36 h-index	68 g-index
152 ext. papers	6,410 ext. citations	9.5 avg, IF	5.95 L-index

#	Paper	IF	Citations
146	Facile Synthesis of Fe ₃ O ₄ /GCs Composites and Their Enhanced Microwave Absorption Properties. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 6101-9	9.5	407
145	From Metal-Organic Framework to LiS@C-Co-N Nanoporous Architecture: A High-Capacity Cathode for Lithium-Sulfur Batteries. <i>ACS Nano</i> , 2016 , 10, 10981-10987	16.7	241
144	Inhibiting Polysulfide Shuttling with a Graphene Composite Separator for Highly Robust Lithium-Sulfur Batteries. <i>Joule</i> , 2018 , 2, 2091-2104	27.8	226
143	Designing Safe Electrolyte Systems for a High-Stability Lithium-Sulfur Battery. <i>Advanced Energy Materials</i> , 2018 , 8, 1702348	21.8	210
142	A New Hydrophilic Binder Enabling Strongly Anchoring Polysulfides for High-Performance Sulfur Electrodes in Lithium-Sulfur Battery. <i>Advanced Energy Materials</i> , 2018 , 8, 1702889	21.8	194
141	Materials insights into low-temperature performances of lithium-ion batteries. <i>Journal of Power Sources</i> , 2015 , 300, 29-40	8.9	168
140	Three-Dimensional Hierarchical Reduced Graphene Oxide/Tellurium Nanowires: A High-Performance Freestanding Cathode for Li-Te Batteries. <i>ACS Nano</i> , 2016 , 10, 8837-42	16.7	164
139	Atomic Interlamellar Ion Path in High Sulfur Content Lithium-Montmorillonite Host Enables High-Rate and Stable Lithium-Sulfur Battery. <i>Advanced Materials</i> , 2018 , 30, e1804084	24	151
138	Three-Dimensional Hierarchical : A Highly Efficient Freestanding Cathode for LiBe Batteries. <i>ACS Energy Letters</i> , 2016 , 1, 16-20	20.1	145
137	Understanding the oriented-attachment growth of nanocrystals from an energy point of view: a review. <i>Nanoscale</i> , 2014 , 6, 2531-47	7.7	133
136	Three-Dimensional CNT/Graphene/Li ₂ S Aerogel as Freestanding Cathode for High-Performance LiS Batteries. <i>ACS Energy Letters</i> , 2016 , 1, 820-826	20.1	133
135	Three-dimensional hierarchically structured aerogels constructed with layered MoS ₂ /graphene nanosheets as free-standing anodes for high-performance lithium ion batteries. <i>Electrochimica Acta</i> , 2016 , 215, 12-18	6.7	112
134	Highly-flexible 3D Li ₂ S/graphene cathode for high-performance lithium sulfur batteries. <i>Journal of Power Sources</i> , 2016 , 327, 474-480	8.9	104
133	Direct impregnation of SeS ₂ into a MOF-derived 3D nanoporous Co ₃ (CO) ₃ architecture towards superior rechargeable lithium batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10466-10473	13	101
132	Tellurium-Impregnated Porous Cobalt-Doped Carbon Polyhedra as Superior Cathodes for Lithium-Tellurium Batteries. <i>ACS Nano</i> , 2017 , 11, 8144-8152	16.7	99
131	A Nonflammable and Thermotolerant Separator Suppresses Polysulfide Dissolution for Safe and Long-Cycle Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2018 , 8, 1802441	21.8	97
130	Lithiophilic montmorillonite serves as lithium ion reservoir to facilitate uniform lithium deposition. <i>Nature Communications</i> , 2019 , 10, 4973	17.4	86

129	A Single-Step Hydrothermal Route to 3D Hierarchical Cu ₂ O/CuO/rGO Nanosheets as High-Performance Anode of Lithium-Ion Batteries. <i>Small</i> , 2018 , 14, 1702667	11	68
128	Recent Development in Separators for High-Temperature Lithium-Ion Batteries. <i>Small</i> , 2019 , 15, e1901689	11	66
127	Heterostructured NiS/ZnInS Realizing Toroid-like LiO Deposition in Lithium-Oxygen Batteries with Low-Donor-Number Solvents. <i>ACS Nano</i> , 2020 , 14, 3490-3499	16.7	64
126	Three-dimensional hierarchical C-Co-N/Se derived from metal-organic framework as superior cathode for Li-Se batteries. <i>Journal of Power Sources</i> , 2017 , 363, 103-109	8.9	64
125	1T-MoS ₂ nanotubes wrapped with N-doped graphene as highly-efficient absorbent and electrocatalyst for Li-S batteries. <i>Journal of Power Sources</i> , 2020 , 447, 227364	8.9	64
124	Interfacial lattice-strain effects on improving the overall performance of micro-solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 20031-20050	13	63
123	Gas transport in porous electrodes of solid oxide fuel cells: A review on diffusion and diffusivity measurement. <i>Journal of Power Sources</i> , 2013 , 237, 64-73	8.9	62
122	Highly Efficient PVDF-HFP/Colloidal Alumina Composite Separator for High-Temperature Lithium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701147	4.6	59
121	Mo ₂ C Nanodots Anchored on N-Doped Porous CNT Microspheres as Electrode for Efficient Li-Ion Storage. <i>Small Methods</i> , 2019 , 3, 1800287	12.8	53
120	Mo ₂ C quantum dots@graphene functionalized separator toward high-current-density lithium metal anodes for ultrastable Li-S batteries. <i>Chemical Engineering Journal</i> , 2020 , 399, 125837	14.7	51
119	Supercritical water heat transfer for nuclear reactor applications: A review. <i>Annals of Nuclear Energy</i> , 2016 , 97, 53-65	1.7	48
118	Facile Synthesis of Three-Dimensional Sandwiched MnO@GCs/MnO Hybrid Nanostructured Electrode for Electrochemical Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 18872-18882	9.5	43
117	Out-of-cell measurements of H ₂ /H ₂ O effective binary diffusivity in the porous anode of solid oxide fuel cells (SOFCs). <i>Journal of Power Sources</i> , 2010 , 195, 532-535	8.9	43
116	High-Performance PE-BN/PVDF-HFP Bilayer Separator for Lithium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1801330	4.6	42
115	Highly Efficient Materials Assembly Via Electrophoretic Deposition for Electrochemical Energy Conversion and Storage Devices. <i>Advanced Energy Materials</i> , 2016 , 6, 1502018	21.8	39
114	Enhanced photocurrent production by the synergy of hematite nanowire-arrayed photoanode and bioengineered <i>Shewanella oneidensis</i> MR-1. <i>Biosensors and Bioelectronics</i> , 2017 , 94, 227-234	11.8	37
113	Modelling and simulation of electron-rich effect on Li diffusion in group IVA elements (Si, Ge and Sn) for Li ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 13976-13982	13	37
112	Atomic interlamellar ion path in polymeric separator enables long-life and dendrite-free anode in lithium ion batteries. <i>Journal of Power Sources</i> , 2020 , 451, 227773	8.9	36

111	In Situ Direct Method To Massively Prepare Hydrophilic Porous Carbide-Derived Carbons for High-Performance Supercapacitors. <i>ACS Applied Energy Materials</i> , 2018 , 1, 3544-3553	6.1	36
110	Distinctive Supercapacitive Properties of Copper and Copper Oxide Nanocrystals Sharing a Similar Colloidal Synthetic Route. <i>Advanced Energy Materials</i> , 2017 , 7, 1700105	21.8	35
109	Molecular Capturing and Releasing MoS ₂ /TiN interlayers suppress polysulfide shuttling and self-discharge of LiS batteries. <i>Energy Storage Materials</i> , 2020 , 27, 333-341	19.4	34
108	High-Performance SERS Substrate Based on Hierarchical 3D Cu Nanocrystals with Efficient Morphology Control. <i>Small</i> , 2018 , 14, e1802477	11	34
107	An analytical expression for the van der Waals interaction in oriented-attachment growth: a spherical nanoparticle and a growing cylindrical nanorod. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 4548-53	3.6	34
106	Superantiferromagnetic EuTe nanoparticles: room temperature colloidal synthesis, structural characterization, and magnetic properties. <i>Nanoscale</i> , 2011 , 3, 184-7	7.7	33
105	An Upgraded Lithium Ion Battery Based on a Polymeric Separator Incorporated with Anode Active Materials. <i>Advanced Energy Materials</i> , 2019 , 9, 1803627	21.8	31
104	Synthesis of high-purity CuO nanoleaves and analysis of their ethanol gas sensing properties. <i>RSC Advances</i> , 2015 , 5, 34788-34794	3.7	31
103	Origin of extra capacity in the solid electrolyte interphase near high-capacity iron carbide anodes for Li ion batteries. <i>Energy and Environmental Science</i> , 2020 , 13, 2924-2937	35.4	31
102	Remarkable optical and magnetic properties of ultra-thin europium oxysulfide nanorods. <i>Journal of Materials Chemistry</i> , 2012 , 22, 16728		31
101	An insight into the Coulombic interaction in the dynamic growth of oriented-attachment nanorods. <i>CrystEngComm</i> , 2014 , 16, 1439-1442	3.3	30
100	Carbon-Tungsten Disulfide Composite Bilayer Separator for High-Performance Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 39417-39421	9.5	30
99	A Multisensor Device for Highly Efficient Diffusivity Measurements and Overall-Concentration-Polarization Evaluation in Fuel Cells. <i>Advanced Energy Materials</i> , 2012 , 2, 329-333	21.8	29
98	A Highly-Efficient Composite Separator with Strong Ligand Interaction for High-Temperature Lithium-Ion Batteries. <i>ChemElectroChem</i> , 2018 , 5, 2722-2728	4.3	28
97	Suppression of Polysulfide Dissolution and Shuttling with Glutamate Electrolyte for Lithium Sulfur Batteries. <i>ACS Nano</i> , 2019 , 13, 14172-14181	16.7	28
96	A quasi-solid composite separator with high ductility for safe and high-performance lithium-ion batteries. <i>Journal of Power Sources</i> , 2019 , 414, 225-232	8.9	28
95	Piezotronic-effect-enhanced Ag ₂ S/ZnO photocatalyst for organic dye degradation. <i>RSC Advances</i> , 2017 , 7, 48176-48183	3.7	27
94	Flame-Retardant Bilayer Separator with Multifaceted van der Waals Interaction for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 26402-26411	9.5	27

93	A new insight into the oxygen diffusion in porous cathodes of lithium-air batteries. <i>Energy</i> , 2015 , 83, 669-673	7.9	27
92	Separator Modification and Functionalization for Inhibiting the Shuttle Effect in Lithium-Sulfur Batteries. <i>Physica Status Solidi - Rapid Research Letters</i> , 2018 , 12, 1800249	2.5	26
91	Review of Massing Mechanism and Suppressing Solutions in Li ₄ Ti ₅ O ₁₂ -Based Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A2213-A2224	3.9	26
90	Overall concentration polarization and limiting current density of fuel cells with nanostructured electrodes. <i>Nano Energy</i> , 2012 , 1, 828-832	17.1	26
89	Recent progress in flame-retardant separators for safe lithium-ion batteries. <i>Energy Storage Materials</i> , 2021 , 37, 628-647	19.4	25
88	Direct electrophoretic deposition of an ultra-strong separator on an anode in a surfactant-free colloidal system for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 1410-1417	13	24
87	Lithium-Air Batteries: Performance Interplays with Instability Factors. <i>ChemElectroChem</i> , 2015 , 2, 312-323	4.3	24
86	An Efficient, Scalable Route to Robust PVDF-co-HFP/SiO ₂ Separator for Long-Cycle Lithium Ion Batteries. <i>Physica Status Solidi - Rapid Research Letters</i> , 2018 , 12, 1800319	2.5	24
85	Genetic engineering of porous sulfur species with molecular target prevents host passivation in lithium sulfur batteries. <i>Energy Storage Materials</i> , 2020 , 26, 65-72	19.4	24
84	A facile synthesis of Te nanoparticles with binary size distribution by green chemistry. <i>Nanoscale</i> , 2011 , 3, 1523-5	7.7	23
83	Thermally driven isotropic crystallinity breaking of nanocrystals: Insight into the assembly of EuS nanoclusters and nanorods with oleate ligands. <i>Applied Physics Letters</i> , 2011 , 98, 081914	3.4	23
82	Physical justification for ionic conductivity enhancement at strained coherent interfaces. <i>Journal of Power Sources</i> , 2015 , 285, 37-42	8.9	22
81	Vapor-Dissociation-Solid Growth of Three-Dimensional Graphite-like Capsules with Delicate Morphology and Atomic-level Thickness Control. <i>Crystal Growth and Design</i> , 2016 , 16, 5040-5048	3.5	22
80	An Efficient Route to Polymeric Electrolyte Membranes with Interparticle Chain Microstructure Toward High-Temperature Lithium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1601236	4.6	21
79	An energy investigation into 1D/2D oriented-attachment assemblies of 1D Ag nanocrystals. <i>ChemPhysChem</i> , 2014 , 15, 2688-91	3.2	21
78	The evaluation of Coulombic interaction in the oriented-attachment growth of colloidal nanorods. <i>Analyst, The</i> , 2012 , 137, 4917-20	5	20
77	A highly-efficient route to three-dimensional nanoporous copper leaves with high surface enhanced Raman scattering properties. <i>Chemical Engineering Journal</i> , 2017 , 321, 394-400	14.7	19
76	Composite Separators for Robust High Rate Lithium Ion Batteries. <i>Advanced Functional Materials</i> , 2021 , 31, 2101420	15.6	19

75	A robust bi-layer separator with Lewis acid-base interaction for high-rate capacity lithium-ion batteries. <i>Composites Part B: Engineering</i> , 2019 , 177, 107448	10	18
74	Organosulfur Compounds Enable Uniform Lithium Plating and Long-Term Battery Cycling Stability. <i>Nano Letters</i> , 2020 , 20, 2594-2601	11.5	18
73	Three-Dimensional Nanoporous Polyethylene-Reinforced PVDF-HFP Separator Enabled by Dual-Solvent Hierarchical Gas Liberation for Ultrahigh-Rate Lithium Ion Batteries. <i>ACS Applied Energy Materials</i> , 2018 , 1, 921-927	6.1	17
72	Shape and Size Control of LiFePO ₄ for High-Performance Lithium-Ion Batteries. <i>ChemElectroChem</i> , 2015 , 2, 1227-1237	4.3	17
71	Space matters: Li ⁺ conduction versus strain effect at FePO ₄ /LiFePO ₄ interface. <i>Applied Physics Letters</i> , 2016 , 108, 083901	3.4	17
70	Recent progress in thin separators for upgraded lithium ion batteries. <i>Energy Storage Materials</i> , 2021 , 41, 805-841	19.4	17
69	Oriented-attachment dimensionality build-up via van der Waals interaction. <i>CrystEngComm</i> , 2015 , 17, 729-733	3.3	16
68	An electrochemical device for three-dimensional (3D) diffusivity measurement in fuel cells. <i>Nano Energy</i> , 2013 , 2, 1004-1009	17.1	16
67	Physical justification for negative remanent magnetization in homogeneous nanoparticles. <i>Scientific Reports</i> , 2014 , 4, 6267	4.9	16
66	Metal Oxides with Distinctive Valence States in an Electron-Rich Matrix Enable Stable High-Capacity Anodes for Li Ion Batteries. <i>Small Methods</i> , 2020 , 4, 1900753	12.8	16
65	A Highly Stable Separator from an Instantly Reformed Gel with Direct Post-Solidation for Long-Cycle High-Rate Lithium-Ion Batteries. <i>ChemSusChem</i> , 2019 , 12, 908-914	8.3	16
64	A Nanostructured Si/SiOC Composite Anode with Volume-Change-Buffering Microstructure for Lithium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2019 , 25, 2604-2609	4.8	16
63	An Emerging Energy Storage System: Advanced Na-Se Batteries. <i>ACS Nano</i> , 2021 , 15, 5876-5903	16.7	15
62	Synthesis, Crystal Structure, and Luminescence Properties of Y ₄ Si ₂ O ₇ N ₂ : Eu ²⁺ Oxynitride Phosphors. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 183-190	3.8	15
61	Composite nanofibers through in-situ reduction with abundant active sites as flexible and stable anode for lithium ion batteries. <i>Composites Part B: Engineering</i> , 2019 , 161, 369-375	10	15
60	Gas transport evaluation in lithium-air batteries with micro/nano-structured cathodes. <i>Journal of Power Sources</i> , 2015 , 274, 762-767	8.9	14
59	Doubling the diffusivity measurement efficiency in solid oxide fuel cells (SOFCs) via a bi-sensor electrochemical cell. <i>Journal of Power Sources</i> , 2011 , 196, 9985-9988	8.9	14
58	Enhancing Oxygen Reduction Activity and Cr Tolerance of Solid Oxide Fuel Cell Cathodes by a Multiphase Catalyst Coating. <i>Advanced Functional Materials</i> , 2021 , 31, 2100034	15.6	14

57	Gas Transport in Solid Oxide Fuel Cells. <i>SpringerBriefs in Energy</i> , 2014 ,	0.3	13
56	Growth of Solid and Hollow Gold Particles through the Thermal Annealing of Nanoscale Patterned Thin Films. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 11590-6	9.5	13
55	A solid-electrolyte-reinforced separator through single-step electrophoretic assembly for safe high-capacity lithium ion batteries. <i>Journal of Power Sources</i> , 2020 , 448, 227469	8.9	13
54	Justifying the significance of Knudsen diffusion in solid oxide fuel cells. <i>Energy</i> , 2016 , 95, 242-246	7.9	12
53	Adsorption of 2,3,7,8-tetrochlorodibenzo-p-dioxins on intrinsic, defected, and Ti (N, Ag) doped graphene: a DFT study. <i>Journal of Molecular Modeling</i> , 2014 , 20, 2238	2	12
52	Interfacial strain effect on gas transport in nanostructured electrodes of solid oxide fuel cells. <i>Journal of Power Sources</i> , 2015 , 291, 126-131	8.9	11
51	Can oriented-attachment be an efficient growth mechanism for the synthesis of 1D nanocrystals via atomic layer deposition?. <i>Nanotechnology</i> , 2015 , 26, 382001	3.4	11
50	Analytical insight into the oxygen diffusion in wetted porous cathodes of Li-air batteries. <i>Energy</i> , 2015 , 93, 416-420	7.9	11
49	Quantitative evaluation of Coulombic interactions in the oriented-attachment growth of nanotubes. <i>Analyst, The</i> , 2014 , 139, 371-4	5	11
48	Boosting sodium storage performance of Mo ₂ C via nitrogen-doped carbon sphere encapsulation and rGO wrapping. <i>Chemical Engineering Journal</i> , 2021 , 413, 127471	14.7	11
47	A sandwich-structured double-battery device for direct evaluation of lithium diffusion coefficients and phase transition in electrodes of lithium ion batteries. <i>Chemical Engineering Science</i> , 2019 , 200, 80-86	14.4	10
46	Novel composite separator for high power density lithium-ion battery. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 2917-2924	6.7	10
45	Three-dimensional twisted fiber composite as high-loading cathode support for lithium sulfur batteries. <i>Composites Part B: Engineering</i> , 2019 , 174, 107025	10	9
44	Lithium-Ion Batteries: A Single-Step Hydrothermal Route to 3D Hierarchical Cu ₂ O/CuO/rGO Nanosheets as High-Performance Anode of Lithium-Ion Batteries (Small 5/2018). <i>Small</i> , 2018 , 14, 1870020	11	9
43	An electrochemical device with a multifunctional sensor for gas diffusivity measurement in fuel cells. <i>Journal of Power Sources</i> , 2014 , 251, 108-112	8.9	9
42	A current-sensor electrochemical device for accurate gas diffusivity measurement in fuel cells. <i>Journal of Power Sources</i> , 2013 , 232, 93-98	8.9	9
41	A model study on correlation between microstructure-gas diffusion and Cr deposition in porous LSM/YSZ cathodes of solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 18319-18329	6.7	8
40	A critical look into effects of electrode pore morphology in solid oxide fuel cells. <i>AIChE Journal</i> , 2017 , 63, 2312-2317	3.6	7

39	An electrochemical device for the Knudsen and bulk diffusivity measurement in the anodes of solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 15057-15062	6.7	7
38	Surfactant induced colloidal growth and selective electrophoretic deposition of one-dimensional Te nanocrystals. <i>Materials Letters</i> , 2013 , 110, 148-151	3.3	7
37	Stabilization of high-voltage lithium metal batteries using a sulfone-based electrolyte with bi-electrode affinity and LiSO ₂ F-rich interphases. <i>Energy Storage Materials</i> , 2021 ,	19.4	7
36	High-Polarity Fluoroalkyl Ether Electrolyte Enables Solvation-Free Li Transfer for High-Rate Lithium Metal Batteries.. <i>Advanced Science</i> , 2021 , e2104699	13.6	7
35	Out-of-Cell Oxygen Diffusivity Evaluation in Lithium-Air Batteries. <i>ChemElectroChem</i> , 2014 , 1, 2052-2057	4.3	6
34	Assembly of anisotropic one dimensional Ag nanostructures through orientated attachment: on-axis or off-axis growth?. <i>RSC Advances</i> , 2015 , 5, 20783-20787	3.7	6
33	Natural Lepidolite Enables Fast Polysulfide Redox for High-Rate Lithium Sulfur Batteries. <i>Advanced Energy Materials</i> , 2021 , 11, 2102058	21.8	6
32	Heat-Resistant Trilayer Separators for High-Performance Lithium-Ion Batteries. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020 , 14, 1900504	2.5	6
31	Synergistic effects of thermal expansion-induced variation in the electrode microstructure on polarization loss in solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 2768-2773	13	5
30	Advanced materials for flexible electrochemical energy storage devices. <i>Journal of Materials Research</i> , 2018 , 33, 2281-2296	2.5	5
29	Electrochemical devices with optimized gas tightness for the diffusivity measurement in fuel cells. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 2334-2339	6.7	5
28	Ten Thousand-Cycle Ultrafast Energy Storage of Wadsley-Roth Phase Fe-Nb Oxides with a Desolvation Promoting Interfacial Layer. <i>Nano Letters</i> , 2021 , 21, 9675-9683	11.5	5
27	Recent advances in separator engineering for effective dendrite suppression of Li-metal anodes. <i>Nano Select</i> , 2021 , 2, 993-1010	3.1	5
26	Polybenzimidazole functionalized electrolyte with Li-wetting and self-fluorination functionalities for practical Li metal batteries. <i>Informa Materials</i> ,	23.1	5
25	On the polarization loss induced by thermal expansion in solid oxide fuel cells. <i>Solid State Ionics</i> , 2017 , 311, 63-68	3.3	4
24	Coherent Bi ₂ O ₃ -TiO ₂ hetero-junction material through oriented growth as an efficient photo-catalyst for methyl orange degradation. <i>Materials Today Chemistry</i> , 2018 , 8, 36-41	6.2	4
23	Nanocrystals from Oriented-Attachment for Energy Applications. <i>SpringerBriefs in Energy</i> , 2018 ,	0.3	4
22	Ionic conductivity evolution at strained crystal interfaces in solid oxide fuel cells (SOFCs). <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 22254-22259	6.7	3

21	Synergistic effects of sulfur poisoning and gas diffusion on polarization loss in anodes of solid oxide fuel cells. <i>AIChE Journal</i> , 2018 , 64, 1127-1134	3.6	3
20	Ionic conductivity evolution of isotropic crystal with double strained interfaces. <i>Solid State Ionics</i> , 2017 , 303, 167-171	3.3	2
19	Initial-stage oriented-attachment one-dimensional assembly of nanocrystals: fundamental insight with a collision-recrystallization model. <i>RSC Advances</i> , 2015 , 5, 54605-54612	3.7	2
18	Advanced Oxygen Sensing for Accurate Gas Diffusivity Measurements in Fuel Cells. <i>ChemElectroChem</i> , 2015 , 2, 819-823	4.3	2
17	Three-dimensional ionic conduction in the strained electrolytes of solid oxide fuel cells. <i>Journal of Applied Physics</i> , 2016 , 119, 174904	2.5	2
16	Gas leak diffusion induced polarization in submicro/nanoscale non-tight electrolytes of solid oxide fuel cells. <i>RSC Advances</i> , 2016 , 6, 62052-62061	3.7	2
15	Length evolution of helical micro/nano-scale structures. <i>RSC Advances</i> , 2014 , 4, 31308-31312	3.7	2
14	Poly(vinylidene fluoride) separators for next-generation lithium based batteries. <i>Nano Select</i> ,	3.1	2
13	Crystal-isotropy dependence of ionic conductivity enhancement at strained interfaces. <i>Solid State Ionics</i> , 2016 , 289, 168-172	3.3	2
12	Reduced electrochemical performances of proton exchange membrane fuel cells due to gaseous diffusion in electrolytes. <i>RSC Advances</i> , 2016 , 6, 97194-97198	3.7	2
11	Ethyl cyanoacrylate reinforced polyvinylidene fluoride separators for robust lithium ion batteries. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 2434-2441	7.8	2
10	A Single-Layer Composite Separator with 3D-Reinforced Microstructure for Practical High-Temperature Lithium Ion Batteries.. <i>Small</i> , 2022 , e2107664	11	2
9	Introduction to Oriented-Attachment Growth Mechanism. <i>SpringerBriefs in Energy</i> , 2018 , 1-13	0.3	1
8	Coordination-dependent surface strain and rational construction of robust structures. <i>Nanotechnology</i> , 2018 , 29, 465708	3.4	1
7	Separation-dependence evolution of inter-particle interaction in the oriented-attachment growth of nanorods: a case of hexagonal nanocrystals. <i>Analyst, The</i> , 2014 , 139, 3393-7	5	1
6	Hierarchical Self-Supported Carbon Nanostructure Enables Superior Stability of Highly Nitrogen-Doped anodes. <i>ChemElectroChem</i> , 2020 , 7, 3883-3888	4.3	1
5	Uniform Li Plating/Stripping within Ni Macropore Arrays Enabled by Regulated Electric Field Distribution for Ultra-Stable Li-Metal Anodes. <i>IScience</i> , 2020 , 23, 101089	6.1	1
4	Zeolitic imidazolate framework enables practical room-temperature operation of solid-state lithium batteries. <i>Materials Today Physics</i> , 2021 , 21, 100554	8	0

- 3 The evaluation of van der Waals interaction in the oriented-attachment growth of nanotubes. *Materials Research Society Symposia Proceedings*, **2014**, 1705, 1
- 2 A Multisensor Device for Highly Efficient Diffusivity Measurements and Overall-Concentration-Polarization Evaluation in Fuel Cells (Adv. Energy Mater. 3/2012). *Advanced Energy Materials*, **2012**, 2, 328-328 21.8
- 1 Diffusivity Measurement Techniques. *SpringerBriefs in Energy*, **2014**, 19-44 0.3