

Kui Wu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1553277/kui-wu-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

2,761
citations

28
h-index

47
g-index

134
ext. papers

3,380
ext. citations

5.3
avg, IF

5.81
L-index

#	Paper	IF	Citations
116	Na ₂ ZnGe ₂ S ₆ : A New Infrared Nonlinear Optical Material with Good Balance between Large Second-Harmonic Generation Response and High Laser Damage Threshold. <i>Journal of the American Chemical Society</i> , 2016 , 138, 7422-8	16.4	205
115	New Compressed Chalcopyrite-like LiBaMQ (M = Ge, Sn; Q = S, Se): Promising Infrared Nonlinear Optical Materials. <i>Journal of the American Chemical Society</i> , 2017 , 139, 14885-14888	16.4	151
114	Na ₂ BaMQ ₄ (M=Ge, Sn; Q=S, Se): Infrared Nonlinear Optical Materials with Excellent Performances and that Undergo Structural Transformations. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 6713-5	16.4	144
113	A review on structure-performance relationship toward the optimal design of infrared nonlinear optical materials with balanced performances. <i>Coordination Chemistry Reviews</i> , 2018 , 377, 191-208	23.2	131
112	Na ₃ Ba ₂ (B ₃ O ₆) ₂ F: Next Generation of Deep-Ultraviolet Birefringent Materials. <i>Crystal Growth and Design</i> , 2015 , 15, 523-529	3.5	125
111	Na ₂ Hg ₃ M ₂ S ₈ (M = Si, Ge, and Sn): New Infrared Nonlinear Optical Materials with Strong Second Harmonic Generation Effects and High Laser-Damage Thresholds. <i>Chemistry of Materials</i> , 2016 , 28, 2795-2801	9.6	119
110	The first quaternary diamond-like semiconductor with 10-membered LiS rings exhibiting excellent nonlinear optical performances. <i>Chemical Communications</i> , 2017 , 53, 3010-3013	5.8	79
109	NaCdGeQ (Q = S, Se): two metal-mixed chalcogenides with phase-matching abilities and large second-harmonic generation responses. <i>Dalton Transactions</i> , 2017 , 46, 2778-2784	4.3	57
108	BaCdSnS ₄ and Ba ₃ CdSn ₂ S ₈ : syntheses, structures, and non-linear optical and photoluminescence properties. <i>Dalton Transactions</i> , 2016 , 45, 10681-8	4.3	56
107	ASrMS (A = Li, Na; M = Ge, Sn) concurrently exhibiting wide bandgaps and good nonlinear optical responses as new potential infrared nonlinear optical materials. <i>Chemical Science</i> , 2019 , 10, 3963-3968	9.4	52
106	An investigation of new infrared nonlinear optical material: BaCdSnSe ₄ , and three new related centrosymmetric compounds: Ba ₂ SnSe ₄ , Mg ₂ GeSe ₄ , and Ba ₂ Ge ₂ S ₆ . <i>Dalton Transactions</i> , 2015 , 44, 19856-64	4.3	50
105	Multi-Targeted Anticancer Agents. <i>Current Topics in Medicinal Chemistry</i> , 2017 , 17, 3084-3098	3	48
104	BaB ₂ S ₄ : An Efficient and Air-Stable Thioborate as Infrared Nonlinear Optical Material with High Laser Damage Threshold. <i>Chemistry of Materials</i> , 2018 , 30, 7428-7432	9.6	45
103	Na ₄ MgM ₂ Se ₆ (M = Si, Ge): The First Noncentrosymmetric Compounds with Special Ethane-like [M ₂ Se ₆](6-) Units Exhibiting Large Laser-Damage Thresholds. <i>Inorganic Chemistry</i> , 2015 , 54, 10108-10	5.1	44
102	Synthesis and characterization of mid-infrared transparency compounds: acentric BaHgS ₂ and centric Ba ₈ Hg ₄ S ₅ Se ₇ . <i>Inorganic Chemistry</i> , 2015 , 54, 2772-9	5.1	41
101	Na ₂ BaMQ ₄ (M=Ge, Sn; Q=S, Se): Infrared Nonlinear Optical Materials with Excellent Performances and that Undergo Structural Transformations. <i>Angewandte Chemie</i> , 2016 , 128, 6825-6827	3.6	41
100	A review on phase transition and structure-performance relationship of second-order nonlinear optical polymorphs. <i>Coordination Chemistry Reviews</i> , 2020 , 418, 213380	23.2	40

99	BaSiP: 1D Nonlinear Optical Material with Thermal Barrier Chains. <i>Journal of the American Chemical Society</i> , 2019 , 141, 11976-11983	16.4	40
98	Effect of Element Substitution on Structural Transformation and Optical Performances in IBaMQ (I = Li, Na, Cu, and Ag; M = Si, Ge, and Sn; Q = S and Se). <i>Inorganic Chemistry</i> , 2018 , 57, 3434-3442	5.1	39
97	Oxyhalides: prospecting ore for optical functional materials with large laser damage thresholds. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 2435-2442	7.1	39
96	BaCu ₂ MIVQ ₄ (MIV = Si, Ge, and Sn; Q = S, Se): synthesis, crystal structures, optical performances and theoretical calculations. <i>RSC Advances</i> , 2017 , 7, 29378-29385	3.7	37
95	In Situ Mass Spectrometric Monitoring of the Dynamic Electrochemical Process at the Electrode-Electrolyte Interface: a SIMS Approach. <i>Analytical Chemistry</i> , 2017 , 89, 960-965	7.8	37
94	Synthesis, Characterization, and in Vitro Antitumor Activity of Ruthenium(II) Polypyridyl Complexes Tethering EGFR-Inhibiting 4-Anilinoquinazolines. <i>Inorganic Chemistry</i> , 2016 , 55, 4595-605	5.1	35
93	Li ₂ HgMS ₄ (M = Si, Ge, Sn): New Quaternary Diamond-Like Semiconductors for Infrared Laser Frequency Conversion. <i>Crystals</i> , 2017 , 7, 107	2.3	33
92	Spectroscopy and laser performance of Nd:Lu ₂ O ₃ crystal. <i>Optics Express</i> , 2011 , 19, 17774-9	3.3	30
91	K ₅ Ba ₁₀ (BO ₃) ₈ F: A New Potassium Barium Borate Fluoride with a Perovskite-Like Structure. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 18763-18770	3.8	30
90	First-Principles High-Throughput Screening Pipeline for Nonlinear Optical Materials: Application to Borates. <i>Chemistry of Materials</i> , 2020 , 32, 6772-6779	9.6	29
89	Mg ₂ Si ₂ As: An Unexplored System with Promising Nonlinear Optical Properties. <i>Advanced Functional Materials</i> , 2018 , 28, 1801589	15.6	29
88	Discovery of a dual-targeting organometallic ruthenium complex with high activity inducing early stage apoptosis of cancer cells. <i>Metallomics</i> , 2015 , 7, 1573-83	4.5	27
87	Infrared Nonlinear Optical Polymorphs Ba ₂ ErCu ₂ Sn ₄ S ₄ Exhibiting Large Second Harmonic Generation Responses with Requisite Phase-Matching Behavior. <i>Chemistry of Materials</i> , 2020 , 32, 1281-1287	9.6	27
86	Growth and Characteristics of Yb-doped $\text{Y}_3\text{Ga}_5\text{O}_{12}$ Laser Crystal. <i>IEEE Journal of Quantum Electronics</i> , 2010 , 46, 1689-1695	2	27
85	New type of complex alkali and alkaline earth metal borates with isolated (B ₁₂ O ₂₄) ₁₂ anionic group. <i>Dalton Transactions</i> , 2014 , 43, 4886-91	4.3	26
84	Competitive binding sites of a ruthenium arene anticancer complex on oligonucleotides studied by mass spectrometry: ladder-sequencing versus top-down. <i>Journal of the American Society for Mass Spectrometry</i> , 2013 , 24, 410-20	3.5	26
83	Diode-pumped passively mode-locked Yb:Y ₃ Ga ₅ O ₁₂ laser. <i>Optics Letters</i> , 2009 , 34, 3316-8	3	26
82	Thymines in single-stranded oligonucleotides and G-quadruplex DNA are competitive with guanines for binding to an organoruthenium anticancer complex. <i>Inorganic Chemistry</i> , 2013 , 52, 11332-42	5.1	25

81	Efficient triwavelength laser with a Nd:YGG garnet crystal. <i>Optics Letters</i> , 2010 , 35, 1801-3	3	25
80	LiZnGeS: a promising diamond-like infrared nonlinear optical material with high laser damage threshold and outstanding second-harmonic generation response. <i>Dalton Transactions</i> , 2019 , 48, 4484-4488	4.3	25
79	Ba ₂ GeS ₄ and Mg ₂ SnS ₄ : synthesis, structures, optical properties and electronic structures. <i>RSC Advances</i> , 2015 , 5, 33646-33652	3.7	24
78	ABaSbQ (A = Li, Na; Q = S, Se): diverse arrangement modes of isolated SbQ ligands regulating the magnitudes of birefringences. <i>Chemical Communications</i> , 2019 , 55, 5143-5146	5.8	23
77	Lu ₃ Ga ₅ O ₁₂ crystal: exploration of new laser host material for the ytterbium ion. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2012 , 29, 2320	1.7	23
76	Nd:YGG crystal laser at 1110 nm: a potential source for detecting carbon monoxide poisoning. <i>Optics Letters</i> , 2011 , 36, 1281-3	3	20
75	A new family of quaternary thiosilicates SrA ₂ SiS ₄ (A = Li, Na, Cu) as promising infrared nonlinear optical crystals. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 1762-1767	7.1	20
74	Na ₆ Zn ₃ MIII ₂ Q ₉ (MIII = Ga, In; Q = S, Se): four new supertetrahedron-layered chalcogenides with unprecedented vertex-sharing T ₃ -clusters and desirable photoluminescence performances. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1415-1422	6.8	19
73	Prediction and Characterization of NaGaS, A High Thermal Conductivity Mid-Infrared Nonlinear Optical Material for High-Power Laser Frequency Conversion. <i>Inorganic Chemistry</i> , 2019 , 58, 93-98	5.1	19
72	Evaluation of serum phosphopeptides as potential cancer biomarkers by mass spectrometric absolute quantification. <i>Talanta</i> , 2014 , 125, 411-7	6.2	19
71	Finding Optimal Mid-Infrared Nonlinear Optical Materials in Germanates by First-Principles High-Throughput Screening and Experimental Verification. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 45023-45035	9.5	19
70	A review on the development of infrared nonlinear optical materials with triangular anionic groups. <i>Journal of Solid State Chemistry</i> , 2019 , 271, 266-272	3.3	18
69	Mechanism of interstrand migration of organoruthenium anticancer complexes within a DNA duplex. <i>Metallomics</i> , 2012 , 4, 139-48	4.5	17
68	Platinum(II) Terpyridine Anticancer Complexes Possessing Multiple Mode of DNA Interaction and EGFR Inhibiting Activity. <i>Frontiers in Chemistry</i> , 2020 , 8, 210	5	16
67	Four new quaternary chalcogenides A ₂ Ba ₇ Sn ₄ Q ₁₆ (A = Li, Na; Q = S, Se): syntheses, crystal structures determination, nonlinear optical performances investigation. <i>New Journal of Chemistry</i> , 2018 , 42, 3350-3355	3.6	16
66	Highly efficient Q-switched laser operation of Yb:Y ₃ Ga ₅ O ₁₂ garnet crystal. <i>Optics Express</i> , 2013 , 21, 2624-2631	3.1	16
65	A High Laser Damage Threshold and a Good Second-Harmonic Generation Response in a New Infrared NLO Material: LiSm ₃ SiS ₇ . <i>Crystals</i> , 2016 , 6, 121	2.3	16
64	Remarkable multimember-ring configurations in a new family of NaMSbS (M = Zn, Cd, Hg) exhibiting various three-dimensional tunnel structures. <i>Chemical Communications</i> , 2018 , 54, 8269-8272	5.8	16

63	Linear optical and thermo-physical properties of polar K3B6O10Cl crystal. <i>Journal of Materiomics</i> , 2015 , 1, 221-228	6.7	15
62	Intriguing Structural Transition Inducing Variable Birefringences in ABaMSCl (A = Rb, Cs; M = Ge, Sn). <i>Inorganic Chemistry</i> , 2018 , 57, 11310-11313	5.1	15
61	Efficient laser operation of Yb:Lu3Ga5O12 garnet crystal. <i>Optics Letters</i> , 2012 , 37, 2388-90	3	15
60	Spectral and lasing investigations of Yb:YSGG crystal. <i>Optics Express</i> , 2013 , 21, 16305-10	3.3	14
59	Correlated mass spectrometry and confocal microscopy imaging verifies the dual-targeting action of an organoruthenium anticancer complex. <i>Chemical Communications</i> , 2017 , 53, 4136-4139	5.8	13
58	Rational design of multi-targeting ruthenium- and platinum-based anticancer complexes. <i>Science China Chemistry</i> , 2016 , 59, 1240-1249	7.9	13
57	Generation of 2.6-mJ 400-kW pulses from a compact Yb:Gd3Ga5O12 laser repetitively Q-switched by an acousto-optic modulator. <i>Optics Express</i> , 2013 , 21, 26605-11	3.3	11
56	Laser performance of ytterbium-doped gallium garnets: Yb:Re ₃ Ga ₅ O ₁₂ (Re = Y, Gd, Lu). <i>Optical Materials Express</i> , 2013 , 3, 920	2.6	11
55	Noncentrosymmetric Tetrel Pnictides RuSi4P4 and IrSi3P3: Nonlinear Optical Materials with Outstanding Laser Damage Threshold. <i>Advanced Functional Materials</i> , 2021 , 31, 2010293	15.6	11
54	Efficient eye-safe neodymium doped composite yttrium gallium garnet crystal laser. <i>Optics Letters</i> , 2014 , 39, 1341-4	3	10
53	Thermal, spectroscopic and laser properties of Nd ³⁺ in gadolinium scandium gallium garnet crystal produced by optical floating zone method. <i>Optical Materials</i> , 2013 , 36, 521-528	3.3	10
52	Crystal growth and laser performance of neodymium-doped scandium orthovanadate. <i>Journal of Crystal Growth</i> , 2010 , 312, 720-723	1.6	10
51	Growth and properties of Nd:Lu3Ga5O12 laser crystal by floating-zone method. <i>Journal of Crystal Growth</i> , 2010 , 312, 3631-3636	1.6	10
50	From silicates to oxonitridosilicates: improving optical anisotropy for phase-matching as ultraviolet nonlinear optical materials. <i>Chemical Communications</i> , 2021 , 57, 639-642	5.8	10
49	Probing the Dynamic Interaction between Damaged DNA and a Cellular Responsive Protein Using a Piezoelectric Mass Biosensor. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 8490-8497	9.5	9
48	Synthesis, structures, and properties of two magnesium silicate fluorides Mg ₅ (SiO ₄) ₂ F ₂ and Mg ₃ SiO ₄ F ₂ . <i>New Journal of Chemistry</i> , 2015 , 39, 8866-8873	3.6	9
47	Coordinated regulation on critical physiochemical performances activated from mixed tetrahedral anionic ligands in new series of SrAMS (A = Ag, Cu; M = Ge, Sn) nonlinear optical materials. <i>Dalton Transactions</i> , 2020 , 49, 3388-3392	4.3	9
46	Unprecedented mid-infrared nonlinear optical materials achieved by crystal structure engineering, a case study of (KX)PS (X = Sb, Bi, Ba).. <i>Chemical Science</i> , 2022 , 13, 2640-2648	9.4	9

45	Quantification of bindings of organometallic ruthenium complexes to GST by mass spectrometry. <i>Journal of Inorganic Biochemistry</i> , 2015 , 146, 44-51	4.2	8
44	Broadening of the Fluorescence Spectra of Sesquioxide Crystals for Ultrafast Lasers. <i>Crystal Growth and Design</i> , 2020 , 20, 4678-4685	3.5	8
43	Passive Q-switching laser performance of Yb:Gd ₃ Ga ₅ O ₁₂ garnet crystal. <i>Applied Optics</i> , 2013 , 52, 4329-337	3.7	8
42	Growth and characterization of Nd:Lu ₃ Sc _x Ga _{5-x} O ₁₂ series laser crystals. <i>Optics Communications</i> , 2011 , 284, 5192-5198	2	8
41	Na ₂ ZnSn ₂ S ₆ : A mixed-metal thioostannate with large second-harmonic generation response activated by penta-tetrahedral [ZnSn ₄ S ₁₄] ₁₀ clusters. <i>Science China Technological Sciences</i> , 2017 , 60, 1465-1472	3.5	7
40	Proteomic Strategy for Identification of Proteins Responding to Cisplatin-Damaged DNA. <i>Analytical Chemistry</i> , 2019 , 91, 6035-6042	7.8	7
39	Synthesis, structures, optical properties and electronic structures of PbGa ₂ Q ₄ (Q = S, Se) crystals. <i>Journal of Molecular Structure</i> , 2015 , 1082, 174-179	3.4	7
38	. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 2078-2080	2.2	7
37	Unique Unilateral-Chelated Mode-Induced dππ Interaction Enhances Second-Harmonic Generation Response in New Ln ₃ LiMS ₇ Family. <i>Chemistry of Materials</i> , 2021 , 33, 4225-4230	9.6	7
36	Centrosymmetric or Noncentrosymmetric? Transition Metals Talking in KTGeS (T = Co, Fe). <i>Inorganic Chemistry</i> , 2021 , 60, 10603-10613	5.1	7
35	A series of MPS (M = Ag, Cu and Ag/Cu) thiophosphates with diamond-like structures exhibiting large second harmonic generation responses and moderate ion conductivities. <i>Dalton Transactions</i> , 2021 , 50, 4129-4132	4.3	7
34	Third-order nonlinearity and passive Q-switching of Cr ³⁺ :YGG garnet crystal. <i>Optics Letters</i> , 2015 , 40, 2421-4	3	6
33	Synthesis, Crystal Structures, Optical Properties and Theoretical Calculations of Two Metal Chalcogenides Ba ₂ AlSb ₅ S ₅ and Ba ₂ GaBiSe ₅ . <i>Crystals</i> , 2018 , 8, 165	2.3	6
32	Synthesis and characterization of a new aluminophosphate with a Al ₃ P ₆ O ₂₄ three-dimensional framework. <i>New Journal of Chemistry</i> , 2014 , 38, 889-892	3.6	6
31	Ba ₂ In ₂ Q ₅ (Q = S, Se): Synthesis, Crystal Structures, Electronic Structures, and Optical Properties. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2015 , 641, 1329-1333	1.3	6
30	Composition characterization in YSGG garnet single crystals for ytterbium laser. <i>Optical Materials Express</i> , 2013 , 3, 1408	2.6	6
29	One-Dimensional Double Chains in Sodium-Based Quaternary Chalcogenides Displaying Intriguing Red Emission and Large Optical Anisotropy. <i>Inorganic Chemistry</i> , 2020 , 59, 2519-2526	5.1	6
28	Evaluation of serum phosphopeptides as potential biomarkers of gastric cancer. <i>RSC Advances</i> , 2017 , 7, 21630-21637	3.7	6

27	Identification of binding sites of cisplatin to human copper chaperone protein Cox17 by high-resolution FT-ICR-MS. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30 Suppl 1, 168-72	2.2	5
26	Binding of Organometallic Ruthenium Anticancer Complexes to DNA: Thermodynamic Base and Sequence Selectivity. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
25	Synthesis and characterization of two lead-containing metal chalcogenides: Ba ₅ Pb ₂ Sn ₃ S ₁₃ and Ba ₆ PbSn ₃ Se ₁₃ . <i>Journal of Solid State Chemistry</i> , 2017 , 255, 133-138	3.3	5
24	Ba(BSS)S: a new thioborate with unprecedented [BS-S] and [S] fundamental building blocks. <i>Chemical Communications</i> , 2019 , 55, 14793-14796	5.8	5
23	NaBaMQ (M = Al, Ga; Q = S, Se): first quaternary chalcogenides with isolated edge-sharing (MQ) dimers. <i>Dalton Transactions</i> , 2018 , 47, 16044-16047	4.3	5
22	Finding the First Squarates Nonlinear Optical Crystal NaHC ₄ O ₄ ·H ₂ O with Strong Second Harmonic Generation and Giant Birefringence 2022 , 4, 572-576		5
21	LiBaMQ (M = Al, Ga, In; Q = S, Se): A Series of Metal Chalcogenides with a Structural Transition. <i>Inorganic Chemistry</i> , 2019 , 58, 12859-12866	5.1	4
20	Efficient passively Q-switched miniature Yb:Lu ₃ Ga ₅ O ₁₂ crystal laser. <i>Optics Communications</i> , 2015 , 349, 15-18	2	4
19	NaSiSO: the first example of a sulfide silicate exhibiting unusual tri-polymerized [SiSO] units without S-O bonds. <i>Dalton Transactions</i> , 2017 , 46, 13356-13359	4.3	4
18	Evaluation of growth, thermal and spectroscopic properties of Yb ³⁺ -doped GSGG crystals for use in ultrashort pulsed and tunable lasers. <i>Optical Materials Express</i> , 2014 , 4, 1953	2.6	4
17	Growth, thermal and spectral properties of Nd ³⁺ :Ba ₃ Gd ₂ (BO ₃) ₄ single crystal. <i>Optical Materials</i> , 2014 , 36, 2044-2048	3.3	4
16	Synthesis-enabled exploration of chiral and polar multivalent quaternary sulfides. <i>Chemical Science</i> , 2021 , 12, 14718-14730	9.4	4
15	Revisiting thiophosphate PbPS: a multifunctional material combining a nonlinear optical response and photocurrent response. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 23696-23702	3.6	4
14	From oxides to oxysulfides: the mixed-anion GeS ₃ O unit induces huge improvement in the nonlinear optical effect and optical anisotropy for potential nonlinear optical materials. <i>RSC Advances</i> , 2022 , 12, 16296-16300	3.7	4
13	Growth and optical waveguide fabrication in spinel MgGa ₂ O ₄ crystal. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2017 , 409, 153-157	1.2	3
12	[Ge S (S)] , A NLO-Active Unit Leading to an Asymmetric Structure Discovered in Li Cs Ge S (S)Cl : An Experimental and Theoretical study. <i>Chemistry - A European Journal</i> , 2019 , 25, 5440-5444	4.8	3
11	A comparative study on the interactions of human copper chaperone Cox17 with anticancer organoruthenium(II) complexes and cisplatin by mass spectrometry. <i>Journal of Inorganic Biochemistry</i> , 2016 , 161, 99-106	4.2	3
10	Na ₄ SnS ₄ and Na ₄ SnSe ₄ exhibiting multifunctional physicochemical performances as potential infrared nonlinear optical crystals and sodium ion conductors. <i>New Journal of Chemistry</i> , 2021 , 45, 12362-12363	2.6	3

9	A review of the structural diversity of [P x S y] n motifs and their potential application prospects in metal thiophosphates. <i>Journal Physics D: Applied Physics</i> , 2021 , 54, 463002	3	3
8	Triclinic Layered AZnSiS (A = Rb and Cs) with Large Optical Anisotropy and Systematic Research on the Inherent Structure-Performance Relationship in the AMMQ Family. <i>Inorganic Chemistry</i> , 2021 , 60, 12573-12579	5.1	2
7	Mass spectrometric quantification of the binding ratio of metal-based anticancer complexes with protein thiols. <i>Rapid Communications in Mass Spectrometry</i> , 2019 , 33, 951-958	2.2	2
6	From thiophosphate to chalcogenide: mixed-anion AgSCl ligands concurrently enhancing nonlinear optical effects and laser-damage threshold. <i>Chemical Communications</i> , 2021 , 57, 8218-8221	5.8	1
5	Synthesis, crystal structure, linear and nonlinear optical properties of quaternary sulfides Ba6(Cu2X)Ge4S16 (X=Mg, Mn, Cd). <i>Journal of Solid State Chemistry</i> , 2021 , 300, 122226	3.3	1
4	Pd and octahedra do not get along: Square planar [PdS4] units in non-centrosymmetric La6PdSi2S14. <i>Journal of Alloys and Compounds</i> , 2022 , 902, 163756	5.7	0
3	Rational combination of multiple structural groups on regulating nonlinear optical property in hexagonal Ln3MGeS7 polar crystals. <i>Journal of Alloys and Compounds</i> , 2022 , 900, 163535	5.7	0
2	ToF-SIMS analysis of chemical composition of atmospheric aerosols in Beijing. <i>Surface and Interface Analysis</i> , 2020 , 52, 272-282	1.5	0
1	Serum Phosphopeptides Profiling for Colorectal Cancer Diagnosis Using Liquid Chromatography-Mass Spectrometry.. <i>Rapid Communications in Mass Spectrometry</i> , 2022 , e9316	2.2	