Jianhua Joshua Yang

List of Publications by Citations

Source: https://exaly.com/author-pdf/1553411/jianhua-joshua-yang-publications-by-citations.pdf
Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167 papers	22,138 citations	65 h-index	148 g-index
178 ext. papers	26,862 ext. citations	11.9 avg, IF	7.24 L-index

#	Paper	IF	Citations
167	Memristive devices for computing. *Nature Nanotechnology*, **2013**, 8, 13-24	28.7	2406
166	Memristive switching mechanism for metal/oxide/metal nanodevices. *Nature Nanotechnology*, **2008**, 3, 429-33	28.7	2239
165	Memristive switches enable stateful logic operations via material implication. *Nature*, **2010**, 464, 873-6	50.4	1405
164	Memristors with diffusive dynamics as synaptic emulators for neuromorphic computing. *Nature Materials*, **2017**, 16, 101-108	27	1201
163	The mechanism of electroforming of metal oxide memristive switches. *Nanotechnology*, **2009**, 20, 215203	3.4	591
162	Memristive crossbar arrays for brain-inspired computing. *Nature Materials*, **2019**, 18, 309-323	27	582
161	Analogue signal and image processing with large memristor crossbars. *Nature Electronics*, **2018**, 1, 52-59	28.4	550
160	Fully hardware-implemented memristor convolutional neural network. *Nature*, **2020**, 577, 641-646	50.4	529
159	Fully memristive neural networks for pattern classification with unsupervised learning. *Nature Electronics*, **2018**, 1, 137-145	28.4	511
158	Memristor-CMOS hybrid integrated circuits for reconfigurable logic. *Nano Letters*, **2009**, 9, 3640-5	11.5	507
157	Switching dynamics in titanium dioxide memristive devices. *Journal of Applied Physics*, **2009**, 106, 074508	2.5	506
156	High switching endurance in TaOx memristive devices. *Applied Physics Letters*, **2010**, 97, 232102	3.4	467
155	Efficient and self-adaptive in-situ learning in multilayer memristor neural networks. *Nature Communications*, **2018**, 9, 2385	17.4	371
154	Robust memristors based on layered two-dimensional materials. *Nature Electronics*, **2018**, 1, 130-136	28.4	348
153	Memristor-Based Analog Computation and Neural Network Classification with a Dot Product Engine. *Advanced Materials*, **2018**, 30, 1705914	24	339
152	Anatomy of a nanoscale conduction channel reveals the mechanism of a high-performance memristor. *Advanced Materials*, **2011**, 23, 5633-40	24	338
151	Resistive switching materials for information processing. *Nature Reviews Materials*, **2020**, 5, 173-195	73.3	318

150	Dot-product engine for neuromorphic computing **2016**,		303
149	Recommended Methods to Study Resistive Switching Devices. *Advanced Electronic Materials*, **2019**, 5, 1800143	6.4	297
148	Parallel programming of an ionic floating-gate memory array for scalable neuromorphic computing. *Science*, **2019**, 364, 570-574	33.3	296
147	Direct identification of the conducting channels in a functioning memristive device. *Advanced Materials*, **2010**, 22, 3573-7	24	278
146	Anatomy of Ag/Hafnia-Based Selectors with 10 Nonlinearity. *Advanced Materials*, **2017**, 29, 1604457	24	245
145	Memristor crossbar arrays with 6-nm half-pitch and 2-nm critical dimension. *Nature Nanotechnology* , **2019**, 14, 35-39	28.7	231
144	Bridging Biological and Artificial Neural Networks with Emerging Neuromorphic Devices: Fundamentals, Progress, and Challenges. *Advanced Materials*, **2019**, 31, e1902761	24	220
143	A Family of Electronically Reconfigurable Nanodevices. *Advanced Materials*, **2009**, 21, 3754-3758	24	195
142	An artificial nociceptor based on a diffusive memristor. *Nature Communications*, **2018**, 9, 417	17.4	183
141	Review of memristor devices in neuromorphic computing: materials sciences and device challenges. *Journal Physics D: Applied Physics*, **2018**, 51, 503002	3	183
140	Emerging Memory Devices for Neuromorphic Computing. *Advanced Materials Technologies*, **2019**, 4, 1800589	6.8	181
139	A novel true random number generator based on a stochastic diffusive memristor. *Nature Communications*, **2017**, 8, 882	17.4	180
138	High-Speed and Low-Energy Nitride Memristors. *Advanced Functional Materials*, **2016**, 26, 5290-5296	15.6	177
137	Flexible three-dimensional artificial synapse networks with correlated learning and trainable memory capability. *Nature Communications*, **2017**, 8, 752	17.4	176
136	Long short-term memory networks in memristor crossbar arrays. *Nature Machine Intelligence*, **2019**, 1, 49-57	22.5	176
135	Threshold Switching of Ag or Cu in Dielectrics: Materials, Mechanism, and Applications. *Advanced Functional Materials*, **2018**, 28, 1704862	15.6	168
134	Reinforcement learning with analogue memristor arrays. *Nature Electronics*, **2019**, 2, 115-124	28.4	166
133	Engineering nonlinearity into memristors for passive crossbar applications. *Applied Physics Letters*, **2012**, 100, 113501	3.4	162

132	Electrical performance and scalability of Pt dispersed SiO2 nanometallic resistance switch. *Nano Letters*, **2013**, 13, 3213-7	11.5	146
131	Understanding memristive switching via in situ characterization and device modeling. *Nature Communications*, **2019**, 10, 3453	17.4	138
130	Capacitive neural network with neuro-transistors. *Nature Communications*, **2018**, 9, 3208	17.4	132
129	Low-Power, Self-Rectifying, and Forming-Free Memristor with an Asymmetric Programing Voltage for a High-Density Crossbar Application. *Nano Letters*, **2016**, 16, 6724-6732	11.5	131
128	Metal/TiO2 interfaces for memristive switches. *Applied Physics A: Materials Science and Processing*, **2011**, 102, 785-789	2.6	128
127	Sub-10 nm Ta Channel Responsible for Superior Performance of a HfO2 Memristor. *Scientific Reports*, **2016**, 6, 28525	4.9	128
126	Emerging non-volatile memories **2011**,		121
125	State Dynamics and Modeling of Tantalum Oxide Memristors. *IEEE Transactions on Electron Devices*, **2013**, 60, 2194-2202	2.9	120
124	Three-dimensional crossbar arrays of self-rectifying Si/SiO/Si memristors. *Nature Communications*, **2017**, 8, 15666	17.4	115
123	Three-dimensional memristor circuits as complex neural networks. *Nature Electronics*, **2020**, 3, 225-232	28.4	112
122	Brain-inspired computing with memristors: Challenges in devices, circuits, and systems. *Applied Physics Reviews*, **2020**, 7, 011308	17.3	105
121	An artificial spiking afferent nerve based on Mott memristors for neurorobotics. *Nature Communications*, **2020**, 11, 51	17.4	105
120	Silicon Oxide (SiO): A Promising Material for Resistance Switching?. *Advanced Materials*, **2018**, 30, e1801187	14	105
119	Metal oxide memories based on thermochemical and valence change mechanisms. *MRS Bulletin*, **2012**, 37, 131-137	3.2	102
118	Continuous electrical tuning of the chemical composition of TaO(x)-based memristors. *ACS Nano*, **2012**, 6, 2312-8	16.7	100
117	Diffusion of adhesion layer metals controls nanoscale memristive switching. *Advanced Materials*, **2010**, 22, 4034-8	24	95
116	Mimicking Classical Conditioning Based on a Single Flexible Memristor. *Advanced Materials*, **2017**, 29, 1602890	24	93
115	In situ training of feed-forward and recurrent convolutional memristor networks. *Nature Machine Intelligence*, **2019**, 1, 434-442	22.5	93

114	Coexistence of memristance and negative differential resistance in a nanoscale metal-oxide-metal system. *Advanced Materials*, **2011**, 23, 1730-3	24	91
113	Self-aligned memristor cross-point arrays fabricated with one nanoimprint lithography step. *Nano Letters*, **2010**, 10, 2909-14	11.5	85
112	Trilayer Tunnel Selectors for Memristor Memory Cells. *Advanced Materials*, **2016**, 28, 356-62	24	83
111	The switching location of a bipolar memristor: chemical, thermal and structural mapping. *Nanotechnology*, **2011**, 22, 254015	3.4	82
110	Electrical transport and thermometry of electroformed titanium dioxide memristive switches. *Journal of Applied Physics*, **2009**, 106, 124504	2.5	81
109	Power-efficient combinatorial optimization using intrinsic noise in memristor Hopfield neural networks. *Nature Electronics*, **2020**, 3, 409-418	28.4	79
108	Bioinspired bio-voltage memristors. *Nature Communications*, **2020**, 11, 1861	17.4	79
107	Spectromicroscopy of tantalum oxide memristors. *Applied Physics Letters*, **2011**, 98, 242114	3.4	77
106	CMOS-integrated memristive non-volatile computing-in-memory for AI edge processors. *Nature Electronics*, **2019**, 2, 420-428	28.4	74
105	Voltage divider effect for the improvement of variability and endurance of TaO(x) memristor. *Scientific Reports*, **2016**, 6, 20085	4.9	70
104	Quantized conductance coincides with state instability and excess noise in tantalum oxide memristors. *Nature Communications*, **2016**, 7, 11142	17.4	69
103	Gate-tunable van der Waals heterostructure for reconfigurable neural network vision sensor. *Science Advances*, **2020**, 6, eaba6173	14.3	66
102	Reservoir Computing Using Diffusive Memristors. *Advanced Intelligent Systems*, **2019**, 1, 1900084	6	65
101	Two- and Three-Terminal Resistive Switches: Nanometer-Scale Memristors and Memistors. *Advanced Functional Materials*, **2011**, 21, 2660-2665	15.6	64
100	Feedback write scheme for memristive switching devices. *Applied Physics A: Materials Science and Processing*, **2011**, 102, 973-982	2.6	63
99	Observation of two resistance switching modes in TiO2 memristive devices electroformed at low current. *Nanotechnology*, **2011**, 22, 254007	3.4	62
98	A Compact Memristor-Based Dynamic Synapse for Spiking Neural Networks. *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*, **2017**, 36, 1353-1366	2.5	59
97	A physical model of switching dynamics in tantalum oxide memristive devices. *Applied Physics Letters*, **2013**, 102, 223502	3.4	59

96	Morphological and electrical changes in TiO2 memristive devices induced by electroforming and switching. *Physica Status Solidi - Rapid Research Letters*, **2010**, 4, 16-18	2.5	59
95	Nitride memristors. *Applied Physics A: Materials Science and Processing*, **2012**, 109, 1-4	2.6	58
94	Radiation Hardness of ${rm TiO}_{2}$ Memristive Junctions. *IEEE Transactions on Nuclear Science*, **2010**, 57, 1640-1643	1.7	58
93	Synaptic electronics and neuromorphic computing. *Science China Information Sciences*, **2016**, 59, 1	3.4	58
92	Truly Electroforming-Free and Low-Energy Memristors with Preconditioned Conductive Tunneling Paths. *Advanced Functional Materials*, **2017**, 27, 1702010	15.6	56
91	Dopant Control by Atomic Layer Deposition in Oxide Films for Memristive Switches. *Chemistry of Materials*, **2011**, 23, 123-125	9.6	56
90	Artificial Neural Network (ANN) to Spiking Neural Network (SNN) Converters Based on Diffusive Memristors. *Advanced Electronic Materials*, **2019**, 5, 1900060	6.4	55
89	Power-efficient neural network with artificial dendrites. *Nature Nanotechnology*, **2020**, 15, 776-782	28.7	55
88	Characterization of electroforming-free titanium dioxide memristors. *Beilstein Journal of Nanotechnology*, **2013**, 4, 467-73	3	54
87	Structural and chemical characterization of TiO2 memristive devices by spatially-resolved NEXAFS. *Nanotechnology*, **2009**, 20, 485701	3.4	52
86	Low-Voltage, CMOS-Free Synaptic Memory Based on LiTiO Redox Transistors. *ACS Applied Materials & Interfaces*, **2019**, 11, 38982-38992	9.5	47
85	Electronic structure and transport measurements of amorphous transition-metal oxides: observation of Fermi glass behavior. *Applied Physics A: Materials Science and Processing*, **2012**, 107, 1-11	2.6	47
84	Roadmap on emerging hardware and technology for machine learning. *Nanotechnology*, **2021**, 32, 012002	3.4	45
83	Hybrid CMOS/memristor circuits **2010**,		39
82	Memristive devices in computing system. *ACM Journal on Emerging Technologies in Computing Systems*, **2013**, 9, 1-20	1.7	38
81	Nanoscale diffusive memristor crossbars as physical unclonable functions. *Nanoscale*, **2018**, 10, 2721-2726	7.7	36
80	Enabling selectivity and fast recovery of ZnO nanowire gas sensors through resistive switching. *Sensors and Actuators B: Chemical*, **2017**, 238, 357-363	8.5	36
79	Force modulation of tunnel gaps in metal oxide memristive nanoswitches. *Applied Physics Letters*, **2009**, 95, 113503	3.4	36

78	Standards for the Characterization of Endurance in Resistive Switching Devices. *ACS Nano*, **2021**,	16.7	36
77	Electrochemical metallization switching with a platinum group metal in different oxides. *Nanoscale*, **2016**, 8, 14023-30	7.7	33
76	A Low-Current and Analog Memristor with Ru as Mobile Species. *Advanced Materials*, **2020**, 32, e1904599	24	32
75	A compact modeling of TiO2-TiO2 memristor. *Applied Physics Letters*, **2013**, 102, 153503	3.4	32
74	An investigation of phase transformation behavior in sputter-deposited PtMn thin films. *Jom*, **2006**, 58, 50-54	2.1	32
73	A provable key destruction scheme based on memristive crossbar arrays. *Nature Electronics*, **2018**, 1, 548-554	28.4	32
72	Oxide and carbide formation at titanium/organic monolayer interfaces. *Journal of the American Chemical Society*, **2008**, 130, 4041-7	16.4	30
71	Low Variability Resistor Memristor Circuit Masking the Actual Memristor States. *Advanced Electronic Materials*, **2015**, 1, 1500095	6.4	25
70	Organic electronics: Battery-like artificial synapses. *Nature Materials*, **2017**, 16, 396-397	27	24
69	Mott-transition-based RRAM. *Materials Today*, **2019**, 28, 63-80	21.8	24
68	2022 roadmap on neuromorphic computing and engineering. *Neuromorphic Computing and Engineering*,		24
67	An efficient analog Hamming distance comparator realized with a unipolar memristor array: a showcase of physical computing. *Scientific Reports*, **2017**, 7, 40135	4.9	22
66	Impact of geometry on the performance of memristive nanodevices. *Nanotechnology*, **2011**, 22, 254026	3.4	22
65	A Memristor with Low Switching Current and Voltage for 1S1R Integration and Array Operation. *Advanced Electronic Materials*, **2020**, 6, 1901411	6.4	21
64	Characteristics and transport mechanisms of triple switching regimes of TaOx memristor. *Applied Physics Letters*, **2017**, 110, 173504	3.4	20
63	Integration and Co-design of Memristive Devices and Algorithms for Artificial Intelligence. *IScience*, **2020**, 23, 101809	6.1	20
62	Over 70% tunneling magnetoresistance at room temperature for a CoFe and AlOx based magnetic tunnel junction. *Applied Physics Letters*, **2006**, 89, 202502	3.4	20
61	Low voltage two-state-variable memristor model of vacancy-drift resistive switches. *Applied Physics A: Materials Science and Processing*, **2015**, 119, 1-9	2.6	19

60	Memristor structures for high scalability: Non-linear and symmetric devices utilizing fabrication friendly materials and processes. *Microelectronic Engineering*, **2013**, 103, 66-69	2.5	19
59	Inducing tunable switching behavior in a single memristor. *Applied Materials Today*, **2018**, 11, 280-290	6.6	18
58	A niobium oxide-tantalum oxide selector-memristor self-aligned nanostack. *Applied Physics Letters*, **2017**, 110, 103102	3.4	17
57	Electrode-material dependent switching in TaOxmemristors. *Semiconductor Science and Technology*, **2014**, 29, 104003	1.8	17
56	Thermally induced crystallization in NbO thin films. *Scientific Reports*, **2016**, 6, 34294	4.9	16
55	The formation of amorphous alloy oxides as barriers used in magnetic tunnel junctions. *Journal of Applied Physics*, **2005**, 98, 074508	2.5	16
54	An energy-efficient and high-throughput bitwise CNN on sneak-path-free digital ReRAM crossbar **2017**,		12
53	In-Memory Computing with Memristor Arrays **2018**,		12
52	Nonlinearity in Memristors for Neuromorphic Dynamic Systems. *Small Science*,2100049		12
51	A Survey on Architecture Advances Enabled by Emerging Beyond-CMOS Technologies. *IEEE Design and Test*, **2019**, 36, 46-68	1.4	10
50	A neuromorphic ASIC design using one-selector-one-memristor crossbar **2016**,		10
49	Pulse-Width Modulation based Dot-Product Engine for Neuromorphic Computing System using Memristor Crossbar Array **2018**,		10
48	Band offsets in transition-metal oxide heterostructures. *Journal Physics D: Applied Physics*, **2013**, 46, 295303		10
47	Growth and physical property of epitaxial Co70Fe30 thin film on Si substrate via TiN buffer. *Applied Physics Letters*, **2008**, 92, 022504	3.4	10
46	A fully hardware-based memristive multilayer neural network. *Science Advances*, **2021**, 7, eabj4801	14.3	10
45	Experimental Demonstration of Conversion-Based SNNs with 1T1R Mott Neurons for Neuromorphic Inference **2019**,		10
44	A selector device based on graphene oxide heterostructures for memristor crossbar applications. *Applied Physics A: Materials Science and Processing*, **2015**, 120, 403-407	2.6	9
43	Artificial neural networks based on memristive devices. *Science China Information Sciences*, **2018**, 61, 1	3.4	9

42	Cyclical sensing integrate-and-fire circuit for memristor array based neuromorphic computing **2016**,		8
41	On the integration of memristors with CMOS using nanoimprint lithography **2009**,		8
40	Oxidation of tunnel barrier metals in magnetic tunnel junctions. *Journal of Applied Physics*, **2005**, 97, 10C918	2.5	8
39	Timing Selector: Using Transient Switching Dynamics to Solve the Sneak Path Issue of Crossbar Arrays. *Small Science*,2100072		8
38	Threshold Switching: Threshold Switching of Ag or Cu in Dielectrics: Materials, Mechanism, and Applications (Adv. Funct. Mater. 6/2018). *Advanced Functional Materials*, **2018**, 28, 1870036	15.6	7
37	Compositional effect of bcc Co100⊠ Fe x electrodes on magnetoresistance in AlO x -based magnetic tunnel junctions. *Applied Physics A: Materials Science and Processing*, **2010**, 98, 707-710	2.6	7
36	Large Memristor Crossbars for Analog Computing **2018**,		6
35	Memristive Devices for Computing: Mechanisms, Applications and Challenges. *ECS Transactions*, **2013**, 58, 9-14	1	6
34	Progress in CMOS-memristor integration **2011**,		6
33	A Dynamical Compact Model of Diffusive and Drift Memristors for Neuromorphic Computing. *Advanced Electronic Materials*,2100696	6.4	6
32	Corrigendum on ℝThe mechanism of electroforming of metal oxide memristive switches℞ *Nanotechnology*, **2010**, 21, 339803-339803	3.4	5
31	Reset switching statistics of TaOx-based Memristor. *Journal of Electroceramics*, **2017**, 39, 132-136	1.5	4
30	A replacement of high-k process for CMOS transistor by atomic layer deposition. *Semiconductor Science and Technology*, **2013**, 28, 082003	1.8	4
29	Origin of inverse tunneling magnetoresistance in a symmetric junction revealed by delaminating the buried electronic interface. *Applied Physics Letters*, **2009**, 95, 233117	3.4	4
28	Epitaxial Growth and Surface Roughness Control of Ferromagnetic Thin Films on Si by Sputter Deposition. *Journal of Electronic Materials*, **2008**, 37, 355-360	1.9	4
27	Crystal structure effect of ferromagnetic electrode on tunneling magnetoresistance. *Acta Materialia*, **2008**, 56, 1491-1495	8.4	4
26	Learning with Resistive Switching Neural Networks **2019**,		4
25	Data related to the nanoscale structural and compositional evolution in resistance change memories. *Data in Brief*, **2018**, 21, 18-24	1.2	4

24	New materials for memristive switching **2014**,		3
23	Selective oxidation of an individual layer in a magnetic tunnel junction through the use of thermodynamic control. *Applied Physics Letters*, **2005**, 87, 061901	3.4	3
22	Thermal expansion coefficients of rare earth metal disilicides and their influence on the growth of disilicide nanowires. *Applied Physics A: Materials Science and Processing*, **2006**, 82, 39-42	2.6	3
21	RRAM/memristor for computing **2019**, 539-583		2
20	Scalable 3D Ta:SiOx Memristive Devices. *Advanced Electronic Materials*, **2019**, 5, 1800958	6.4	2
19	A compact model for selectors based on metal doped electrolyte. *Applied Physics A: Materials Science and Processing*, **2018**, 124, 1	2.6	2
18	Unconventional computing with diffusive memristors **2018**,		2
17	Inverse TMR in a nominally symmetric CoFe/AlOx/CoFe junction induced by interfacial Fe3O4 investigated by STEM-EELS. *Journal of Magnetism and Magnetic Materials*, **2012**, 324, 1837-1844	2.8	2
16	Effect of tetragonal lattice distortion of Co70Fe30 on the tunneling magnetoresistance of AlO x based magnetic tunnel junction. *Applied Physics A: Materials Science and Processing*, **2009**, 97, 73-77	2.6	2
15	Timing Selector: Using Transient Switching Dynamics to Solve the Sneak Path Issue of Crossbar Arrays. *Small Science*, **2022**, 2, 2270001		2
14	Engineering Tunneling Selector to Achieve High Non-linearity for 1S1R Integration. *Frontiers in Nanotechnology*, **2021**, 3,	5.5	2
13	Memristor-CMOS Analog Coprocessor for Acceleration of High-Performance Computing Applications. *ACM Journal on Emerging Technologies in Computing Systems*, **2018**, 14, 1-30	1.7	2
12	In-situ TEM Characterization of Ultra-robust Memristors Based on Fully Layered Two-dimensional Materials. *Microscopy and Microanalysis*, **2018**, 24, 1886-1887	0.5	1
11	Structural and Chemical Analysis of Nanoscale Resistive Switching Devices: Assessment on Nonlinear Properties. *Materials Research Society Symposia Proceedings*, **2015**, 1805, 1		1
10	Designing memristors: Physics, materials science and engineering **2012**,		1
9	Thickness determination of ultrathin oxide films and its application in magnetic tunnel junctions. *Journal of Electronic Materials*, **2006**, 35, 2142-2146	1.9	1
8	The secret order of disorder. *Nature Materials*, **2021**,	27	1
7	Oxide Based Memristive Nanodevices **2014**, 219-256		1

List of Publications

6	Built-in selectors self-assembled into memristors **2016**,		1
5	Correction: Electrochemical metallization switching with a platinum group metal in different oxides. *Nanoscale*, **2016**, 8, 11766	7.7	1
4	Neuronal realizations based on memristive devices **2020**, 407-426		
3	TEM and EELS Study on TaOx-based Nanoscale Resistive Switching Devices. *Materials Research Society Symposia Proceedings*, **2015**, 1805, 1		
2	Reset Switching Statistics of TaOx-Based Memristor. *Kluwer International Series in Electronic Materials: Science and Technology*, **2022**, 187-195		
1	Ta/HfO2-based Memristor and Crossbar Arrays for In-Memory Computing **2022**, 167-188		