

Makoto Nakagawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1553889/publications.pdf>

Version: 2024-02-01

38
papers

554
citations

759233

12
h-index

642732

23
g-index

38
all docs

38
docs citations

38
times ranked

738
citing authors

#	ARTICLE	IF	CITATIONS
1	Destructive cervical spondylitis due to <i>Cutibacterium acnes</i> with synovitis, acne, pustulosis, hyperostosis, and osteitis (SAPHO) syndrome: A case report. <i>Modern Rheumatology Case Reports</i> , 2023, 7, 267-270.	0.7	1
2	Clinical features of multiple spinal schwannomas without vestibular schwannomas. <i>Journal of Orthopaedic Science</i> , 2022, 27, 563-568.	1.1	4
3	Long-term outcome after en bloc resection and reconstruction of the spinal column and posterior chest wall in the treatment of malignant tumors. <i>Journal of Orthopaedic Science</i> , 2022, 27, 899-905.	1.1	1
4	Prognostic impact of IDH mutations in chondrosarcoma. <i>Journal of Orthopaedic Science</i> , 2022, 27, 1315-1322.	1.1	10
5	The Posterolaterally Oriented and Laterally Downward Sloping Facet Joint Is a Risk Factor for Degenerative Cervical Spondylolisthesis and Myelopathy. <i>Spine Surgery and Related Research</i> , 2022, 6, 358-365.	0.7	1
6	Methylation-mediated silencing of protein kinase C zeta induces apoptosis avoidance through ATM/CHK2 inactivation in dedifferentiated chondrosarcoma. <i>British Journal of Cancer</i> , 2022, , .	6.4	3
7	Clinical, Radiological, and Histopathological Characteristics of Periosteal Chondrosarcoma with a Focus on the Frequency of Medullary Invasion. <i>Journal of Clinical Medicine</i> , 2022, 11, 2062.	2.4	0
8	Clinical usefulness of 2-hydroxyglutarate as a biomarker in IDH-mutant chondrosarcoma. <i>Journal of Bone Oncology</i> , 2022, 34, 100430.	2.4	2
9	Efficacy and safety of tranexamic acid in patients undergoing surgery for bone and soft tissue tumors: a propensity score matching analysis. <i>Japanese Journal of Clinical Oncology</i> , 2022, , .	1.3	1
10	Shape Factor of the Spinal Cord: A Possible Predictor of Surgical Outcome for Intradural Extramedullary Spinal Tumors in the Thoracic Spine. <i>Global Spine Journal</i> , 2021, , 219256822098257.	2.3	1
11	Overcorrection of fractured vertebrae increases the incidence of adjacent fractures after balloon kyphoplasty: A retrospective study. <i>Journal of Orthopaedics</i> , 2021, 24, 194-200.	1.3	3
12	Myxofibrosarcoma harboring an MLH1 pathogenic germline variant associated with Muir-Torre syndrome: a case report. <i>Hereditary Cancer in Clinical Practice</i> , 2021, 19, 34.	1.5	1
13	Does the Use of Peripheral Immune-Related Markers Indicate Whether to Administer Pazopanib, Trabectedin, or Eribulin to Advanced Soft Tissue Sarcoma Patients?. <i>Journal of Clinical Medicine</i> , 2021, 10, 4972.	2.4	4
14	A Potent Blood-Brain Barrier-Permeable Mutant IDH1 Inhibitor Suppresses the Growth of Glioblastoma with IDH1 Mutation in a Patient-Derived Orthotopic Xenograft Model. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 375-383.	4.1	27
15	Risk Factors of Periprosthetic Infection in Patients with Tumor Prostheses Following Resection for Musculoskeletal Tumor of the Lower Limb. <i>Journal of Clinical Medicine</i> , 2020, 9, 3133.	2.4	11
16	Changes in magnetic resonance imaging signal intensity in predicting complications during acute phase osteoporotic vertebral fractures. <i>Journal of Orthopaedics</i> , 2020, 21, 309-313.	1.3	3
17	Activation of TLR4 signaling inhibits progression of osteosarcoma by stimulating CD8-positive cytotoxic lymphocytes. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 745-758.	4.2	27
18	Radiographic and Clinical Results of C1 Laminoplasty for the Treatment of Compressive Myelopathy. <i>Asian Spine Journal</i> , 2020, 14, 459-465.	2.0	8

#	ARTICLE	IF	CITATIONS
19	Selective inhibition of mutant IDH1 by DS-1001b ameliorates aberrant histone modifications and impairs tumor activity in chondrosarcoma. <i>Oncogene</i> , 2019, 38, 6835-6849.	5.9	48
20	Clinical results of carbon-ion radiotherapy with separation surgery for primary spine/paraspinal sarcomas. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1490-1497.	2.2	4
21	The effectiveness of a percutaneous endoscopic approach in a patient with psoas and epidural abscess accompanied by pyogenic spondylitis: a case report. <i>Journal of Medical Case Reports</i> , 2019, 13, 253.	0.8	6
22	Post-carbon-ion radiotherapy vertebral pathological fractures in upper cervical primary malignant spinal tumors treated by occipito-cervical fusion. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 1525-1531.	2.4	1
23	Dual inhibition of enhancer of zeste homolog 1/2 overactivates WNT signaling to deplete cancer stem cells in multiple myeloma. <i>Cancer Science</i> , 2019, 110, 194-208.	3.9	18
24	Kyphosis Progression after Balloon Kyphoplasty Compared with Conservative Treatment. <i>Asian Spine Journal</i> , 2019, 13, 928-935.	2.0	12
25	The neurological outcome of radiotherapy versus surgery in patients with metastatic spinal cord compression presenting with myelopathy. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 7-12.	2.4	7
26	Calcium pyrophosphate dihydrate crystal deposition disease of the spinal dura mater: a case report. <i>BJR case Reports</i> , 2018, 4, 20170049.	0.2	4
27	Clinical Outcome and Prognostic Factors of Malignant Spinal Dumbbell Tumors. <i>Spine Surgery and Related Research</i> , 2018, 2, 317-323.	0.7	2
28	Oncogenic roles of enhancer of zeste homolog 1/2 in hematological malignancies. <i>Cancer Science</i> , 2018, 109, 2342-2348.	3.9	31
29	Class III β -Tubulin Overexpression Induces Chemoresistance to Eribulin in a Leiomyosarcoma Cell Line. <i>Analytical Cellular Pathology</i> , 2018, 2018, 1-11.	1.4	4
30	Effect of cartilaginous endplates on extruded disc resorption in lumbar disc herniation. <i>PLoS ONE</i> , 2018, 13, e0195946.	2.5	17
31	Metabolic Tumor Volume by ^{18}F -FDG PET/CT Can Predict the Clinical Outcome of Primary Malignant Spine/Spinal Tumors. <i>BioMed Research International</i> , 2017, 2017, 1-8.	1.9	9
32	Evaluation of Risk Factors for Vertebral Compression Fracture after Carbon-Ion Radiotherapy for Primary Spinal and Paraspinal Sarcoma. <i>BioMed Research International</i> , 2017, 2017, 1-7.	1.9	12
33	Hypoxia-inducible factor 1 alpha is a poor prognostic factor and potential therapeutic target in malignant peripheral nerve sheath tumor. <i>PLoS ONE</i> , 2017, 12, e0178064.	2.5	16
34	miR-125b develops chemoresistance in Ewing sarcoma/primitive neuroectodermal tumor. <i>Cancer Cell International</i> , 2013, 13, 21.	4.1	63
35	^{11}C -methionine uptake in cerebrovascular disease: A comparison with ^{18}F -FDG PET and $^{99\text{m}}\text{Tc}$ -HMPAO SPECT. <i>Annals of Nuclear Medicine</i> , 2002, 16, 207-211.	2.2	27
36	Comparison of MET-PET and FDG-PET for differentiation between benign lesions and malignant tumors of the lung. <i>Annals of Nuclear Medicine</i> , 2001, 15, 425-431.	2.2	27

#	ARTICLE	IF	CITATIONS
37	Biodistribution and breast tumor uptake of ^{16}F -[^{18}F]-fluoro- ^{17}E -estradiol in rat. <i>Annals of Nuclear Medicine</i> , 2000, 14, 127-130.	2.2	18
38	A comparative study of thallium-201 SPET, carbon-11 methionine PET and fluorine-18 fluorodeoxyglucose PET for the differentiation of astrocytic tumours. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 1261-1269.	6.4	120