Haiping He

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1554989/haiping-he-publications-by-year.pdf
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163 papers	3,895 citations	33 h-index	56 g-index
166 ext. papers	4,272 ext. citations	5.1 avg, IF	5.29 L-index

#	Paper	IF	Citations
163	A facile interface engineering method to improve the performance of FTO/ZnO/CsPbI3□Brx (x . *Journal of Materials Science: Materials in Electronics*, **2022**, 33, 3711	2.1	0
162	UV electroluminescence emissions from high-quality ZnO/ZnMgO multiple quantum well active layer light-emitting diodes.. *RSC Advances*, **2021**, 11, 38949-38955	3.7	1
161	Mixed Halide Perovskite Films by Vapor Anion Exchange for Spectrally Stable Blue Stimulated Emission (Small 39/2021). *Small*, **2021**, 17, 2170202	11	
160	Efficient light-emitting diodes based on oriented perovskite nanoplatelets. *Science Advances*, **2021**, 7, eabg8458	14.3	23
159	Solvent-Vapor Atmosphere Controls the in Situ Crystallization of Perovskites **2021**, 3, 1172-1180		2
158	Mixed Halide Perovskite Films by Vapor Anion Exchange for Spectrally Stable Blue Stimulated Emission. *Small*, **2021**, 17, e2103169	11	3
157	Near-Unity-Efficiency Energy Transfer from Perovskite to Monolayer Semiconductor through Long-Range Migration and Asymmetric Interfacial Transfer. *ACS Applied Materials & Interfaces*, **2021**, 13, 41895-41903	9.5	0
156	Tailoring the lateral size of two-dimensional silicon nanomaterials to produce highly stable and efficient deep-blue emissive silicene-like quantum dots. *Journal of Materials Chemistry C*, **2021**, 9, 10065-10072	7.1	5
155	Excitation-intensity and temperature dependences of photoluminescence in ZnMgO film. *Journal of Luminescence*, **2020**, 226, 117456	3.8	3
154	Applications in OLED and QLED **2020**, 141-154		
153	Photoluminescence properties of ZnO/ZnMgO multiple quantum wells under high excitation. *Superlattices and Microstructures*, **2020**, 139, 106418	2.8	1
152	Coexistence of light-induced photoluminescence enhancement and quenching in CHNHPbBr perovskite films.. *RSC Advances*, **2020**, 10, 11054-11059	3.7	3
151	Silicene Quantum Dots Confined in Few-Layer Siloxene Nanosheets for Blue-Light-Emitting Diodes. *ACS Applied Nano Materials*, **2020**, 3, 538-546	5.6	8
150	Achieving long carrier lifetime and high optical gain in all-inorganic CsPbBr perovskite films via top and bottom surface modification. *Physical Chemistry Chemical Physics*, **2019**, 21, 21996-22001	3.6	16
149	Embedded Two-Dimensional Perovskite Nanoplatelets with Air-Stable Luminescence. *ACS Applied Materials & Interfaces*, **2019**, 11, 8436-8442	9.5	14
148	High internal quantum efficiency ZnO/ZnMgO multiple quantum wells prepared on GaN/sapphire templates for ultraviolet light emitting diodes. *Journal of Materials Chemistry C*, **2019**, 7, 6534-6538	7.1	9
147	Large-area ZnO/MoS2 heterostructure grown by pulsed laser deposition. *Materials Letters*, **2019**, 253, 187-190	3.3	7

146	R-phycoerythrin proteins@ZIF-8 composite thin films for mercury ion detection. *Analyst, The*, **2019**, 144, 3892-3897	5	6
145	Improved internal quantum efficiency of photoluminescence in zinc ion-implanted ZnO bulk crystals. *Applied Physics A: Materials Science and Processing*, **2019**, 125, 1	2.6	2
144	Investigation on Na Acceptor Level in p-Type Na-Doped ZnMgO Thin Films Prepared by Pulsed Laser Deposition. *Journal of Electronic Materials*, **2019**, 48, 3554-3561	1.9	2
143	Stable and bright formamidinium-based perovskite light-emitting diodes with high energy conversion efficiency. *Nature Communications*, **2019**, 10, 3624	17.4	68
142	Ultrasonication-Assisted Ambient-Air Synthesis of Monodispersed Blue-Emitting CsPbBr3 Quantum Dots for White Light Emission. *ACS Applied Nano Materials*, **2019**, 2, 6874-6879	5.6	10
141	High-Efficiency Red Light-Emitting Diodes Based on Multiple Quantum Wells of Phenylbutylammonium-Cesium Lead Iodide Perovskites. *ACS Photonics*, **2019**, 6, 587-594	6.3	44
140	Highly compact and smooth all-inorganic perovskite films for low threshold amplified spontaneous emission from additive-assisted solution processing. *Journal of Materials Chemistry C*, **2019**, 7, 15350-15356	7.1	10
139	Three-dimensional graphene foam integrated with Ni(OH)2 nanosheets as a hierarchical structure for non-enzymatic glucose sensing. *Journal of Electroanalytical Chemistry*, **2019**, 832, 275-283	4.1	18
138	Bio-inspired three-dimensional micro-nanoporous graphene for constructing Schottky junction and remarkably enhanced electrochemical detection. *Sensors and Actuators B: Chemical*, **2019**, 281, 245-252	8.5	2
137	Unusual violet photoluminescence in indium-doped ZnO nanowires. *Journal of Applied Physics*, **2018**, 123, 085702	2.5	1
136	Three-Dimensional Porous Nickel Frameworks Anchored with Cross-Linked Ni(OH) Nanosheets as a Highly Sensitive Nonenzymatic Glucose Sensor. *ACS Applied Materials & Interfaces*, **2018**, 10, 15088-15095	9.5	43
135	Lead halide perovskites: Recombining faster, emitting brighter. *Science China Materials*, **2018**, 61, 1135-1136	7.1	3
134	Co-doping: an effective strategy for achieving stable p-type ZnO thin films. *Nano Energy*, **2018**, 52, 527-540	17.1	37
133	Understanding the Role of Lithium Doping in Reducing Nonradiative Loss in Lead Halide Perovskites. *Advanced Science*, **2018**, 5, 1800736	13.6	38
132	Charge Transfer Doping Modulated Raman Scattering and Enhanced Stability of Black Phosphorus Quantum Dots on a ZnO Nanorod. *Advanced Optical Materials*, **2018**, 6, 1800440	8.1	27
131	Green light-emitting diodes based on hybrid perovskite films with mixed cesium and methylammonium cations. *Nano Research*, **2017**, 10, 1329-1335	10	23
130	2D Behaviors of Excitons in Cesium Lead Halide Perovskite Nanoplatelets. *Journal of Physical Chemistry Letters*, **2017**, 8, 1161-1168	6.4	95
129	Free-Standing Atomically Thin ZnO Layers via Oxidation of Zinc Chalcogenide Nanosheets. *ACS Applied Materials & Interfaces*, **2017**, 9, 13537-13543	9.5	16

128	Solid Confinement of Quantum Dots in ZIF-8 for Efficient and Stable Color-Conversion White LEDs. *ChemSusChem*, **2017**, 10, 1346-1350	8.3	11
127	Atomically thin cesium lead bromide perovskite quantum wires with high luminescence. *Nanoscale*, **2017**, 9, 104-108	7.7	40
126	Zinc vacancy-related complex and its abnormal photoluminescence in Zn+-implanted ZnO single crystals. *Materials Letters*, **2017**, 192, 133-136	3.3	12
125	Ambience dependent photoluminescence reveals the localization and trap filling effects in CH3NH3PbI3−xClx perovskite films. *Journal of Materials Chemistry C*, **2017**, 5, 54-58	7.1	5
124	Effects of Organic Cation Length on Exciton Recombination in Two-Dimensional Layered Lead Iodide Hybrid Perovskite Crystals. *Journal of Physical Chemistry Letters*, **2017**, 8, 5177-5183	6.4	66
123	Efficient and High-Color-Purity Light-Emitting Diodes Based on In Situ Grown Films of CsPbX (X = Br, I) Nanoplates with Controlled Thicknesses. *ACS Nano*, **2017**, 11, 11100-11107	16.7	153
122	Tunable band offset and recombination in ZnO nanowire–CdTe quantum dot heterostructures. *Applied Physics A: Materials Science and Processing*, **2017**, 123, 1	2.6	3
121	Acceptor evolution in Na-implanted a-plane bulk ZnO revealed by photoluminescence. *Journal of Applied Physics*, **2017**, 122, 095701	2.5	5
120	Tuning the fluorescence intensity and stability of porous silicon nanowires via mild thermal oxidation. *RSC Advances*, **2017**, 7, 34579-34583	3.7	2
119	Bright Tail States in Blue-Emitting Ultrasmall Perovskite Quantum Dots. *Journal of Physical Chemistry Letters*, **2017**, 8, 6002-6008	6.4	54
118	Perovskite light-emitting devices with a metal–insulator–semiconductor structure and carrier tunnelling. *Journal of Materials Chemistry C*, **2017**, 5, 7715-7719	7.1	13
117	Recombination dynamics of excitons in ZnO/ZnMgO multiple quantum wells grown on silicon substrate. *Applied Physics A: Materials Science and Processing*, **2016**, 122, 1	2.6	4
116	Simple Approach to Improving the Amplified Spontaneous Emission Properties of Perovskite Films. *ACS Applied Materials & Interfaces*, **2016**, 8, 32978-32983	9.5	40
115	Exciton localization in solution-processed organolead trihalide perovskites. *Nature Communications*, **2016**, 7, 10896	17.4	163
114	Surface plasmon enhanced photoluminescence from porous silicon nanowires decorated with gold nanoparticles. *RSC Advances*, **2016**, 6, 59395-59399	3.7	5
113	Distinctive excitonic recombination in solution-processed layered organic–inorganic hybrid two-dimensional perovskites. *Journal of Materials Chemistry C*, **2016**, 4, 10198-10204	7.1	18
112	Vapor phase growth and photoluminescence of oriented-attachment Zn2GeO4 nanorods array. *Journal of Crystal Growth*, **2016**, 451, 170-173	1.6	5
111	Determination of Na acceptor level in Na+ ion-implanted ZnO single crystal. *Applied Physics A: Materials Science and Processing*, **2015**, 118, 1229-1232	2.6	5

110	Interfacial control toward efficient and low-voltage perovskite light-emitting diodes. *Advanced Materials*, **2015**, 27, 2311-6	24	559
109	Annealing-induced change of hydrogen behavior in ZnO nanorods revealed by photoluminescence. *Materials Letters*, **2015**, 158, 80-83	3.3	3
108	Origin of p-type conduction in Cu-doped ZnO nano-films synthesized by hydrothermal method combined with post-annealing. *Materials Research Bulletin*, **2015**, 70, 190-194	5.1	16
107	All-wurtzite ZnO/ZnSe hetero-nanohelix: formation, mechanics and luminescence. *Nanoscale*, **2015**, 7, 7299-306	7.7	3
106	Enhanced internal quantum efficiency in non-polar ZnO/Zn0.81Mg0.19O multiple quantum wells by Pt surface plasmons coupling. *Optics Letters*, **2015**, 40, 3639-42	3	10
105	Enhanced photoluminescence of nonpolar p-type ZnO film by surface plasmon resonance and electron transfer. *Optics Letters*, **2015**, 40, 649-52	3	13
104	The defect nature of photoluminescence from a porous silicon nanowire array. *RSC Advances*, **2015**, 5, 80526-80529	3.7	12
103	Optical properties of Na-doped ZnO nanorods grown by metalorganic chemical vapor deposition. *Materials Letters*, **2015**, 160, 547-549	3.3	8
102	Impact of exciton dissociation on the metal-enhanced photoluminescence in ZnO/ZnMgO multiple quantum wells. *Applied Physics A: Materials Science and Processing*, **2015**, 121, 1039-1044	2.6	
101	Acceptor defect-participating magnetic exchange in ZnO : Cu nanocrystalline film: defect structure evolution, Cu–N synergetic role and magnetic control. *Journal of Materials Chemistry C*, **2015**, 3, 1330-1346	7.1	25
100	Improved photoluminescence and sensing stability of porous silicon nanowires by surface passivation. *Physical Chemistry Chemical Physics*, **2014**, 16, 890-4	3.6	16
99	Introducing heterojunction barriers into single kinked nanowires for the probe-free detection of proteins and intracellular recording. *Nanoscale*, **2014**, 6, 4052-7	7.7	17
98	Annealing-induced changes of the 3.31 eV emission in ZnO nanorods. *Applied Physics A: Materials Science and Processing*, **2014**, 115, 879-883	2.6	4
97	Colloidal Indium-Doped Zinc Oxide Nanocrystals with Tunable Work Function: Rational Synthesis and Optoelectronic Applications. *Chemistry of Materials*, **2014**, 26, 5169-5178	9.6	62
96	Trap states in chemically derived graphene oxide revealed by anomalous temperature-dependent photoluminescence. *RSC Advances*, **2014**, 4, 18141	3.7	9
95	Improving metal-enhanced photoluminescence by micro-pattern of metal nanoparticles: a case study of Ag–ZnCdO system. *Applied Physics A: Materials Science and Processing*, **2014**, 115, 1127-1132	2.6	1
94	Structural and optical properties of ZnSO alloy thin films with different S contents grown by pulsed laser deposition. *Journal of Alloys and Compounds*, **2014**, 582, 535-539	5.7	13
93	Self-assemble ZnMn2O4 hierarchical hollow microspheres into self-supporting architecture for enhanced biosensing performance. *Biosensors and Bioelectronics*, **2014**, 61, 443-7	11.8	17

92	Tuning the photoluminescence of porous silicon nanowires by morphology control. *Journal of Materials Chemistry C*, **2014**, 2, 2668	7.1	17
91	Mn2+-mediated energy transfer process as a versatile origin of photoluminescence in graphene oxide. *RSC Advances*, **2014**, 4, 54832-54836	3.7	1
90	Unexpected magnetization enhancement in hydrogen plasma treated ferromagnetic (Zn,Cu)O film. *Applied Physics Letters*, **2014**, 105, 072414	3.4	6
89	Effects of oxygen plasma treatment on the surface properties of Ga-doped ZnO thin films. *Applied Physics A: Materials Science and Processing*, **2014**, 114, 509-513	2.6	2
88	Shape control of colloidal Mn doped ZnO nanocrystals and their visible light photocatalytic properties. *Nanoscale*, **2013**, 5, 10461-71	7.7	70
87	Colloidal chemically fabricated ZnO : Cu-based photodetector with extended UV-visible detection waveband. *Nanoscale*, **2013**, 5, 9577-81	7.7	50
86	Growth of high-quality ZnO thin films on ((11bar{2}0)) a-plane sapphire substrates by plasma-assisted molecular beam epitaxy. *Applied Physics A: Materials Science and Processing*, **2013**, 112, 1051-1055	2.6	9
85	Electrically pumped ultraviolet lasing from ZnO in metal-insulator-semi devices. *Applied Physics A: Materials Science and Processing*, **2013**, 111, 689-694	2.6	2
84	Hole traps and Cu-related shallow donors in ZnO nanorods revealed by temperature-dependent photoluminescence. *Physical Chemistry Chemical Physics*, **2013**, 15, 7484-7	3.6	6
83	Indium-doped ZnO nanowires with infrequent growth orientation, rough surfaces and low-density surface traps. *Nanoscale Research Letters*, **2013**, 8, 493	5	12
82	Band gap modulation of ZnCdO alloy thin films with different Cd contents grown by pulsed laser deposition. *Journal of Alloys and Compounds*, **2013**, 547, 59-62	5.7	52
81	Evidence for the carbon-nitrogen complex in ZnO nanostructures with very high nitrogen doping. *Physical Chemistry Chemical Physics*, **2013**, 15, 1369-73	3.6	6
80	One-step synthesis of flower-like Au-ZnO microstructures at room temperature and their photocatalytic properties. *Applied Physics A: Materials Science and Processing*, **2013**, 110, 47-53	2.6	13
79	Controlled synthesis of spinel ZnFe2O4 decorated ZnO heterostructures as peroxidase mimetics for enhanced colorimetric biosensing. *Chemical Communications*, **2013**, 49, 7656-8	5.8	65
78	Preparation and optical properties of ZnO/Zn0.9Mg0.1O multiple quantum well structures with various well widths grown on c-plane sapphire. *Optics Communications*, **2013**, 301-302, 96-99	2	9
77	Comparison of structural and optical properties of polar and non-polar ZnO/Zn0.9Mg0.1O MQWs fabricated on sapphire substrates by pulsed laser deposition. *Materials Letters*, **2013**, 110, 31-33	3.3	4
76	A single mesoporous ZnO/Chitosan hybrid nanostructure for a novel free nanoprobe type biosensor. *Biosensors and Bioelectronics*, **2013**, 43, 226-30	11.8	43
75	Dual-donor (Zn(i) and V(O)) mediated ferromagnetism in copper-doped ZnO micron-scale polycrystalline films: a thermally driven defect modulation process. *Nanoscale*, **2013**, 5, 3918-30	7.7	41

74	Surface passivation effect on the photoluminescence of ZnO nanorods. *ACS Applied Materials & Interfaces*, **2013**, 5, 6354-9	9.5	78
73	Bandgap engineering and shape control of colloidal Cd(x)Zn(1-x)O nanocrystals. *Nanoscale*, **2013**, 5, 6464-8	7.7	16
72	Effects of annealing temperature on excitonic emissions from Na-implanted ZnO nanorods. *Materials Letters*, **2013**, 90, 76-78	3.3	4
71	Violet emission in ZnO nanorods treated with high-energy hydrogen plasma. *ACS Applied Materials & Interfaces*, **2013**, 5, 10274-9	9.5	19
70	Effects of phosphorus doping in ZnO nanocrystals by metal organic chemical vapor deposition. *Materials Letters*, **2012**, 68, 258-260	3.3	10
69	Growth of Na doped p-type non-polar a-plane ZnO films by pulsed laser deposition. *Materials Letters*, **2012**, 76, 81-83	3.3	13
68	Effects of diffusion temperature and diffusion time on fabrication of Na-diffused p-type ZnO thin films. *Materials Letters*, **2012**, 80, 175-177	3.3	6
67	Evidence for barrier-to-well injection of carriers in high quality ZnO/Zn0.9Mg0.1O multiple quantum wells grown on (111) Si. *Physics Letters, Section A: General, Atomic and Solid State Physics*, **2012**, 376, 1515-1518	2.3	6
66	Characterization of ZnO:Co particles prepared by hydrothermal method for room temperature magnetism. *Journal of Magnetism and Magnetic Materials*, **2012**, 324, 690-694	2.8	21
65	Metal enhanced photoluminescence from Al-capped ZnMgO films: The roles of plasmonic coupling and non-radiative recombination. *Applied Physics Letters*, **2012**, 100, 112103	3.4	25
64	Dominant free exciton emission in ZnO nanorods. *Nanoscale*, **2012**, 4, 1701-6	7.7	24
63	Piezoelectric properties of rhombic LiNbO3 nanowires. *RSC Advances*, **2012**, 2, 7380	3.7	35
62	Vibronic Fine Structures on the ${sim}3.0$ eV Violet Emission in Ion-Implanted ZnO Nanorods. *Applied Physics Express*, **2012**, 5, 112102	2.4	5
61	Negative thermal quenching of the 3.338eV emission in ZnO nanorods. *Solid State Communications*, **2012**, 152, 1757-1760	1.6	6
60	Synthesis and Characterization of Ultrathin Tin-Doped Zinc Oxide Nanowires. *European Journal of Inorganic Chemistry*, **2012**, 2012, 4268-4272	2.3	8
59	Optical properties and structural characteristics of ZnO thin films grown on a-plane sapphire substrates by plasma-assisted molecular beam epitaxy. *Optics Communications*, **2012**, 285, 4431-4434	2	11
58	Epitaxial growth of non-polar m-plane ZnO thin films by pulsed laser deposition. *Materials Research Bulletin*, **2012**, 47, 2235-2238	5.1	7
57	Single-Crystalline Sodium-Doped p-Type ZnO and ZnMgO Nanowires via Combination of Thin-Film and Nano Techniques. *Journal of Physical Chemistry C*, **2011**, 115, 19018-19022	3.8	33

56	Extraction of the surface trap level from photoluminescence: a case study of ZnO nanostructures. *Physical Chemistry Chemical Physics*, **2011**, 13, 14902-5	3.6	29
55	Enhanced near band edge emission of ZnO via surface plasmon resonance of aluminum nanoparticles. *Journal of Applied Physics*, **2011**, 110, 023510	2.5	40
54	Controllable growth and optical properties of ZnO nanostructures on Si nanowire arrays. *CrystEngComm*, **2011**, 13, 2439	3.3	24
53	Self-catalysis induced three-dimensional SiOx nanostructures. *CrystEngComm*, **2011**, 13, 5807	3.3	3
52	Growth and optical properties of tetrapod-like indium-doped ZnO nanorods with a layer-structured surface. *Journal of Alloys and Compounds*, **2011**, 509, 316-320	5.7	23
51	Layer-structured ZnO nanowire arrays with dominant surface- and acceptor-related emissions. *Materials Letters*, **2011**, 65, 1351-1354	3.3	9
50	Temperature-dependent photoluminescence properties of porous silicon nanowire arrays. *Applied Physics Letters*, **2011**, 99, 123106	3.4	24
49	Identification of about 100-meV acceptor level in ZnO nanostructures by photoluminescence. *Applied Physics A: Materials Science and Processing*, **2011**, 104, 695-699	2.6	1
48	Size-Dependent Surface Effects on the Photoluminescence in ZnO Nanorods. *Journal of Physical Chemistry C*, **2011**, 115, 58-64	3.8	58
47	Effects of rapid thermal annealing on the structural and electrical properties of Na-doped ZnMgO films. *Applied Surface Science*, **2011**, 257, 5927-5930	6.7	10
46	Optical properties of p-type CuAlO2 thin film grown by rf magnetron sputtering. *Applied Surface Science*, **2011**, 257, 8330-8333	6.7	40
45	Local super-saturation dependent synthesis of MgO nanosheets. *Applied Surface Science*, **2011**, 257, 3607-3611	6.7	17
44	Fabrication and properties of Li-doped ZnCoO diluted magnetic semiconductor thin films. *Superlattices and Microstructures*, **2011**, 50, 261-268	2.8	7
43	Synthesis and waveguiding of single-crystalline LiNbO3 nanorods. *Applied Physics Letters*, **2011**, 98, 093102	3.4	16
42	Acceptor-related emissions in indium-doped ZnO nanorods. *Journal of Applied Physics*, **2011**, 109, 053507	2.5	11
41	Localized exciton emission from ZnO nanocrystalline films. *Journal of Applied Physics*, **2010**, 107, 053524	2.5	9
40	Dopant-induced shape evolution of colloidal nanocrystals: the case of zinc oxide. *Journal of the American Chemical Society*, **2010**, 132, 13381-94	16.4	165
39	Facile synthesis and characterization of ultrathin cerium oxide nanorods. *CrystEngComm*, **2010**, 12, 2663	3.3	31

38	Highly efficient orange emission in ZnO:Se nanorods. *Journal of Applied Physics*, **2010**, 108, 124313	2.5	10
37	One-Step Synthesis of Monodisperse In-Doped ZnO Nanocrystals. *Nanoscale Research Letters*, **2010**, 5, 882-8	5	15
36	Correlation between the 3.31-eV emission and the doping level in indium-doped ZnO nanostructures. *Solid State Communications*, **2010**, 150, 2303-2305	1.6	5
35	The influence of morphologies and doping of nanostructured ZnO on the field emission behaviors. *Solid-State Electronics*, **2009**, 53, 578-583	1.7	30
34	Dependence of photoluminescence of ZnO/Zn0.85Mg0.15O multi-quantum wells on barrier width. *Physics Letters, Section A: General, Atomic and Solid State Physics*, **2009**, 373, 3281-3284	2.3	8
33	Growth and properties of ZnO nanorod and nanonails by thermal evaporation. *Applied Surface Science*, **2009**, 255, 3972-3976	6.7	33
32	Synthesis and Characterization of Highly Faceted (Zn,Cd)O Nanorods with Nonhexagonal Cross Sections. *Crystal Growth and Design*, **2009**, 9, 5043-5048	3.5	5
31	Synthesis of vertically aligned Al-doped ZnO nanorods array with controllable Al concentration. *Materials Letters*, **2008**, 62, 603-606	3.3	21
30	ZnO nanowires grown along the non-polar direction. *Materials Letters*, **2008**, 62, 1393-1395	3.3	5
29	Fabrication and post-anneal activation of p-type ZnMgO:Li film using dc reactive magnetron sputtering. *Materials Letters*, **2008**, 62, 2554-2556	3.3	7
28	Controllable Synthesis of Ordered ZnO Nanodots Arrays by Nanosphere Lithography. *Crystal Growth and Design*, **2008**, 8, 2917-2920	3.5	9
27	Negative Thermal Quenching Behavior and Long Luminescence Lifetime of Surface-State Related Green Emission in ZnO Nanorods. *Journal of Physical Chemistry C*, **2008**, 112, 14262-14265	3.8	39
26	Temperature-dependent photoluminescence and photoluminescence excitation of aluminum monodoped and aluminum-indium dual-doped ZnO nanorods. *Journal of Applied Physics*, **2008**, 104, 114307	2.5	25
25	Photoluminescence properties of ZnO nanoneedles grown by metal organic chemical vapor deposition. *Journal of Applied Physics*, **2008**, 104, 064311	2.5	9
24	Synthesis of radial ZnO nanostructures by a simple thermal evaporation method. *Physica E: Low-Dimensional Systems and Nanostructures*, **2008**, 40, 507-511	3	17
23	Highly transparent and conductive Zn0.85Mg0.15O:Al thin films prepared by pulsed laser deposition. *Solar Energy Materials and Solar Cells*, **2008**, 92, 343-347	6.4	54
22	Photoluminescence of Ga-doped ZnO nanorods prepared by chemical vapor deposition. *Optical Materials*, **2008**, 31, 237-240	3.3	20
21	Comparative photoluminescence study on p-type and n-type ZnO films codoped by nitrogen and aluminium. *Optical Materials*, **2008**, 30, 1422-1426	3.3	14

20	Fabrication of Sb-doped p-type ZnO thin films by pulsed laser deposition. *Applied Surface Science*, **2007**, 253, 5067-5069	6.7	67
19	Fine structure on the excitonic emission in AgI nanoparticles embedded in silica glass. *Journal of Luminescence*, **2007**, 124, 71-74	3.8	3
18	Catalyst-free synthesis of vertically aligned screw-shape InZnO nanorods array. *Journal of Crystal Growth*, **2007**, 306, 339-343	1.6	11
17	Synthesis of two kinds of ZnO nanostructures by vapor phase method. *Materials Letters*, **2007**, 61, 1170-1173	3.5	11
16	Effect of oxygen pressure on structural and electrical properties of pulsed laser deposition-derived Zn0.95Mg0.05O: Li thin films. *Journal Physics D: Applied Physics*, **2007**, 40, 3229-3232	3	5
15	Microstructure and defect investigations of the as-grown and annealed ZnO/Si thin films. *Journal of Applied Physics*, **2007**, 102, 053521	2.5	6
14	Growth and properties of ZnO/hexagonal ZnMgO/cubic ZnMgO nanopagoda heterostructures. *Journal Physics D: Applied Physics*, **2007**, 40, 5287-5290	3	13
13	Synthesis and characterization of dendritic ZnMgO nanostructures. *Journal Physics D: Applied Physics*, **2006**, 39, 3764-3768	3	17
12	Preparation and characterization of Al-doped quasi-aligned ZnO submicro-rods. *Journal Physics D: Applied Physics*, **2006**, 39, 2696-2700	3	32
11	Defect-related vibrational and photoluminescence spectroscopy of a codoped ZnO : Al : N film. *Journal Physics D: Applied Physics*, **2006**, 39, 2339-2342	3	13
10	Carrier localization in codoped ZnO:N:Al films. *Solid State Communications*, **2006**, 138, 542-545	1.6	14
9	Raman scattering and photoluminescence of quasi-aligned ternary ZnCdO nanorods. *Journal Physics D: Applied Physics*, **2005**, 38, 2919-2922	3	40
8	Mechanism of intense blue photoluminescence in silica wires. *Solid State Communications*, **2005**, 135, 247-250	1.6	17
7	Room temperature photoluminescence property of boron-doped sol□gel silica. *Materials Research Bulletin*, **2004**, 39, 747-753	5.1	3
6	Room temperature photoluminescence from Zr4+-doped sol□gel silica. *Solid State Communications*, **2003**, 126, 639-643	1.6	4
5	Ionic conductivity of nano-scale □AgI. *Physica B: Condensed Matter*, **2003**, 325, 357-361	2.8	25
4	Photoluminescence property of ZnO□SiO2composites synthesized by sol□gel method. *Journal Physics D: Applied Physics*, **2003**, 36, 2972-2975	3	65
3	Optical properties of nanometre AgI□silica composite synthesized by a simple quenching method. *Journal of Physics Condensed Matter*, **2003**, 15, 4869-4876	1.8	9

2	Thermochemical process occurring in PLD-derived SiC films during vacuum annealing. *Applied Surface Science*, **2002**, 193, 204-209	6.7	6
1	Intense ultraviolet and green photoluminescence from sol–gel derived silica containing hydrogenated carbon. *Journal of Physics Condensed Matter*, **2002**, 14, 11867-11874	1.8	24