

Anna Rubartelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1556102/publications.pdf>

Version: 2024-02-01

109
papers

14,005
citations

30047

54
h-index

28275

105
g-index

111
all docs

111
docs citations

111
times ranked

19400
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Rebalancing expression of HMGB1 redox isoforms to counteract muscular dystrophy. <i>Science Translational Medicine</i> , 2021, 13, . | 5.8 | 26 |
| 2 | Therapeutic efficacy of proton transport inhibitors alone or in combination with cisplatin in triple negative and hormone sensitive breast cancer models. <i>Cancer Medicine</i> , 2021, 11, 183. | 1.3 | 4 |
| 3 | Increased myocardial 18F-FDG uptake as a marker of Doxorubicin-induced oxidative stress. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 2183-2194. | 1.4 | 29 |
| 4 | A novel knock-in mouse model of cryopyrin-associated periodic syndromes with development of amyloidosis: Therapeutic efficacy of proton pump inhibitors. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 368-378.e13. | 1.5 | 14 |
| 5 | Evolution, role in inflammation, and redox control of leaderless secretory proteins. <i>Journal of Biological Chemistry</i> , 2020, 295, 7799-7811. | 1.6 | 29 |
| 6 | Tumor Vasculature Targeted TNF α Therapy: Reversion of Microenvironment Anergy and Enhancement of the Anti-tumor Efficiency. <i>Current Medicinal Chemistry</i> , 2020, 27, 4233-4248. | 1.2 | 2 |
| 7 | Cytokines in Autoinflammation. , 2019, , 111-122. | | 0 |
| 8 | Oxidation of methionine residues in human apolipoprotein A-I generates a potent pro-inflammatory molecule. <i>Journal of Biological Chemistry</i> , 2019, 294, 3634-3646. | 1.6 | 12 |
| 9 | The unconventional secretion of IL-1 β : Handling a dangerous weapon to optimize inflammatory responses. <i>Seminars in Cell and Developmental Biology</i> , 2018, 83, 12-21. | 2.3 | 47 |
| 10 | OLT1177, a β -sulfonyl nitrile compound, safe in humans, inhibits the NLRP3 inflammasome and reverses the metabolic cost of inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E1530-E1539. | 3.3 | 346 |
| 11 | Redox-Mediated Mechanisms Fuel Monocyte Responses to CXCL12/HMGB1 in Active Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2018, 9, 2118. | 2.2 | 40 |
| 12 | Progressive waves of IL-1 β release by primary human monocytes via sequential activation of vesicular and gasdermin D-mediated secretory pathways. <i>Cell Death and Disease</i> , 2018, 9, 1088. | 2.7 | 61 |
| 13 | A persulfidation-based mechanism controls aquaporin-8 conductance. <i>Science Advances</i> , 2018, 4, eaar5770. | 4.7 | 44 |
| 14 | The therapeutic T cell response induced by tumor delivery of TNF and melphalan is dependent on early triggering of natural killer and dendritic cells. <i>European Journal of Immunology</i> , 2017, 47, 743-753. | 1.6 | 9 |
| 15 | Guidelines for the use of flow cytometry and cell sorting in immunological studies [*] . <i>European Journal of Immunology</i> , 2017, 47, 1584-1797. | 1.6 | 505 |
| 16 | Cryopyrin-associated Periodic Syndromes in Italian Patients: Evaluation of the Rate of Somatic NLRP3 Mosaicism and Phenotypic Characterization. <i>Journal of Rheumatology</i> , 2017, 44, 1667-1673. | 1.0 | 28 |
| 17 | Dysregulated IL-1 β Secretion in Autoinflammatory Diseases: A Matter of Stress?. <i>Frontiers in Immunology</i> , 2017, 8, 345. | 2.2 | 36 |
| 18 | Restoring microenvironmental redox and pH homeostasis inhibits neoplastic cell growth and migration: therapeutic efficacy of esomeprazole plus sulfasalazine on 3-MCA-induced sarcoma. <i>Oncotarget</i> , 2017, 8, 67482-67496. | 0.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | NLR in Human Diseases: Role and Laboratory Findings. <i>Methods in Molecular Biology</i> , 2016, 1417, 247-254. | 0.4 | 0 |
| 20 | Clinical Characteristics of Patients Carrying the Q703K Variant of the <i>NLRP3</i> Gene: A 10-year Multicentric National Study. <i>Journal of Rheumatology</i> , 2016, 43, 1093-1100. | 1.0 | 31 |
| 21 | Disease activity accounts for long-term efficacy of IL-1 blockers in pyogenic sterile arthritis pyoderma gangrenosum and severe acne syndrome. <i>Rheumatology</i> , 2016, 55, 1325-1335. | 0.9 | 48 |
| 22 | Proton pump inhibitors protect mice from acute systemic inflammation and induce long-term cross-tolerance. <i>Cell Death and Disease</i> , 2016, 7, e2304-e2304. | 2.7 | 40 |
| 23 | Stress Regulates Aquaporin-8 Permeability to Impact Cell Growth and Survival. <i>Antioxidants and Redox Signaling</i> , 2016, 24, 1031-1044. | 2.5 | 82 |
| 24 | Redox stress unbalances the inflammatory cytokine network: role in autoinflammatory patients and healthy subjects. <i>Journal of Leukocyte Biology</i> , 2016, 99, 79-86. | 1.5 | 19 |
| 25 | Extracellular ATP induces the rapid release of HIV-1 from virus containing compartments of human macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E3265-73. | 3.3 | 61 |
| 26 | Cell stress increases ATP release in NLRP3 inflammasome-mediated autoinflammatory diseases, resulting in cytokine imbalance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2835-2840. | 3.3 | 106 |
| 27 | Redox distress and genetic defects conspire in systemic autoinflammatory diseases. <i>Nature Reviews Rheumatology</i> , 2015, 11, 670-680. | 3.5 | 26 |
| 28 | Consensus guidelines for the detection of immunogenic cell death. <i>Oncolmmunology</i> , 2014, 3, e955691. | 2.1 | 686 |
| 29 | Role of caspase-1 in nuclear translocation of IL-37, release of the cytokine, and IL-37 inhibition of innate immune responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2650-2655. | 3.3 | 182 |
| 30 | DAMP-Mediated Activation of NLRP3-Inflammasome in Brain Sterile Inflammation: The Fine Line between Healing and Neurodegeneration. <i>Frontiers in Immunology</i> , 2014, 5, 99. | 2.2 | 46 |
| 31 | TLR Costimulation Causes Oxidative Stress with Unbalance of Proinflammatory and Anti-Inflammatory Cytokine Production. <i>Journal of Immunology</i> , 2014, 192, 5373-5381. | 0.4 | 73 |
| 32 | Autoinflammatory diseases. <i>Immunology Letters</i> , 2014, 161, 226-230. | 1.1 | 24 |
| 33 | Increased NLRP3-dependent interleukin 1 β secretion in patients with familial Mediterranean fever: correlation with <i>MEFV</i> genotype. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 462-469. | 0.5 | 108 |
| 34 | Inflammation, DAMPs, Tumor Development, and Progression: A Vicious Circle Orchestrated by Redox Signaling. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 1086-1097. | 2.5 | 61 |
| 35 | The secretion of IL-1 β and options for release. <i>Seminars in Immunology</i> , 2013, 25, 425-429. | 2.7 | 119 |
| 36 | The pharmacologic inhibition of the xc- antioxidant system improves the antitumor efficacy of COX inhibitors in the in vivo model of 3-MCA tumorigenesis. <i>Carcinogenesis</i> , 2013, 34, 620-626. | 1.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Mechanisms of Sterile Inflammation. <i>Frontiers in Immunology</i> , 2013, 4, 398. | 2.2 | 45 |
| 38 | Different Members of the IL-1 Family Come Out in Different Ways: DAMPs vs. Cytokines?. <i>Frontiers in Immunology</i> , 2013, 4, 123. | 2.2 | 78 |
| 39 | Deficient production of IL-1 receptor antagonist and IL-6 coupled to oxidative stress in cryopyrin-associated periodic syndrome monocytes. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1577-1581. | 0.5 | 45 |
| 40 | Redox control of NLRP3 inflammasome activation in health and disease. <i>Journal of Leukocyte Biology</i> , 2012, 92, 951-958. | 1.5 | 94 |
| 41 | On the Redox Control of B Lymphocyte Differentiation and Function. <i>Antioxidants and Redox Signaling</i> , 2012, 16, 1139-1149. | 2.5 | 35 |
| 42 | High-Mobility Group Box 1 Release and Redox Regulation Accompany Regeneration and Remodeling of Skeletal Muscle. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 2161-2174. | 2.5 | 61 |
| 43 | Interplay between redox status and inflammasome activation. <i>Trends in Immunology</i> , 2011, 32, 559-566. | 2.9 | 74 |
| 44 | TCTP is a critical survival factor that protects cancer cells from oxidative stress-induced cell-death. <i>Experimental Cell Research</i> , 2011, 317, 2479-2489. | 1.2 | 45 |
| 45 | Clinical presentation and pathogenesis of cold-induced autoinflammatory disease in a family with recurrence of an NLRP12 mutation. <i>Arthritis and Rheumatism</i> , 2011, 63, 830-839. | 6.7 | 162 |
| 46 | The Rate of Interleukin-1 β Secretion in Different Myeloid Cells Varies with the Extent of Redox Response to Toll-like Receptor Triggering. <i>Journal of Biological Chemistry</i> , 2011, 286, 27069-27080. | 1.6 | 96 |
| 47 | The Cystine/Cysteine Cycle and GSH Are Independent and Crucial Antioxidant Systems in Malignant Melanoma Cells and Represent Druggable Targets. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 2439-2453. | 2.5 | 41 |
| 48 | IL-1 family nomenclature. <i>Nature Immunology</i> , 2010, 11, 973-973. | 7.0 | 294 |
| 49 | Redox remodeling: a candidate regulator of HMGB1 function in injured skeletal muscle. <i>Annals of the New York Academy of Sciences</i> , 2010, 1209, 83-90. | 1.8 | 29 |
| 50 | Altered redox state of monocytes from cryopyrin-associated periodic syndromes causes accelerated IL-1 β secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 9789-9794. | 3.3 | 129 |
| 51 | NK cell-derived cytokines and delivery. , 2010, , 177-188. | | 2 |
| 52 | Redox Remodeling Allows and Controls B-Cell Activation and Differentiation. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 1145-1155. | 2.5 | 83 |
| 53 | B- to Plasma-Cell Terminal Differentiation Entails Oxidative Stress and Profound Reshaping of the Antioxidant Responses. <i>Antioxidants and Redox Signaling</i> , 2010, 13, 1133-1144. | 2.5 | 110 |
| 54 | Pathogen-Induced Interleukin-1 β Processing and Secretion Is Regulated by a Biphasic Redox Response. <i>Journal of Immunology</i> , 2009, 183, 1456-1462. | 0.4 | 93 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Eosinophils Oxidize Damage-Associated Molecular Pattern Molecules Derived from Stressed Cells. <i>Journal of Immunology</i> , 2009, 183, 5023-5031. | 0.4 | 96 |
| 56 | Chemo-metabolic regulation of immune responses by Tregs. <i>Nature Chemical Biology</i> , 2009, 5, 709-710. | 3.9 | 5 |
| 57 | DAMPs and inflammatory processes: the role of redox in the different outcomes. <i>Journal of Leukocyte Biology</i> , 2009, 86, 549-555. | 1.5 | 96 |
| 58 | Stress as an Intercellular Signal: The Emergence of Stress-Associated Molecular Patterns (SAMP). <i>Antioxidants and Redox Signaling</i> , 2009, 11, 2621-2629. | 2.5 | 31 |
| 59 | Differential requirement for the activation of the inflammasome for processing and release of IL-1 β in monocytes and macrophages. <i>Blood</i> , 2009, 113, 2324-2335. | 0.6 | 714 |
| 60 | The redox state of the lung cancer microenvironment depends on the levels of thioredoxin expressed by tumor cells and affects tumor progression and response to prooxidants. <i>International Journal of Cancer</i> , 2008, 123, 1770-1778. | 2.3 | 73 |
| 61 | Engagement of NOD2 has a dual effect on proIL-1 β mRNA transcription and secretion of bioactive IL-1 β . <i>European Journal of Immunology</i> , 2008, 38, 184-191. | 1.6 | 69 |
| 62 | The thiol redox state of lymphoid organs is modified by immunization: Role of different immune cell populations. <i>European Journal of Immunology</i> , 2008, 38, 2419-2425. | 1.6 | 66 |
| 63 | The pattern of response to anti-interleukin-1 treatment distinguishes two subsets of patients with systemic-onset juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 1505-1515. | 6.7 | 346 |
| 64 | ATP is released by monocytes stimulated with pathogen-sensing receptor ligands and induces IL-1 β and IL-18 secretion in an autocrine way. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 8067-8072. | 3.3 | 429 |
| 65 | The maturation potential of NK cell clones toward autologous dendritic cells correlates with HMGB1 secretion. <i>Journal of Leukocyte Biology</i> , 2007, 81, 92-99. | 1.5 | 35 |
| 66 | Inside, outside, upside down: damage-associated molecular-pattern molecules (DAMPs) and redox. <i>Trends in Immunology</i> , 2007, 28, 429-436. | 2.9 | 534 |
| 67 | Masquerader: High Mobility Group Box-1 and Cancer. <i>Clinical Cancer Research</i> , 2007, 13, 2836-2848. | 3.2 | 335 |
| 68 | Pattern of interleukin-1 β secretion in response to lipopolysaccharide and ATP before and after interleukin-1 blockade in patients with CIAS1 mutations. <i>Arthritis and Rheumatism</i> , 2007, 56, 3138-3148. | 6.7 | 229 |
| 69 | The grateful dead: damage-associated molecular pattern molecules and reduction/oxidation regulate immunity. <i>Immunological Reviews</i> , 2007, 220, 60-81. | 2.8 | 565 |
| 70 | Damage associated molecular pattern molecules. <i>Clinical Immunology</i> , 2007, 124, 1-4. | 1.4 | 100 |
| 71 | Histone deacetylase inhibitors prevent exocytosis of interleukin-1 β -containing secretory lysosomes: role of microtubules. <i>Blood</i> , 2006, 108, 1618-1626. | 0.6 | 138 |
| 72 | ABCA2 is a marker of neural progenitors and neuronal subsets in the adult rodent brain. <i>Journal of Neurochemistry</i> , 2006, 97, 345-355. | 2.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | NK/iDC interaction results in IL-18 secretion by DCs at the synaptic cleft followed by NK cell activation and release of the DC maturation factor HMGB1. <i>Blood</i> , 2005, 106, 609-616. | 0.6 | 293 |
| 74 | Novel Pathways of Protein Secretion. , 2005, , 45-60. | | 8 |
| 75 | From The Cover: Phospholipases C and A2 control lysosome-mediated IL-1 β secretion: Implications for inflammatory processes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9745-9750. | 3.3 | 360 |
| 76 | A novel isoform of pro-interleukin-18 expressed in ovarian tumors is resistant to caspase-1 and -4 processing. <i>Oncogene</i> , 2004, 23, 7552-7560. | 2.6 | 25 |
| 77 | Monocytic cells hyperacetylate chromatin protein HMGB1 to redirect it towards secretion. <i>EMBO Journal</i> , 2003, 22, 5551-5560. | 3.5 | 1,071 |
| 78 | Antigen-presenting dendritic cells provide the reducing extracellular microenvironment required for T lymphocyte activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 1491-1496. | 3.3 | 342 |
| 79 | NK Cell Activation by Dendritic Cells Is Dependent on LFA-1-Mediated Induction of Calcium-Calmodulin Kinase II: Inhibition by HIV-1 Tat C-Terminal Domain. <i>Journal of Immunology</i> , 2002, 168, 95-101. | 0.4 | 80 |
| 80 | Expression of interleukin-18 in human ovarian carcinoma and normal ovarian epithelium: Evidence for defective processing in tumor cells. <i>International Journal of Cancer</i> , 2002, 98, 873-878. | 2.3 | 42 |
| 81 | The nuclear protein HMGB1 is secreted by monocytes via a nonclassical, vesicle-mediated secretory pathway. <i>EMBO Reports</i> , 2002, 3, 995-1001. | 2.0 | 818 |
| 82 | CD8+ T lymphocytes induce polarized exocytosis of secretory lysosomes by dendritic cells with release of interleukin-1 β and cathepsin D. <i>Blood</i> , 2001, 98, 2152-2159. | 0.6 | 66 |
| 83 | Secretion of bioactive interleukin-1 β by dendritic cells is modulated by interaction with antigen specific T cells. <i>Blood</i> , 2000, 95, 3809-3815. | 0.6 | 37 |
| 84 | Control of interleukin-18 secretion by dendritic cells: role of calcium influxes. <i>FEBS Letters</i> , 2000, 481, 245-248. | 1.3 | 52 |
| 85 | Secretion of bioactive interleukin-1 β by dendritic cells is modulated by interaction with antigen specific T cells. <i>Blood</i> , 2000, 95, 3809-3815. | 0.6 | 3 |
| 86 | The Secretory Route of the Leaderless Protein Interleukin 1 β Involves Exocytosis of Endolysosome-related Vesicles. <i>Molecular Biology of the Cell</i> , 1999, 10, 1463-1475. | 0.9 | 427 |
| 87 | Differential intracellular trafficking, secretion and endosomal localization of two IL-15 isoforms. <i>European Journal of Immunology</i> , 1999, 29, 1265-1274. | 1.6 | 75 |
| 88 | Interleukin-18 synthesis and secretion by dendritic cells are modulated by interaction with antigen-specific T cells. <i>Journal of Leukocyte Biology</i> , 1999, 66, 237-241. | 1.5 | 69 |
| 89 | Changes in gene expression during the growth arrest of HepG2 hepatoma cells induced by reducing agents or TGF β 1. <i>Oncogene</i> , 1998, 16, 2935-2943. | 2.6 | 15 |
| 90 | HIV-1 Tat: a polypeptide for all seasons. <i>Trends in Immunology</i> , 1998, 19, 543-545. | 7.5 | 108 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | KIF3C, a Novel Member of the Kinesin Superfamily: Sequence, Expression, and Mapping to Human Chromosome 2 at 2p23. <i>Genomics</i> , 1998, 47, 405-408. | 1.3 | 27 |
| 92 | Involvement of Dihydropyridine-sensitive Calcium Channels in Human Dendritic Cell Function. <i>Journal of Biological Chemistry</i> , 1998, 273, 7205-7209. | 1.6 | 67 |
| 93 | The RGD-containing domain of exogenous HIV-1 Tat inhibits the engulfment of apoptotic bodies by dendritic cells. <i>Aids</i> , 1997, 11, 1227-1235. | 1.0 | 38 |
| 94 | The Association of HIV-1 Tat with Nuclei Is Regulated by Ca ²⁺ Ions and Cytosolic Factors. <i>Journal of Biological Chemistry</i> , 1997, 272, 11256-11260. | 1.6 | 9 |
| 95 | Interleukin-1 β Secretion Is Impaired by Inhibitors of the Atp Binding Cassette Transporter, ABC1. <i>Blood</i> , 1997, 90, 2911-2915. | 0.6 | 207 |
| 96 | The selective engulfment of apoptotic bodies by dendritic cells is mediated by the α v β 3 integrin and requires intracellular and extracellular calcium. <i>European Journal of Immunology</i> , 1997, 27, 1893-1900. | 1.6 | 236 |
| 97 | Expression and function of NKR1A molecule on human monocytes and dendritic cells. <i>European Journal of Immunology</i> , 1997, 27, 2965-2970. | 1.6 | 50 |
| 98 | Secretion of Mammalian Proteins that Lack a Signal Sequence. <i>Molecular Biology Intelligence Unit</i> , 1997, , 87-114. | 0.2 | 39 |
| 99 | Nerve Growth Factor Is an Autocrine Survival Factor for Memory B Lymphocytes. <i>Cell</i> , 1996, 85, 345-356. | 13.5 | 394 |
| 100 | Nuclear translocation of an exogenous fusion protein containing HIV Tat requires unfolding. <i>Aids</i> , 1995, 9, 995-1000. | 1.0 | 43 |
| 101 | Entry of exogenous polypeptides into the nucleus of living cells: facts and speculations. <i>Trends in Cell Biology</i> , 1995, 5, 409-412. | 3.6 | 15 |
| 102 | Synthesis and Secretion of Interleukin-1 α and Intedeukin-1 Receptor Antagonist during Differentiation of Cultured Keratinocytes. <i>Experimental Cell Research</i> , 1995, 217, 355-362. | 1.2 | 65 |
| 103 | Post-translational regulation of interleukin 1 β secretion. <i>Cytokine</i> , 1993, 5, 117-124. | 1.4 | 53 |
| 104 | Interleukin-1 and interleukin-2 control granulocyte- and granulocyte-macrophage colony-stimulating factor gene expression and cell proliferation in cultured acute myeloblastic leukemia. <i>International Journal of Cancer</i> , 1990, 46, 902-907. | 2.3 | 17 |
| 105 | A novel pathway for secretory proteins?. <i>Trends in Biochemical Sciences</i> , 1990, 15, 86-88. | 3.7 | 285 |
| 106 | Regulation of IgM biosynthesis in human chronic lymphocytic leukemia. Normal and neoplastic B cells respond differently to TPA. <i>Leukemia Research</i> , 1989, 13, 1105-1111. | 0.4 | 1 |
| 107 | MLR3 molecule is an activation antigen shared by human B, T lymphocytes and T cell precursors. <i>European Journal of Immunology</i> , 1989, 19, 323-328. | 1.6 | 54 |
| 108 | Interleukin 1 as an autocrine growth factor for acute myeloid leukemia cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 2369-2373. | 3.3 | 133 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Stress as an intercellular signal: the emergence of stress associated molecular patterns (SAMP).. Antioxidants and Redox Signaling, 0, , 110306091003087. | 2.5 | 1 |