

ElÅ¼bieta A BanaÅ›

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/155734/publications.pdf>

Version: 2024-02-01

992
papers

63,782
citations

1099
112
h-index

2280
200
g-index

1022
all docs

1022
docs citations

1022
times ranked

14452
citing authors

#	ARTICLE	IF	CITATIONS
1	Emulating the impact of additional protonâ€“proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	2.9	5
2	Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $s=13\text{ TeV}$ with the ATLAS experiment. Physical Review D, 2022, 105, .	4.7	2
3	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
4	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s}=13\text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
5	Operation and performance of the ATLAS semiconductor tracker in LHC RunÂ2. Journal of Instrumentation, 2022, 17, P01013. Search for Higgs boson decays into a pair of pseudoscalar particles in the mml:math $\text{display="inline"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b^{1/4} \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b^{1/4} \langle / \text{mml:mi} \rangle < / \text{mml:math}$	1.2	1
6	final state with the ATLAS detector in mml:math $\text{display="inline"}> \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < / \text{mml:math} \rangle$ collisions at mml:math $\text{display="inline"}> \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:math} \rangle$. Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	17
7	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	4.7	2
8	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13\text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
10	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
11	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+\pi^-$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
12	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1. Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at mml:math $\text{display="block"}> \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle < / \text{mml:mrow} \rangle < \text{mml:msqrt} \rangle \langle \text{mml:mo}$	3.9	5
13	$\text{linebreak="goodbreak" linebreakstyle="after"}> = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle < / \text{mml:math} \rangle$ TeV with the ATLAS detector. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	4.1	8
14	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, . A search for an unexpected asymmetry in the production of $c\bar{c}(1/4\pi)$ and $c\bar{c}(1/4\pi)$ pairs in protonâ€“proton	3.9	7
15	collisions recorded by the ATLAS detector at mml:math $\text{display="block"}> \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle < / \text{mml:mrow} \rangle < \text{mml:msqrt} \rangle \langle \text{mml:mo}$	4.1	1
16	$\text{linebreak="goodbreak" linebreakstyle="after"}> = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle < / \text{mml:math} \rangle$ TeV. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106. Measurement of the energy asymmetry in $\text{tar}\{t\}$ production at $\sqrt{s}=13\text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, . Search for resonant pair production of Higgs bosons in the mml:math	3.9	2
17	$\text{display="block"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mover}$ $\text{accent="true"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mover}$ $\text{stretchy="false"}> \hat{\Lambda} \langle / \text{mml:mo} \rangle < / \text{mml:mover} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mover}$ $\text{accent="true"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mo} \rangle \text{stretchy="false"}> \hat{\Lambda} \langle / \text{mml:mo} \rangle < / \text{mml:mover} \rangle < / \text{mml:math} \rangle$	4.7	10
18	Constraints on Higgs boson production with large transverse momentum using mml:math $\text{display="block"}> \langle \text{mml:math} \rangle \text{display="block"}> \langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle < \text{mml:mo}$ $\text{stretchy="false"}> \hat{\Lambda} \langle / \text{mml:mo} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mover}$ $\text{accent="true"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mo} \rangle \text{stretchy="false"}> \hat{\Lambda} \langle / \text{mml:mo} \rangle < / \text{mml:mover} \rangle < / \text{mml:math} \rangle$ decays in the ATLAS detector. Physical Review D, 2022, 105, .	4.7	5

#	ARTICLE	IF	CITATIONS
19	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
20	Search for single production of a vectorlike T quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. Physical Review D, 2022, 105, .	4.7	10
21	Search for long-lived charginos based on a disappearing-track signature using 136fb^{-1} of pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13
22	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13\text{TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3
23	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
24	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
25	Medium-Induced Modification of Z -Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02TeV with the ATLAS Detector. Physical Review Letters, 2021, 126, 072301.	7.8	7
26	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139fb^{-1} of $\sqrt{s} = 13\text{TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
27	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
28	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
29	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
30	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
31	Measurement of light-by-light scattering and search for axion-like particles with 2.2nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
32	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1, <i>led in Association with a Dark Higgs Boson Decaying into</i> W <i>and</i> Z <i>bosons</i> .	4.7	6
33	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s} = 5.02\text{TeV}$ in Fully Hadronic Final States. Physical Review Letters, 2021, 126, 122301.	7.8	6
34	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
35	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
37	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in protonâ“proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
38	Measurement of the CP-violating phase ϕ_s in $B_s \rightarrow J/\psi \phi$ decays in ATLAS at 13TeV. European Physical Journal C, 2021, 81, .	3.9	13
39	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13TeV protonâ“proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
40	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^-$ and $e^+e^- \rightarrow u\bar{u}$ final states using 139 fb^{-1} of protonâ“proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
41	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
42	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow b\bar{b}$ and $e^+e^- \rightarrow WW$ final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
43	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2021, 2021, 1. Search for new phenomena in events with an energetic jet and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ collisions with the ATLAS detector. Physical Review D, 2021, 103, .	4.7	23
44	Measurements of $W+W^-$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	64
45	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
46	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	14
47	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l}_ν -lepton in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
48	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
49	Search for Displaced Leptons in $\sqrt{s} = 13\text{TeV}$ collisions with the ATLAS Detector. Physical Review Letters, 2021, 127, 051802.	7.8	17
50	Test of the universality of \tilde{l}_ν and $\tilde{\chi}^\pm$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
51	Two-particle azimuthal correlations in photonuclear ultraperipheral $\sqrt{s} = 13\text{TeV}$ collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .	4.7	12
52	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
53	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^\pm and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
55	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
56	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
57	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
58	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
59	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
60	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
61	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
62	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
63	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	1.2	3
64	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
65	Exclusive dimuon production in ultraperipheral Pb-Pb collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2021, 104, 1.	2.9	11
66	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13 \text{ TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	7.8	14
67	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
68	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
69	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
70	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
71	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
72	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
73	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
74	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
75	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
76	Search for chargino-“neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
77	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
78	Search for Lepton-Flavor Violation in Z^0 -Boson Decays with Leptons with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 271801.	7.8	8
79	and missing transverse momentum in collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i> , 2021, 127, 271801.	4.7	25
80	Search for new phenomena in collisions in final states with tau leptons, b -jets, and missing transverse momentum with the ATLAS detector. <i>Physical Review D</i> , 2021, 104, .	4.7	14
81	Measurement of b-quark fragmentation properties in jets using the decay $B\bar{B}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
82	Combined measurements of Higgs boson production and decay using up to 80 pb ⁻¹ of proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2020, 101, .	4.7	21
83	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW^3 production in the $e\ell\gamma$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
84	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
86	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
87	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $t\bar{t}\gamma$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	32
88	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	28
89	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020, 15, P09015-P09015.	1.2	62
90	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34

#	ARTICLE	IF	CITATIONS
91	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
92	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
93	Properties of Higgs Boson Interactions with Top Quarks in the $\sqrt{s} = 13$ TeV ATLAS Run 2 Data. Journal of High Energy Physics, 2020, 2020, 1.	7.8	40
94	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
95	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
96	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
97	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
98	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $\sqrt{s} = 13$ TeV ATLAS Run 2 Data. European Physical Journal C, 2020, 80, 1.	7.8	97
99	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
100	Measurements of top-quark pair spin correlations in the $\ell\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
101	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	1.2	4
102	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
103	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using $\sqrt{s} = 13$ TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
104	Higgs boson production cross-section measurements and their EFT interpretation in the $\ell\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
105	Search for heavy neutral Higgs bosons produced in association with b-quarks and decaying into -quarks at $\sqrt{s} = 13$ TeV ATLAS Run 2 Data. European Physical Journal C, 2020, 80, 1.	4.7	22
106	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
107	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
108	Measurement of the Lund Jet Plane Using Charged Particles in $\sqrt{s} = 13$ TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	7.8	28

#	ARTICLE	IF	CITATIONS
109	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $\sqrt{s} = 13\text{ TeV}$ Collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 082301.	7.8	17
110	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
111	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13\text{ TeV}$ proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
112	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 031802.	7.8	25
113	Measurement of the $Z(\rightarrow e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
114	Measurement of long-range two-particle azimuthal correlations in Z -boson tagged pp collisions at $\sqrt{s}=8\text{ TeV}$ and 13 TeV . <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
115	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16\text{ TeV}$ p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
116	Measurement of J/ψ production in association with a $W\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
117	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	68
118	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
119	Reconstruction and identification of boosted di- ℓ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. Evidence for electroweak production of two jets in association with a $Z\gamma$ pair in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> .	4.7	8
120	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $s=13\text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 251802.	4.1	9
121	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020, 125, 261801.	7.8	6
122	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
123	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13\text{ TeV}$ pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	124
124	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
125	Evidence for $t\bar{t}$ production in the multilepton final state in proton+proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30

#	ARTICLE	IF	CITATIONS
127	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
128	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13\text{TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
129	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
130	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
131	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
132	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. <i>Comparison of Fragmentation Functions for jets Dominated by Light Quarks and Gluons from</i> <i><math>\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"></i> <i>display="block"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math> and <mml:math</i> <i>xmlns:mml="http://www.w3.org/1998/Math/MathML"</i> <i>display="block"><mml:mrow><mml:mi>Pb</mml:mi><mml:mo>+</mml:mo><mml:mi>Pb</mml:mi></mml:mrow></mml:math></i> <i>Collisions in ATLAS. Physical Review Letters, 2019, 123, 042001.</i>	4.7	49
133	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	7.8	23
134	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
135	Observation of Light-by-Light Scattering in Ultraperipheral $\langle mml:math$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"><mml:mrow><mml:mi>Pb</mml:mi><mml:mo>+</mml:mo><mml:mi>Pb</mml:mi></mml:mrow></mml:math>$ Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
136	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
137	Measurement of W^{\pm} production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
138	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801. <i>Measurement of the <math>\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"></i> <i>display="block"><mml:mi>t</mml:mi><mml:mi>t</mml:mi><mml:mover accent="true"><mml:mi>t</mml:mi></mml:mover><mml:mo stretchy="false">~</mml:mo></mml:mover><mml:mi>Z</mml:mi></mml:math> and <mml:math</i> <i>xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block"><mml:mi>t</mml:mi><mml:mi>t</mml:mi><mml:mover accent="true"><mml:mi>t</mml:mi></mml:mover><mml:mo stretchy="false">~</mml:mo></mml:mover><mml:mi>W</mml:mi></mml:math></i> cross sections in proton.	7.8	133
139	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
140	Search for scalar resonances decaying into $\tilde{l}_1 + \tilde{l}_2$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
141	Search for diboson resonances in hadronic final states in 139fb^{-1} of pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
142	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4

#	ARTICLE	IF	CITATIONS
145	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, .	3.9	21
146	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. <i>ivation of Electroweak Production of a Same-Sign</i>	3.9	24
147	$\text{xmlns:mml= "http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"> \langle mml:mi \rangle W \langle /mml:mi \rangle \langle /mml:math \rangle \text{Boson Pair in Association with Two Jets in}$ $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"$ $\text{display="block"> \langle mml:mi \rangle p \langle /mml:mi \rangle \langle mml:mi \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle \text{Collisions at } \langle mml:math}$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$	7.8	53
148	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
149	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	77
150	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
151	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+ dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s}=13\text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1. <i>Observation of electroweak WA+Z boson pair production in association with two jets in pp collisions</i>	3.9	22
152	$\text{at mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.svg"}$ $\langle mml:msqrt \rangle \langle mml:mrow \rangle \langle mml:mi \rangle s \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:msqrt \rangle \langle mml:mo$ $\text{linebreak="goodbreak" linebreakstyle="after"> = \langle /mml:mo \rangle \langle mml:mn \rangle 13 \langle /mml:mn \rangle \langle /mml:math \rangle \text{ TeV with}$ $\text{the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,}$ $\text{Search for invisible Higgs boson decays in vector boson fusion at } \langle mml:math}$ $\text{xmlns:mml= "http://www.w3.org/1998/Math/MathML" altimg="si1.gif"}$ $\text{overflow="scroll"> \langle mml:msqrt \rangle \langle mml:mrow \rangle \langle mml:mi \rangle s \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:msqrt \rangle \langle mml:mo \rangle = \langle /mml:mo \rangle \langle mml:mn \rangle 13 \langle /mml:mn \rangle \langle /mml:math \rangle \text{ with the ATLAS detector. Physics Letters,}$ $\text{Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.}$	4.1	38
153	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
154	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
155	Search for top-quark decays t → Hq with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
156	Measurement of VH, $\mathcal{H}_0 \overline{\mathcal{H}}_0$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
157	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
158	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
159	<i>Cross-section measurements of the Higgs boson decaying into a pair of</i> $\langle mml:math$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block"> \langle mml:mi \rangle l_i \langle /mml:mi \rangle \langle /mml:math \rangle$ $\text{-leptons in proton-proton collisions at } \langle mml:math}$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block"> \langle mml:msqrt \rangle \langle mml:mi \rangle s \langle /mml:mi \rangle \langle /mml:msqrt \rangle \langle mml:mo \rangle = \langle /mml:mo \rangle \langle mml:mn \rangle 13 \langle /mml:mn \rangle \langle mml:mtextrm="goodbreak" linebreakstyle="after"> \text{ with the ATLAS detector. Physical Review D, 2019, 99, .}$	4.7	63
160	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
161	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42

#	ARTICLE	IF	CITATIONS
163	Measurements of inclusive and differential fiducial cross-sections of γ production in leptonic final states at $\sqrt{s} = 13 \text{ TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
164	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13 \text{ TeV}$. Physical Review Letters, 2019, 122, 151801.		12
165	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
166	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2019, 99.	4.7	13
167	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
168	In situ calibration of large-radius jet energy and mass in 13 TeV proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
169	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
170	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
171	Measurement of the top quark mass in the $t\bar{t}$ final state. European Physical Journal C, 2019, 79, 1.	3.9	47
172	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
173	Measurement of the top quark mass in $t\bar{t}$ events collected with the ATLAS detector. Physics Letters B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508–529.		
174	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
175	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
176	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
177	Measurement of ZZ production in the $\ell^+\ell^-\ell^+\ell^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
178	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
179	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
180	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	1.2	124

#	ARTICLE	IF	CITATIONS
181	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	50
182	Measurement of $W^{\pm} \mu^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
183	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
184	Measurement of flow harmonics correlations with mean transverse momentum in lead+lead and proton+lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
185	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}$ channel with pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
186	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
187	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fb^{-1} of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
188	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
189	$\text{display="block">\langle mml:mi>1,\langle /mml:mi>\langle mml:mi>1/2\langle /mml:mi>\langle /mml:math> \text{ in } \langle mml:math display="block">\text{display="block">\langle mml:mi>p\langle /mml:mi>\langle mml:mi>p\langle /mml:mi>\langle /mml:math> \text{ Collisions at } \langle mml:math display="block">\text{display="block">\langle mml:mi>1\langle /mml:mi>\langle mml:mi>1\langle /mml:mi>$	7.8	50
190	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .	4.7	51
191	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
192	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
193	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7, \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
194	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
195	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
196	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ s} \text{ NN} = 2.76 \text{ and } 5.0$. <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
197	Measurement of quarkonium production in proton+lead and proton+proton collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75
198	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20

#	ARTICLE	IF	CITATIONS
199	Search for heavy ZZ resonances in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- \nu \bar{\nu}$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
200	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
201	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
202	Search for heavy resonances decaying into WW in the $e\mu \nu \bar{\nu}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
203	Direct top-quark decay width measurement in the $t\bar{t}\ell\ell$ channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
204	Search for W W/Z resonance production in $\ell\ell qq$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
205	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
206	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19
207	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
208	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
209	Angular analysis of B0 $\rightarrow K^+ \pi^- \ell^+ \ell^-$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
210	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	4.1	145
211	Scattering in $\gamma\gamma \rightarrow \gamma\gamma$ at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	4.1	41
212	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb ⁻¹ of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
213	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $\gamma\gamma \rightarrow \gamma\gamma$ Decay Channel in $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 191801.	4.1	70
214	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
215	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
216	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow \gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38

#	ARTICLE	IF	CITATIONS
217	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
218	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 903.	3.9	181
219	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. Measurements of Higgs boson properties in the diphoton decay channel with $\text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ $\text{display}=\text{inline} > \langle \text{mml:mrow} \langle \text{mml:mn} \rangle 36 \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \dots \langle \text{mml:mtext} \rangle \langle \text{mml:msup} \dots \langle \text{mml:math} \text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML} \text{display}=\text{inline} > \langle \text{mml:mrow} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mat}$	4.7	56
220	Physical Review D, 2018, 98, 115 Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
221	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
222	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. Combined measurement of differential and total cross sections in the $H\rightarrow t\bar{t}\nu\bar{\nu}$ and the $H\rightarrow a\rightarrow Z\rightarrow e^+e^-$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.	4.7	48
223	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	67
224	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $\text{pp} \rightarrow t\bar{t} + \text{jet}$ at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	4.7	15
225	Overflow scroll > $\langle \text{mml:mi} \rangle H \langle \text{mml:mi} \rangle \langle \text{mml:mo}$ stretchy="false" > \hat{t} </mml:mo> <mml:mi>b</mml:mi> <mml:mover accent="true" > $\langle \text{mml:mrow} \langle \text{mml:mi} \rangle b \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo}$ stretchy="false" > \hat{A} </mml:mo> </mml:mover> </mml:math> decays and VH production with $\sqrt{s}=13$ TeV pp collisions recorded by the ATLAS experiment. <i>Combination of searches for heavy resonances decaying into bosonic and leptonic final states using</i> $\langle \text{mml:math} \text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ "	4.1	138
226	Display inline > $\langle \text{mml:mrow} \langle \text{mml:mn} \rangle 36 \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \dots \langle \text{mml:mtext} \rangle \langle \text{mml:msup} \dots \langle \text{mml:math} \text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ " of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Physical Review D</i> , 2018, 98, 1. Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ\rightarrow 4\ell$ and $ZZ\rightarrow 2\ell 2\nu$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
227	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tilde{t}, \tilde{b} \pm \frac{1}{2}\tilde{\tau}_1$ in the $\tilde{t}, +\text{jets}$ and $\tilde{b}, +\text{lepton}$ final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
228	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\text{p}+\text{p}$ collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	3.9	61
229	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $\text{pp} \rightarrow t\bar{t} + \text{jet}$ at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Physical Review Letters</i> , 2018, 121, 152002.	7.8	16
230	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
231	Measurement of the Higgs boson mass in the $H\rightarrow Z\rightarrow e^+e^-$ and $H\rightarrow \tau^+\tau^-$ channels with $\text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ " altimg="si1.gif"	4.7	31
232	Overflow scroll > $\langle \text{mml:msqrt} \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle \langle \text{mml:msqrt} \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \dots \langle \text{mml:mtext} \rangle \langle \text{mml:msup} \dots \langle \text{mml:math} \text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ "	4.7	31
233	Measurement of the Higgs boson mass in the $H\rightarrow Z\rightarrow e^+e^-$ and $H\rightarrow \tau^+\tau^-$ channels with $\text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML}$ " altimg="si1.gif"	4.7	31
234	TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 345-366.	4.7	31

#	ARTICLE	IF	CITATIONS
235	Search for exclusive Higgs and Z boson decays to $t\bar{t}^3$ and $\tilde{t}\tilde{t}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
236	Measurements of b-jet tagging efficiency with the ATLAS detector using $\text{t}\bar{t}$ events at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
237	Search for flavour-changing neutral current top-quark decays $t \rightarrow t' qZ$ in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
238	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the European Physical Journal C, 2018, 78, 487.	3.9	10
239	Search for Higgs bosons produced via vector boson fusion and decaying into bottom quark pairs in $t\bar{t}$ and $b\bar{b}$ final states. European Physical Journal C, 2018, 78, 26.	4.7	26
240	Search for low-Mass Dijet Resonances Using Trigger-level Jets with the ATLAS Detector in $t\bar{t}$ and $b\bar{b}$ Collisions at $\sqrt{s}=13 \text{ TeV}$. Physical Review Letters, 2018, 121, 092001.	7.8	41
241	Search for low-Mass Dijet Resonances Using Trigger-level Jets with the ATLAS Detector in $t\bar{t}$ and $b\bar{b}$ Collisions at $\sqrt{s}=13 \text{ TeV}$. Physical Review Letters, 2018, 121, 092001.	7.8	33
242	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
243	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	7.8	20
244	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
245	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
246	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
247	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132
248	Measurement of Z/γ polarization in $Z \rightarrow l^+l^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
249	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$, $t\bar{t}$, $b\bar{b}$ and $\tilde{t}_1\tilde{t}_1^*/\tilde{b}_1\tilde{b}_1^*$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
250	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
251	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
252	Measurement of differential cross sections and $W^+/W^{\prime +}$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
253	Combination of inclusive and differential \mathbf{t} overline{mathrm{t}} charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	7
254	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s} = 13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
255	Measurement of the W-boson mass in pp collisions at ($\sqrt{s} = 7$, TeV) with the ATLAS detector. , 2018, 78, 1.		1
256	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton+proton collisions at ($\sqrt{s} = 13$, TeV). , 2018, 78, 1.		1
257	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 765, 199.		
258	Search for new resonances decaying to a W or Z boson and a Higgs boson in the \mathbf{t} overline{mathrm{t}}		
259	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 765, 132-152.		
260	Measurement of the \mathbf{t} overline{mathrm{t}} Z and \mathbf{t} overline{mathrm{t}} W production cross sections in multilepton final states using 3.2 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40.	3.9	41
261	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
262	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
263	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 764, 11-30.		
264	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
265	Measurement of the W boson polarisation in \mathbf{t} overline{mathrm{t}} events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
266	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton+proton collision data. <i>European Physical Journal C</i> , 2017, 77, 195.	3.9	87
267	Measurements of top-quark pair differential cross-sections in the emu channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 292.	3.9	27
268	Performance of algorithms that reconstruct missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV proton+proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 241.	3.9	61
269	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2017, 918, 257-316.	2.5	22
270	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 76.	3.9	81

#	ARTICLE	IF	CITATIONS
271	Search for triboson $W^{pm} W^{pm} W^{mp}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
272	Measurement of the $W + W\gamma$ production cross section in pp collisions at a centre-of-mass energy of 8 TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 351-354.	3.9	25
273	Search for new phenomena in high-mass diphoton final states using 37 fb $^{-1}$ of proton-proton collisions collected at 8 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 125-125.	3.9	25
274	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
275	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
276	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
277	Search for anomalous electroweak production of $W Z$ in association with a high-mass dijet system in 8 TeV collisions at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 402-407.	2.9	47
278	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	4.7	28
279	Measurements of integrated and differential cross sections for isolated photon pair production in 8 TeV collisions at the ATLAS experiment. European Physical Journal C, 2017, 77, 466.	3.9	145
280	Measurement of the cross section for inclusive isolated-photon production in pp collisions at 8 TeV using the ATLAS detector. Physical Review D, 2017, 95, .	4.7	15
281	Measurement of $t\bar{t}\gamma$ production cross section in the $t\bar{t} + j$ jets final state in pp collisions at $s=8 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 470-473.	4.7	23
282	Measurement of multi-particle azimuthal correlations in pp, p \bar{A} and low-multiplicity Pb \bar{A} collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
283	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. Physical Review C, 2017, 95, .	2.9	24
284	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
285	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $\gamma\gamma$. Physical Review Letters, 2017, 119, 181804.	7.8	49
286	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74

#	ARTICLE	IF	CITATIONS
289	Measurement of inclusive and differential cross sections in the H \rightarrow ZZ * \rightarrow 4 ℓ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
290	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 775, 206-228.		
291	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. <i>European Physical Journal C</i> , 2017, 77, 804.	3.9	28
292	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
293	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $t\bar{t}\gamma$ final state. <i>European Physical Journal C</i> , 2017, 77, 402.	4.7	9
294	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the ZZ \rightarrow 4 ℓ and Z Z \rightarrow 4 ℓ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.1	24
295	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.		
296	ATLAS Collaboration. <i>Nuclear Physics A</i> , 2017, 967, 942-964.	1.5	1
297	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017, 77, 673.	3.9	75
298	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $t\bar{t}\gamma$ and $t\bar{t}Z$ production in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	3.9	12
299	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the ZZ \rightarrow 4 ℓ and Z Z \rightarrow 4 ℓ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.		
300	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
301	Measurements of $t\bar{t}(2S)$ and $X(3872) \rightarrow J/\psi + \ell^+\ell^-$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
302	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
303	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
304	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
305	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
306	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47

#	ARTICLE	IF	CITATIONS
307	Precision measurement and interpretation of inclusive $W^+ + W^-$. European Physical Journal C, 2017, 77, 367.	3.9	145
308	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. European Physical Journal C, 2017, 77, 379.	3.9	51
309	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
310	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
311	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
312	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
313	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
314	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
315	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
316	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2017, 96, 157.	4.7	157
317	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
318	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
319	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
320	Measurement of $WW/WZ \rightarrow l\ell u q \bar{q} \rightarrow l\ell q \bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
321	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
322	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
323	Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
324	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
325	Search for new phenomena in dijet events using $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mn} \rangle 37$ $\langle \text{mml:mn} \rangle$ $\langle \text{mml:mtext} \rangle \text{a\%}$ $\langle \text{mml:mtext} \rangle \text{a\%}$ $\langle \text{mml:mtext} \rangle \text{a\%}$ $\langle \text{mml:msup} \rangle$ $\langle \text{mml:math} \rangle$ of $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:math} \rangle$ collision data collected at $\langle \text{criml:math} \rangle$ Physical Review D , 2017, 96,	4.7	114
326	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \bar{b}^3$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
327	Study of $WW\gamma$ and $WZ\gamma$. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
328	Measurements of top quark spin observables in $t\bar{t}$ toverline{t} events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
329	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
330	Top-quark mass measurement in the all-hadronic $t\bar{t}$ toverline{t} decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
331	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
332	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
333	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
334	Study of ordered hadron chains with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, .	4.7	2
335	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
336	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	1.2	29
337	Measurement of the k t splitting scales in $Z \rightarrow \ell^+\ell^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
338	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
339	Evidence for the $H \rightarrow b\bar{b}$ toverline{b} decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
340	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168
341	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
342	Detector Control System for the AFP detector in ATLAS experiment at CERN. <i>Journal of Physics: Conference Series</i> , 2017, 898, 032022.	0.4	0

#	ARTICLE	IF	CITATIONS
343	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017, 12, P05002-P05002.	1.2	10
344	Beam tests of an integrated prototype of the ATLAS Forward Proton detector. <i>Journal of Instrumentation</i> , 2016, 11, P09005-P09005.	1.2	16
345	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV <i><math>\text{pp}</math></i> collisions. <i>Journal of Instrumentation</i> , 2016, 11, P11020-P11020.	1.2	10
346	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
347	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
348	Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ and $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
349	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
350	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
351	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
352	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}$, $b\bar{b}$, final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
353	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
354	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
355	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
356	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
357	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
358	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
359	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658.	3.9	48
360	Measurement of total and differential $W + W$ production cross sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2016, 2016, .	4.7	47

#	ARTICLE	IF	CITATIONS
361	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
362	Measurement of $W+W\gamma$ production in association with one jet in proton-proton collisions at $s=8\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	4.1	4
363	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 105-121.	4.1	4
364	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in p+ Pb collisions measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 313-336.	4.1	4
365	Transverse momentum in $\sqrt{s}=8\text{TeV}$ collisions at the ATLAS detector. Physical Review D, 2016, 94.	4.7	137
366	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
367	Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.	4.1	29
368	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
369	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow \tau^+\tau^-$ decay channel at $s=8\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 69-85.	4.1	31
370	Measurement of $D\bar{D}^+$, $D\bar{D}^+$, and $\Lambda\bar{\Lambda}^0$ meson production cross sections in pp collisions at $\sqrt{s}=8\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 52.	4.1	52
371	Search for flavour-changing neutral top-quark decays to $q\bar{q}$ in $\sqrt{s}=8\text{TeV}$ p p collision data collected with the ATLAS detector at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12.	3.9	39
372	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87.	3.9	39
373	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
374	Search for charged Higgs bosons in the $H \rightarrow \tau^+\tau^-$ decay channel in pp collisions at $s = 8 \sqrt{s}=8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
375	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb $^{-1}$ of proton-proton collision data at $\sqrt{s}=8\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	4.1	39
376	Measurement of $W\Lambda^+$ and Z-boson production cross sections in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	4.1	38
377	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s}=8\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 520-537.	4.1	12
378	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.	4.1	12

#	ARTICLE	IF	CITATIONS
379	Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 334-352.		
380	Study of the rare decays of $B^0 \rightarrow l^+ l^-$ and $B^0 \rightarrow \mu^+ \mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
381	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 517.	3.9	24
382	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
383	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 157-168.		
384	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 157-168.		
385	Measurement of the $W + Z$ boson pair-production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.		
386	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ collisions with the ATLAS detector. Physical Review D, 2016, 94, 032003.	4.7	43
387	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
388	Measurement of the top quark mass in the $t\bar{t}$ channel from $t\bar{t} \rightarrow Wb \rightarrow l\nu b\bar{b}$ using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 555-574.	4.1	52
389	ATLAS Collaboration. Nuclear Physics A, 2016, 956, 922-944.	1.5	1
390	Search for charged Higgs bosons produced in association with a top quark and decaying via $H^\pm \rightarrow t^\pm \nu_t$ using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 555-574.		
391	Measurement of the relative width difference of the $B^0 \rightarrow B^+ \bar{B}^-$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
392	Search for scalar leptoquarks in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. New Journal of Physics, 2016, 18, 093016.	2.9	56
393	Search for Higgs and Z boson decays to $t\bar{t}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 117, 111-122.	7.8	13
394	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Physical Review D, 2016, 93, 032003.	4.7	34
395	Search for the electroweak production of supersymmetric particles in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 117, 111-122.	4.7	53
396	Measurement of jet charge in dijet events from $\sqrt{s} = 13 \text{ TeV}$ collisions with the ATLAS detector. Physical Review D, 2016, 93, 032003.	4.7	29

#	ARTICLE	IF	CITATIONS
397	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Nature Physics</i> , 2016, 12, 103.	2.9	36
398	Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Physical Review D</i> , 2016, 94, 032003.	4.7	11
399	Search for magnetic monopoles and stable particles with high electric charges in 8 TeV $\sqrt{s_{\text{NN}}}$ collisions with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 032003.	4.7	43
400	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ collisions with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 032004.	4.7	16
401	Measurements of cross sections in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ collisions at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 032005.	4.7	53
402	Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ collisions at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 032006.	4.7	5
403	Search for metastable, heavy charged particles with large ionization energy loss in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ collisions at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 032007.	4.7	39
404	Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ collisions at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2016, 93, 032008.	4.7	39
405	Production Cross Section in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ collisions at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2016, 116, 172301.	7.8	31
406	Observation of Long-Range 3D Elliptic Anisotropies in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ collisions with the ATLAS detector. <i>Physical Review Letters</i> , 2016, 116, 172302.	7.8	228
407	Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2016, 116, 172303.	4.1	57
408	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.	3.9	50
409	Performance of pile-up mitigation techniques for jets in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ collisions at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 581.	3.9	298
410	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2016, 117, 182002.	7.8	185
411	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	473
412	Gas gain stabilisation in the ATLAS TRT detector. <i>Journal of Instrumentation</i> , 2016, 11, P04027-P04027.	1.2	0
413	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
414	Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in $\sqrt{s_{\text{NN}}} = 8 \text{ TeV}$ $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
415	Measurement of the transverse momentum and ϕ^* distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
416	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \tau^+\tau^-$ with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
417	Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 94, 11.	4.7	4
418	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
419	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
420	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
421	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
422	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
423	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s = 7 \text{ and } 8 \text{ TeV}$ with ATLAS. Physical Review D, 2016, 94, .	4.7	22
424	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	3.9	115
425	Search for pair production of Higgs bosons in the $t\bar{t}$ channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 539.	4.7	30
426	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	4.7	38
427	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
428	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
429	Addendum to "Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	3.9	19
430	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33

#	ARTICLE	IF	CITATIONS
433	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
434	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
435	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
436	Measurement of the CP-violating phase $\tilde{\Gamma}_s$ and the $B_s^0 \rightarrow D_s^+ \ell^- \nu_\ell$ meson decay width difference with $B_s^0 \rightarrow D_s^+ \ell^- \nu_\ell$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
437	Search for squarks and gluinos in final states with jets and missing transverse momentum at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
438	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
439	A search for prompt lepton+jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
440	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
441	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $s_{\text{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
442	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
443	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
444	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
445	Measurements of four-lepton production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 1-10.	4.1	10
446	Measurement of the charge asymmetry in highly boosted top-quark pair production in pp collision data collected by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 52-71.	4.1	10
447	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using ATLAS . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 1-10.	4.1	10
448	Search for single production of a vector-like quark via a heavy gluon in the 4b final state with the ATLAS detector in pp collisions at $s = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 334-355.	4.1	21
449	Search for new phenomena in dijet mass and angular distributions from pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 334-355.	4.1	16
450	Search for new phenomena in dijet mass and angular distributions from pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 754, 302-322.	4.1	16

#	ARTICLE	IF	CITATIONS
451	Evidence for single top-quark production in the s-channel in proton+proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector using the Matrix Element Method. Physics Letters, Section B: Nuclear, Charged-particle distributions in $\sqrt{s} = 8 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Charged-particle distributions in $\sqrt{s} = 8 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.		
452	Combinatorial fit searches for $W\gamma\gamma$, WW , WZ and ZZ resonances in $\sqrt{s} = 8 \text{ TeV}$ pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.		
453	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 154.	3.9	62
454	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
455	Probing lepton flavour violation via neutrinoless ϑ_{atm} in $\nu_e \rightarrow \nu_\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
456	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
457	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
458	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
459	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
460	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
461	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
462	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
463	Study of the $B_c^+ \rightarrow J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
464	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
465	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
466	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. , 2016, 76, 1.	1	
467	Measurement of the correlation between flow harmonics of different order in lead-lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physical Review C, 2015, 92, .		

#	ARTICLE	IF	CITATIONS
469	Search for massive supersymmetric particles decaying to many jets using the ATLAS detector inppcollisions ats=8 TeV . Physical Review D, 2015, 91, .	4.7	34
470	Observation and measurement of Higgs boson decays to W^+W^- in W^+W^- collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	110
471	Observation and measurement of Higgs boson decays to W^+W^- in W^+W^- collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	91
472	Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	7
473	Measurement of differential cross sections combining measurements of the total and differential Higgs Boson Production Cross Sections Combining the W^+W^- and ZH channels. Physical Review D, 2015, 92, .	7.8	48
474	Measurement of differential cross sections and forward-backward ratios in W^+W^- and ZH collisions with the ATLAS detector. Physical Review D, 2015, 92, .	2.9	27
475	Observation of top-quark pair production in association with a photon and measurement of the cross section in W^+W^- and ZH collisions with the ATLAS detector. Physical Review D, 2015, 92, .	2.9	44
476	Measurement of the top quark pair production cross section in 8 TeV proton-proton collisions using kinematic information in the W^+W^- final state with ATLAS. Physical Review D, 2015, 92, .	4.7	36
477	Measurement of the top quark pair production cross section in 8 TeV proton-proton collisions using kinematic information in the W^+W^- final state with ATLAS. Physical Review D, 2015, 92, .	4.7	51
478	Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	26
479	Search for type III seesaw with heavy leptons in W^+W^- collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	61
480	Search for high-mass diphoton resonances inppcollisions ats=8 TeV with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	24
481	Search for Higgs bosons decaying to W^+W^- in the W^+W^- final state in W^+W^- collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	99
482	Search for pair production of a new heavy quark that decays into a W^+W^- final state in W^+W^- collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	47
483	Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	19
484	Search for new light gauge bosons in Higgs boson decays to four-lepton final states inppcollisions ats=8 TeV with the ATLAS detector at the LHC. Physical Review D, 2015, 92, .	4.7	26
485	Search for Higgs boson pair production in W^+W^- collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	191
486	Search for pair production of a new heavy quark that decays into a W^+W^- final state in W^+W^- collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	48

#	ARTICLE	IF	CITATIONS
487	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2015, 114, 221802.	7.8	27
488	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay $H \rightarrow \tilde{\chi}_1^0 \tilde{\chi}_2^0$. <i>Physical Review Letters</i> , 2015, 114, 221802.	7.8	27
489	Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2015, 114, 221802.	7.8	20
490	Evidence of $t\bar{t}$ production in $\sqrt{s} = 7 \text{ TeV}$ collisions. <i>Physical Review Letters</i> , 2015, 114, 221802.	7.8	30
491	Two-Photon $\gamma\gamma$ Production in $\sqrt{s} = 7 \text{ TeV}$ Collisions. <i>Physical Review Letters</i> , 2015, 114, 221802.	7.8	49
492	Determination of the Ratio of Quark Fragmentation Fractions b/f . <i>Physical Review Letters</i> , 2015, 114, 221802.	7.8	23
493	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 75, 1-39.	4.7	4
494	A search for high-mass resonances decaying to $\tilde{\chi}_1^0, \tilde{\chi}_2^0, \tilde{\chi}_1^\pm, \tilde{\chi}_2^\pm$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	23
496	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	55
497	Search for lepton-flavour-violating $H \rightarrow \tilde{\chi}_1^0 \tilde{\chi}_2^0$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
498	Measurement of four-jet differential cross sections in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
499	Measurement of transverse energy correlations in multi-jet events in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector and determination of the strong coupling constant. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-10.	4.1	23
500	Measurement of colour flow with the jet-pull angle in multi-jet events using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-10.	4.1	18
501	Production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-13.	4.1	43
502	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
503	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
504	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_N} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67

#	ARTICLE	IF	CITATIONS
505	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
506	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
507	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
508	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
509	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84
510	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
511	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
512	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
513	Determination of the top-quark pole mass using $t\bar{t} \rightarrow W\bar{W}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
514	Measurement of the $t\bar{t} \rightarrow W\bar{W}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
515	Search for flavour-changing neutral current top quark decays $t \rightarrow t' H q$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
516	Centrality and rapidity dependence of inclusive jet production in $\text{pp} \rightarrow \text{jet}$ collisions with the ATLAS detector. <i>Physics Letters B</i> , 2015, 748, 392-413.	4.7	93
517	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
518	Combined Measurement of the Higgs Boson Mass in $\text{pp} \rightarrow H \rightarrow \text{bb} \rightarrow \text{bb} \ell \nu \ell \nu$ + jets with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015, 114, 191803.	7.8	1,062
519	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
520	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
521	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
522	Search for $W^+ \rightarrow tb$ and $W^- \rightarrow q\bar{q}$ decays in $\text{pp} \rightarrow t\bar{t} \rightarrow q\bar{q} b\bar{b}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35

#	ARTICLE	IF	CITATIONS
541	Simultaneous measurements of the $\tau\tau$, $b\bar{b}$ and $c\bar{c}$ channels in association with jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	16
542	Search for Scalar Charmed Quark Pair Production in $\sqrt{s}=8$ TeV $p\bar{p}$ Collisions at the ATLAS Experiment. <i>Physical Review D</i> , 2015, 92, 032003.	7.8	35
543	Measurement of the transverse polarization of Λ_c^0 and Ξ_c^0 hyperons produced in proton-proton collision. <i>European Physical Journal C</i> , 2015, 75, 17.	7.8	64
544	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	4.7	18
545	Search for resonant diboson production in the $W W$ and $W Z$ final states in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 69.	3.9	268
546	Measurements of the WW and WZ production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	3.9	92
547	Search for dark matter in events with heavy quarks and missing transverse momentum in $p\bar{p}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 92.	3.9	77
548	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	30
549	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	27
550	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
551	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	89
552	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
553	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s}=8$ TeV $p\bar{p}$ collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
554	Search for charged Higgs bosons decaying via $H \rightarrow \tau^\pm \tau^\mp$, $H \rightarrow \mu^\pm \mu^\mp$ in fully hadronic final states using $p\bar{p}$ collision data at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	69
555	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209.	3.9	79
556	Performance of the ATLAS muon trigger in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 120.	3.9	62

#	ARTICLE	IF	CITATIONS
559	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39
560	Search for Higgs boson pair production in the $\bar{b}\bar{b} \rightarrow b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
561	Determination of spin and parity of the Higgs boson in the $WW^* \rightarrow e\mu\mu\bar{\nu}$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
562	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
563	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e\ell\ell/\ell\ell\nu\bar{\nu}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
564	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
565	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
566	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70
567	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
568	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
569	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
570	Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 749, 519-541.	4.1	52
571	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
572	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
573	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
574	Measurement of the top quark mass in the $t\bar{t} \rightarrow \text{lepton+jets}$ lepton+jets and $t\bar{t} \rightarrow \text{dilepton}$ dilepton channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
575	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
576	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}) = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.	3	

#	ARTICLE	IF	CITATIONS
577	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. , 2015, 75, 1.	1	
578	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ($\sqrt{s}=8\sim$)TeV with the ATLAS detector. , 2015, 75, 1.	2	
579	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
580	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Nuclear Physics B, 2014, 889, 486-548.	2.5	155
581	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
582	Measurement of Higgs boson production in the diphoton decay channel in $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2014, 90.	4.7	214
583	Comprehensive measurements of $t\bar{t}$ -channel single top-quark production cross sections at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2014, 90.	4.7	68
584	The Physics of the B Factories. European Physical Journal C, 2014, 74, 1.	3.9	292
585	Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2014, 90.	4.7	31
586	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
587	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
588	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
589	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
590	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
591	Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in 8TeV . Physical Review D, 2014, 90.	4.7	41
592	Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in pp collisions at $\sqrt{s}=7$ and 8TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
593	Search for WZ resonances in the fully leptonic channel using pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 68-86.	4.7	102
594	Search for the Standard Model Higgs boson decay to ll with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 68-86.	4.7	102

#	ARTICLE	IF	CITATIONS
595	element of the cross section of high transverse momentum $\langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"> $\langle \text{mml:mi} \rangle Z \langle \text{mml:mi} \rangle \langle \text{mml:mo}$ stretchy="false"> $\hat{t}' \langle \text{mml:mo} \rangle \langle \text{mml:mi} \rangle b \langle \text{mml:mi} \rangle \langle \text{mml:mover}$ accent="true"> $\langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle b \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo}$ Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 58.	4.1	11
596	Search for new resonances in W^{\pm} and Z^0 final states in pp collisions at $\sqrt{s} = 7\text{TeV}$ xmins:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"> $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 8 \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{A} \langle \text{mml:mi} \rangle$ the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 58.	4.1	58
597	Measurement of inclusive jet charged-particle fragmentation functions in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76\text{TeV}$ xmins:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"> $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 8 \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{T} \langle \text{mml:mi} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 739, 320-342.	4.1	121
598	Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in $\langle \text{pp} \rangle$ collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS Search for Quantum Black Hole Production in High-Invariant-Mass $\langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mrow} \rangle \langle \text{mml:mtext}$ mathvariant="bold">Lepton \langle \text{mml:mtext} \rangle \langle \text{mml:mo} \rangle + \langle \text{mml:mo} \rangle \langle \text{mml:mtext} 600 mathvariant="bold">Jet \langle \text{mml:mtext} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle \text{Final States Using} \langle \text{mml:math} \rangle xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle \text{Collisions at} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msort} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mi} \rangle$ 601 Measurements of Four-Lepton Production at the $\sqrt{s} = 7\text{TeV}$ $\langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle Z \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Resonance in} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Collisions at} \langle \text{mml:math} \rangle$ 602 xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Collisions at} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle W \langle \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{A} \pm \langle \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle W \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ 603 Measurements of normalized/differential cross sections for $\langle \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 7\text{TeV}$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle Z \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{production}$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle t \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{and extraction of} \langle \text{mml:math} \rangle$ 604 accent="true"> $\langle \text{mml:mi} \rangle t \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Search for dark matter in events with a} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle Z \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{boson and missing transverse momentum}$ in $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{collisions at} \langle \text{mml:math} \rangle$ at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{at} \langle \text{mml:math} \rangle$ 605 $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{and extraction of} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle Z \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Search for dark matter in events with a} \langle \text{mml:math} \rangle$ display="inline"> $\langle \text{mml:mi} \rangle Z \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{boson and missing transverse momentum}$ in $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{collisions at} \langle \text{mml:math} \rangle$ at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{at} \langle \text{mml:math} \rangle$ 606 $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{at} \langle \text{mml:math} \rangle$ display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Collision Data at} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Collision Data at} \langle \text{mml:math} \rangle$ 607 $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Collision Data at} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Collision Data at} \langle \text{mml:math} \rangle$ 608 Search for Invisible Decays of a Higgs Boson Produced in Association with a $\langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle Z \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Boson in ATLAS. Physical Review Letters, 2014, 112, .}$	4.7	90
609	Search for a multi-Higgs-boson cascade in $\langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{collisions at} \langle \text{mml:math} \rangle$ at $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Search for a multi-Higgs-boson cascade in} \langle \text{mml:math} \rangle$ display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Search for a multi-Higgs-boson cascade in} \langle \text{mml:math} \rangle$ 610 $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{with the ATLAS detector in} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{with the ATLAS detector in} \langle \text{mml:math} \rangle$ 611 $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Search for the lepton flavor violating decay} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Search for the lepton flavor violating decay} \langle \text{mml:math} \rangle$ 612 $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{collisions at} \langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{display="inline"} \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{collisions at} \langle \text{mml:math} \rangle$	4.7	58

#	ARTICLE	IF	CITATIONS
613	Study of heavy-flavor quarks produced in association with top-quark pairs at $s=7\text{ TeV}$ using the ATLAS detector. Physical Review D, 2014, 89, .	4.7	12
614	Measurement of the Higgs boson mass from the $\text{H} \rightarrow \text{Z}^0 \rightarrow \ell^+ \ell^-$ decay channel. Physical Review D, 2014, 89, .	4.7	176
615	ATLAS Collaboration. Nuclear Physics A, 2014, 932, 572-594.	1.5	1
616	Search for Dark Matter in Events with a Hadronically Decaying Z -Boson and Missing Transverse Momentum in pp Collisions at $s=8\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2014, 112, 041802.	7.8	129
617	Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $\text{NN}=5.02\text{ TeV}$ proton-lead collisions with the ATLAS detector. Physical Review C, 2014, 90, .	2.9	111
618	Observation of an Excited χ_1^0 State in pp Collisions at $s=8\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	7.8	182
619	Measurement of event-plane correlations in $\text{p} \bar{\text{p}}$ collisions at $s=7\text{ TeV}$. European Physical Journal C, 2014, 74, 29.	3.9	134
620	Search for plumbonium produced through three-generations squarks decaying via charm quarks or in compressed supersymmetric scenarios in pp collisions at $s=8\text{ TeV}$. European Physical Journal C, 2014, 74, 47.	4.7	126
621	Search for direct production of top squarks in pp collisions with the ATLAS detector. Physical Review D, 2014, 89, .	4.7	48
622	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
623	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in pp collisions at $s=7\text{ TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
624	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
625	Search for contact interactions and large extra dimensions in the dilepton channel using pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
626	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $s_{\text{NN}}=2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
627	Measurement of distributions sensitive to the underlying event in inclusive Z -boson production in pp collisions at $s=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
628	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
629	Measurement of the production cross-section of $\tilde{\chi}_1^0 \rightarrow \tilde{\chi}_1^0 + \tilde{\chi}_1^0$ in pp collisions at $s=7\text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21
630	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $s=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131

#	ARTICLE	IF	CITATIONS
631	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
632	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
633	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
634	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
635	Search for Higgs boson decays to a photon and a Z boson in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics</i> , 2014, 732, 3-27.		
636	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
637	Measurement of the mass difference between top and anti-top quarks in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	4.1	8
638	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
639	The differential production cross section of the $\phi(1020)$ meson in $s = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13
640	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	3.9	204
641	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
642	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	3.9	22
643	Light-quark and gluon jet discrimination in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
644	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
645	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	88
646	Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
647	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
648	Measurement of the production of a W boson in association with a charm quark in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59

#	ARTICLE	IF	CITATIONS
649	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
650	Search for top quark decays $t \rightarrow t' qH$ with $H \rightarrow \tilde{l}\tilde{l}^3$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, .	4.7	35
651	Search for supersymmetry at $\sqrt{s} = 8\text{TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
652	Measurement of the low-mass Drell-Yan differential cross section at $s = 7\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
653	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
654	Measurement of $t\bar{t} c_1$ and $t\bar{t} c_2$ production with $s = 7\text{TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
655	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $s = 8\text{TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
656	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
657	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
658	Search for new phenomena in photon + jet events collected in proton+“proton collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 728, 562-578.		
659	Measurement of the $t\bar{t}$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $(\sqrt{s})=7$ and 8 TeV with the ATLAS detector., 2014, 74, 1.	2	
660	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
661	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
662	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
663	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
664	Measurement of ZZ production in pp collisions at $\sqrt{s}=7\text{TeV}$ and limits on anomalous ZZZ and ZZ \tilde{l}^3 couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
665	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7\text{TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
666	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52

#	ARTICLE	IF	CITATIONS
667	Measurement of k T splitting scales in $W \rightarrow l^+ l^-$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
668	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow l^{\pm} \nu_l$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	3.9	119
669	A search for high-mass resonances decaying to $Z \rightarrow l^+ l^-$ via lepton pairs to probe $\Lambda_c^0 \rightarrow l^+ l^- \nu_l \bar{\nu}_l$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 200.	4.1	21
670	Search for displaced diquonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 200.	4.1	21
671	Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.	4.1	21
672	Searches for heavy long-lived sleptons and R-hadrons with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 277-308.	4.1	87
673	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
675	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.	4.1	295
676	Search for $Z \rightarrow l^+ l^-$ resonances in the lepton plus jets final state with ATLAS using $\Lambda_c^0 \rightarrow l^+ l^- \nu_l \bar{\nu}_l$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 119-140.	4.7	39
677	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
678	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
679	Measurement of the differential cross-section of $B \pm$ meson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
680	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
681	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
682	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105
683	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
684			

#	ARTICLE	IF	CITATIONS
703	Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 719, 280-298.	4.1	44
704	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	61
705	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1. Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 841-859.	3.9	45
706	Search for new phenomena in the $\sqrt{s} = 7 \text{ TeV}$ final state in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 841-859.	4.1	24
707	Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 860-878.	4.1	24
708	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	4.1	37
709	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
710	Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2306.	3.9	45
711	Measurement of the τ^+ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2328.	3.9	209
712	Measurement of top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2013, 111, 232002.	3.9	45
713	Search for excited electrons and muons in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 093011.	2.9	23
714	Measurement of hard double-parton interactions in $\langle i \rangle W \langle /i \rangle (\bar{\ell}^+ \bar{\ell}^- + \ell^+ \ell^-) + 2\text{-jet events at } \sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	147
715	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043007.	2.9	15
716	Search for extra dimensions in diphoton events from proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ in the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043007.	2.9	41
717	Observation of Associated Near-Side and Away-Side Long-Range Correlations in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2013, 110, 182302.	2.9	112
718	Measurement of upsilon production in 7 TeV \sqrt{s} collisions at ATLAS. <i>Physical Review D</i> , 2013, 87, .	4.7	78
719	Measurement of upsilon production in 7 TeV \sqrt{s} collisions at ATLAS. <i>Physical Review D</i> , 2013, 87, .	4.7	78
720	Measurement of upsilon production in 7 TeV \sqrt{s} collisions at ATLAS. <i>Physical Review D</i> , 2013, 87, .	4.7	78



#	ARTICLE	IF	CITATIONS
721	Search for Dark Matter Candidates and Large Extra Dimensions in Events with a Photon and Missing Transverse Momentum	4.7	16
722	Search for long-lived stopped particles	7.8	105
723	Search for contact interactions and large extra dimensions in dilepton events from ATLAS	4.7	57
724	Measurements of charged-particle event shape variables in inclusive(s)=7 TeV proton-proton interactions with the ATLAS detector	4.7	35
725	Measurement of Z boson production in Pb-Pb collisions at NN=2.76 TeV with the ATLAS Detector	4.7	12
726	Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector	7.8	63
727	Measurement of the azimuthal angle dependence of inclusive jet yields in Pb+Pb collisions at NN=2.76 TeV with the ATLAS detector	4.7	76
728	Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector	4.7	14
729	Search for new phenomena in events with three charged leptons with the ATLAS detector	4.7	14
730	Search for resonant top quark plus jet production in $t\bar{t} + \text{jets}$ events with the ATLAS detector	4.7	14
731	Search for scalar bottom quark pair production with the ATLAS detector	4.7	60
732	Measurement of the azimuthal angle dependence of inclusive jet yields in Pb+Pb collisions at NN=2.76 TeV with the ATLAS Detector	7.8	59
733	Search for gluinos in events with two same-sign leptons, jets, and missing transverse momentum with the ATLAS Detector in pp collisions at s=7 TeV	7.8	37
734	Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector	4.7	3
735	Search for resonant top quark plus jet production in $t\bar{t} + \text{jets}$ events with the ATLAS detector	4.7	16
736	Search for a supersymmetric partner to the top quark in final states with jets and missing transverse momentum at NN=2.76 TeV with the ATLAS Detector	7.8	63
737	ATLAS measurements of the properties of jets for boosted particle searches	4.7	21
738	ATLAS measurements of the properties of jets for boosted particle searches	4.7	21

#	ARTICLE	IF	CITATIONS
739	Search for New Phenomena in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ Events with Large Missing Transverse Momentum in Proton-Proton Collisions at at(s)=7TeV $\text{accent} = \text{"true"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ $\text{Events with Large Missing Transverse Momentum in Proton-Proton Collisions at}$ at(s)=7TeV $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Boson and a Quark Decaying to}$ $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Quark in the $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ Events from $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle \hat{\wedge} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Measurement of inclusive jet and dijet production in pp collisions at s=7TeV using the ATLAS detector.}$ $\langle \text{mml:math} \rangle$ $\text{Physical Review D, 2012, 86, 092003}$	7.8	46
740	Observation of Pair Production of a Heavy Up-Type Quark Decaying to a Quark and a Boson and a Quark in the $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ $\text{Boson and a Quark in the}$ $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Quark in the $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Boson and a Quark in the}$ $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Quark in the $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Boson and a Quark in the}$ $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ Events from $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle \hat{\wedge} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Measurement of inclusive jet and dijet production in pp collisions at s=7TeV using the ATLAS detector.}$ $\langle \text{mml:math} \rangle$ $\text{Physical Review D, 2012, 86, 092003}$	7.8	31
741	Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at at(s)=7TeV $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 109, 081801}$	7.8	80
742	Measurement of the azimuthal anisotropy for charged particle production in $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 109, 081801}$	4.7	135
743	Search for Pair Production of a New $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle$ State in Radiative Transitions to $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 109, 081801}$	7.8	90
744	Search for Production of a New $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo}$ $\text{mathvariant} = \text{"bold"}$ $= \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{\wedge} \langle / \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle \hat{\wedge} \langle / \text{mml:mtext} \rangle \langle \text{mml:mo}$ $\text{stretchy} = \text{"false"}$ $\langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1 \langle / \text{mml:mn} \rangle \langle \text{mml:mi} \rangle S \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle T j \text{ ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 56}$ $\text{the ATLAS detector. Physical Review D, 2012, 85, 092003}$	4.7	45
745	Search for Pair Production of a New $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Resonances in Proton-Proton Collisions at at(s)=7TeV $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 109, 081801}$	7.8	33
746	Underlying event characteristics and their dependence on jet size of charged-particle jet events in $\langle \text{mml:math} \rangle$ $\text{Physical Review D, 2012, 86, 092003}$	4.7	12
747	Search for Pair Production of a New $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:math} \rangle$ Quark that Decays into a $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 109, 081801}$	7.8	26
748	Search for Production of a New $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle N \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle N \langle / \text{mml:mi} \rangle$ $\text{lead-lead collisions with the ATLAS detector. Physical Review C, 2012, 86, 092003}$	2.9	365
749	Search for the Higgs Boson in the $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 108, 111802}$	7.8	35
750	Search for a Light Higgs Boson Decaying to Long-Lived Weakly Interacting Particles in Proton-Proton Collisions at at(s)=7TeV $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 108, 251801}$	7.8	61
751	Further search for supersymmetry at at(s)=7TeV $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 108, 251801}$	7.8	42
752	Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. $\langle \text{mml:math} \rangle$ $\text{Physical Review D, 2012, 85, 092003}$	4.7	26
753	Measurement of $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 108, 251801}$	4.7	23
754	Determination of the Strange-Quark Density of the Proton from ATLAS Measurements of the $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 108, 251801}$	7.8	117
755	Search for Production of Resonant States in the Photon-Jet Mass Distribution Using $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 108, 211802}$	7.8	12
756	Measurement of the $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters, 2012, 108, 041804}$	7.8	33

#	ARTICLE	IF	CITATIONS
757	Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum $\text{in}(s=7\text{TeV})$ TeVppCollisions with the ATLAS Detector. Physical Review Letters, 2012, 108, 261804. Search for pair-produced heavy quarks decaying to mml:math $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"} < \text{mml:mi} > W </ \text{mml:mi} < \text{mml:mi} > q </ \text{mml:mi} </ \text{mml:math} >$ in the two-lepton channel $\text{at} < \text{mml:math} \text{ xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"} < \text{mml:msqrt} > \text{mml:mo}$ $\text{stretchy} = \text{"false"} > < \text{mml:mo} > < \text{mml:msqrt} > \text{mml:mi} < / \text{mml:mi} < \text{mml:mo} > T_j \text{ ETQq} 0 \ 0 \ 0 \ \text{rgBT} / \text{Overlock} \ 10 \ \text{Tf} \ 50 \ 677 \ \text{Td} (\text{stretchy} = \text{"false"} >$	7.8	33
758	at mml:math $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"} < \text{mml:msqrt} > \text{mml:mo}$ $\text{stretchy} = \text{"false"} > < \text{mml:mo} > < \text{mml:msqrt} > \text{mml:mi} < / \text{mml:mi} < \text{mml:mo} > T_j \text{ ETQq} 0 \ 0 \ 0 \ \text{rgBT} / \text{Overlock} \ 10 \ \text{Tf} \ 50 \ 677 \ \text{Td} (\text{stretchy} = \text{"false"} >$	4.7	23
759	Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying mml:math $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ Study of jets produced in association with charm quark bosons. Physical Review Letters, 2012, 109, 032001. $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"} < \text{mml:mi} > W </ \text{mml:mi} < / \text{mml:math} > \text{boson} \ \text{in} < \text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"} < \text{mml:mi} > p </ \text{mml:mi} < \text{mml:mi} > p </ \text{mml:mi} < / \text{mml:math} > \text{collisions} \ \text{at} < \text{mml:math}$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"} < \text{mml:msqrt} > \text{mml:mi} < / \text{mml:mi} >$ Search for resonant WZ production in the $\text{WZ} \rightarrow l^+l^-l^+l^-$ channel in $(s=7\text{TeV})$ TeVppcollisions with the ATLAS detector. Physical Review D, 2012, 85, .	7.8	40
760	Detector control system for the ATLAS Transition Radiation Tracker: architecture and development techniques. Proceedings of SPIE, 2012, .	4.7	47
761	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
762	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7\text{TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
763	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
764	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7\text{TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
765	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
766	Search for the Standard Model Higgs boson in the $H \rightarrow t\bar{t}, +\bar{t}, \tau^+\tau^-$ decay mode in $\sqrt{s} = 7\text{TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
767	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
768	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
769	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
770	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
771	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
772	Time-dependent angular analysis of the decay $B_s \rightarrow \psi(2S) \pi^+$ and extraction of the CP-violating weak phase by ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	23

#	ARTICLE	IF	CITATIONS
775	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
776	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
777	Search for excited leptons in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	14
778	Measurement of the isolated diphoton cross section in $\sqrt{s}=7\text{TeV}$ collisions with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	41
779	Measurement of the production cross section for $Z \rightarrow e^+e^-$ in association with jets in $\sqrt{s}=7\text{TeV}$ collisions with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	24
780	Search for supersymmetry in $\sqrt{s}=7\text{TeV}$ final states with missing transverse momentum and b-jets with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	31
781	Search for the Standard Model Higgs-Boson in the Diphoton Decay Channel with $\sqrt{s}=7\text{TeV}$. Physical Review Letters, 2012, 108, 111803.	4.7	58
782	Search for supersymmetry in $\sqrt{s}=7\text{TeV}$ final states with missing transverse momentum and b-jets with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	30
783	Search for the Standard Model Higgs-Boson in the Diphoton Decay Channel with $\sqrt{s}=7\text{TeV}$. Physical Review Letters, 2012, 108, 111803.	4.7	37
784	Search for the Standard Model Higgs-Boson in the Diphoton Decay Channel with $\sqrt{s}=7\text{TeV}$. Physical Review Letters, 2012, 108, 111803.	4.7	171
785	A Particle Consistent with the Higgs Boson Observed with the ATLAS Detector at the Large Hadron Collider. Science, 2012, 338, 1576-1582.	12.6	74
786	Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s}=7\text{TeV}$ pp collisions using 1 of ATLAS data. Physical Review D, 2012, 85, .	4.7	57
787	Measurement of the b-hadron production cross section using decays to $b \rightarrow l \nu$ in $\sqrt{s}=7\text{TeV}$ final states in pp collisions at $\sqrt{s}=7\text{TeV}$. Nuclear Physics B, 2012, 864, 341-381.	4.1	31
788	Search for the decay $b \rightarrow l \nu$ in $\sqrt{s}=7\text{TeV}$ final states in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 713, 387-407.	4.1	59
789	Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 180-196.	4.1	12
790	Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying $\tilde{\chi}_1^0$ lepton in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 197-214.	4.1	6
791	Search for "TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector" at $\sqrt{s}=7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 197-214.	4.1	17
792	Search for "TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector" at $\sqrt{s}=7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 197-214.	4.1	14

#	ARTICLE or the Standard Model Higgs boson in the $\langle \text{mml:math} \rangle$	IF	CITATIONS
793	$\text{xmns:mml} = \text{http://www.w3.org/1998/Math/MathML"} \text{ altimg} = \text{"s11.gif"} \text{ overflow} = \text{"scroll"} \rangle \langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle \text{mml:mo} \rangle T j \text{ ETQq1 } 1.0.784314 \text{ rgBT } / \text{Overlock } 10 \text{ Tf } 50 \text{ 734.1d} \text{ (stretchy} = \text{"false")}$		
794	Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 142-159.		
795	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	6,386
796	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
797	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	100
798	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	13
799	Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	3.9	109
800	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 2083.	3.9	25
801	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
802	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
803	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
804	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
805	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
806	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
807	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
808	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36
809			

#	ARTICLE	IF	CITATIONS
811	Measurement of W^+ and Z^0 production cross sections in pp collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Search for a Standard Model Higgs boson in the mass range $110 \text{--} 160\text{GeV}$.  http://www.elsevier.com/xml/xocs/dtd/117_169 .	4.1	9
812	Search for the Standard Model Higgs boson in the mass range $110 \text{--} 160\text{GeV}$.  http://www.elsevier.com/xml/xocs/dtd/117_169 .	4.1	9
813	Measurement of the top quark pair cross section with ATLAS in pp collisions at $\sqrt{s} = 7\text{TeV}$.  http://www.elsevier.com/xml/xocs/dtd/117_169 .	4.1	113
814	Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	40
815	Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	25
816	Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	10
817	Search for Direct Top Squark Pair Production in Final States with One Isolated Lepton, Jets, and Missing Transverse Momentum in $\sqrt{s} = 7\text{TeV}$ pp Collisions Using 4.7 fb^{-1} of ATLAS Data. Physical Review Letters, 2012, 109, 211803.	4.1	75
818	Search for the Standard Model Higgs boson in $\sqrt{s} = 7\text{TeV}$ pp collisions using 4.7 fb^{-1} of ATLAS Data. Physical Review Letters, 2012, 109, 211803.	4.1	75
819	Search for Magnetic Monopoles in $\sqrt{s} = 7\text{TeV}$ pp Collisions with the ATLAS Detector. Physical Review Letters, 2012, 109, 261803.	4.7	109
820	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with ATLAS. European Physical Journal C, 2012, 72, 1.	3.9	230
821	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
822	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	36
823	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
824	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
825	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	29
826	Search for a heavy Standard Model Higgs boson in the channel $WW \rightarrow l\ell \nu \bar{\nu}$.  http://www.elsevier.com/xml/xocs/dtd/117_169 .	4.1	16
827	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.1	20
828	Cross section in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	20

#	ARTICLE	IF	CITATIONS
829	Measurement of the cross-section for b-jets produced in association with a Z boson at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 184-187.		
830	Measurement of the cross section for the production of a W boson in association with b-jets in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 188-191.		
831	Measurements of the electron and muon inclusive cross-sections in proton- $\bar{\nu}$ proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 192-195.		
832	Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7\text{ TeV}$ in dilepton final states with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 196-203.		
833	Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 478-496.	4.1	231
834	Search for new physics in the dijet mass distribution using 1 fb $^{-1}$ of pp collision data at $\sqrt{s} = 7\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 497-504.	4.1	39
835	Measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $\sqrt{s} = 7\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 505-514.		
836	Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 515-522.	4.1	8
837	Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 523-530.	4.1	58
838	Combined search for the Standard Model Higgs boson using up to 4.9 fb $^{-1}$ of pp collision data at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 531-540.		
839	Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 541-548.		
840	Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382.	4.1	109
841	Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 322-340.	4.1	17
842	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in proton- $\bar{\nu}$ proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 341-350.		
843	Search for diphoton events with large missing transverse momentum in proton- $\bar{\nu}$ proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 351-359.	4.1	21
844	Search for extra dimensions using diphoton events in 7 TeV proton- $\bar{\nu}$ proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 360-369.	4.1	21
845	with 4.8 fb $^{-1}$ of pp collision data at $\sqrt{s} = 7\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 370-379.		
846	Search for extra dimensions using diphoton events in 7 TeV proton- $\bar{\nu}$ proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 380-389.	4.1	36

#	ARTICLE	IF	CITATIONS
847	Search for heavy vector-like quarks coupling to light quarks in proton+proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.		
848	Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263.	4.1	69
849	Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 30-36.		
850	Measurement of the WW cross section in $\sqrt{s} = 7\text{ TeV}$ proton+proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 37-43.	4.1	40
851	Search for FCNC single top-quark production at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 351-369.	4.1	16
852	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	15
854	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36
855			

#	ARTICLE	IF	CITATIONS
865	Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy<math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><math>\langle mml:math><math>\langle mml:mi>s</mml:mi></math>\rangle<math>\langle mml:mo>=</mml:mo><math>\langle mml:mn>7</mml:mn><math>\langle mml:mtext>the ATLAS detector. Physical Review D, 2011, 84, .	4.7	29
866	Measurement of the cross section with the ATLAS detector. Physical Review D, 2011, 84, .	4.7	23
867	Measurement of the differential cross sections of inclusive, prompt and non-prompt particles in proton-proton collisions at $\sqrt{s}=900\text{ GeV}$ with the ATLAS detector. Physical Review D, 2011, 84, .	4.7	70
868	Measurement of the differential cross sections of inclusive, prompt and non-prompt particles in proton-proton collisions at $\sqrt{s}=900\text{ GeV}$ with the ATLAS detector. Physical Review D, 2011, 84, .	2.5	163
869	Measurement of the differential cross sections of inclusive, prompt and non-prompt particles in proton-proton collisions at $\sqrt{s}=900\text{ GeV}$ with the ATLAS detector. Physical Review D, 2011, 84, .	4.1	41
870	Search for neutral MSSM Higgs bosons decaying to a charged lepton and a neutrino in 1 fb ⁻¹ of pp collisions at TeV</math> using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary particle and High-Energy Physics, 2011, 705, 294-312.	4.1	21
871	Search for neutral MSSM Higgs bosons decaying to a charged lepton and a neutrino in 1 fb ⁻¹ of pp collisions at TeV</math> using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary particle and High-Energy Physics, 2011, 705, 294-312.	4.1	21
872	Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in proton-proton collisions at TeV</math>. Physics Letters, Section B: Nuclear, Elementary particle and High-Energy Physics, 2011, 705, 294-312.	4.1	45
873	Measurement of the transverse-to-longitudinal distribution of jets in proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 294-312.	4.1	57
874	Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 452-470.	4.1	23
875	Measurement of the inclusive isolated prompt photon cross-section in pp collisions at TeV</math> using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 452-470.	4.1	49
876	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at \$sqrt{s}=7\$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	114
877	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at \$sqrt{s}=7\$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	146
878	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
879	Luminosity determination in pp collisions at \$sqrt{s} = 7\$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
880	Measurements of underlying-event properties using neutral and charged particles in pp collisions at \$sqrt{s}=900\$ GeV and \$sqrt{s}=7\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31

#	ARTICLE	IF	CITATIONS
883	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
884	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7$ -TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
885	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
886	Search for diphoton events with large missing transverse energy with 36 pb ⁻¹ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	15
887	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
888	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
889	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. European Physical Journal C, 2011, 71, 1.	3.9	14
890	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ -TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
891	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ -TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
892	Measurement of dijet production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
893	Measurement of W^{\pm} and Z^{\pm} production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
894	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
895	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
896	Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 694, 327-345.	4.7	107
897	Measurement of the production cross section for Z bosons in association with jets in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 325-345.	4.1	107
898	Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.	4.1	28
899	Search for high mass dilepton resonances in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.	4.1	28
900	Search for high mass dilepton resonances in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.	4.1	32

#	ARTICLE	IF	CITATIONS
901	Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	52
902	Measurement of the W charge asymmetry in the $\text{W} \rightarrow \ell^+ \nu \rightarrow e^+ \nu \gamma$ decay mode in pp collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	38
903	Search for supersymmetry using jets and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\text{pp} \rightarrow \text{W} \rightarrow \ell^+ \nu \gamma$ collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	21
904	Search for supersymmetry using jets and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\text{pp} \rightarrow \text{W} \rightarrow \ell^+ \nu \gamma$ collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	126
905	Search for supersymmetry using jets and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\text{pp} \rightarrow \text{W} \rightarrow \ell^+ \nu \gamma$ collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	54
906	A search for new physics in dijet mass and angular distributions in $\text{pp} \rightarrow \text{W} \rightarrow \ell^+ \nu \gamma$ collisions at $\sqrt{s} = 7\text{TeV}$ measured with the ATLAS detector. New Journal of Physics, 2011, 13, 053044.	2.9	116
907	Charged-particle multiplicities in $\text{pp} \rightarrow \text{W} \rightarrow \ell^+ \nu \gamma$ interactions measured with the ATLAS detector at the LHC. New Journal of Physics, 2011, 13, 053033.	2.9	314
908	Search for the Higgs Boson in the $\text{WW} \rightarrow \ell^+ \ell^- \gamma \gamma$ Decay Channel in pp Collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS Detector. Physical Review Letters, 2011, 107, 231801.	7.8	23
909	Search for Supersymmetry Using Final States with One Lepton/Jets, and Missing Transverse Momentum with the ATLAS Detector in $\text{pp} \rightarrow \text{W} \rightarrow \ell^+ \nu \gamma$ Collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	7.8	15
910	Search for Dilepton Resonances in $\text{pp} \rightarrow \text{W} \rightarrow \ell^+ \nu \gamma$ Collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	7.8	136
911	Measurement of Dijet Azimuthal Decorrelations in $\text{pp} \rightarrow \text{W} \rightarrow \ell^+ \nu \gamma$ Collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	7.8	81
912	Search for a Standard Model Higgs Boson in the $\text{ZZ} \rightarrow \ell^+ \ell^- \gamma \gamma$ Decay Channel with the ATLAS Detector. Physical Review Letters, 2011, 106, 172002.	7.8	61
913	Search for Diphoton Events with Large Missing Transverse Energy in 7TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2011, 106, 121803.	7.8	29
914	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
915	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
916	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
917	Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 787-821.	3.9	23

#	ARTICLE	IF	CITATIONS
919	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
920	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121
921	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
922	Measurement of the $W \rightarrow l^+ l^-$ and $Z \rightarrow l^+ l^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
923	Charged-particle multiplicities in pp interactions at $\sqrt{s} = 7\text{ TeV}$ measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2010, 688, 21-42.		
924	Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 161801.	7.8	113
925	Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at $\sqrt{s} = 7\text{ TeV}$ measured with the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 252303.		
926	The ATLAS Collaboration. Nuclear Physics A, 2009, 830, 925c-940c.	1.5	1
927	The ATLAS TRT Barrel Detector. Journal of Instrumentation, 2008, 3, P02014-P02014.	1.2	30
928	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	1.2	1,752
929	Combined performance tests before installation of the ATLAS Semiconductor and Transition Radiation Tracking Detectors. Journal of Instrumentation, 2008, 3, P08003-P08003.	1.2	42
930	The ATLAS TRT electronics. Journal of Instrumentation, 2008, 3, P06007-P06007.	1.2	17
931	The ATLAS TRT end-cap detectors. Journal of Instrumentation, 2008, 3, P10003-P10003.	1.2	27
932	The ATLAS Transition Radiation Tracker (TRT) proportional drift tube: design and performance. Journal of Instrumentation, 2008, 3, P02013-P02013.	1.2	25
933	Evidence for $B \rightarrow D^* \ell \bar{\nu}$. Physical Review Letters, 2004, 93, 131802.	7.8	13
934	Measurement of the CP Asymmetry in $B \rightarrow X_s \ell \bar{\nu}$. Physical Review Letters, 2004, 93, 031803.	7.8	36
935	Study of $D^* \rightarrow D^* \ell \bar{\nu}$ decays. Physical Review D, 2004, 69, .	4.7	221
936	Evidence for $B^+ \rightarrow l^+ \bar{\nu}_l$. Physical Review Letters, 2004, 93, 131803.	7.8	17

#	ARTICLE	IF	CITATIONS
937	Search for neutrinoless decays $\tilde{\nu}_e^0 \rightarrow e^- + \bar{e}^+$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 589, 103-110.	4.1	39
938	Search for the electric dipole moment of the $\tilde{\nu}_e$ lepton. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 551, 16-26.	4.1	101
939	Observation of the Decay $B^0 \rightarrow c + p$. Physical Review Letters, 2003, 90, 121802.	7.8	45
940	Evidence for $B_s \rightarrow K^+ K^-$. Physical Review Letters, 2003, 91, 241802.	7.8	18
941	Measurement of Branching Fractions and Polarization in $B_s \rightarrow K^*(\pi^+\pi^-)$ Decays. Physical Review Letters, 2003, 91, 201801.	7.8	109
942	Evidence for CP-violating asymmetries in $B_s \rightarrow \pi^+\pi^-$ decays and constraints on the CKM angle β . Physical Review D, 2003, 68, .	4.7	41
943	Studies of $B_s \rightarrow B_s$ mixing properties with inclusive dilepton events. Physical Review D, 2003, 67, .	4.7	30
944	Measurement of the Electroweak Penguin Process $B_s \rightarrow X_s \gamma$. Physical Review Letters, 2003, 90, 021801.	7.8	57
945	Measurement of Branching Fractions for $B_s \rightarrow c \bar{c}$ Decays. Physical Review Letters, 2003, 90, 071801.	7.8	29
946	Measurement of branching fraction ratios and CP asymmetries in $B_s \pm \bar{B}_s \rightarrow DCPK_s \pm$. Physical Review D, 2003, 68, .	4.7	19
947	Observation of $B_s \rightarrow \pi^+\pi^-$ Decays. Physical Review Letters, 2003, 91, 221801.	7.8	90
948	Observation of $B_s \rightarrow \rho^0 \gamma$. Physical Review Letters, 2003, 90, 201802.	7.8	61
949	Observation of $B_s \rightarrow D_s^* D_s^0 \pi^0$. Physical Review Letters, 2002, 89, 151802.	7.8	90
950	Observation of $D_s \rightarrow K^+$ and Evidence for $D_s \rightarrow \pi^+$ Final States in Neutral B Decays. Physical Review Letters, 2002, 89, 231804.	7.8	40
951	Observation of the $c(2S) \rightarrow K^+ K^-$ in Exclusive $B_s \rightarrow K^+ K^- \pi^+ \pi^-$ Decays. Physical Review Letters, 2002, 89, 102001.	7.8	141
952	Study of CP-Violating Asymmetries in $B_s \rightarrow \pi^+\pi^-$ Decays. Physical Review Letters, 2002, 89, 071801.	7.8	21
953	Observation of $c\bar{c}$ Production in B Meson Decay. Physical Review Letters, 2002, 89, 011803.	7.8	12
954	Production of Prompt Charmonia in e^+e^- Annihilation at $\sqrt{s} = 10.6$ GeV. Physical Review Letters, 2002, 88, 052001.	7.8	64

#	ARTICLE		IF	CITATIONS
955	Radiative BMeson Decays into $K\bar{K}$ and $K\bar{L}$ Final States. Physical Review Letters, 2002, 89, 231801.		7.8	43
956	Observation of the Decay $B_0 \rightarrow D^{\pm} D^{*\mp}$. Physical Review Letters, 2002, 89, 122001.		7.8	15
957	Observation of $B^+ \rightarrow \bar{c}K^+$. Physical Review Letters, 2002, 88, 031802.		7.8	41
958	Observation of mixing-induced CP violation in the neutral Bmeson system. Physical Review D, 2002, 66, .		4.7	48
959	Improved measurement of mixing-induced CP violation in the neutral Bmeson system. Physical Review D, 2002, 66, .		4.7	177
960	Precise Measurement of BMeson Lifetimes with Hadronic Decay Final States. Physical Review Letters, 2002, 88, 171801.		7.8	18
961	Study of exclusive Bdecays to charmed baryons. Physical Review D, 2002, 66, .		4.7	29
962	Observation of $B \pm \rightarrow pp \bar{K} \pm$. Physical Review Letters, 2002, 88, 181803.		7.8	105
963	Observation of $B \pm \rightarrow \pi^0 K \pm$ Decay. Physical Review Letters, 2002, 89, 191801.		7.8	12
964	Study of three-body charmless Bdecays. Physical Review D, 2002, 65, .		4.7	73
965	Observation of Double cc Production in e+e- Annihilation at $\sqrt{s} = 10.6$ GeV. Physical Review Letters, 2002, 89, 142001.		7.8	268
966	Observation of the Color-Suppressed Decay $B^- \rightarrow D^0 \bar{D}^0$. Physical Review Letters, 2002, 88, 052002.		7.8	45
967	Status of the Belle SVD detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 478, 296-298.		1.6	0
968	The Belle detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 479, 117-232.		1.6	1,247
969	A purity monitoring system for the H1 liquid argon calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 490, 204-222.		1.6	4
970	Observation of Cabibbo-suppressed and W-exchange $\bar{c} c + b$ baryon decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 524, 33-43.		4.1	32
971	Measurements of branching fractions and decay amplitudes in decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 538, 11-20.		4.1	47
972	Measurement of $\bar{c}c$ production in two-photon collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 540, 33-42.		4.1	18

#	ARTICLE	IF	CITATIONS
973	Measurement of the oscillation frequency for $B0\bar{0}$ mixing using hadronic $B0$ decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 542, 207-215.	4.1	13
974	Observation of decays. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 542, 171-182.	4.1	32
975	Measurement of the inclusive semileptonic branching fraction of \bar{B} mesons and $ V_{cb} $. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 547, 181-192.	4.1	12
976	Performance of the BELLE silicon vertex detector. IEEE Transactions on Nuclear Science, 2001, 48, 997-1001.	2.0	1
977	A measurement of the branching fraction for the inclusive $B\rightarrow X_s l^+ l^-$ decays with the Belle detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 511, 151-158.	4.1	241
978	Measurement of the branching fraction for $B\rightarrow K\pi$ and search for $B\rightarrow \pi^+\pi^-$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 517, 309-318.	4.1	55
979	Observation of the Decay $B\rightarrow K l^+ l^-$. Physical Review Letters, 2001, 88, 021801.	7.8	80
980	Measurement of $Bd\rightarrow B\bar{d}$ Mixing Rate from the Time Evolution of Dilepton Events at the $\psi(4S)$. Physical Review Letters, 2001, 86, 3228-3232.	7.8	96
981	Measurement of the CP Violation Parameters in $2\pi^+ 2\pi^-$ Meson Decays. Physical Review Letters, 2001, 86, 2509-2514.	7.8	107
982	Measurement of inclusive production of neutral pions from $\psi(4S)$ decays. Physical Review D, 2001, 64, .	4.7	20
983	Observation of $B\rightarrow J/\psi K(1270)$. Physical Review Letters, 2001, 87, 161601.	7.8	29
984	Search for direct CP violation in $B\rightarrow K\pi$ decays. Physical Review D, 2001, 64, .	4.7	12
985	The BELLE silicon vertex detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 453, 71-77.	1.6	30
986	Performance of a double-sided silicon microstrip detector with a wide-pitch n-side readout using a field-plate and a multi p-stop structure. IEEE Transactions on Nuclear Science, 1997, 44, 622-628.	2.0	1
987	The H1 detector at HERA. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 386, 310-347.	1.6	321
988	The tracking, calorimeter and muon detectors of the H1 experiment at HERA. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 386, 348-396.	1.6	203
989	Load capacitance of single-sided silicon strip detectors with double-metal layers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 383, 110-115.	1.6	1
990	Evaluation of silicon micro strip detectors with large read-out pitch. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 383, 123-127.	1.6	3

#	ARTICLE	IF	CITATIONS
991	The H 1 liquid argon calorimeter system. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1993, 336, 460-498.	1.6	158
992	Aging Effects in the ATLAS Transition Radiation Tracker and Gas Filtration Studies. , 0, , .	2	