

# Blake R Peterson

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1557591/blake-r-peterson-publications-by-year.pdf>

**Version:** 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	3,398 citations	34 h-index	56 g-index
110 ext. papers	3,675 ext. citations	7.6 avg, IF	5.15 L-index

#	Paper	IF	Citations
89	Pacific Blue-Taxoids as Fluorescent Molecular Probes of Microtubules.. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2430, 449-466	1.4	0
88	Carnosine Protects Macrophages against the Toxicity of A $\beta$ -42 Oligomers by Decreasing Oxidative Stress. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	10
87	Fluorescent detection of peroxynitrite during antibody-dependent cellular phagocytosis. <i>Methods in Enzymology</i> , <b>2020</b> , 640, 1-35	1.7	3
86	Visible photorelease of liquid biopsy markers following microfluidic affinity-enrichment. <i>Chemical Communications</i> , <b>2020</b> , 56, 4098-4101	5.8	7
85	The C. elegans CHP1 homolog, pbo-1, functions in innate immunity by regulating the pH of the intestinal lumen. <i>PLoS Pathogens</i> , <b>2020</b> , 16, e1008134	7.6	1
84	Synthetic Rhamnose Glycopolymer Cell-Surface Receptor for Endogenous Antibody Recruitment. <i>Biomacromolecules</i> , <b>2020</b> , 21, 793-802	6.9	10
83	Small Molecule Inhibitors of the BfrB-Bfd Interaction Decrease Pseudomonas aeruginosa Fitness and Potentiate Fluoroquinolone Activity. <i>Journal of the American Chemical Society</i> , <b>2019</b> , 141, 8171-8184	16.4	15
82	Antibody-Drug Conjugate that Exhibits Synergistic Cytotoxicity with an Endosome-Disruptive Peptide. <i>ACS Omega</i> , <b>2019</b> , 4, 12955-12968	3.9	9
81	Malleilactone Is a Burkholderia pseudomallei Virulence Factor Regulated by Antibiotics and Quorum Sensing. <i>Journal of Bacteriology</i> , <b>2018</b> , 200,	3.5	21
80	Targeting Fluorescent Sensors to Endoplasmic Reticulum Membranes Enables Detection of Peroxynitrite During Cellular Phagocytosis. <i>ACS Chemical Biology</i> , <b>2018</b> , 13, 2595-2602	4.9	25
79	Synthesis of a Fluorescent Analogue of Paclitaxel That Selectively Binds Microtubules and Sensitively Detects Efflux by P-Glycoprotein. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 7031-7035	3.6	4
78	Synthesis of a Fluorescent Analogue of Paclitaxel That Selectively Binds Microtubules and Sensitively Detects Efflux by P-Glycoprotein. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 6927-6931	16.4	32
77	Quantification of Small Molecule-Protein Interactions using FRET between Tryptophan and the Pacific Blue Fluorophore. <i>ACS Omega</i> , <b>2016</b> , 1, 1266-1276	3.9	23
76	Hydrophobic resorufamine derivatives: potent and selective red fluorescent probes of the endoplasmic reticulum of mammalian cells. <i>Dyes and Pigments</i> , <b>2016</b> , 135, 127-133	4.6	12
75	Fluorescent mimics of cholesterol that rapidly bind surfaces of living mammalian cells. <i>Chemical Communications</i> , <b>2015</b> , 51, 14624-7	5.8	1
74	Anticancer/antiviral agent Akt inhibitor-IV massively accumulates in mitochondria and potently disrupts cellular bioenergetics. <i>ACS Chemical Biology</i> , <b>2015</b> , 10, 570-6	4.9	9
73	Synthesis of Fluorophores that Target Small Molecules to the Endoplasmic Reticulum of Living Mammalian Cells. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 9832-9835	3.6	2

72	Synthesis of Fluorophores that Target Small Molecules to the Endoplasmic Reticulum of Living Mammalian Cells. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 9696-9	16.4	42
71	Detection of protein-protein interactions by proximity-driven S(N)Ar reactions of lysine-linked fluorophores. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 5241-4	16.4	11
70	Efficient and Scalable Synthesis of 4-Carboxy-Pennsylvania Green Methyl Ester: A Hydrophobic Building Block for Fluorescent Molecular Probes. <i>Synthesis</i> , <b>2014</b> , 46, 158-164	2.9	8
69	Decreased APOE-containing HDL subfractions and cholesterol efflux capacity of serum in mice lacking Pcsk9. <i>Lipids in Health and Disease</i> , <b>2013</b> , 12, 112	4.4	16
68	Novel acid-activated fluorophores reveal a dynamic wave of protons in the intestine of <i>Caenorhabditis elegans</i> . <i>ACS Chemical Biology</i> , <b>2013</b> , 8, 636-42	4.9	20
67	Synthesis of fluorinated benzophenones, xanthenes, acridones, and thioxanthenes by iterative nucleophilic aromatic substitution. <i>Journal of Organic Chemistry</i> , <b>2012</b> , 77, 473-81	4.2	41
66	Identification of a small molecule yeast TORC1 inhibitor with a multiplex screen based on flow cytometry. <i>ACS Chemical Biology</i> , <b>2012</b> , 7, 715-22	4.9	19
65	Interaction of 3- $\beta$ -amino-5-cholestene with phospholipids in binary and ternary bilayer membranes. <i>Langmuir</i> , <b>2012</b> , 28, 648-55	4	6
64	Targeting of histone acetyltransferase p300 by cyclopentenone prostaglandin (12)-PGJ(2) through covalent binding to Cys(1438). <i>Chemical Research in Toxicology</i> , <b>2012</b> , 25, 337-47	4	23
63	Hydrophobic analogues of rhodamine B and rhodamine 101: potent fluorescent probes of mitochondria in living <i>C. elegans</i> . <i>Beilstein Journal of Organic Chemistry</i> , <b>2012</b> , 8, 2156-65	2.5	53
62	Synthetic cell surface receptors for delivery of therapeutics and probes. <i>Advanced Drug Delivery Reviews</i> , <b>2012</b> , 64, 797-810	18.5	48
61	Sensitivity of mitochondrial transcription and resistance of RNA polymerase II dependent nuclear transcription to antiviral ribonucleosides. <i>PLoS Pathogens</i> , <b>2012</b> , 8, e1003030	7.6	99
60	Development of a cell-based, high-throughput screening assay for cholesterol efflux using a fluorescent mimic of cholesterol. <i>Assay and Drug Development Technologies</i> , <b>2011</b> , 9, 136-46	2.1	31
59	Synthesis and biological evaluation of analogues of AKT (protein kinase B) inhibitor-IV. <i>Journal of Medicinal Chemistry</i> , <b>2011</b> , 54, 1126-39	8.3	61
58	Structural requirements for the inhibition of calcium mobilization and mast cell activation by the pyrazole derivative BTP2. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2011</b> , 43, 1228-39	5.6	35
57	Human neutrophil peptides mediate endothelial-monocyte interaction, foam cell formation, and platelet activation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2011</b> , 31, 2070-9	9.4	42
56	Chemico-genetic identification of drebrin as a regulator of calcium responses. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2010</b> , 42, 337-45	5.6	30
55	Synthesis of a 6-methyl-7-deaza analogue of adenosine that potently inhibits replication of polio and dengue viruses. <i>Journal of Medicinal Chemistry</i> , <b>2010</b> , 53, 7958-66	8.3	49

54	Practical synthesis of 3beta-amino-5-cholestene and related 3beta-halides involving i-steroid and retro-i-steroid rearrangements. <i>Organic Letters</i> , <b>2009</b> , 11, 567-70	6.2	41
53	Multifunctional silane polymers for persistent surface derivatization and their antimicrobial properties. <i>Langmuir</i> , <b>2008</b> , 24, 7549-58	4	47
52	One-pot synthesis of nucleoside 5'Triphosphates from nucleoside 5'F-phosphonates. <i>Organic Letters</i> , <b>2008</b> , 10, 1703-6	6.2	38
51	Selective disruption of early/recycling endosomes: release of disulfide-linked cargo mediated by a N-alkyl-3beta-cholesterylamine-capped peptide. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 10064-5	16.4	30
50	Lethal mutagenesis of picornaviruses with N-6-modified purine nucleoside analogues. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2008</b> , 52, 971-9	5.9	44
49	Structural insights into mechanisms of catalysis and inhibition in Norwalk virus polymerase. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 7705-12	5.4	119
48	Antibacterial and hemolytic activities of pyridinium polymers as a function of the spatial relationship between the positive charge and the pendant alkyl tail. <i>Angewandte Chemie - International Edition</i> , <b>2008</b> , 47, 1250-4	16.4	212
47	Endocytic delivery of vancomycin mediated by a synthetic cell surface receptor: rescue of bacterially infected Mammalian cells and tissue targeting in vivo. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 268-9	16.4	44
46	A concise synthesis of the Pennsylvania Green fluorophore and labeling of intracellular targets with O6-benzylguanine derivatives. <i>Organic Letters</i> , <b>2007</b> , 9, 3741-4	6.2	36
45	Synthesis of a universal 5-nitroindole ribonucleotide and incorporation into RNA by a viral RNA-dependent RNA polymerase. <i>ChemBioChem</i> , <b>2007</b> , 8, 1359-62	3.8	23
44	The oxidative stress mediator 4-hydroxynonenal is an intracellular agonist of the nuclear receptor peroxisome proliferator-activated receptor-beta/delta (PPARbeta/delta). <i>Free Radical Biology and Medicine</i> , <b>2007</b> , 42, 1155-64	7.8	81
43	Lethal mutagenesis of poliovirus mediated by a mutagenic pyrimidine analogue. <i>Journal of Virology</i> , <b>2007</b> , 81, 11256-66	6.6	42
42	Synthesis and antiviral activity of 5-substituted cytidine analogues: identification of a potent inhibitor of viral RNA-dependent RNA polymerases. <i>Journal of Medicinal Chemistry</i> , <b>2006</b> , 49, 6166-9	8.3	38
41	Silver bromide nanoparticle/polymer composites: dual action tunable antimicrobial materials. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 9798-808	16.4	617
40	Small-molecule triggers of tadpole metamorphosis. <i>ACS Chemical Biology</i> , <b>2006</b> , 1, 559-61	4.9	1
39	The Pennsylvania Green Fluorophore: a hybrid of Oregon Green and Tokyo Green for the construction of hydrophobic and pH-insensitive molecular probes. <i>Organic Letters</i> , <b>2006</b> , 8, 581-4	6.2	73
38	Synthesis of an artificial cell surface receptor that enables oligohistidine affinity tags to function as metal-dependent cell-penetrating peptides. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 386-7	16.4	27
37	A synthetic mimic of human Fc receptors: defined chemical modification of cell surfaces enables efficient endocytic uptake of human immunoglobulin-G. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 11463-70	16.4	50

36	Synthetic mimics of mammalian cell surface receptors: prosthetic molecules that augment living cells. <i>Organic and Biomolecular Chemistry</i> , <b>2005</b> , 3, 3607-12	3.9	36
35	Fluorescence-based cloning of a protein tyrosine kinase with a yeast tribrid system. <i>ChemBioChem</i> , <b>2005</b> , 6, 1442-8	3.8	5
34	Calcium flux in neuroblastoma cells is a coupling mechanism between non-genomic and genomic modes of estrogens. <i>Neuroendocrinology</i> , <b>2005</b> , 81, 174-82	5.6	19
33	An amphotericin B-fluorescein conjugate as a powerful probe for biochemical studies of the membrane. <i>Angewandte Chemie - International Edition</i> , <b>2004</b> , 43, 5181-5	16.4	47
32	An Amphotericin B-fluorescein Conjugate as a Powerful Probe for Biochemical Studies of the Membrane. <i>Angewandte Chemie - International Edition</i> , <b>2004</b> , 43, 5428-5428	16.4	2
31	Molecule-specific imaging with mass spectrometry and a buckminsterfullerene probe: application to characterizing solid-phase synthesized combinatorial libraries. <i>Journal of the American Chemical Society</i> , <b>2004</b> , 126, 3902-9	16.4	43
30	11beta-alkyl-Delta9-19-nortestosterone derivatives: high-affinity ligands and potent partial agonists of the androgen receptor. <i>Journal of Medicinal Chemistry</i> , <b>2004</b> , 47, 4985-8	8.3	7
29	Synthetic mimics of small Mammalian cell surface receptors. <i>Journal of the American Chemical Society</i> , <b>2004</b> , 126, 16379-86	16.4	55
28	Facile synthesis of cids: biotinylated estrone oximes efficiently heterodimerize estrogen receptor and streptavidin proteins in yeast three hybrid systems. <i>Organic Letters</i> , <b>2004</b> , 6, 1409-12	6.2	14
27	Protein Palmitoylation Participates in PAR1-Mediated Platelet Activation.. <i>Blood</i> , <b>2004</b> , 104, 1560-1560	2.2	
26	Fluorescent cellular sensors of steroid receptor ligands. <i>ChemBioChem</i> , <b>2003</b> , 4, 848-55	3.8	19
25	Analysis of protein tyrosine kinase inhibitors in recombinant yeast lacking the ERG6 gene. <i>ChemBioChem</i> , <b>2003</b> , 4, 101-7	3.8	13
24	Control of gene expression with small molecules: biotin-mediated acylation of targeted lysine residues in recombinant yeast. <i>Chemistry and Biology</i> , <b>2003</b> , 10, 1245-53		24
23	Synthesis of a high-affinity fluorescent PPARgamma ligand for high-throughput fluorescence polarization assays. <i>Bioorganic and Medicinal Chemistry</i> , <b>2003</b> , 11, 4325-32	3.4	18
22	Non-natural cell surface receptors: synthetic peptides capped with N-cholesteryl glycine efficiently deliver proteins into Mammalian cells. <i>Bioconjugate Chemistry</i> , <b>2003</b> , 14, 67-74	6.3	21
21	Synthesis of a beta-estradiol-biotin chimera that potently heterodimerizes estrogen receptor and streptavidin proteins in a yeast three-hybrid system. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 3692-3	16.4	38
20	Augmenting vitamin D to combat genetic disease. <i>Chemistry and Biology</i> , <b>2002</b> , 9, 1265-6		2
19	A colorimetric enzyme-linked on-bead assay for identification of synthetic substrates of protein tyrosine kinases. <i>Journal of Peptide Science</i> , <b>2002</b> , 8, 227-33	2.1	23

18	Conformational solution studies of neuropeptide gamma using CD and NMR spectroscopy. <i>Journal of Peptide Science</i> , <b>2002</b> , 8, 211-26	2.1	17
17	A fluorescence-based high performance liquid chromatographic method for the characterization of palmitoyl acyl transferase activity. <i>Analytical Biochemistry</i> , <b>2002</b> , 308, 160-7	3.1	19
16	Synthesis of chimeric 7alpha-substituted estradiol derivatives linked to cholesterol and cholesterylamine. <i>Organic Letters</i> , <b>2002</b> , 4, 415-8	6.2	29
15	Rapid detection of protein tyrosine kinase activity in recombinant yeast expressing a universal substrate. <i>Journal of Proteome Research</i> , <b>2002</b> , 1, 207-9	5.6	5
14	Synthesis and antiviral evaluation of a mutagenic and non-hydrogen bonding ribonucleoside analogue: 1-beta-D-Ribofuranosyl-3-nitropyrrole. <i>Biochemistry</i> , <b>2002</b> , 41, 9026-33	3.2	46
13	Sensitive and rapid analysis of protein palmitoylation with a synthetic cell-permeable mimic of SRC oncoproteins. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 2444-5	16.4	30
12	Efficient delivery of streptavidin to mammalian cells: clathrin-mediated endocytosis regulated by a synthetic ligand. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 6265-73	16.4	48
11	A synthetic membrane-anchored antigen efficiently promotes uptake of anti fluorescein antibodies and associated protein a by mammalian cells. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 12712-3	16.4	20
10	Macrotricyclic Steroid Receptors by Pd-Catalyzed Cross-Coupling Reactions: Dissolution of cholesterol in aqueous solution and investigations of the principles governing selective molecular recognition of steroidal substrates. <i>Helvetica Chimica Acta</i> , <b>1998</b> , 81, 109-144	2	21
9	The orientation of the AP-1 heterodimer on DNA strongly affects transcriptional potency. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 14076-81	11.5	28
8	Dual role of the nuclear factor of activated T cells insert region in DNA recognition and cooperative contacts to activator protein 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 4919-24	11.5	41
7	A critical arginine residue mediates cooperativity in the contact interface between transcription factors NFAT and AP-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1996</b> , 93, 13671-6	11.5	48
6	Cavity depth and width effects on cyclophane-steroid recognition: molecular complexation of cholesterol and progesterone in aqueous solution. <i>Chemistry and Biology</i> , <b>1995</b> , 2, 139-46		25
5	Steroid complexation by cyclophane receptors in aqueous solution: Substrate selectivity, enthalpic driving force for cavity inclusion, and enthalpy-entropy compensation. <i>Tetrahedron</i> , <b>1995</b> , 51, 401-421	2.4	41
4	Lösen von Cholesterin in Wasser mit Hilfe eines synthetischen Rezeptors. <i>Angewandte Chemie</i> , <b>1994</b> , 106, 1688-1690	3.6	12
3	Bilirubin conformational analysis and circular dichroism. <i>Journal of the American Chemical Society</i> , <b>1994</b> , 116, 42-59	16.4	167
2	Dissolution of Cholesterol in Water by a Synthetic Receptor. <i>Angewandte Chemie International Edition in English</i> , <b>1994</b> , 33, 1625-1628		30
1	The C. elegans CHP1 homolog, pbo-1, functions in innate immunity by regulating the pH of the intestinal lumen		1

