

Mika Gissler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1559250/mika-gissler-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

336
papers

11,696
citations

60
h-index

98
g-index

373
ext. papers

14,421
ext. citations

4.6
avg, IF

6.32
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 336 | Association of Preeclampsia and Perinatal Complications With Offspring Neurodevelopmental and Psychiatric Disorders.. <i>JAMA Network Open</i> , 2022 , 5, e2145719 | 10.4 | 0 |
| 335 | Incidence of sexually transmitted infections is lower among kidney transplant recipients compared to the general population-A nationwide cohort study.. <i>Transplant Infectious Disease</i> , 2022 , e13814 | 2.7 | |
| 334 | Socioeconomic differences in the association between maternal age and maternal obesity: a register-based study of 707,728 women in Finland.. <i>Scandinavian Journal of Public Health</i> , 2022 , 14034948221088003 | 3.2 | 1088003 |
| 333 | Prenatal care adequacy of migrants born in conflict-affected countries and country-born parturients in Finland. <i>Journal of Migration and Health</i> , 2022 , 6, 100122 | 1.5 | |
| 332 | Extended spectrum penicillins reduce the risk of omphalocele: A population-based case-control study. <i>Journal of Pediatric Surgery</i> , 2021 , 56, 1590-1595 | 2.6 | 0 |
| 331 | Hypertensive disorders of pregnancy among women of migrant origin in Finland: A population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 101, 127 | 3.8 | 1 |
| 330 | Perinatal outcome of dichorionic and monochorionic-diamniotic Finnish twins: a historical cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 101, 153 | 3.8 | 0 |
| 329 | Decreasing the incidence of anal sphincter tears in instrumental delivery in Hudiksvall, Sweden. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-5 | 2 | |
| 328 | Longitudinal association between perceived stress and depression among community-dwelling older adults: Findings from the Irish Longitudinal Study on Ageing.. <i>Journal of Affective Disorders</i> , 2021 , 299, 528-528 | 6.6 | 0 |
| 327 | Recurrence of postpartum hemorrhage in relatives: A population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 2278-2284 | 3.8 | 0 |
| 326 | Psychiatric disorders diagnosed in adolescence and subsequent long-term exclusion from education, employment or training: longitudinal national birth cohort study.. <i>British Journal of Psychiatry</i> , 2021 , 1-6 | 5.4 | 4 |
| 325 | Reply: Association of maternal polycystic ovary syndrome or anovulatory infertility with obesity and diabetes in offspring: a population-based cohort study. <i>Human Reproduction</i> , 2021 , | 5.7 | 2 |
| 324 | Preterm Birth Is Associated With Depression From Childhood to Early Adulthood. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 1127-1136 | 7.2 | 1 |
| 323 | Management of major obstetric hemorrhage prior to peripartum hysterectomy and outcomes across nine European countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1345-1354 | 3.8 | 2 |
| 322 | Stroke in Pregnancy and Puerperium: Validated Incidence Trends With Risk Factor Analysis in Finland 1987-2016. <i>Neurology</i> , 2021 , 96, e2564-e2575 | 6.5 | 7 |
| 321 | Use of universally offered family planning services - a cohort study in the city of Vantaa, Helsinki metropolitan area, Finland. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211002745 | 3 | 0 |
| 320 | Gestational diabetes among women of migrant origin in Finland-a population-based study. <i>European Journal of Public Health</i> , 2021 , 31, 784-789 | 2.1 | 1 |

| | | | |
|-----|---|------|---|
| 319 | Association of maternal polycystic ovary syndrome or anovulatory infertility with obesity and diabetes in offspring: a population-based cohort study. <i>Human Reproduction</i> , 2021 , 36, 2345-2357 | 5.7 | 6 |
| 318 | Maternal and neonatal outcomes in the following delivery after previous preterm caesarean breech birth: a national cohort study. <i>Journal of Obstetrics and Gynaecology</i> , 2021 , 1-6 | 1.3 | 1 |
| 317 | Cerebral palsy in ART children has declined substantially over time: a Nordic study from the CoNARTaS group. <i>Human Reproduction</i> , 2021 , 36, 2358-2370 | 5.7 | 0 |
| 316 | Hospital Presentation for Self-Harm in Youth as a Risk Marker for Later Psychotic and Bipolar Disorders: A Cohort Study of 59 476 Finns. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1685-1694 | 1.3 | 1 |
| 315 | Continuity of antipsychotic medication use among migrant and Finnish-born populations with a psychotic disorder: a register-based study. <i>Psychological Medicine</i> , 2021 , 1-11 | 6.9 | 0 |
| 314 | Separating parental and treatment contributions to perinatal health after fresh and frozen embryo transfer in assisted reproduction: A cohort study with within-sibship analysis. <i>PLoS Medicine</i> , 2021 , 18, e1003683 | 11.6 | 6 |
| 313 | Prune belly syndrome in Finland - A population-based study on current epidemiology and hospital admissions. <i>Journal of Pediatric Urology</i> , 2021 , 17, 702.e1-702.e6 | 1.5 | 1 |
| 312 | Second-generation antipsychotic use during pregnancy and risk of congenital malformations. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 1737-1745 | 2.8 | 4 |
| 311 | Incidence of extraovarian clear cell cancers in women with surgically diagnosed endometriosis: A cohort study. <i>PLoS ONE</i> , 2021 , 16, e0253270 | 3.7 | |
| 310 | Cumulative incidences of hospital-treated psychiatric disorders are increasing in five Finnish birth cohorts. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 119-129 | 6.5 | 1 |
| 309 | Rising trends in the incidence of shoulder dystocia and development of a novel shoulder dystocia risk score tool: a nationwide population-based study of 800 484 Finnish deliveries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 538-547 | 3.8 | 1 |
| 308 | Completed secondary education among youth with prenatal substance exposure: A longitudinal register-based matched cohort study. <i>Journal of Adolescence</i> , 2021 , 86, 15-27 | 3.4 | 1 |
| 307 | Using Robson's Ten-Group Classification System for comparing caesarean section rates in Europe: an analysis of routine data from the Euro-Peristat study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1444-1453 | 3.7 | 7 |
| 306 | Epidemiology of laboratory-confirmed influenza among kidney transplant recipients compared to the general population-A nationwide cohort study. <i>American Journal of Transplantation</i> , 2021 , 21, 1848-1856 | 8.7 | 2 |
| 305 | The Joint Role of Iodine Status and Thyroid Function on Risk for Preeclampsia in Finnish Women: a Population-Based Nested Case-Control Study. <i>Biological Trace Element Research</i> , 2021 , 199, 2131-2137 | 4.5 | 1 |
| 304 | Incidence and comorbidities of disruptive behavior disorders diagnosed in Finnish specialist psychiatric services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 2063-2072 | 4.5 | 0 |
| 303 | Fear of childbirth after medical vs surgical abortion. Population-based register study from Finland. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 743-750 | 3.8 | 1 |
| 302 | The impact of cardiovascular diseases on maternal deaths in the Nordic countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1273-1279 | 3.8 | 1 |

| | | | |
|-----|--|------|----|
| 301 | Municipal contraceptive services, socioeconomic status and teenage pregnancy in Finland: a longitudinal study. <i>BMJ Open</i> , 2021 , 11, e043092 | 3 | 1 |
| 300 | Maternal use of sedative drugs and its effects on pregnancy outcomes: a Finnish birth cohort study. <i>Scientific Reports</i> , 2021 , 11, 4467 | 4.9 | 1 |
| 299 | Optimal interpregnancy interval in autism spectrum disorder: A multi-national study of a modifiable risk factor. <i>Autism Research</i> , 2021 , 14, 2432-2443 | 5.1 | 0 |
| 298 | Iodine and thyroid status during pregnancy and risk of stillbirth: A population-based nested case-control study. <i>Maternal and Child Nutrition</i> , 2021 , e13252 | 3.4 | 2 |
| 297 | Childhood growth of term singletons born after frozen compared with fresh embryo transfer. <i>Reproductive BioMedicine Online</i> , 2021 , 43, 719-726 | 4 | 0 |
| 296 | Probability of live birth after IVF/ICSI treatments in female early onset cancer survivors: a Finnish population-based registry study. <i>Human Reproduction</i> , 2021 , 36, 3131-3140 | 5.7 | 0 |
| 295 | Cardiovascular disease, obesity, and type 2 diabetes in children born after assisted reproductive technology: A population-based cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003723 | 11.6 | 2 |
| 294 | Adequacy of prenatal care use among pregnant women with epilepsy: A population-based, cross-sectional study, Finland, 2000-2014. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 92, 82-88 | 3.2 | 0 |
| 293 | Risk of induced abortions in childhood cancer survivors. <i>Cancer</i> , 2021 , 127, 1439-1447 | 6.4 | |
| 292 | Preterm birth and the risk of chronic disease multimorbidity in adolescence and early adulthood: A population-based cohort study.. <i>PLoS ONE</i> , 2021 , 16, e0261952 | 3.7 | 0 |
| 291 | Epidemiological analysis of peripartum hysterectomy across nine European countries. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020 , 99, 1364-1373 | 3.8 | 15 |
| 290 | Merkel Cell Carcinoma Treatment in Finland in 1986-2016-A Real-World Data Study. <i>Cancers</i> , 2020 , 12, | 6.6 | 1 |
| 289 | Associations Between Maternal Antenatal Corticosteroid Treatment and Mental and Behavioral Disorders in Children. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1924-1933 | 27.4 | 69 |
| 288 | Cohort Profile: The Finnish Gestational Diabetes (FinnGeDi) Study. <i>International Journal of Epidemiology</i> , 2020 , 49, 762-763g | 7.8 | 8 |
| 287 | The overall and sex- and age-group specific incidence rates of cancer in people with schizophrenia: a population-based cohort study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e132 | 5.1 | 8 |
| 286 | Maternal risk factors for gastroschisis: A population-based case-control study. <i>Birth Defects Research</i> , 2020 , 112, 989-995 | 2.9 | 7 |
| 285 | Term cesarean breech delivery in the first pregnancy is associated with an increased risk for maternal and neonatal morbidity in the subsequent delivery: a national cohort study. <i>Archives of Gynecology and Obstetrics</i> , 2020 , 302, 85-91 | 2.5 | 6 |
| 284 | Changing risk factors for placental abruption: A case crossover study using routinely collected data from Finland, Malta and Aberdeen. <i>PLoS ONE</i> , 2020 , 15, e0233641 | 3.7 | 1 |

| | | | |
|-----|--|------|----|
| 283 | The impact of educational attainment on the occurrence of gestational diabetes mellitus in two successive pregnancies of Finnish primiparous women: a population-based cohort study. <i>Acta Diabetologica</i> , 2020 , 57, 1035-1042 | 3.9 | 3 |
| 282 | Predictors of choosing long-acting reversible contraceptive methods when provided free-of-charge - A prospective cohort study in Finland. <i>Contraception</i> , 2020 , 101, 370-375 | 2.5 | 5 |
| 281 | ART in Europe, 2015: results generated from European registries by ESHRE. <i>Human Reproduction Open</i> , 2020 , 2020, hoz038 | 6.1 | 75 |
| 280 | The incidence of birth injuries decreased in Finland between 1997 and 2017: A nationwide register study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 2562-2569 | 3.1 | 1 |
| 279 | Cohort profile: ADEF Helsinki - a longitudinal register-based study on exposure to alcohol and drugs during foetal life. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2020 , 37, 32-42 | 1.1 | 7 |
| 278 | The duration of gestation at previous induced abortion and its impacts on subsequent births: A nationwide registry-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 651-659 | 3.8 | 0 |
| 277 | Free-of-charge long-acting reversible contraception: two-year discontinuation, its risk factors, and reasons. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 886.e1-886.e17 | 6.4 | 3 |
| 276 | Anti-TNF treatment during pregnancy and birth outcomes: A population-based study from Denmark, Finland, and Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 316-327 | 2.6 | 20 |
| 275 | Early provision of intrauterine contraception as part of abortion care-5-year results of a randomised controlled trial. <i>Human Reproduction</i> , 2020 , 35, 796-804 | 5.7 | 3 |
| 274 | Variations in use of childbirth interventions in 13 high-income countries: A multinational cross-sectional study. <i>PLoS Medicine</i> , 2020 , 17, e1003103 | 11.6 | 31 |
| 273 | Pregnancy, delivery and postpartum in women with schizophrenia or schizoaffective disorder in Finland: a national register-based comparative study. <i>Psychiatry Research</i> , 2020 , 294, 113504 | 9.9 | 1 |
| 272 | Second-generation antipsychotics and pregnancy complications. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 107-115 | 2.8 | 13 |
| 271 | Maternal age and risk of cesarean section in women with induced labor at term-A Nordic register-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 283-289 | 3.8 | 10 |
| 270 | Data Resource Profile: Committee of Nordic Assisted Reproductive Technology and Safety (CoNARTaS) cohort. <i>International Journal of Epidemiology</i> , 2020 , 49, 365-366f | 7.8 | 11 |
| 269 | Impact of sunshine on the risk of gestational diabetes mellitus in primiparous women. <i>International Journal of Circumpolar Health</i> , 2020 , 79, 1703882 | 1.7 | 1 |
| 268 | The Risk of Psychiatric Morbidity Following Teenage Induced Abortion and Childbirth-A Longitudinal Study From Finland. <i>Journal of Adolescent Health</i> , 2020 , 66, 345-351 | 5.8 | 1 |
| 267 | Association between maternal pregestational diabetes mellitus and spina bifida: A population-based case-control study, Finland, 2000-2014. <i>Birth Defects Research</i> , 2020 , 112, 186-195 | 2.9 | 3 |
| 266 | Prenatal substance exposure, adverse childhood experiences and diagnosed mental and behavioral disorders - A longitudinal register-based matched cohort study in Finland. <i>SSM - Population Health</i> , 2020 , 11, 100625 | 3.8 | 6 |

| | | | |
|-----|--|------|----|
| 265 | Fetal HLA-G mediated immune tolerance and interferon response in preeclampsia. <i>EBioMedicine</i> , 2020 , 59, 102872 | 8.8 | 14 |
| 264 | Paediatric infections in the first 3 years of life after maternal anti-TNF treatment during pregnancy. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 843-854 | 6.1 | 10 |
| 263 | Pregnancy complications in women of Russian, Somali, and Kurdish origin and women in the general population in Finland. <i>Women's Health</i> , 2020 , 16, 1745506520910911 | 3 | 5 |
| 262 | Purchases of psychotropic drugs among the migrant population in Finland: a nationwide register-based cohort study. <i>European Journal of Public Health</i> , 2020 , 30, 1152-1157 | 2.1 | 2 |
| 261 | Actualized lower body contouring surgery after bariatric surgery - a nationwide register-based study. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2020 , 1-7 | 1.5 | 0 |
| 260 | Growing up in economic hardship: The relationship between childhood social assistance reciprocity and early adulthood obstacles. <i>International Journal of Social Welfare</i> , 2020 , 30, 130 | 1.3 | 1 |
| 259 | Gestational age and the risk of autism spectrum disorder in Sweden, Finland, and Norway: A cohort study. <i>PLoS Medicine</i> , 2020 , 17, e1003207 | 11.6 | 9 |
| 258 | ART in Europe, 2016: results generated from European registries by ESHRE. <i>Human Reproduction Open</i> , 2020 , 2020, hoaa032 | 6.1 | 71 |
| 257 | Induced abortions by woman's country of origin in Finland 2001-2014. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 88-95 | 3 | 2 |
| 256 | Association between parental hospital-treated somatic illnesses in childhood and later mental disorders among offspring up to early adulthood: An explorative study in the 1987 Finnish Birth Cohort. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 214-223 | 3 | 4 |
| 255 | Hindrances and facilitators in humanitarian migrants' maternity care in Finland: qualitative study applying the three delays model framework. <i>Scandinavian Journal of Caring Sciences</i> , 2020 , 34, 148-156 | 2.3 | 3 |
| 254 | Use of fertility drugs in early-onset female cancer survivors-A Finnish register-based study on 8,929 survivors. <i>International Journal of Cancer</i> , 2020 , 146, 829-838 | 7.5 | 5 |
| 253 | Immigrants' mental health service use compared to that of native Finns: a register study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 487-496 | 4.5 | 9 |
| 252 | Producing valid statistics when legislation, culture and medical practices differ for births at or before the threshold of survival: report of a European workshop. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 314-318 | 3.7 | 9 |
| 251 | Duration of homelessness and its relationship to use of hospital and emergency department services in Helsinki, Finland. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 259-266 | 3 | 1 |
| 250 | Antipsychotic drug use in pregnancy: A multinational study from ten countries. <i>Schizophrenia Research</i> , 2020 , 220, 106-115 | 3.6 | 14 |
| 249 | Obstetric and perinatal risks in 4601 singletons and 884 twins conceived after fresh blastocyst transfers: a Nordic study from the CoNARTaS group. <i>Human Reproduction</i> , 2020 , 35, 805-815 | 5.7 | 14 |
| 248 | Gestational age and the risk of autism spectrum disorder in Sweden, Finland, and Norway: A cohort study 2020 , 17, e1003207 | | |

| | | | |
|-----|--|------|-----|
| 247 | Gestational age and the risk of autism spectrum disorder in Sweden, Finland, and Norway: A cohort study 2020 , 17, e1003207 | | |
| 246 | Gestational age and the risk of autism spectrum disorder in Sweden, Finland, and Norway: A cohort study 2020 , 17, e1003207 | | |
| 245 | Gestational age and the risk of autism spectrum disorder in Sweden, Finland, and Norway: A cohort study 2020 , 17, e1003207 | | |
| 244 | Changing risk factors for placental abruption: A case crossover study using routinely collected data from Finland, Malta and Aberdeen 2020 , 15, e0233641 | | |
| 243 | Changing risk factors for placental abruption: A case crossover study using routinely collected data from Finland, Malta and Aberdeen 2020 , 15, e0233641 | | |
| 242 | Changing risk factors for placental abruption: A case crossover study using routinely collected data from Finland, Malta and Aberdeen 2020 , 15, e0233641 | | |
| 241 | Changing risk factors for placental abruption: A case crossover study using routinely collected data from Finland, Malta and Aberdeen 2020 , 15, e0233641 | | |
| 240 | Determinants of long-term unemployment in early adulthood: A Finnish birth cohort study. <i>SSM - Population Health</i> , 2019 , 8, 100410 | 3.8 | 2 |
| 239 | A cohort study of 49 933 women with surgically verified endometriosis: Increased incidence of breast cancer below the age of 40. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 1113-1119 | 3.8 | 2 |
| 238 | Fertility rates and the postponement of first births: a descriptive study with Finnish population data. <i>BMJ Open</i> , 2019 , 9, e026336 | 3 | 9 |
| 237 | Recurrence Risk of Autism in Siblings and Cousins: A Multinational, Population-Based Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019 , 58, 866-875 | 7.2 | 17 |
| 236 | Umbilical artery pH and base excess at birth are poor predictors of neurodevelopmental morbidity in early childhood. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 1801-1810 | 3.1 | 1 |
| 235 | Associations of Maternal Diabetes and Body Mass Index With Offspring Birth Weight and Prematurity. <i>JAMA Pediatrics</i> , 2019 , 173, 371-378 | 8.3 | 48 |
| 234 | The International Network of Obstetric Survey Systems study of uterine rupture: a descriptive multi-country population-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 370-381 | 3.7 | 24 |
| 233 | Low vision status and declining vision decrease Health-Related Quality of Life: Results from a nationwide 11-year follow-up study. <i>Quality of Life Research</i> , 2019 , 28, 3225-3236 | 3.7 | 19 |
| 232 | Association of Genetic and Environmental Factors With Autism in a 5-Country Cohort. <i>JAMA Psychiatry</i> , 2019 , 76, 1035-1043 | 14.5 | 151 |
| 231 | The Finnish psychiatric birth cohort consortium (PSYCOHORTS) - content, plans and perspectives. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 357-364 | 2.3 | 2 |
| 230 | Mortality of midlife women with surgically verified endometriosis-a cohort study including 2.5 million person-years of observation. <i>Human Reproduction</i> , 2019 , 34, 1576-1586 | 5.7 | 2 |

| | | | |
|-----|--|------|----|
| 229 | Perinatal health monitoring through a European lens: eight lessons from the Euro-Peristat report on 2015 births. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 1518-1522 | 3.7 | 13 |
| 228 | Induced abortion and future use of IVF treatment; A nationwide register study. <i>PLoS ONE</i> , 2019 , 14, e0225162 | 3.5 | 4 |
| 227 | Perinatal and maternal outcome after vitrification of blastocysts: a Nordic study in singletons from the CoNARTaS group. <i>Human Reproduction</i> , 2019 , 34, 2282-2289 | 5.7 | 20 |
| 226 | How to Maintain Good Quality Register Systems?. <i>Acta Medica Portuguesa</i> , 2019 , 32, 335-337 | 1.4 | |
| 225 | Perinatal outcomes in Finnish twins: a retrospective study. <i>BMC Pregnancy and Childbirth</i> , 2019 , 20, 2 | 3.2 | 3 |
| 224 | Antenatal corticosteroid therapy (ACT) and size at birth: A population-based analysis using the Finnish Medical Birth Register. <i>PLoS Medicine</i> , 2019 , 16, e1002746 | 11.6 | 22 |
| 223 | Association between interpregnancy interval and adverse birth outcomes in women with a previous stillbirth: an international cohort study. <i>Lancet, The</i> , 2019 , 393, 1527-1535 | 4.0 | 24 |
| 222 | The Joint Role of Thyroid Function and Iodine Status on Risk of Preterm Birth and Small for Gestational Age: A Population-Based Nested Case-Control Study of Finnish Women. <i>Nutrients</i> , 2019 , 11, | 6.7 | 4 |
| 221 | Early exposure to antibiotic drugs and risk for psychiatric disorders: a population-based study. <i>Translational Psychiatry</i> , 2019 , 9, 317 | 8.6 | 24 |
| 220 | The joint role of thyroid function and iodine concentration on gestational diabetes risk in a population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 500-506 | 3.8 | 5 |
| 219 | Maternal schizophrenia and out-of-home placements of offspring: A national follow-up study among Finnish women born 1965-1980 and their children. <i>Psychiatry Research</i> , 2019 , 273, 9-14 | 9.9 | 8 |
| 218 | Impact of maternal income on the risk of gestational diabetes mellitus in primiparous women. <i>Diabetic Medicine</i> , 2019 , 36, 214-220 | 3.5 | 2 |
| 217 | Risk of preterm birth in primiparous women with exposure to antidepressant medication before pregnancy and/or during pregnancy - impact of body mass index. <i>Annals of Medicine</i> , 2019 , 51, 51-57 | 1.5 | 2 |
| 216 | Apgar score and risk of autism. <i>European Journal of Epidemiology</i> , 2019 , 34, 105-114 | 12.1 | 15 |
| 215 | Subsequent risk of cancer among women with a history of placental abruption. <i>Acta Oncologica</i> , 2019 , 58, 52-56 | 3.2 | 1 |
| 214 | Influence of time of delivery on risk of adverse neonatal outcome in different size of delivery units: a retrospective cohort study in Finland. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1696-1702 | 2.7 | 1 |
| 213 | Fetal nuchal translucency in severe congenital heart defects: experiences in Northern Finland. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1454-1460 | 2 | 8 |
| 212 | Mortality trends in external causes of death in people with mental health disorders in Sweden, 1987-2010. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 121-126 | 3 | 13 |

| | | | |
|-----|--|------|----|
| 211 | First trimester combined screening biochemistry in detection of congenital heart defects. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 3272-3277 | 2 | 5 |
| 210 | Obstetric and neonatal outcome in women aged 50 years and up: A collaborative, Nordic population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 224, 17-20 | 2.4 | 5 |
| 209 | The impact of increased number of low-risk deliveries on maternal and neonatal outcomes: A retrospective cohort study in Finland in 2011-2015. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 223, 30-34 | 2.4 | 2 |
| 208 | The role of pregnancy, perinatal factors and hormones in maternal cancer risk: a review of the evidence. <i>Journal of Internal Medicine</i> , 2018 , 283, 430-445 | 10.8 | 40 |
| 207 | Long-Acting Reversible Contraception Free of Charge, Method Initiation, and Abortion Rates in Finland. <i>American Journal of Public Health</i> , 2018 , 108, 538-543 | 5.1 | 15 |
| 206 | Interventional program to reduce both the incidence of anal sphincter tears and rate of Caesarean sections. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 223, 56-59 | 2.4 | 8 |
| 205 | Parental hospital-treated somatic illnesses during offspring's childhood associated with later offspring use of psychotropic medication during childhood to young adult - The 1987 Finnish Birth Cohort study. <i>Preventive Medicine</i> , 2018 , 111, 254-264 | 4.3 | 0 |
| 204 | Lower Apgar scores and Caesarean sections are related to attention-deficit/hyperactivity disorder. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 1750-1758 | 3.1 | 18 |
| 203 | Trends over time in congenital malformations in live-born children conceived after assisted reproductive technology. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 816-823 | 3.8 | 14 |
| 202 | Temporal changes in the incidence of treated psychiatric and neurodevelopmental disorders during adolescence: an analysis of two national Finnish birth cohorts. <i>Lancet Psychiatry</i> , 2018 , 5, 227-236 | 23.3 | 43 |
| 201 | Low Apgar scores at both one and five minutes are associated with long-term neurological morbidity. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 942-951 | 3.1 | 11 |
| 200 | How do late terminations of pregnancy affect comparisons of stillbirth rates in Europe? Analyses of aggregated routine data from the Euro-Peristat Project. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 226-234 | 3.7 | 16 |
| 199 | Increased cardiovascular mortality in people with schizophrenia: a 24-year national register study. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 519-527 | 5.1 | 66 |
| 198 | Reoperations for Female Stress Urinary Incontinence: A Finnish National Register Study. <i>European Urology Focus</i> , 2018 , 4, 754-759 | 5.1 | 1 |
| 197 | Schizophrenia and induced abortions: A national register-based follow-up study among Finnish women born between 1965-1980 with schizophrenia or schizoaffective disorder. <i>Schizophrenia Research</i> , 2018 , 192, 142-147 | 3.6 | 13 |
| 196 | Trends in the incidence rate, type and treatment of surgically verified endometriosis - a nationwide cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 59-67 | 3.8 | 16 |
| 195 | Propensity score method for analyzing the effect of labor induction in prolonged pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 445-453 | 3.8 | 4 |
| 194 | Mental health services and allocation of resources: where should the money flow? - Authors' reply. <i>Lancet Psychiatry</i> , 2018 , 5, e12-e13 | 23.3 | |

| | | | |
|-----|---|-----|-----|
| 193 | A Nationwide Cohort Study on the risk of non-gynecological cancers in women with surgically verified endometriosis. <i>International Journal of Cancer</i> , 2018 , 143, 2725-2731 | 7.5 | 12 |
| 192 | Births and induced abortions among women of Russian, Somali and Kurdish origin, and the general population in Finland -comparison of self-reported and register data. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 296 | 3.2 | 5 |
| 191 | ART in Europe, 2014: results generated from European registries by ESHRE: The European IVF-monitoring Consortium (EIM) for the European Society of Human Reproduction and Embryology (ESHRE). <i>Human Reproduction</i> , 2018 , 33, 1586-1601 | 5.7 | 271 |
| 190 | Risk of Gynecologic Cancer According to the Type of Endometriosis. <i>Obstetrics and Gynecology</i> , 2018 , 131, 1095-1102 | 4.9 | 40 |
| 189 | Obstetric and perinatal health outcomes related to schizophrenia: A national register-based follow-up study among Finnish women born between 1965 and 1980 and their offspring. <i>European Psychiatry</i> , 2018 , 52, 68-75 | 6 | 12 |
| 188 | Polycystic ovary syndrome and risk factors for gestational diabetes. <i>Endocrine Connections</i> , 2018 , 7, 859-869 | 3.6 | 26 |
| 187 | Risk of preterm birth in women with cervical intraepithelial neoplasia grade one: a population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 135-141 | 3.8 | 1 |
| 186 | Gestational diabetes in primiparous women-impact of age and adiposity: a register-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 187-194 | 3.8 | 19 |
| 185 | How reliable are health registers? Registration of induced abortions and sterilizations in Finland. <i>Informatics for Health and Social Care</i> , 2018 , 43, 310-319 | 2.7 | 20 |
| 184 | Induced Abortion in a Population Entitled to Free-of-Charge Long-Acting Reversible Contraception. <i>Obstetrics and Gynecology</i> , 2018 , 132, 1453-1460 | 4.9 | 9 |
| 183 | Childhood determinants for early psychiatric disability pension: A 10-year follow-up study of the 1987 Finnish Birth Cohort. <i>International Journal of Social Psychiatry</i> , 2018 , 64, 715-725 | 8.5 | 9 |
| 182 | Quantifying the burden of stillbirths before 28 weeks of completed gestational age in high-income countries: a population-based study of 19 European countries. <i>Lancet, The</i> , 2018 , 392, 1639-1646 | 4.0 | 24 |
| 181 | Recurrence patterns of hyperemesis gravidarum. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 469.e1-469.e10 | 6.4 | 6 |
| 180 | Psychiatric diagnoses of children affected by their parents' traumatic brain injury: the 1987 Finnish Birth Cohort study. <i>Brain Injury</i> , 2018 , 32, 933-940 | 2.1 | 5 |
| 179 | Maternal asthma is associated with increased risk of perinatal mortality. <i>PLoS ONE</i> , 2018 , 13, e0197593 | 3.7 | 23 |
| 178 | Contraceptive use among migrant women with a history of induced abortion in Finland. <i>European Journal of Contraception and Reproductive Health Care</i> , 2018 , 23, 274-281 | 1.8 | 3 |
| 177 | Cesarean section trends in the Nordic Countries - a comparative analysis with the Robson classification. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 607-616 | 3.8 | 45 |
| 176 | Women treated for epilepsy during pregnancy: outcomes from a nationwide population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 812-820 | 3.8 | 14 |

| | | | |
|-----|---|-----|----|
| 175 | Mode of first delivery and severe maternal complications in the subsequent pregnancy. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 1053-1062 | 3.8 | 17 |
| 174 | Increased risk of premature death following teenage abortion and childbirth-a longitudinal cohort study. <i>European Journal of Public Health</i> , 2017 , 27, 845-849 | 2.1 | 7 |
| 173 | Incidence and risk factors of venous thromboembolism during postpartum period: a population-based cohort-study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 852-861 | 3.8 | 26 |
| 172 | Fertility treatments among female cancer survivors giving birth - a Finnish register-based study. <i>Acta Oncologica</i> , 2017 , 56, 1089-1093 | 3.2 | 7 |
| 171 | New guidelines for screening, diagnosing, and treating gestational diabetes - evaluation of maternal and neonatal outcomes in Finland from 2006 to 2012. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 372-381 | 3.8 | 10 |
| 170 | The incidence and risk factors of epilepsy in children born preterm: A nationwide register study. <i>Epilepsy Research</i> , 2017 , 138, 32-38 | 3 | 16 |
| 169 | Mortality and causes of death among homeless in Finland: a 10-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2017 , | 5.1 | 20 |
| 168 | In reply to the Letter to the Editor. <i>European Journal of Public Health</i> , 2017 , 27, 794-795 | 2.1 | |
| 167 | The MATEX cohort - a Finnish population register birth cohort to study health effects of prenatal exposures. <i>BMC Public Health</i> , 2017 , 17, 871 | 4.1 | 2 |
| 166 | Mortality and causes of death among women with a history of placental abruption. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 1315-1321 | 3.8 | 5 |
| 165 | Risks of Adverse Perinatal Outcomes after Repeat Terminations of Pregnancy by their Methods: a Nationwide Register-based Cohort Study in Finland 1996-2013. <i>Paediatric and Perinatal Epidemiology</i> , 2017 , 31, 485-492 | 2.7 | 10 |
| 164 | Incidence and prevalence of mental disorders among immigrants and native Finns: a register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1523-1540 | 4.5 | 34 |
| 163 | Utilization of Large Data Sets in Maternal Health in Finland: A Case for Global Health Research. <i>Journal of Perinatal and Neonatal Nursing</i> , 2017 , 31, 236-243 | 1.5 | 3 |
| 162 | Towards national comprehensive gestational diabetes screening—consequences for neonatal outcome and care. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 106-113 | 3.8 | 8 |
| 161 | Antidepressant use and violent crimes among young people: a longitudinal examination of the Finnish 1987 birth cohort. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 12-18 | 5.1 | 5 |
| 160 | Incidence of specialized service use for mental health related problems during adolescence increases. <i>European Journal of Public Health</i> , 2017 , 27, | 2.1 | 1 |
| 159 | Maternal deaths in the Nordic countries. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 1112-1119 | 3.8 | 31 |
| 158 | Perinatal outcomes after induced termination of pregnancy by methods: A nationwide register-based study of first births in Finland 1996-2013. <i>PLoS ONE</i> , 2017 , 12, e0184078 | 3.7 | 5 |

| | | | |
|-----|--|------|-----|
| 157 | The impact of parental employment trajectories on the children's early adulthood education and employment trajectories in the Finnish birth cohort 1987. <i>Longitudinal and Life Course Studies</i> , 2017 , 8, 1-8, | 1 | 5 |
| 156 | Psychiatric diagnoses as grounds for disability pension among former child welfare clients. <i>Longitudinal and Life Course Studies</i> , 2017 , 8, | 1 | 2 |
| 155 | Mortality and causes of death among the migrant population of Finland in 2011-13. <i>European Journal of Public Health</i> , 2017 , 27, 117-123 | 2.1 | 8 |
| 154 | Autism risk associated with parental age and with increasing difference in age between the parents. <i>Molecular Psychiatry</i> , 2016 , 21, 693-700 | 15.1 | 129 |
| 153 | Prenatal Maternal Smoking and Tourette Syndrome: A Nationwide Register Study. <i>Child Psychiatry and Human Development</i> , 2016 , 47, 75-82 | 3.3 | 18 |
| 152 | Assisted reproductive technology in Europe, 2012: results generated from European registers by ESHRE. <i>Human Reproduction</i> , 2016 , 31, 1638-52 | 5.7 | 203 |
| 151 | At what age does the risk for adverse maternal and infant outcomes increase? Nationwide register-based study on first births in Finland in 2005-2014. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 1368-1375 | 3.8 | 42 |
| 150 | Is underage abortion associated with adverse outcomes in early adulthood? A longitudinal birth cohort study up to 25 years of age. <i>Human Reproduction</i> , 2016 , 31, 2142-9 | 5.7 | 19 |
| 149 | Asphyxia, Neurologic Morbidity, and Perinatal Mortality in Early-Term and Postterm Birth. <i>Pediatrics</i> , 2016 , 137, | 7.4 | 29 |
| 148 | Aging fatherhood in Finland - first-time fathers in Finland from 1987 to 2009. <i>Scandinavian Journal of Public Health</i> , 2016 , 44, 423-30 | 3 | 11 |
| 147 | ViPAR: a software platform for the Virtual Pooling and Analysis of Research Data. <i>International Journal of Epidemiology</i> , 2016 , 45, 408-416 | 7.8 | 33 |
| 146 | Stillbirths: rates, risk factors, and acceleration towards 2030. <i>Lancet, The</i> , 2016 , 387, 587-603 | 40 | 832 |
| 145 | Mortality trends in cardiovascular causes in schizophrenia, bipolar and unipolar mood disorder in Sweden 1987-2010. <i>European Journal of Public Health</i> , 2016 , 26, 867-871 | 2.1 | 59 |
| 144 | A global reference for caesarean section rates (C-Model): a multicountry cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 427-36 | 3.7 | 64 |
| 143 | Effect of hospital size and on-call arrangements on intrapartum and early neonatal mortality among low-risk newborns in Finland. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 198, 116-119 | 2.4 | 7 |
| 142 | Gestational Exposure to Selective Serotonin Reuptake Inhibitors and Offspring Psychiatric Disorders: A National Register-Based Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016 , 55, 359-66 | 7.2 | 128 |
| 141 | Demographic Characteristics and Psychiatric Comorbidity of Children and Adolescents Diagnosed with ADHD in Specialized Healthcare. <i>Child Psychiatry and Human Development</i> , 2016 , 47, 574-82 | 3.3 | 42 |
| 140 | Maternal Smoking and the Risk of Cancer in Early Life - A Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0165040 | 3.7 | 25 |

| | | | |
|-----|---|------|-----|
| 139 | Association between immigrant background and ADHD: a nationwide population-based case-control study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 967-75 | 7.9 | 22 |
| 138 | The risk of attention deficit hyperactivity disorder in children exposed to maternal smoking during pregnancy - a re-examination using a sibling design. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 532-7 | 7.9 | 48 |
| 137 | Variations in rates of severe perineal tears and episiotomies in 20 European countries: a study based on routine national data in Euro-Peristat Project. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 746-54 | 3.8 | 85 |
| 136 | Abnormally invasive placenta-prevalence, risk factors and antenatal suspicion: results from a large population-based pregnancy cohort study in the Nordic countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1348-55 | 3.7 | 162 |
| 135 | Cardiac Death Risk in Relation to the Age at Initiation or the Progestin Component of Hormone Therapies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2794-801 | 5.6 | 25 |
| 134 | Determinants of underage induced abortion--the 1987 Finnish Birth Cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 572-9 | 3.8 | 7 |
| 133 | Brief Report: Syndromes in Autistic Children in a Finnish Birth Cohort. <i>Journal of Autism and Developmental Disorders</i> , 2016 , 46, 2780-2784 | 4.6 | 5 |
| 132 | Linking databases on perinatal health: a review of the literature and current practices in Europe. <i>European Journal of Public Health</i> , 2016 , 26, 422-30 | 2.1 | 16 |
| 131 | Risk of Psychiatric and Neurodevelopmental Disorders Among Siblings of Proband With Autism Spectrum Disorders. <i>JAMA Psychiatry</i> , 2016 , 73, 622-9 | 14.5 | 67 |
| 130 | Association of Selective Serotonin Reuptake Inhibitor Exposure During Pregnancy With Speech, Scholastic, and Motor Disorders in Offspring. <i>JAMA Psychiatry</i> , 2016 , 73, 1163-1170 | 14.5 | 94 |
| 129 | Short communication: Improving health statistics in the context of measuring quality of life in cities and urban regions. <i>Statistical Journal of the IAOS</i> , 2015 , 31, 97-98 | 0.7 | |
| 128 | The risk of fatal stroke in Finnish postmenopausal hormone therapy users before and after the Women's Health Initiative: A cohort study. <i>Maturitas</i> , 2015 , 81, 384-8 | 5 | 6 |
| 127 | Induced abortions and birth outcomes of women with a history of severe psychosocial problems in adolescence. <i>European Psychiatry</i> , 2015 , 30, 750-5 | 6 | 4 |
| 126 | Reply: To PMID 24705128. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 110-111 | 6.4 | |
| 125 | Parental age and the risk of attention-deficit/hyperactivity disorder: a nationwide, population-based cohort study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 487-94.e1 | 7.2 | 50 |
| 124 | Risk of hypertensive disorders in pregnancies following assisted reproductive technology: a cohort study from the CoNARTaS group. <i>Human Reproduction</i> , 2015 , 30, 1724-31 | 5.7 | 110 |
| 123 | Decreased suicide rate after induced abortion, after the Current Care Guidelines in Finland 1987-2012. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 99-101 | 3 | 9 |
| 122 | Emergency peripartum hysterectomy: results from the prospective Nordic Obstetric Surveillance Study (NOSS). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 745-754 | 3.8 | 21 |

| | | | |
|-----|---|------|-----|
| 121 | The Nordic Obstetric Surveillance Study: a study of complete uterine rupture, abnormally invasive placenta, peripartum hysterectomy, and severe blood loss at delivery. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2015 , 94, 734-744 | 3.8 | 43 |
| 120 | Trends in perinatal health after assisted reproduction: a Nordic study from the CoNARTaS group. <i>Human Reproduction</i> , 2015 , 30, 710-6 | 5.7 | 66 |
| 119 | The association between autism spectrum disorders and congenital anomalies by organ systems in a Finnish national birth cohort. <i>Journal of Autism and Developmental Disorders</i> , 2015 , 45, 3195-203 | 4.6 | 12 |
| 118 | Pregnancy Complications Following Prenatal Exposure to SSRIs or Maternal Psychiatric Disorders: Results From Population-Based National Register Data. <i>American Journal of Psychiatry</i> , 2015 , 172, 1224-32 | 11.9 | 78 |
| 117 | Mortality and life expectancy of people with alcohol use disorder in Denmark, Finland and Sweden. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 297-306 | 6.5 | 70 |
| 116 | The changing face of gestational diabetes: the effect of the shift from risk factor-based to comprehensive screening. <i>European Journal of Endocrinology</i> , 2015 , 173, 623-32 | 6.5 | 14 |
| 115 | Increased Cardiovascular Mortality Risk in Women Discontinuing Postmenopausal Hormone Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 4588-94 | 5.6 | 72 |
| 114 | Preterm Birth and Poor Fetal Growth as Risk Factors of Attention-Deficit/ Hyperactivity Disorder. <i>Pediatrics</i> , 2015 , 136, e599-608 | 7.4 | 122 |
| 113 | Mode of delivery--impact on risk of noncommunicable diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 1398-9 | 11.5 | 9 |
| 112 | Incidence of Suicide Among Persons Who Had a Parent Who Died During Their Childhood: A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , 2015 , 72, 1227-34 | 14.5 | 70 |
| 111 | Incidence and risk factors of burn injuries among infants, Finland 1990-2010. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 608-12 | 2.6 | 11 |
| 110 | Is maternal smoking during pregnancy associated with bipolar disorder in offspring?. <i>Journal of Affective Disorders</i> , 2015 , 171, 132-6 | 6.6 | 17 |
| 109 | The increasing prevalence of reported diagnoses of childhood psychiatric disorders: a descriptive multinational comparison. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 173-83 | 5.5 | 147 |
| 108 | Neonatal outcomes after the obstetric near-miss events uterine rupture, abnormally invasive placenta and emergency peripartum hysterectomy - prospective data from the 2009-2011 Finnish NOSS study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2015 , 94, 1387-94 | 3.8 | 10 |
| 107 | An international contrast of rates of placental abruption: an age-period-cohort analysis. <i>PLoS ONE</i> , 2015 , 10, e0125246 | 3.7 | 48 |
| 106 | Selective serotonin reuptake inhibitors and venlafaxine in early pregnancy and risk of birth defects: population based cohort study and sibling design. <i>BMJ, The</i> , 2015 , 350, h1798 | 5.9 | 119 |
| 105 | Maternal socio-economic status based on occupation and autism spectrum disorders: a national case-control study. <i>Nordic Journal of Psychiatry</i> , 2015 , 69, 523-30 | 2.3 | 12 |
| 104 | Social Mobility and Crime: Evidence From a Total Birth Cohort. <i>British Journal of Criminology</i> , 2015 , 55, 164-183 | 2.1 | 7 |

| | | | |
|-----|--|-----|-----|
| 103 | Suicide attempts and mortality in eating disorders: a follow-up study of eating disorder patients. <i>General Hospital Psychiatry</i> , 2014 , 36, 355-7 | 5.6 | 23 |
| 102 | Major congenital anomalies in children born after frozen embryo transfer: a cohort study 1995-2006. <i>Human Reproduction</i> , 2014 , 29, 1552-7 | 5.7 | 37 |
| 101 | Risk of stillbirth and infant deaths after assisted reproductive technology: a Nordic study from the CoNARTaS group. <i>Human Reproduction</i> , 2014 , 29, 1090-6 | 5.7 | 36 |
| 100 | The Nordic medical birth registers--a potential goldmine for clinical research. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 132-7 | 3.8 | 80 |
| 99 | Reply: Implication of the liberal use of ART in Nordic countries: should stricter guidelines be created to prevent unnecessary stillbirth and preterm delivery?. <i>Human Reproduction</i> , 2014 , 29, 2600-1 | 5.7 | 1 |
| 98 | Cancer in children and young adults born after assisted reproductive technology: a Nordic cohort study from the Committee of Nordic ART and Safety (CoNARTaS). <i>Human Reproduction</i> , 2014 , 29, 2050-7 | 5.7 | 50 |
| 97 | Smoking during pregnancy was up to 70% more common in the most deprived municipalities - a multilevel analysis of all singleton births during 2005-2010 in Finland. <i>Preventive Medicine</i> , 2014 , 67, 6-14 | 4.3 | 21 |
| 96 | Perinatal factors and the risk of bipolar disorder in Finland. <i>Journal of Affective Disorders</i> , 2014 , 155, 75-80 | 6.6 | 41 |
| 95 | Pregnancy, obstetric, and perinatal health outcomes in eating disorders. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 392.e1-8 | 6.4 | 70 |
| 94 | Parents' traumatic brain injury increases their children's risk for use of psychiatric care: the 1987 Finnish Birth Cohort study. <i>General Hospital Psychiatry</i> , 2014 , 36, 337-41 | 5.6 | 13 |
| 93 | The burden of childhood asthma and late preterm and early term births. <i>Journal of Pediatrics</i> , 2014 , 164, 295-9.e1 | 3.6 | 73 |
| 92 | Medical termination of pregnancy during the second versus the first trimester and its effects on subsequent pregnancy. <i>Contraception</i> , 2014 , 89, 109-15 | 2.5 | 5 |
| 91 | The association of episiotomy with obstetric anal sphincter injury--a population based matched cohort study. <i>PLoS ONE</i> , 2014 , 9, e107053 | 3.7 | 16 |
| 90 | Finnish Prenatal Study of Bipolar Disorders (FIPS-B): overview, design and description of the sample. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 169-79 | 2.3 | 16 |
| 89 | Trends and risk groups for smoking during pregnancy in Finland and other Nordic countries. <i>European Journal of Public Health</i> , 2014 , 24, 544-51 | 2.1 | 59 |
| 88 | Cerebral palsy among children born moderately and late preterm. <i>Pediatrics</i> , 2014 , 134, e1584-93 | 7.4 | 76 |
| 87 | Associations of maternal age with maternity care use and birth outcomes in primiparous women: a comparison of results in 1991 and 2008 in Finland. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 356-62 | 3.7 | 40 |
| 86 | Risk factors for and perinatal outcomes of major depression during pregnancy: a population-based analysis during 2002-2010 in Finland. <i>BMJ Open</i> , 2014 , 4, e004883 | 3 | 108 |

| | | | |
|----|--|-----|-----|
| 85 | The increased risk for autoimmune diseases in patients with eating disorders. <i>PLoS ONE</i> , 2014 , 9, e104845 | 7 | 74 |
| 84 | The impact of age and sex adjusted body mass index (ISO-BMI) in obese versus non-obese children and adolescents with cholecystectomy. <i>In Vivo</i> , 2014 , 28, 615-9 | 2.3 | 4 |
| 83 | The International Collaboration for Autism Registry Epidemiology (iCARE): multinational registry-based investigations of autism risk factors and trends. <i>Journal of Autism and Developmental Disorders</i> , 2013 , 43, 2650-63 | 4.6 | 20 |
| 82 | Effects of maternal epilepsy and antiepileptic drug use during pregnancy on perinatal health in offspring: nationwide, retrospective cohort study in Finland. <i>Drug Safety</i> , 2013 , 36, 359-69 | 5.1 | 41 |
| 81 | Perinatal outcomes of children born after frozen-thawed embryo transfer: a Nordic cohort study from the CoNARTaS group. <i>Human Reproduction</i> , 2013 , 28, 2545-53 | 5.7 | 245 |
| 80 | Patterns in mortality among people with severe mental disorders across birth cohorts: a register-based study of Denmark and Finland in 1982-2006. <i>BMC Public Health</i> , 2013 , 13, 834 | 4.1 | 29 |
| 79 | New population-based references for birth weight, length, and head circumference in singletons and twins from 23 to 43 gestation weeks. <i>Annals of Medicine</i> , 2013 , 45, 446-54 | 1.5 | 140 |
| 78 | The rate of obstetric anal sphincter injuries in Finnish obstetric units as a patient safety indicator. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013 , 169, 33-8 | 2.4 | 7 |
| 77 | Loop electrosurgical excision procedure and the risk for preterm delivery. <i>Obstetrics and Gynecology</i> , 2013 , 121, 1063-1068 | 4.9 | 52 |
| 76 | Is teenage pregnancy an obstetric risk in a welfare society? A population-based study in Finland, from 2006 to 2011. <i>BMJ Open</i> , 2013 , 3, e003225 | 3 | 77 |
| 75 | Decreasing perinatal mortality in placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 298-305 | 3.8 | 39 |
| 74 | International comparisons of fetal and neonatal mortality rates in high-income countries: should exclusion thresholds be based on birth weight or gestational age?. <i>PLoS ONE</i> , 2013 , 8, e64869 | 3.7 | 42 |
| 73 | Excess mortality, causes of death and life expectancy in 270,770 patients with recent onset of mental disorders in Denmark, Finland and Sweden. <i>PLoS ONE</i> , 2013 , 8, e55176 | 3.7 | 360 |
| 72 | Life expectancy and death by diseases of the circulatory system in patients with bipolar disorder or schizophrenia in the Nordic countries. <i>PLoS ONE</i> , 2013 , 8, e67133 | 3.7 | 193 |
| 71 | Alcohol and substance abuse identified during pregnancy: maternal morbidity, child morbidity and welfare interventions. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, 784-90 | 3.1 | 6 |
| 70 | Decreasing incidence of placental abruption in Finland during 1980-2005. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 1046-52 | 3.8 | 17 |
| 69 | Risk of autism spectrum disorders in low birth weight and small for gestational age infants. <i>Journal of Pediatrics</i> , 2012 , 161, 830-6 | 3.6 | 135 |
| 68 | What about the mothers? An analysis of maternal mortality and morbidity in perinatal health surveillance systems in Europe. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 880-9; discussion 890 | 3.7 | 49 |

| | | | |
|----|---|-----|-----|
| 67 | Terminations of pregnancy in Europe: the East-West divide. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 1020-1021 | 3.7 | |
| 66 | The prevalence of children affected by parental cancer and their use of specialized psychiatric services: the 1987 Finnish Birth Cohort study. <i>International Journal of Cancer</i> , 2012 , 131, 2117-25 | 7.5 | 45 |
| 65 | Terminations of pregnancy in the European Union. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 324-32 | 3.7 | 57 |
| 64 | Cohort profile: the 1987 Finnish Birth Cohort. <i>International Journal of Epidemiology</i> , 2012 , 41, 941-5 | 7.8 | 45 |
| 63 | Successful deinstitutionalization of mental health care: increased life expectancy among people with mental disorders in Finland. <i>European Journal of Public Health</i> , 2012 , 22, 604-6 | 2.1 | 15 |
| 62 | Selective Serotonin Reuptake Inhibitors and Risk for Major Congenital Anomalies. <i>Obstetrics and Gynecology</i> , 2012 , 119, 183 | 4.9 | 0 |
| 61 | Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. <i>British Journal of Psychiatry</i> , 2011 , 199, 453-8 | 5.4 | 347 |
| 60 | LBP-1.13 LEEP conisation and the risk for preterm birth: new health registry based data from Finland. <i>Sexually Transmitted Infections</i> , 2011 , 87, A357-A357 | 2.8 | 1 |
| 59 | Selective serotonin reuptake inhibitors and risk for major congenital anomalies. <i>Obstetrics and Gynecology</i> , 2011 , 118, 111-120 | 4.9 | 152 |
| 58 | Selective Serotonin Reuptake Inhibitors and Risk for Major Congenital Anomalies. <i>Obstetrics and Gynecology</i> , 2011 , 118, 960 | 4.9 | |
| 57 | Selective Serotonin Reuptake Inhibitors and Risk for Major Congenital Anomalies. <i>Obstetrics and Gynecology</i> , 2011 , 118, 1420-1421 | 4.9 | 1 |
| 56 | Should births be centralised in higher level hospitals? Experiences from regionalised health care in Finland. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 1186-95 | 3.7 | 38 |
| 55 | Infant and maternal health monitoring using a combined Nordic database on ART and safety. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011 , 90, 683-91 | 3.8 | 39 |
| 54 | Early healthcare utilization and welfare interventions among children of mothers with alcohol and substance abuse: a retrospective cohort study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 1379-85 | 3.1 | 19 |
| 53 | Finnish Prenatal Study of Autism and Autism Spectrum Disorders (FIPS-A): overview and design. <i>Journal of Autism and Developmental Disorders</i> , 2011 , 41, 1090-6 | 4.6 | 44 |
| 52 | Nationwide register-based surveillance system on drugs and pregnancy in Finland 1996-2006. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 729-38 | 2.6 | 31 |
| 51 | High episiotomy rate protects from obstetric anal sphincter ruptures: a birth register-study on delivery intervention policies in Finland. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 457-63 | 3 | 26 |
| 50 | Income-related and educational inequality in small-for-gestational age and preterm birth in Denmark and Finland 1987-2003. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 40-5 | 3 | 29 |

| | | | |
|----|---|-----|-----|
| 49 | Perinatal health monitoring in Europe: results from the EURO-PERISTAT project. <i>Informatics for Health and Social Care</i> , 2010 , 35, 64-79 | 2.7 | 45 |
| 48 | Perinatal outcome of children born after frozen and fresh embryo transfer: the Finnish cohort study 1995-2006. <i>Human Reproduction</i> , 2010 , 25, 914-23 | 5.7 | 204 |
| 47 | Male fetal sex is associated with earlier onset of placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010 , 89, 916-23 | 3.8 | 12 |
| 46 | Maternal welfare, morbidity and mortality 6-15 years after a pregnancy complicated by alcohol and substance abuse: a register-based case-control follow-up study of 524 women. <i>Drug and Alcohol Dependence</i> , 2010 , 111, 215-21 | 4.9 | 28 |
| 45 | A multicenter interventional program to reduce the incidence of anal sphincter tears. <i>Obstetrics and Gynecology</i> , 2010 , 116, 901-908 | 4.9 | 132 |
| 44 | Immediate Complications After Medical Compared With Surgical Termination of Pregnancy. <i>Obstetrics and Gynecology</i> , 2010 , 115, 660-661 | 4.9 | 1 |
| 43 | Use of psychotropic drugs before pregnancy and the risk for induced abortion: population-based register-data from Finland 1996-2006. <i>BMC Public Health</i> , 2010 , 10, 383 | 4.1 | 12 |
| 42 | The role of nocturnal delivery and delivery during the holiday period in Finland on obstetric anal sphincter rupture rates- a population based observational study. <i>BMC Research Notes</i> , 2010 , 3, 32 | 2.3 | 2 |
| 41 | Young age and termination of pregnancy during the second trimester are risk factors for repeat second-trimester abortion. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 107.e1-7 | 6.4 | 17 |
| 40 | Brief report: validity of Finnish registry-based diagnoses of autism with the ADI-R. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010 , 99, 1425-8 | 3.1 | 61 |
| 39 | Immediate complications after medical compared with surgical termination of pregnancy. <i>Obstetrics and Gynecology</i> , 2009 , 114, 795-804 | 4.9 | 46 |
| 38 | Maternal care and birth outcomes among ethnic minority women in Finland. <i>BMC Public Health</i> , 2009 , 9, 84 | 4.1 | 123 |
| 37 | Maternal deaths in Finland: focus on placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 1124-7 | 3.8 | 32 |
| 36 | Changing incidence of anal sphincter tears in four Nordic countries through the last decades. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009 , 146, 71-5 | 2.4 | 127 |
| 35 | Loop electrosurgical excision procedure and the risk for preterm birth. <i>Obstetrics and Gynecology</i> , 2009 , 114, 504-510 | 4.9 | 94 |
| 34 | Can the outcome of the next pregnancy be predicted at the time of induced abortion?. <i>Human Reproduction</i> , 2009 , 24, 820-6 | 5.7 | 20 |
| 33 | Somali women and their pregnancy outcomes postmigration: data from six receiving countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008 , 115, 1630-40 | 3.7 | 145 |
| 32 | Induced abortions previous to IVF: an epidemiologic register-based study from Finland. <i>Human Reproduction</i> , 2008 , 23, 1320-3 | 5.7 | 6 |

| | | | |
|----|--|-----|-----|
| 31 | Boys have more health problems in childhood than girls: follow-up of the 1987 Finnish birth cohort. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 88, 310-314 | 3.1 | 63 |
| 30 | Risk factors for out-of-home custody child care among families with alcohol and substance abuse problems. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 96, 1571-6 | 3.1 | 41 |
| 29 | The effect of birth in secondary- or tertiary-level hospitals in Finland on mortality in very preterm infants: a birth-register study. <i>Pediatrics</i> , 2007 , 119, e257-63 | 7.4 | 59 |
| 28 | Pregnancy-related deaths in four regions of Europe and the United States in 1999-2000: characterisation of unreported deaths. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 133, 179-85 | 2.4 | 39 |
| 27 | Health of children born as a result of in vitro fertilization. <i>Pediatrics</i> , 2006 , 118, 1819-27 | 7.4 | 115 |
| 26 | Children born after assisted fertilization have an increased rate of major congenital anomalies. <i>Fertility and Sterility</i> , 2005 , 84, 1300-7 | 4.8 | 146 |
| 25 | Increasing evidence of major congenital anomalies in children born with assisted reproduction technology: what should be done?. <i>Fertility and Sterility</i> , 2005 , 84, 1327 | 4.8 | 0 |
| 24 | Underreporting of pregnancy-related mortality in the United States and Europe. <i>Obstetrics and Gynecology</i> , 2005 , 106, 684-92 | 4.9 | 123 |
| 23 | Monitoring of IVF birth outcomes in Finland: a data quality study. <i>BMC Medical Informatics and Decision Making</i> , 2004 , 4, 3 | 3.6 | 18 |
| 22 | Pregnancy-associated mortality after birth, spontaneous abortion, or induced abortion in Finland, 1987-2000. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 422-7 | 6.4 | 38 |
| 21 | What is the most relevant standard of success in assisted reproduction?: The value of cryopreservation on cumulative pregnancy rates per single oocyte retrieval should not be forgotten. <i>Human Reproduction</i> , 2004 , 19, 2439-41 | 5.7 | 72 |
| 20 | Induced abortion in the Nordic countries: special emphasis on young women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003 , 82, 257-68 | 3.8 | 26 |
| 19 | Selecting an indicator set for monitoring and evaluating perinatal health in Europe: criteria, methods and results from the PERISTAT project. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003 , 111 Suppl 1, S5-S14 | 2.4 | 43 |
| 18 | Induced abortion in the Nordic countries: special emphasis on young women 2003 , 82, 257 | | 8 |
| 17 | Neonatal outcome and congenital malformations in children born after in-vitro fertilization. <i>Human Reproduction</i> , 2002 , 17, 1391-8 | 5.7 | 161 |
| 16 | Quality of data on subsequent events in a routine Medical Birth Register. <i>Informatics for Health and Social Care</i> , 2002 , 27, 33-8 | | 103 |
| 15 | Teenage pregnancies and abortions in Finland in the 1990s. <i>Scandinavian Journal of Public Health</i> , 2002 , 30, 300-5 | 3 | 16 |
| 14 | Mode of Delivery and Asthma ¶s There a Connection?. <i>Pediatric Research</i> , 2002 , 52, 6-11 | 3.2 | 79 |

| | | | |
|----|---|------|-----|
| 13 | Smoking during pregnancy in Finland: determinants and trends, 1987-1997. <i>American Journal of Public Health</i> , 2001 , 91, 284-6 | 5.1 | 69 |
| 12 | Could TH1 and TH2 diseases coexist? Evaluation of asthma incidence in children with coeliac disease, type 1 diabetes, or rheumatoid arthritis: a register study. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 108, 781-3 | 11.5 | 200 |
| 11 | IVF treatments and their outcomes in Finland in the 1990s. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001 , 80, 937-44 | 3.8 | 6 |
| 10 | Social class differences in health until the age of seven years among the Finnish 1987 birth cohort. <i>Social Science and Medicine</i> , 1998 , 46, 1543-52 | 5.1 | 68 |
| 9 | Pregnancy-associated deaths in Finland 1987-1994--definition problems and benefits of record linkage. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1997 , 76, 651-7 | 3.8 | 73 |
| 8 | Declining induced abortion rate in Finland: data quality of the Finnish abortion register. <i>International Journal of Epidemiology</i> , 1996 , 25, 376-80 | 7.8 | 71 |
| 7 | Births by younger and older mothers in a population with late and regulated childbearing: Finland 1991. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996 , 75, 19-27 | 3.8 | 32 |
| 6 | Suicides after pregnancy in Finland, 1987-94: register linkage study. <i>BMJ: British Medical Journal</i> , 1996 , 313, 1431-4 | | 116 |
| 5 | Data quality after restructuring a national medical registry. <i>Scandinavian Journal of Public Health</i> , 1995 , 23, 75-80 | | 234 |
| 4 | Impact of induced abortions and statistical definitions on perinatal mortality figures. <i>Paediatric and Perinatal Epidemiology</i> , 1994 , 8, 391-400 | 2.7 | 22 |
| 3 | Quantity and targetting of antenatal care in Finland. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1993 , 72, 24-30 | 3.8 | 23 |
| 2 | Balancing Selection at HLA-G Modulates Fetal Survival, Preeclampsia and Human Birth Sex Ratio | | 1 |
| 1 | Intervention effect of participation in the Northern Finland Birth Cohort 1986 study [Special reference to mental disorders and suicidal behavior. <i>Nordic Journal of Psychiatry</i> , 1-1 | 2.3 | |