Mika Gissler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1559250/publications.pdf

Version: 2024-02-01

367 papers

16,853 citations

68 h-index 20961 115 g-index

373 all docs

373 docs citations

times ranked

373

18161 citing authors

#	Article	IF	CITATIONS
1	Stillbirths: rates, risk factors, and acceleration towards 2030. Lancet, The, 2016, 387, 587-603.	13.7	1,220
2	Excess Mortality, Causes of Death and Life Expectancy in 270,770 Patients with Recent Onset of Mental Disorders in Denmark, Finland and Sweden. PLoS ONE, 2013, 8, e55176.	2.5	486
3	Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. British Journal of Psychiatry, 2011, 199, 453-458.	2.8	448
4	ART in Europe, 2014: results generated from European registries by ESHREâ€. Human Reproduction, 2018, 33, 1586-1601.	0.9	396
5	Association of Genetic and Environmental Factors With Autism in a 5-Country Cohort. JAMA Psychiatry, 2019, 76, 1035.	11.0	319
6	Perinatal outcomes of children born after frozen-thawed embryo transfer: a Nordic cohort study from the CoNARTaS group. Human Reproduction, 2013, 28, 2545-2553.	0.9	303
7	Short Communication. Scandinavian Journal of Public Health, 1995, 23, 75-80.	0.6	293
8	Assisted reproductive technology in Europe, 2012: results generated from European registers by ESHRE. Human Reproduction, 2016, 31, 1638-1652.	0.9	251
9	Life Expectancy and Death by Diseases of the Circulatory System in Patients with Bipolar Disorder or Schizophrenia in the Nordic Countries. PLoS ONE, 2013, 8, e67133.	2.5	250
10	Abnormally invasive placentaâ€"prevalence, risk factors and antenatal suspicion: results from a large populationâ€based pregnancy cohort study in the Nordic countries. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 1348-1355.	2.3	249
11	Perinatal outcome of children born after frozen and fresh embryo transfer: the Finnish cohort study 1995–2006. Human Reproduction, 2010, 25, 914-923.	0.9	245
12	Could TH1 and TH2 diseases coexist? Evaluation of asthma incidence in children with coeliac disease, type 1 diabetes, or rheumatoid arthritis: A register study. Journal of Allergy and Clinical Immunology, 2001, 108, 781-783.	2.9	224
13	The increasing prevalence of reported diagnoses of childhood psychiatric disorders: a descriptive multinational comparison. European Child and Adolescent Psychiatry, 2015, 24, 173-183.	4.7	201
14	Neonatal outcome and congenital malformations in children born after in-vitro fertilization. Human Reproduction, 2002, 17, 1391-1398.	0.9	197
15	New population-based references for birth weight, length, and head circumference in singletons and twins from 23 to 43 gestation weeks. Annals of Medicine, 2013, 45, 446-454.	3.8	191
16	Associations Between Maternal Antenatal Corticosteroid Treatment and Mental and Behavioral Disorders in Children. JAMA - Journal of the American Medical Association, 2020, 323, 1924.	7.4	187
17	Selective Serotonin Reuptake Inhibitors and Risk for Major Congenital Anomalies. Obstetrics and Gynecology, 2011, 118, 111-120.	2.4	183
18	Autism risk associated with parental age and with increasing difference in age between the parents. Molecular Psychiatry, 2016, 21, 693-700.	7.9	178

#	Article	IF	CITATIONS
19	Preterm Birth and Poor Fetal Growth as Risk Factors of Attention-Deficit/Hyperactivity Disorder. Pediatrics, 2015, 136, e599-e608.	2.1	171
20	Risk of Autism Spectrum Disorders in Low Birth Weight and Small for Gestational Age Infants. Journal of Pediatrics, 2012, 161, 830-836.	1.8	170
21	Gestational Exposure to Selective Serotonin Reuptake Inhibitors and Offspring Psychiatric Disorders: A National Register-Based Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 359-366.	0.5	170
22	A Multicenter Interventional Program to Reduce the Incidence of Anal Sphincter Tears. Obstetrics and Gynecology, 2010, 116, 901-908.	2.4	167
23	Somali women and their pregnancy outcomes postmigration: data from six receiving countries. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 1630-1640.	2.3	165
24	Children born after assisted fertilization have an increased rate of major congenital anomalies. Fertility and Sterility, 2005, 84, 1300-1307.	1.0	164
25	ART in Europe, 2016: results generated from European registries by ESHREâ€. Human Reproduction Open, 2020, hoaa032.	5.4	157
26	Selective serotonin reuptake inhibitors and venlafaxine in early pregnancy and risk of birth defects: population based cohort study and sibling design. BMJ, The, 2015, 350, h1798-h1798.	6.0	152
27	Maternal care and birth outcomes among ethnic minority women in Finland. BMC Public Health, 2009, 9, 84.	2.9	150
28	Quality of data on subsequent events in a routine Medical Birth Register. Informatics for Health and Social Care, 2002, 27, 33-38.	1.0	148
29	Underreporting of Pregnancy-Related Mortality in the United States and Europe. Obstetrics and Gynecology, 2005, 106, 684-692.	2.4	148
30	Risk factors for and perinatal outcomes of major depression during pregnancy: a population-based analysis during 2002–2010 in Finland. BMJ Open, 2014, 4, e004883.	1,9	148
31	Suicides after pregnancy in Finland, 1987-94: register linkage study. BMJ: British Medical Journal, 1996, 313, 1431-1434.	2.3	148
32	Risk of hypertensive disorders in pregnancies following assisted reproductive technology: a cohort study from the CoNARTaS group. Human Reproduction, 2015, 30, 1724-1731.	0.9	147
33	Changing incidence of anal sphincter tears in four Nordic countries through the last decades. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 146, 71-75.	1.1	142
34	Variations in rates of severe perineal tears and episiotomies in 20 European countries: a study based on routine national data in Euroâ€Peristat Project. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 746-754.	2.8	138
35	Health of Children Born as a Result of In Vitro Fertilization. Pediatrics, 2006, 118, 1819-1827.	2.1	137
36	ART in Europe, 2015: results generated from European registries by ESHREâ€. Human Reproduction Open, 2020, hoz038.	5 . 4	134

#	Article	IF	Citations
37	Loop Electrosurgical Excision Procedure and the Risk for Preterm Birth. Obstetrics and Gynecology, 2009, 114, 504-510.	2.4	130
38	Association of Selective Serotonin Reuptake Inhibitor Exposure During Pregnancy With Speech, Scholastic, and Motor Disorders in Offspring. JAMA Psychiatry, 2016, 73, 1163.	11.0	117
39	Associations of Maternal Diabetes and Body Mass Index With Offspring Birth Weight and Prematurity. JAMA Pediatrics, 2019, 173, 371.	6.2	117
40	Increased cardiovascular mortality in people with schizophrenia: a 24-year national register study. Epidemiology and Psychiatric Sciences, 2018, 27, 519-527.	3.9	114
41	The Nordic medical birth registers – a potential goldmine for clinical research. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 132-137.	2.8	113
42	Is teenage pregnancy an obstetric risk in a welfare society? A population-based study in Finland, from 2006 to 2011. BMJ Open, 2013, 3, e003225.	1.9	109
43	Pregnancy Complications Following Prenatal Exposure to SSRIs or Maternal Psychiatric Disorders: Results From Population-Based National Register Data. American Journal of Psychiatry, 2015, 172, 1224-1232.	7.2	106
44	The Increased Risk for Autoimmune Diseases in Patients with Eating Disorders. PLoS ONE, 2014, 9, e104845.	2.5	104
45	Incidence of Suicide Among Persons Who Had a Parent Who Died During Their Childhood. JAMA Psychiatry, 2015, 72, 1227.	11.0	102
46	Pregnancy, obstetric, and perinatal health outcomes in eating disorders. American Journal of Obstetrics and Gynecology, 2014, 211, 392.e1-392.e8.	1.3	98
47	Cerebral Palsy Among Children Born Moderately and Late Preterm. Pediatrics, 2014, 134, e1584-e1593.	2.1	97
48	Mode of Delivery and Asthma - Is There a Connection?. Pediatric Research, 2002, 52, 6-11.	2.3	97
49	Mortality and life expectancy of people with alcohol use disorder in Denmark, Finland and Sweden. Acta Psychiatrica Scandinavica, 2015, 131, 297-306.	4. 5	96
50	Risk of Psychiatric and Neurodevelopmental Disorders Among Siblings of Probands With Autism Spectrum Disorders. JAMA Psychiatry, 2016, 73, 622.	11.0	94
51	Increased Cardiovascular Mortality Risk in Women Discontinuing Postmenopausal Hormone Therapy. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 4588-4594.	3. 6	93
52	What is the most relevant standard of success in assisted reproduction?. Human Reproduction, 2004, 19, 2439-2441.	0.9	92
53	A global reference for caesarean section rates (Câ€Model): a multicountry crossâ€sectional study. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 427-436.	2.3	92
54	Variations in use of childbirth interventions in 13 high-income countries: A multinational cross-sectional study. PLoS Medicine, 2020, 17, e1003103.	8.4	92

#	Article	IF	Citations
55	Trends in perinatal health after assisted reproduction: a Nordic study from the CoNARTaS group. Human Reproduction, 2015, 30, 710-716.	0.9	90
56	Pregnancyâ€associated deaths in Finland 1987â€1994 ―definition problems and benefits of record linkage. Acta Obstetricia Et Gynecologica Scandinavica, 1997, 76, 651-657.	2.8	88
57	The role of pregnancy, perinatal factors and hormones in maternal cancer risk: a review of the evidence. Journal of Internal Medicine, 2018, 283, 430-445.	6.0	88
58	Association of Prenatal Exposure to Antiseizure Medication With Risk of Autism and Intellectual Disability. JAMA Neurology, 2022, 79, 672.	9.0	87
59	Smoking during pregnancy in Finland: determinants and trends, 1987-1997. American Journal of Public Health, 2001, 91, 284-286.	2.7	83
60	The Burden of Childhood Asthma and Late Preterm and Early Term Births. Journal of Pediatrics, 2014, 164, 295-299.e1.	1.8	82
61	Declining Induced Abortion Rate in Finland: Data Quality of the Finnish Abortion Register. International Journal of Epidemiology, 1996, 25, 376-380.	1.9	80
62	Boys have more health problems in childhood than girls: followâ€up of the 1987 Finnish birth cohort. Acta Paediatrica, International Journal of Paediatrics, 1999, 88, 310-314.	1.5	78
63	Brief report: validity of Finnish registryâ€based diagnoses of autism with the ADIâ€R. Acta Paediatrica, International Journal of Paediatrics, 2010, 99, 1425-1428.	1.5	78
64	What about the mothers? An analysis of maternal mortality and morbidity in perinatal health surveillance systems in Europe. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 880-890.	2.3	77
65	Mortality trends in cardiovascular causes in schizophrenia, bipolar and unipolar mood disorder in Sweden 1987–2010. European Journal of Public Health, 2016, 26, 867-871.	0.3	77
66	Social class differences in health until the age of seven years among the Finnish 1987 birth cohort. Social Science and Medicine, 1998, 46, 1543-1552.	3.8	76
67	The Effect of Birth in Secondary- or Tertiary-Level Hospitals in Finland on Mortality in Very Preterm Infants: A Birth-Register Study. Pediatrics, 2007, 119, e257-e263.	2.1	76
68	Risk of Gynecologic Cancer According to the Type of Endometriosis. Obstetrics and Gynecology, 2018, 131, 1095-1102.	2.4	76
69	An International Contrast of Rates of Placental Abruption: An Age-Period-Cohort Analysis. PLoS ONE, 2015, 10, e0125246.	2.5	74
70	Immediate Complications After Medical Compared With Surgical Termination of Pregnancy. Obstetrics and Gynecology, 2009, 114, 795-804.	2.4	71
71	Cesarean section trends in the Nordic Countries – a comparative analysis with the Robson classification. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 607-616.	2.8	70
72	Trends and risk groups for smoking during pregnancy in Finland and other Nordic countries. European Journal of Public Health, 2014, 24, 544-551.	0.3	67

#	Article	IF	CITATIONS
73	Loop Electrosurgical Excision Procedure and the Risk for Preterm Delivery. Obstetrics and Gynecology, 2013, 121, 1063-1068.	2.4	65
74	Cancer in children and young adults born after assisted reproductive technology: a Nordic cohort study from the Committee of Nordic ART and Safety (CoNARTaS). Human Reproduction, 2014, 29, 2050-2057.	0.9	65
75	The risk of attention deficit hyperactivity disorder in children exposed to maternal smoking during pregnancy – a reâ€examination using a sibling design. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 532-537.	5.2	64
76	Perinatal health monitoring in Europe: results from the EURO-PERISTAT project. Informatics for Health and Social Care, 2010, 35, 64-79.	2.6	63
77	Terminations of pregnancy in the European Union. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 324-332.	2.3	63
78	Parental Age and the Risk of Attention-Deficit/Hyperactivity Disorder: A Nationwide, Population-Based Cohort Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2015, 54, 487-494.e1.	0.5	63
79	Temporal changes in the incidence of treated psychiatric and neurodevelopmental disorders during adolescence: an analysis of two national Finnish birth cohorts. Lancet Psychiatry,the, 2018, 5, 227-236.	7.4	60
80	Early exposure to antibiotic drugs and risk for psychiatric disorders: a population-based study. Translational Psychiatry, 2019, 9, 317.	4.8	60
81	The prevalence of children affected by parental cancer and their use of specialized psychiatric services: The 1987 Finnish Birth Cohort study. International Journal of Cancer, 2012, 131, 2117-2125.	5.1	56
82	Decreasing perinatal mortality in placental abruption. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 298-305.	2.8	56
83	At what age does the risk for adverse maternal and infant outcomes increase? Nationwide registerâ€based study on first births in Finland in 2005–2014. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 1368-1375.	2.8	56
84	The Nordic Obstetric Surveillance Study: a study of complete uterine rupture, abnormally invasive placenta, peripartum hysterectomy, and severe blood loss at delivery. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 734-744.	2.8	55
85	Selecting an indicator set for monitoring and evaluating perinatal health in Europe: criteria, methods and results from the PERISTAT project. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2003, 111, S5-S14.	1.1	54
86	Demographic Characteristics and Psychiatric Comorbidity of Children and Adolescents Diagnosed with ADHD in Specialized Healthcare. Child Psychiatry and Human Development, 2016, 47, 574-582.	1.9	54
87	Perinatal factors and the risk of bipolar disorder in Finland. Journal of Affective Disorders, 2014, 155, 75-80.	4.1	53
88	Cohort Profile: The 1987 Finnish Birth Cohort. International Journal of Epidemiology, 2012, 41, 941-945.	1.9	52
89	Effects of Maternal Epilepsy and Antiepileptic Drug Use during Pregnancy on Perinatal Health in Offspring: Nationwide, Retrospective Cohort Study in Finland. Drug Safety, 2013, 36, 359-369.	3.2	52
90	Pregnancy-associated mortality after birth, spontaneous abortion, or induced abortion in Finland, 1987-2000. American Journal of Obstetrics and Gynecology, 2004, 190, 422-427.	1.3	51

#	Article	IF	Citations
91	Risk factors for outâ€ofâ€home custody child care among families with alcohol and substance abuse problems. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 1571-1576.	1.5	50
92	Should births be centralised in higher level hospitals? Experiences from regionalised health care in Finland. BJOG: an International Journal of Obstetrics and Gynaecology, 2011, 118, 1186-1195.	2.3	49
93	International Comparisons of Fetal and Neonatal Mortality Rates in High-Income Countries: Should Exclusion Thresholds Be Based on Birth Weight or Gestational Age?. PLoS ONE, 2013, 8, e64869.	2.5	49
94	Asphyxia, Neurologic Morbidity, and Perinatal Mortality in Early-Term and Postterm Birth. Pediatrics, 2016, 137, .	2.1	48
95	Incidence and prevalence of mental disorders among immigrants and native Finns: a register-based study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1523-1540.	3.1	48
96	Pregnancy-related deaths in four regions of Europe and the United States in 1999–2000: Characterisation of unreported deaths. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 133, 179-185.	1.1	47
97	Finnish Prenatal Study of Autism and Autism Spectrum Disorders (FIPS-A): Overview and Design. Journal of Autism and Developmental Disorders, 2011, 41, 1090-1096.	2.7	47
98	The International Network of Obstetric Survey Systems study of uterine rupture: a descriptive multiâ€country populationâ€based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 370-381.	2.3	47
99	Low vision status and declining vision decrease Health-Related Quality of Life: Results from a nationwide 11-year follow-up study. Quality of Life Research, 2019, 28, 3225-3236.	3.1	47
100	Major congenital anomalies in children born after frozen embryo transfer: a cohort study 1995-2006. Human Reproduction, 2014, 29, 1552-1557.	0.9	46
101	Associations of maternal age with maternity care use and birth outcomes in primiparous women: a comparison of results in 1991 and 2008 in Finland. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 356-362.	2.3	45
102	Polycystic ovary syndrome and risk factors for gestational diabetes. Endocrine Connections, 2018, 7, 859-869.	1.9	45
103	Antenatal corticosteroid therapy (ACT) and size at birth: A population-based analysis using the Finnish Medical Birth Register. PLoS Medicine, 2019, 16, e1002746.	8.4	45
104	Risk of stillbirth and infant deaths after assisted reproductive technology: a Nordic study from the CoNARTaS†group. Human Reproduction, 2014, 29, 1090-1096.	0.9	44
105	Maternal deaths in the Nordic countries. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 1112-1119.	2.8	44
106	Infant and maternal health monitoring using a combined Nordic database on ART and safety. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 683-691.	2.8	43
107	Association between interpregnancy interval and adverse birth outcomes in women with a previous stillbirth: an international cohort study. Lancet, The, 2019, 393, 1527-1535.	13.7	43
108	Antiâ€TNF treatment during pregnancy and birth outcomes: A populationâ€based study from Denmark, Finland, and Sweden. Pharmacoepidemiology and Drug Safety, 2020, 29, 316-327.	1.9	43

#	Article	IF	CITATIONS
109	ViPAR: a software platform for the Virtual Pooling and Analysis of Research Data. International Journal of Epidemiology, 2016, 45, 408-416.	1.9	42
110	Recurrence Risk of Autism in Siblings and Cousins: AÂMultinational, Population-Based Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 866-875.	0.5	41
111	Patterns in mortality among people with severe mental disorders across birth cohorts: a register-based study of Denmark and Finland in 1982–2006. BMC Public Health, 2013, 13, 834.	2.9	40
112	Maternal deaths in Finland: Focus on placental abruption. Acta Obstetricia Et Gynecologica Scandinavica, 2009, 88, 1124-1127.	2.8	39
113	Nationwide registerâ€based surveillance system on drugs and pregnancy in Finland 1996–2006. Pharmacoepidemiology and Drug Safety, 2011, 20, 729-738.	1.9	39
114	Maternal asthma is associated with increased risk of perinatal mortality. PLoS ONE, 2018, 13, e0197593.	2.5	39
115	Incidence and risk factors of venous thromboembolism during postpartum period: a populationâ€based cohortâ€study. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 852-861.	2.8	38
116	Births by younger and older mothers in a population with late and regulated childbearing: Finland 1991. Acta Obstetricia Et Gynecologica Scandinavica, 1996, 75, 19-27.	2.8	37
117	Maternal Smoking and the Risk of Cancer in Early Life – A Meta-Analysis. PLoS ONE, 2016, 11, e0165040.	2.5	37
118	Suicide attempts and mortality in eating disorders: a follow-up study of eating disorder patients. General Hospital Psychiatry, 2014, 36, 355-357.	2.4	36
119	How reliable are health registers? Registration of induced abortions and sterilizations in Finland. Informatics for Health and Social Care, 2018, 43, 310-319.	2.6	36
120	Quantifying the burden of stillbirths before 28 weeks of completed gestational age in high-income countries: a population-based study of 19 European countries. Lancet, The, 2018, 392, 1639-1646.	13.7	35
121	Maternal welfare, morbidity and mortality 6–15 years after a pregnancy complicated by alcohol and substance abuse: A register-based case-control follow-up study of 524 women. Drug and Alcohol Dependence, 2010, 111, 215-221.	3.2	34
122	Association between immigrant background and <scp>ADHD</scp> : a nationwide populationâ€based case–control study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 967-975.	5.2	34
123	Obstetric and perinatal risks in 4601 singletons and 884 twins conceived after fresh blastocyst transfers: a Nordic study from the CoNARTaS group. Human Reproduction, 2020, 35, 805-815.	0.9	34
124	Induced abortion in the Nordic countries: special emphasis on young women. Acta Obstetricia Et Gynecologica Scandinavica, 2003, 82, 257-268.	2.8	33
125	Cardiac Death Risk in Relation to the Age at Initiation or the Progestin Component of Hormone Therapies. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 2794-2801.	3.6	33
126	Epidemiological analysis of peripartum hysterectomy across nine European countries. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 1364-1373.	2.8	33

#	Article	IF	CITATIONS
127	Gestational diabetes in primiparous women–impact of age and adiposity: a registerâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 187-194.	2.8	32
128	Income-related and educational inequality in small-for-gestational age and preterm birth in Denmark and Finland 1987—2003. Scandinavian Journal of Public Health, 2010, 38, 40-45.	2.3	31
129	Perinatal and maternal outcome after vitrification of blastocysts: a Nordic study in singletons from the CoNARTaS group. Human Reproduction, 2019, 34, 2282-2289.	0.9	31
130	Impact of induced abortions and statistical definitions on perinatal mortality figures. Paediatric and Perinatal Epidemiology, 1994, 8, 391-400.	1.7	30
131	The International Collaboration for Autism Registry Epidemiology (iCARE): Multinational Registry-Based Investigations of Autism Risk Factors and Trends. Journal of Autism and Developmental Disorders, 2013, 43, 2650-2663.	2.7	30
132	Gestational age and the risk of autism spectrum disorder in Sweden, Finland, and Norway: A cohort study. PLoS Medicine, 2020, 17, e1003207.	8.4	30
133	Antipsychotic drug use in pregnancy: A multinational study from ten countries. Schizophrenia Research, 2020, 220, 106-115.	2.0	30
134	High episiotomy rate protects from obstetric anal sphincter ruptures: A birth register-study on delivery intervention policies in Finland. Scandinavian Journal of Public Health, 2011, 39, 457-463.	2.3	29
135	The Association of Episiotomy with Obstetric Anal Sphincter Injury–A Population Based Matched Cohort Study. PLoS ONE, 2014, 9, e107053.	2.5	29
136	Emergency peripartum hysterectomy: results from the prospective Nordic Obstetric Surveillance Study (<scp>NOSS</scp>). Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 745-754.	2.8	29
137	Lower Apgar scores and Caesarean sections are related to attentionâ€deficit/hyperactivity disorder. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1750-1758.	1.5	29
138	Maternal age and risk of cesarean section in women with induced labor at term—A Nordic registerâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 283-289.	2.8	29
139	Stroke in Pregnancy and Puerperium. Neurology, 2021, 96, e2564-e2575.	1.1	29
140	Separating parental and treatment contributions to perinatal health after fresh and frozen embryo transfer in assisted reproduction: A cohort study with within-sibship analysis. PLoS Medicine, 2021, 18, e1003683.	8.4	29
141	Quantity and targetting of antenatal care in Finland. Acta Obstetricia Et Gynecologica Scandinavica, 1993, 72, 24-30.	2.8	28
142	The overall and sex- and age-group specific incidence rates of cancer in people with schizophrenia: a population-based cohort study. Epidemiology and Psychiatric Sciences, 2020, 29, e132.	3.9	28
143	The incidence and risk factors of epilepsy in children born preterm: A nationwide register study. Epilepsy Research, 2017, 138, 32-38.	1.6	27
144	Trends in the incidence rate, type and treatment of surgically verified endometriosis – a nationwide cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 59-67.	2.8	27

#	Article	IF	CITATIONS
145	Data Resource Profile: Committee of Nordic Assisted Reproductive Technology and Safety (CoNARTaS) cohort. International Journal of Epidemiology, 2020, 49, 365-366f.	1.9	27
146	Cardiovascular disease, obesity, and type 2 diabetes in children born after assisted reproductive technology: A population-based cohort study. PLoS Medicine, 2021, 18, e1003723.	8.4	27
147	Smoking during pregnancy was up to 70% more common in the most deprived municipalities — A multilevel analysis of all singleton births during 2005–2010 in Finland. Preventive Medicine, 2014, 67, 6-11.	3.4	26
148	How do late terminations of pregnancy affect comparisons of stillbirth rates in Europe? Analyses of aggregated routine data from the Euroâ€Peristat Project. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 226-234.	2.3	26
149	Fertility rates and the postponement of first births: a descriptive study with Finnish population data. BMJ Open, 2019, 9, e026336.	1.9	26
150	Apgar score and risk of autism. European Journal of Epidemiology, 2019, 34, 105-114.	5.7	26
151	Mode of first delivery and severe maternal complications in the subsequent pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 1053-1062.	2.8	25
152	Perinatal health monitoring through a European lens: eight lessons from the Euroâ€Peristat report on 2015 births. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 1518-1522.	2.3	25
153	Fetal HLA-G mediated immune tolerance and interferon response in preeclampsia. EBioMedicine, 2020, 59, 102872.	6.1	25
154	Paediatric infections in the first 3 years of life after maternal antiâ€TNF treatment during pregnancy. Alimentary Pharmacology and Therapeutics, 2020, 52, 843-854.	3.7	25
155	Association of maternal polycystic ovary syndrome or anovulatory infertility with obesity and diabetes in offspring: a population-based cohort study. Human Reproduction, 2021, 36, 2345-2357.	0.9	25
156	The changing face of gestational diabetes: the effect of the shift from risk factor-based to comprehensive screening. European Journal of Endocrinology, 2015, 173, 623-632.	3.7	24
157	Prenatal Maternal Smoking and Tourette Syndrome: A Nationwide Register Study. Child Psychiatry and Human Development, 2016, 47, 75-82.	1.9	24
158	Trends over time in congenital malformations in liveâ€born children conceived after assisted reproductive technology. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 816-823.	2.8	24
159	Can the outcome of the next pregnancy be predicted at the time of induced abortion?. Human Reproduction, 2008, 24, 820-826.	0.9	23
160	Is underage abortion associated with adverse outcomes in early adulthood? A longitudinal birth cohort study up to 25 years of age. Human Reproduction, 2016, 31, 2142-2149.	0.9	23
161	Long-Acting Reversible Contraception Free of Charge, Method Initiation, and Abortion Rates in Finland. American Journal of Public Health, 2018, 108, 538-543.	2.7	23
162	Using Robson's Tenâ€Group Classification System for comparing caesarean section rates in Europe: an analysis of routine data from the Euroâ€Peristat study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1444-1453.	2.3	23

#	Article	IF	CITATIONS
163	Monitoring of IVF birth outcomes in Finland: a data quality study. BMC Medical Informatics and Decision Making, 2004, 4, 3.	3.0	22
164	Early healthcare utilization and welfare interventions among children of mothers with alcohol and substance abuse: a retrospective cohort study. Acta Paediatrica, International Journal of Paediatrics, 2011, 100, 1379-1385.	1.5	22
165	Decreasing incidence of placental abruption in Finland during 1980–2005. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 1046-1052.	2.8	22
166	Women treated for epilepsy during pregnancy: outcomes from a nationwide populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 812-820.	2.8	22
167	Mortality and causes of death among homeless in Finland: a 10-year follow-up study. Journal of Epidemiology and Community Health, 2017, 71, 841-848.	3.7	22
168	Immigrants' mental health service use compared to that of native Finns: a register study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 487-496.	3.1	22
169	Second-generation antipsychotics and pregnancy complications. European Journal of Clinical Pharmacology, 2020, 76, 107-115.	1.9	22
170	Successful deinstitutionalization of mental health care: increased life expectancy among people with mental disorders in Finland. European Journal of Public Health, 2012, 22, 604-606.	0.3	21
171	Young age and termination of pregnancy during the second trimester are risk factors for repeat second-trimester abortion. American Journal of Obstetrics and Gynecology, 2010, 203, 107.e1-107.e7.	1.3	20
172	Linking databases on perinatal health: a review of the literature and current practices in Europe. European Journal of Public Health, 2016, 26, 422-430.	0.3	20
173	A Nationwide Cohort Study on the risk of nonâ€gynecological cancers in women with surgically verified endometriosis. International Journal of Cancer, 2018, 143, 2725-2731.	5.1	20
174	Mortality trends in external causes of death in people with mental health disorders in Sweden, 1987–2010. Scandinavian Journal of Public Health, 2019, 47, 121-126.	2.3	20
175	Towards national comprehensive gestational diabetes screening–Âconsequences for neonatal outcome and care. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 106-113.	2.8	19
176	Low Apgar scores at both one and five minutes are associated with longâ€ŧerm neurological morbidity. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 942-951.	1.5	19
177	Teenage pregnancies and abortions in Finland in the 1990s. Scandinavian Journal of Public Health, 2002, 30, 300-305.	2.3	18
178	Finnish Prenatal Study of Bipolar Disorders (FIPS-B): Overview, design and description of the sample. Nordic Journal of Psychiatry, 2014, 68, 169-179.	1.3	18
179	Is maternal smoking during pregnancy associated with bipolar disorder in offspring?. Journal of Affective Disorders, 2015, 171, 132-136.	4.1	18
180	Obstetric and perinatal health outcomes related to schizophrenia: A national register-based follow-up study among Finnish women born between 1965 and 1980 and their offspring. European Psychiatry, 2018, 52, 68-75.	0.2	18

#	Article	IF	CITATIONS
181	Fetal nuchal translucency in severe congenital heart defects: experiences in Northern Finland. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 1454-1460.	1.5	18
182	Cohort Profile: The Finnish Gestational Diabetes (FinnGeDi) Study. International Journal of Epidemiology, 2020, 49, 762-763g.	1.9	18
183	Hospital Presentation for Self-Harm in Youth as a Risk Marker for Later Psychotic and Bipolar Disorders: A Cohort Study of 59 476 Finns. Schizophrenia Bulletin, 2021, 47, 1685-1694.	4.3	18
184	Psychiatric disorders diagnosed in adolescence and subsequent long-term exclusion from education, employment or training: longitudinal national birth cohort study. British Journal of Psychiatry, 2022, 220, 148-153.	2.8	18
185	Use of psychotropic drugs before pregnancy and the risk for induced abortion: population-based register-data from Finland 1996-2006. BMC Public Health, 2010, 10, 383.	2.9	16
186	Antidepressant use and violent crimes among young people: a longitudinal examination of the Finnish 1987 birth cohort. Journal of Epidemiology and Community Health, 2017, 71, 12-18.	3.7	16
187	Producing valid statistics when legislation, culture and medical practices differ for births at or before the threshold of survival: report of a European workshop. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 314-318.	2.3	16
188	Maternal risk factors for gastroschisis: A populationâ€based case–control study. Birth Defects Research, 2020, 112, 989-995.	1.5	16
189	Second-generation antipsychotic use during pregnancy and risk of congenital malformations. European Journal of Clinical Pharmacology, 2021, 77, 1737-1745.	1.9	16
190	Maternal socio-economic status based on occupation and autism spectrum disorders: A national case–control study. Nordic Journal of Psychiatry, 2015, 69, 523-530.	1.3	15
191	Aging fatherhood in Finland – first-time fathers in Finland from 1987 to 2009. Scandinavian Journal of Public Health, 2016, 44, 423-430.	2.3	15
192	New guidelines for screening, diagnosing, and treating gestational diabetes – evaluation of maternal and neonatal outcomes in Finland from 2006 to 2012. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 372-381.	2.8	15
193	Neonatal outcomes after the obstetric nearâ€miss events uterine rupture, abnormally invasive placenta and emergency peripartum hysterectomy – prospective data from the 2009–2011 Finnish <scp>NOSS</scp> study. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 1387-1394.	2.8	14
194	The Association Between Autism Spectrum Disorders and Congenital Anomalies by Organ Systems in a Finnish National Birth Cohort. Journal of Autism and Developmental Disorders, 2015, 45, 3195-3203.	2.7	14
195	Incidence and risk factors of burn injuries among infants, Finland 1990–2010. Journal of Pediatric Surgery, 2015, 50, 608-612.	1.6	14
196	Effect of hospital size and on-call arrangements on intrapartum and early neonatal mortality among low-risk newborns in Finland. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 198, 116-119.	1.1	14
197	Schizophrenia and induced abortions: A national register-based follow-up study among Finnish women born between 1965–1980 with schizophrenia or schizoaffective disorder. Schizophrenia Research, 2018, 192, 142-147.	2.0	14
198	Childhood determinants for early psychiatric disability pension: A 10-year follow-up study of the 1987 Finnish Birth Cohort. International Journal of Social Psychiatry, 2018, 64, 715-725.	3.1	14

#	Article	IF	Citations
199	Impact of maternal income on the risk of gestational diabetes mellitus in primiparous women. Diabetic Medicine, 2019, 36, 214-220.	2.3	14
200	Free-of-charge long-acting reversible contraception: two-year discontinuation, its risk factors, and reasons. American Journal of Obstetrics and Gynecology, 2020, 223, 886.e1-886.e17.	1.3	14
201	Rising trends in the incidence of shoulder dystocia and development of a novel shoulder dystocia risk score tool: a nationwide populationâ€based study of 800Â484 Finnish deliveries. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 538-547.	2.8	14
202	Association of Preeclampsia and Perinatal Complications With Offspring Neurodevelopmental and Psychiatric Disorders. JAMA Network Open, 2022, 5, e2145719.	5.9	14
203	Parents' traumatic brain injury increases their children's risk for use of psychiatric care: the 1987 Finnish Birth Cohort study. General Hospital Psychiatry, 2014, 36, 337-341.	2.4	13
204	Decreased suicide rate after induced abortion, after the Current Care Guidelines in Finland 1987 – 2012. Scandinavian Journal of Public Health, 2015, 43, 99-101.	2.3	13
205	Mortality and causes of death among the migrant population of Finland in 2011–13. European Journal of Public Health, 2016, 27, ckw196.	0.3	13
206	Induced Abortion in a Population Entitled to Free-of-Charge Long-Acting Reversible Contraception. Obstetrics and Gynecology, 2018, 132, 1453-1460.	2.4	13
207	The incidence of birth injuries decreased in Finland between 1997 and 2017: A nationwide register study. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2562-2569.	1.5	13
208	Cerebral palsy in ART children has declined substantially over time: a Nordic study from the CoNARTaS group. Human Reproduction, 2021, 36, 2358-2370.	0.9	13
209	Antipsychotic use in pregnancy and risk of attention/deficit-hyperactivity disorder and autism spectrum disorder: a Nordic cohort study. Evidence-Based Mental Health, 2022, 25, 54-62.	4.5	13
210	Male fetal sex is associated with earlier onset of placental abruption. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 916-923.	2.8	12
211	Risks of Adverse Perinatal Outcomes after Repeat Terminations of Pregnancy by their Methods: a Nationwide Registerâ€based Cohort Study in Finland 1996–2013. Paediatric and Perinatal Epidemiology, 2017, 31, 485-492.	1.7	12
212	Interventional program to reduce both the incidence of anal sphincter tears and rate of Caesarean sections. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 223, 56-59.	1.1	12
213	Maternal schizophrenia and out-of-home placements of offspring: A national follow-up study among Finnish women born 1965–1980 and their children. Psychiatry Research, 2019, 273, 9-14.	3.3	12
214	Preterm birth and the risk of chronic disease multimorbidity in adolescence and early adulthood: A population-based cohort study. PLoS ONE, 2021, 16, e0261952.	2.5	12
215	Folic Acid and Risk of Preterm Birth, Preeclampsia, and Fetal Growth Restriction Among Women With Epilepsy. Neurology, 2022, 99, .	1.1	12
216	Determinants of long-term unemployment in early adulthood: A Finnish birth cohort study. SSM - Population Health, 2019, 8, 100410.	2.7	11

#	Article	IF	Citations
217	The joint role of thyroid function and iodine concentration on gestational diabetes risk in a populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 500-506.	2.8	11
218	Preterm Birth Is Associated With Depression From Childhood to Early Adulthood. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 1127-1136.	0.5	11
219	Cohort profile: ADEF Helsinki – a longitudinal register-based study on exposure to alcohol and drugs during foetal life. NAD Nordic Studies on Alcohol and Drugs, 2020, 37, 32-42.	1.3	11
220	Perinatal outcome of dichorionic and monochorionicâ€diamniotic Finnish twins: a historical cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2022, 101, 153-162.	2.8	11
221	Alcohol and substance abuse identified during pregnancy: maternal morbidity, child morbidity and welfare interventions. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 784-790.	1.5	10
222	Obstetric and neonatal outcome in women aged 50 years and up: A collaborative, Nordic population-based study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 224, 17-20.	1.1	10
223	Perinatal outcomes in Finnish twins: a retrospective study. BMC Pregnancy and Childbirth, 2020, 20, 2.	2.4	10
224	Prenatal substance exposure, adverse childhood experiences and diagnosed mental and behavioral disorders – A longitudinal register-based matched cohort study in Finland. SSM - Population Health, 2020, 11, 100625.	2.7	10
225	Term cesarean breech delivery in the first pregnancy is associated with an increased risk for maternal and neonatal morbidityÂinÂthe subsequent delivery: a national cohort study. Archives of Gynecology and Obstetrics, 2020, 302, 85-91.	1.7	10
226	Early provision of intrauterine contraception as part of abortion care—5-year results of a randomised controlled trial. Human Reproduction, 2020, 35, 796-804.	0.9	10
227	The impact of cardiovascular diseases on maternal deaths in the Nordic countries. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1273-1279.	2.8	10
228	Changes in incidence and severity of visual impairment due to glaucoma during 40 years – a registerâ€based study in Finland. Acta Ophthalmologica, 2022, 100, 534-540.	1.1	10
229	Mode of delivery—impact on risk of noncommunicable diseases. Journal of Allergy and Clinical Immunology, 2015, 136, 1398-1399.	2.9	9
230	Increased risk of premature death following teenage abortion and childbirth–a longitudinal cohort study. European Journal of Public Health, 2017, 27, 845-849.	0.3	9
231	Recurrence patterns of hyperemesis gravidarum. American Journal of Obstetrics and Gynecology, 2018, 219, 469.e1-469.e10.	1.3	9
232	Births and induced abortions among women of Russian, Somali and Kurdish origin, and the general population in Finland –comparison of self-reported and register data. BMC Pregnancy and Childbirth, 2018, 18, 296.	2.4	9
233	Pregnancy complications in women of Russian, Somali, and Kurdish origin and women in the general population in Finland. Women's Health, 2020, 16, 174550652091091.	1.5	9
234	Changing risk factors for placental abruption: A case crossover study using routinely collected data from Finland, Malta and Aberdeen. PLoS ONE, 2020, 15, e0233641.	2.5	9

#	Article	IF	CITATIONS
235	Changes in Visual Impairment due to Diabetic Retinopathy During 1980–2019 Based on Nationwide Register Data. Diabetes Care, 2022, 45, 2020-2027.	8.6	9
236	Induced abortions previous to IVF: an epidemiologic register-based study from Finland. Human Reproduction, 2008, 23, 1320-1323.	0.9	8
237	The rate of obstetric anal sphincter injuries in Finnish obstetric units as a patient safety indicator. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 169, 33-38.	1.1	8
238	Social Mobility and Crime: Evidence From a Total Birth Cohort. British Journal of Criminology, 2015, 55, 164-183.	2.1	8
239	Fertility treatments among female cancer survivors giving birth – a Finnish register-based study. Acta Oncol³gica, 2017, 56, 1089-1093.	1.8	8
240	Contraceptive use among migrant women with a history of induced abortion in Finland. European Journal of Contraception and Reproductive Health Care, 2018, 23, 274-281.	1.5	8
241	A cohort study of 49 933 women with surgically verified endometriosis: Increased incidence of breast cancer below the age of 40. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 1113-1119.	2.8	8
242	The Joint Role of Thyroid Function and Iodine Status on Risk of Preterm Birth and Small for Gestational Age: A Population-Based Nested Case-Control Study of Finnish Women. Nutrients, 2019, 11, 2573.	4.1	8
243	Use of fertility drugs in earlyâ€onset female cancer survivors—A Finnish registerâ€based study on 8,929 survivors. International Journal of Cancer, 2020, 146, 829-838.	5.1	8
244	Predictors of choosing long-acting reversible contraceptive methods when provided free-of-charge – A prospective cohort study in Finland. Contraception, 2020, 101, 370-375.	1.5	8
245	Induced abortion in the Nordic countries: special emphasis on young women. Acta Obstetricia Et Gynecologica Scandinavica, 2003, 82, 257-268.	2.8	8
246	Increasing Prevalence and High Risk of Associated Anomalies in Congenital Vertebral Defects: A Population-based Study. Journal of Pediatric Orthopaedics, 2022, 42, e538-e543.	1.2	8
247	The risk of fatal stroke in Finnish postmenopausal hormone therapy users before and after the Women's Health Initiative: A cohort study. Maturitas, 2015, 81, 384-388.	2.4	7
248	Determinants of underage induced abortion $\hat{a} \in \text{``the } 1987$ Finnish Birth Cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 572-579.	2.8	7
249	Mortality and causes of death among women with a history of placental abruption. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 1315-1321.	2.8	7
250	IVF treatments and their outcomes in Finland in the 1990s. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 937-944.	2.8	7
251	Perinatal outcomes after induced termination of pregnancy by methods: A nationwide register-based study of first births in Finland 1996–2013. PLoS ONE, 2017, 12, e0184078.	2.5	7
252	Hypertensive disorders of pregnancy among women of migrant origin in Finland: A populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2022, 101, 127-134.	2.8	7

#	Article	IF	CITATIONS
253	Clarity and consistency in stillbirth reporting in Europe: why is it so hard to get this right?. European Journal of Public Health, 2022, 32, 200-206.	0.3	7
254	The neurodevelopmental morbidity of children born after assisted reproductive technology: a Nordic register study from the Committee of Nordic Assisted Reproductive Technology and Safety group. Fertility and Sterility, 2022, 117, 1026-1037.	1.0	7
255	Medical termination of pregnancy during the second versus the first trimester and its effects on subsequent pregnancy. Contraception, 2014, 89, 109-115.	1.5	6
256	Induced Abortions and Birth Outcomes of Women With a History of Severe Psychosocial Problems in Adolescence. European Psychiatry, 2015, 30, 750-755.	0.2	6
257	Mortality of midlife women with surgically verified endometriosisâ€"a cohort study including 2.5 million person-years of observation. Human Reproduction, 2019, 34, 1576-1586.	0.9	6
258	Induced abortion and future use of IVF treatment; A nationwide register study. PLoS ONE, 2019, 14, e0225162.	2.5	6
259	Umbilical artery <scp>pH</scp> and base excess at birth are poor predictors of neurodevelopmental morbidity in early childhood. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 1801-1810.	1.5	6
260	First trimester combined screening biochemistry in detection of congenital heart defects. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3272-3277.	1.5	6
261	Association between parental hospital-treated somatic illnesses in childhood and later mental disorders among offspring up to early adulthood: An explorative study in the 1987 Finnish Birth Cohort. Scandinavian Journal of Public Health, 2020, 48, 214-223.	2.3	6
262	Hindrances and facilitators in humanitarian migrants' maternity care in Finland: qualitative study applying the three delays model framework. Scandinavian Journal of Caring Sciences, 2020, 34, 148-156.	2.1	6
263	Association between maternal pregestational diabetes mellitus and spina bifida: A populationâ€based case–control study, Finland, 2000–2014. Birth Defects Research, 2020, 112, 186-195.	1.5	6
264	The impact of educational attainment on the occurrence of gestational diabetes mellitus in two successive pregnancies of Finnish primiparous women: a population-based cohort study. Acta Diabetologica, 2020, 57, 1035-1042.	2.5	6
265	The duration of gestation at previous induced abortion and its impacts on subsequent births: A nationwide registryâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 651-659.	2.8	6
266	The Joint Role of Iodine Status and Thyroid Function on Risk for Preeclampsia in Finnish Women: a Population-Based Nested Case-Control Study. Biological Trace Element Research, 2021, 199, 2131-2137.	3.5	6
267	Fear of childbirth after medical vs surgical abortion. Populationâ€based register study from Finland. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 743-750.	2.8	6
268	Optimal interpregnancy interval in autism spectrum disorder: A multiâ€national study of a modifiable risk factor. Autism Research, 2021, 14, 2432-2443.	3.8	6
269	The impact of parental employment trajectories on the children's early adulthood education and employment trajectories in the Finnish birth cohort 1987. Longitudinal and Life Course Studies, 2017, 8, .	0.6	6
270	Incidence and familial risk of premature ovarian insufficiency in the Finnish female population. Human Reproduction, 2022, 37, 1030-1036.	0.9	6

#	Article	IF	Citations
271	Association of maternal polycystic ovary syndrome and diabetes with preterm birth and offspring birth size: a population-based cohort study. Human Reproduction, 2022, 37, 1311-1323.	0.9	6
272	Surgically confirmed endometriosis in adolescents in Finland—A registerâ€based crossâ€sectional cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2022, 101, 1065-1073.	2.8	6
273	Brief Report: Syndromes in Autistic Children in a Finnish Birth Cohort. Journal of Autism and Developmental Disorders, 2016, 46, 2780-2784.	2.7	5
274	Propensity score method for analyzing the effect of labor induction in prolonged pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 445-453.	2.8	5
275	Psychiatric diagnoses of children affected by their parents' traumatic brain injury: the 1987 Finnish Birth Cohort study. Brain Injury, 2018, 32, 933-940.	1.2	5
276	Risk of preterm birth in primiparous women with exposure to antidepressant medication before pregnancy and/or during pregnancy – impact of body mass index. Annals of Medicine, 2019, 51, 51-57.	3.8	5
277	The Risk of Psychiatric Morbidity Following Teenage Induced Abortion and Childbirth—A Longitudinal Study From Finland. Journal of Adolescent Health, 2020, 66, 345-351.	2.5	5
278	Purchases of psychotropic drugs among the migrant population in Finland: a nationwide register-based cohort study. European Journal of Public Health, 2020, 30, 1152-1157.	0.3	5
279	Merkel Cell Carcinoma Treatment in Finland in 1986–2016—A Real-World Data Study. Cancers, 2020, 12, 1224.	3.7	5
280	Epidemiology of laboratory-confirmed influenza among kidney transplant recipients compared to the general populationâ€"A nationwide cohort study. American Journal of Transplantation, 2021, 21, 1848-1856.	4.7	5
281	Management of major obstetric hemorrhage prior to peripartum hysterectomy and outcomes across nine European countries. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1345-1354.	2.8	5
282	Utilization of Large Data Sets in Maternal Health in Finland. Journal of Perinatal and Neonatal Nursing, 2017, 31, 236-243.	0.7	4
283	The MATEX cohort – a Finnish population register birth cohort to study health effects of prenatal exposures. BMC Public Health, 2017, 17, 871.	2.9	4
284	Reoperations for Female Stress Urinary Incontinence: A Finnish National Register Study. European Urology Focus, 2018, 4, 754-759.	3.1	4
285	Induced abortions by woman's country of origin in Finland 2001–2014. Scandinavian Journal of Public Health, 2020, 48, 88-95.	2.3	4
286	Extended spectrum penicillins reduce the risk of omphalocele: A population-based case-control study. Journal of Pediatric Surgery, 2021, 56, 1590-1595.	1.6	4
287	Cumulative incidences of hospitalâ€treated psychiatric disorders are increasing in five Finnish birth cohorts. Acta Psychiatrica Scandinavica, 2021, 143, 119-129.	4.5	4
288	Maternal use of sedative drugs and its effects on pregnancy outcomes: a Finnish birth cohort study. Scientific Reports, 2021, 11, 4467.	3.3	4

#	Article	IF	CITATIONS
289	Gestational diabetes among women of migrant origin in Finland—a population-based study. European Journal of Public Health, 2021, 31, 784-789.	0.3	4
290	Childhood growth of term singletons born after frozen compared with fresh embryo transfer. Reproductive BioMedicine Online, 2021, 43, 719-726.	2.4	4
291	Recurrence of postpartum hemorrhage in relatives: A populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 2278-2284.	2.8	4
292	Antidepressant use among immigrants with depressive disorder living in Finland: A register-based study. Journal of Affective Disorders, 2022, 299, 528-535.	4.1	4
293	Severe birth injuries in neonates and associated risk factors for injury in mothers with different types of diabetes in Finland. International Journal of Gynecology and Obstetrics, 2021, , .	2.3	4
294	The impact of age and sex adjusted body mass index (ISO-BMI) in obese versus non-obese children and adolescents with cholecystectomy. In Vivo, 2014, 28, 615-9.	1.3	4
295	Risk of preterm birth in women with cervical intraepithelial neoplasia grade one: a populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 135-141.	2.8	3
296	Subsequent risk of cancer among women with a history of placental abruption. Acta $Oncol\tilde{A}^3$ gica, 2019, 58, 52-56.	1.8	3
297	Impact of sunshine on the risk of gestational diabetes mellitus in primiparous women. International Journal of Circumpolar Health, 2020, 79, 1703882.	1.2	3
298	Actualized lower body contouring surgery after bariatric surgery – a nationwide register-based study. Journal of Plastic Surgery and Hand Surgery, 2022, 56, 335-341.	0.8	3
299	Growing up in economic hardship: The relationship between childhood social assistance recipiency and early adulthood obstacles. International Journal of Social Welfare, 2020, 30, 130.	1.7	3
300	Prune belly syndrome in Finland – A population-based study on current epidemiology and hospital admissions. Journal of Pediatric Urology, 2021, 17, 702.e1-702.e6.	1.1	3
301	lodine and thyroid status during pregnancy and risk of stillbirth: A populationâ€based nested case–control study. Maternal and Child Nutrition, 2022, 18, e13252.	3.0	3
302	Pregnancy, delivery and postpartum in women with schizophrenia or schizoaffective disorder in Finland: a national register-based comparative study. Psychiatry Research, 2020, 294, 113504.	3.3	3
303	Reply: Association of maternal polycystic ovary syndrome or anovulatory infertility with obesity and diabetes in offspring: a population-based cohort study. Human Reproduction, 2021, 37, 193-194.	0.9	3
304	Socioeconomic differences in the association between maternal age and maternal obesity: a register-based study of 707,728 women in Finland. Scandinavian Journal of Public Health, 2023, 51, 963-971.	2.3	3
305	Increasing evidence of major congenital anomalies in children born with assisted reproduction technology: what should be done?. Fertility and Sterility, 2005, 84, 1327.	1.0	2
306	The role of nocturnal delivery and delivery during the holiday period in Finland on obstetric anal sphincter rupture rates- a population based observational study. BMC Research Notes, 2010, 3, 32.	1.4	2

#	Article	IF	CITATIONS
307	The impact of increased number of low-risk deliveries on maternal and neonatal outcomes: A retrospective cohort study in Finland in 2011–2015. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 223, 30-34.	1.1	2
308	The Finnish psychiatric birth cohort consortium (PSYCOHORTS) – content, plans and perspectives. Nordic Journal of Psychiatry, 2019, 73, 357-364.	1.3	2
309	Influence of time of delivery on risk of adverse neonatal outcome in different size of delivery units: a retrospective cohort study in Finland. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 1696-1702.	1.5	2
310	Completed secondary education among youth with prenatal substance exposure: A longitudinal registerâ€based matched cohort study. Journal of Adolescence, 2021, 86, 15-27.	2.4	2
311	Municipal contraceptive services, socioeconomic status and teenage pregnancy in Finland: a longitudinal study. BMJ Open, 2021, 11, e043092.	1.9	2
312	Maternal and neonatal outcomes in the following delivery after previous preterm caesarean breech birth: a national cohort study. Journal of Obstetrics and Gynaecology, 2021, , 1-6.	0.9	2
313	Early Neonatal Mortality among Babies Born with Spina Bifida in Finland (2000–2014). American Journal of Perinatology, 2023, 40, 1208-1216.	1.4	2
314	Probability of live birth after IVF/ICSI treatments in female early onset cancer survivors: a Finnish population-based registry study. Human Reproduction, 2021, 36, 3131-3140.	0.9	2
315	Psychiatric diagnoses as grounds for disability pension among former child welfare clients. Longitudinal and Life Course Studies, 2017, 8, .	0.6	2
316	Prenatal care adequacy of migrants born in conflict-affected countries and country-born parturients in Finland. Journal of Migration and Health, 2022, 6, 100122.	3.0	2
317	Maternal childbirth experience and induction of labour in each mode of delivery: a retrospective seven-year cohort study of 95,051 parturients in Finland. BMC Pregnancy and Childbirth, 2022, 22, .	2.4	2
318	597: Maternal serum low PAPP-A in the first trimester is an independent risk factor for adverse pregnancy outcome. American Journal of Obstetrics and Gynecology, 2008, 199, S172.	1.3	1
319	Immediate Complications After Medical Compared With Surgical Termination of Pregnancy. Obstetrics and Gynecology, 2010, 115, 660-661.	2.4	1
320	Male Fetal Sex is Associated With Earlier Onset of Placental Abruption. Obstetrical and Gynecological Survey, 2010, 65, 683-684.	0.4	1
321	LBP-1.13 LEEP conisation and the risk for preterm birth: new health registry based data from Finland. Sexually Transmitted Infections, 2011, 87, A357-A357.	1.9	1
322	Selective Serotonin Reuptake Inhibitors and Risk for Major Congenital Anomalies. Obstetrics and Gynecology, 2011, 118, 1420-1421.	2.4	1
323	Selective Serotonin Reuptake Inhibitors and Risk for Major Congenital Anomalies. Obstetrics and Gynecology, 2012, 119, 183.	2.4	1
324	Reply: Implication of the liberal use of ART in Nordic countries: should stricter guidelines be created to prevent unnecessary stillbirth and preterm delivery?. Human Reproduction, 2014, 29, 2600-2601.	0.9	1

#	Article	IF	CITATIONS
325	Selective Serotonin Reuptake Inhibitors and Venlafaxine in Early Pregnancy and Risk of Birth Defects. Obstetrical and Gynecological Survey, 2015, 70, 553-554.	0.4	1
326	Incidence of specialized service use for mental health related problems during adolescence increases. European Journal of Public Health, 2017, 27, .	0.3	1
327	Parental hospital-treated somatic illnesses during offspring's childhood associated with later offspring use of psychotropic medication during childhood to young adult — The 1987 Finnish Birth Cohort study. Preventive Medicine, 2018, 111, 254-264.	3.4	1
328	Duration of homelessness and its relationship to use of hospital and emergency department services in Helsinki, Finland. Scandinavian Journal of Public Health, 2020, 48, 259-266.	2.3	1
329	Incidence and comorbidities of disruptive behavior disorders diagnosed in Finnish specialist psychiatric services. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 2063-2072.	3.1	1
330	Use of universally offered family planning services – a cohort study in the city of Vantaa, Helsinki metropolitan area, Finland. Scandinavian Journal of Public Health, 2021, , 140349482110027.	2.3	1
331	Continuity of antipsychotic medication use among migrant and Finnish-born populations with a psychotic disorder: a register-based study. Psychological Medicine, 2023, 53, 833-843.	4.5	1
332	Adequacy of prenatal care use among pregnant women with epilepsy: A population-based, cross-sectional study, Finland, 2000-2014. Seizure: the Journal of the British Epilepsy Association, 2021, 92, 82-88.	2.0	1
333	Use of reproductive health services among women using long- or short-acting contraceptive methods – a register-based cohort study from Finland. BMC Public Health, 2022, 22, .	2.9	1
334	Nonobstetric surgery during pregnancy in Finland during a 21â€year period: A registerâ€based study. , 0, , .		1
335	SP6-1 Mothers' abortion history and perinatal health at first birth. Journal of Epidemiology and Community Health, 2011, 65, A455-A455.	3.7	0
336	P1-194 Health implications of ageing motherhood. Journal of Epidemiology and Community Health, 2011, 65, A120-A120.	3.7	0
337	Selective Serotonin Reuptake Inhibitors and Risk for Major Congenital Anomalies. Obstetrics and Gynecology, 2011, 118, 960.	2.4	0
338	Terminations of pregnancy in Europe: the East-West divide. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 1020-1021.	2.3	0
339	Patterns in mortality among people with severe mental disorders in 1982-2006 across Finnish and Danish birth cohorts. European Journal of Public Health, 2013, 23, .	0.3	0
340	The threats for mental health surveillance. European Journal of Public Health, 2014, 24, .	0.3	0
341	The effect of multiple pregnancy on perinatal outcomes in Europe 2004–2010. European Journal of Public Health, 2014, 24, .	0.3	0
342	Response to â€~How can we achieve consensual indicators to be better accepted and more widely used?'. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 173, 124.	1.1	0

#	Article	IF	Citations
343	Monitoring the gap in perinatal health in Europe: can we use routine datasets for cross-national comparisons of social disparities?. European Journal of Public Health, 2015, 25, .	0.3	0
344	Mortality trends among people with schizophrenia, bipolar disorder and depression, Sweden 1987–2010. European Journal of Public Health, 2015, 25, .	0.3	0
345	Short communication: Improving health statistics in the context of measuring quality of life in cities and urban regions. Statistical Journal of the IAOS, 2015, 31, 97-98.	0.4	0
346	Reply. American Journal of Obstetrics and Gynecology, 2015, 213, 110-111.	1.3	0
347	Temporal Trends in Late Preterm and Early Term Birth Rates in 6 High-Income Countries in North America and Europe and Association With Clinician-Initiated Obstetric Interventions. Obstetrical and Gynecological Survey, 2016, 71, 644-646.	0.4	O
348	In reply to the Letter to the Editor. European Journal of Public Health, 2017, 27, 794-795.	0.3	0
349	Mental health services and allocation of resources: where should the money flow? $\hat{a} \in \text{``Authors''}$ reply. Lancet Psychiatry,the, 2018, 5, e12-e13.	7.4	O
350	Maternal Deaths in the Nordic Countries. Obstetrical and Gynecological Survey, 2018, 73, 79-80.	0.4	0
351	Como Manter Sistemas de Registo com Boa Qualidade?. Acta Medica Portuguesa, 2019, 32, 335.	0.4	O
352	Incidence of extraovarian clear cell cancers in women with surgically diagnosed endometriosis: A cohort study. PLoS ONE, 2021, 16, e0253270.	2.5	0
353	O-076 Neurodevelopmental morbidity in children born after ART: a Nordic register study from the Committee of Nordic ART and Safety (CoNARTaS) group. Human Reproduction, 2021, 36, .	0.9	0
354	Risk of induced abortions in childhood cancer survivors. Cancer, 2021, 127, 1439-1447.	4.1	0
355	Decreasing the incidence of anal sphincter tears in instrumental delivery in Hudiksvall, Sweden. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-5.	1.5	0
356	Incidence of sexually transmitted infections is lower among kidney transplant recipients compared to the general populationâ€"A nationwide cohort study. Transplant Infectious Disease, 2022, 24, e13814.	1.7	0
357	Intervention effect of participation in the Northern Finland Birth Cohort 1986 study – Special reference to mental disorders and suicidal behavior. Nordic Journal of Psychiatry, 0, , 1-1.	1.3	0
358	Mood and neurotic disorders among youth with prenatal substance exposure: A longitudinal register-based cohort study. Journal of Affective Disorders, 2022, , .	4.1	0
359	Title is missing!. , 2020, 17, e1003207.		0
360	Title is missing!. , 2020, 17, e1003207.		0

#	Article	IF	CITATIONS
361	Title is missing!. , 2020, 17, e1003207.		O
362	Title is missing!. , 2020, 17, e1003207.		0
363	Title is missing!. , 2020, 15, e0233641.		0
364	Title is missing!. , 2020, 15, e0233641.		0
365	Title is missing!. , 2020, 15, e0233641.		0
366	Title is missing!. , 2020, 15, e0233641.		0
367	O-274â€∫Cancer in Children Born after Frozen-Thawed Embryo Transfer: A Cohort Study. Human Reproduction, 2022, 37, .	0.9	0