# Pierluigi Cocco

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/1560199/pierluigi-cocco-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 143
 5,657
 39
 72

 papers
 citations
 h-index
 g-index

 166
 6,388
 4.9
 4.49

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
143	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , <b>2008</b> , 111, 4029-38	2.2	429
142	A case-control study of gastric cancer and diet in Italy. <i>International Journal of Cancer</i> , <b>1989</b> , 44, 611-6	7.5	400
141	Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. <i>Lancet Oncology, The</i> , <b>2006</b> , 7, 27-38	21.7	322
140	Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. <i>Clinical Gastroenterology and Hepatology</i> , <b>2008</b> , 6, 451-8	6.9	271
139	Etiologic heterogeneity among non-Hodgkin lymphoma subtypes: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , <b>2014</b> , 2014, 130-44	4.8	199
138	A case-control study of gastric cancer and diet in Italy: II. Association with nutrients. <i>International Journal of Cancer</i> , <b>1990</b> , 45, 896-901	7.5	183
137	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , <b>2013</b> , 45, 868-76	36.3	147
136	Personal sun exposure and risk of non Hodgkin lymphoma: a pooled analysis from the Interlymph Consortium. <i>International Journal of Cancer</i> , <b>2008</b> , 122, 144-54	7.5	140
135	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , <b>2010</b> , 42, 661-4	36.3	137
134	Tumor necrosis factor (TNF) and lymphotoxin-alpha (LTA) polymorphisms and risk of non-Hodgkin lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , <b>2010</b> , 171, 267-76	3.8	121
133	Genome-wide association study of classical Hodgkin lymphoma and Epstein-Barr virus status-defined subgroups. <i>Journal of the National Cancer Institute</i> , <b>2012</b> , 104, 240-53	9.7	117
132	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , <b>2015</b> , 107, djv279	9.7	107
131	Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). <i>Journal of Epidemiology and Community Health</i> , <b>2016</b> , 70, 741-5	5.1	104
130	Risk factors for male breast cancer (United States). Cancer Causes and Control, 1998, 9, 269-75	2.8	101
129	Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph Consortium. <i>International Journal of Cancer</i> , <b>2008</b> , 122, 2062-70	7.5	88
128	Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. <i>Occupational and Environmental Medicine</i> , <b>2010</b> , 67, 341-7	2.1	87
127	Increased mitochondrial DNA copy number in occupations associated with low-dose benzene exposure. <i>Environmental Health Perspectives</i> , <b>2012</b> , 120, 210-5	8.4	81

### (1996-2009)

126	Atopic disease and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>Cancer Research</i> , <b>2009</b> , 69, 6482-9	10.1	80
125	A case-control study of gastric cancer and diet in Italy. III. Risk patterns by histologic type.  International Journal of Cancer, <b>1991</b> , 48, 369-74	7.5	79
124	Personal use of hair dye and the risk of certain subtypes of non-Hodgkin lymphoma. <i>American Journal of Epidemiology</i> , <b>2008</b> , 167, 1321-31	3.8	77
123	Genome-wide association study identifies five susceptibility loci for follicular lymphoma outside the HLA region. <i>American Journal of Human Genetics</i> , <b>2014</b> , 95, 462-71	11	74
122	On the rumors about the silent spring. Review of the scientific evidence linking occupational and environmental pesticide exposure to endocrine disruption health effects. <i>Cadernos De Saude Publica</i> , <b>2002</b> , 18, 379-402	3.2	74
121	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , <b>2016</b> , 7, 10933	17.4	70
120	Lymphoma risk and occupational exposure to pesticides: results of the Epilymph study. <i>Occupational and Environmental Medicine</i> , <b>2013</b> , 70, 91-8	2.1	69
119	Medical history, lifestyle, family history, and occupational risk factors for chronic lymphocytic leukemia/small lymphocytic lymphoma: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , <b>2014</b> , 2014, 41-51	4.8	66
118	Medical history, lifestyle, family history, and occupational risk factors for follicular lymphoma: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , <b>2014</b> , 2014, 26-40	4.8	63
117	Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. <i>American Journal of Industrial Medicine</i> , <b>1999</b> , 36, 54-9	2.7	61
116	Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. <i>American Journal of Industrial Medicine</i> , <b>1994</b> , 26, 155-69	2.7	61
115	IARC monographs: 40 years of evaluating carcinogenic hazards to humans. <i>Environmental Health Perspectives</i> , <b>2015</b> , 123, 507-14	8.4	57
114	Medical history, lifestyle, family history, and occupational risk factors for marginal zone lymphoma: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , <b>2014</b> , 2014, 52-65	4.8	55
113	Cancer Mortality and Environmental Exposure to DDE in the United States. <i>Environmental Health Perspectives</i> , <b>2000</b> , 108, 1	8.4	55
112	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , <b>2017</b> , 8, 14175	17.4	54
111	Occupational risk factors for cancer of the central nervous system (CNS) among US women. <i>American Journal of Industrial Medicine</i> , <b>1999</b> , 36, 70-4	2.7	54
110	Hepatitis B virus infection and risk of lymphoma: results of a serological analysis within the European case-control study Epilymph. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2012</b> , 138, 19	93 <sup>4</sup> 200	1 <sup>45</sup>
109	Occupational risk factors for gastric cancer: an overview. <i>Epidemiologic Reviews</i> , <b>1996</b> , 18, 218-34	4.1	44

108	Associations of non-Hodgkin Lymphoma (NHL) risk with autoimmune conditions according to putative NHL loci. <i>American Journal of Epidemiology</i> , <b>2015</b> , 181, 406-21	3.8	42
107	Interleukin-1B (IL1B) and interleukin-6 (IL6) gene polymorphisms are associated with risk of chronic lymphocytic leukaemia. <i>Hematological Oncology</i> , <b>2008</b> , 26, 98-103	1.3	41
106	Risk of childhood leukaemia and non-Hodgkinß lymphoma after parental occupational exposure to solvents and other agents: the SETIL Study. <i>Occupational and Environmental Medicine</i> , <b>2013</b> , 70, 648-55	2.1	39
105	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , <b>2014</b> , 2014, 1-14	4.8	39
104	Epidemiology, public health, and the rhetoric of false positives. <i>Environmental Health Perspectives</i> , <b>2009</b> , 117, 1809-13	8.4	39
103	Occupational exposures as risk factors for gastric cancer in Italy. <i>Cancer Causes and Control</i> , <b>1994</b> , 5, 24	<b>1-28</b> 8	39
102	Nutritional factors and worldwide incidence of childhood type 1 diabetes. <i>American Journal of Clinical Nutrition</i> , <b>2000</b> , 71, 1525-9	7	36
101	Occupational risk factors for cancer of the central nervous system: a case-control study on death certificates from 24 U.S. states. <i>American Journal of Industrial Medicine</i> , <b>1998</b> , 33, 247-55	2.7	34
100	Cancer mortality among men occupationally exposed to dichlorodiphenyltrichloroethane. <i>Cancer Research</i> , <b>2005</b> , 65, 9588-94	10.1	34
99	A comprehensive study of polymorphisms in the ABCB1, ABCC2, ABCG2, NR1I2 genes and lymphoma risk. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 803-12	7.5	31
98	Job strain, hypoxia and risk of amyotrophic lateral sclerosis: Results from a death certificate study. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , <b>2010</b> , 11, 430-4		31
97	Peritoneal cancer and occupational exposure to asbestos: results from the application of a job-exposure matrix. <i>American Journal of Industrial Medicine</i> , <b>1999</b> , 35, 9-14	2.7	31
96	Association of JAK-STAT pathway related genes with lymphoma risk: results of a European case-control study (EpiLymph). <i>British Journal of Haematology</i> , <b>2011</b> , 153, 318-33	4.5	30
95	Reproductive outcomes in DDT applicators. <i>Environmental Research</i> , <b>2005</b> , 98, 120-6	7.9	30
94	Long-term health effects of the occupational exposure to DDT. A preliminary report. <i>Annals of the New York Academy of Sciences</i> , <b>1997</b> , 837, 246-56	6.5	28
93	Lung cancer risk, silica exposure, and silicosis in Chinese mines and pottery factories: the modifying role of other workplace lung carcinogens. <i>American Journal of Industrial Medicine</i> , <b>2001</b> , 40, 674-82	2.7	28
92	Lung cancer mortality and airways obstruction among metal miners exposed to silica and low levels of radon daughters. <i>American Journal of Industrial Medicine</i> , <b>1994</b> , 25, 489-506	2.7	28
91	Medical history, lifestyle, family history, and occupational risk factors for mycosis fungoides and SEary syndrome: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Capear Institute Management</i> <b>2014</b> , 2014, 92,105	4.8	27

## (2012-2016)

90	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. <i>Environmental Health Perspectives</i> , <b>2016</b> , 124, 396-405	8.4	27	
89	Risk of malignant lymphoma following viral hepatitis infection. <i>International Journal of Hematology</i> , <b>2008</b> , 87, 474-483	2.3	25	
88	Environmental and lifestyle factors affect benzene uptake biomonitoring of residents near a petrochemical plant. <i>Environment International</i> , <b>2012</b> , 39, 2-7	12.9	23	
87	Effect of urban traffic, individual habits, and genetic polymorphisms on background urinary 1-hydroxypyrene excretion. <i>Annals of Epidemiology</i> , <b>2007</b> , 17, 1-8	6.4	23	
86	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , <b>2016</b> , 175, 87-101	4.5	23	
85	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2017</b> , 26, 876-885	4	21	
84	Birth order and risk of non-hodgkin lymphomatrue association or bias?. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 621-30	3.8	21	
83	Serum sex hormones in men occupationally exposed to dichloro-diphenyl-trichloro ethane (DDT) as young adults. <i>Journal of Endocrinology</i> , <b>2004</b> , 182, 391-7	4.7	20	
82	trans, trans-Muconic acid excretion in relation to environmental exposure to benzene. <i>International Archives of Occupational and Environmental Health</i> , <b>2003</b> , 76, 456-60	3.2	20	
81	Work Related Stress, Well-Being and Cardiovascular Risk among Flight Logistic Workers: An Observational Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,	4.6	20	
80	Assessment of DNA damages in lymphocytes of agricultural workers exposed to pesticides by comet assay in a cross-sectional study. <i>Biomarkers</i> , <b>2018</b> , 23, 462-473	2.6	19	
79	Self-reported history of infections and the risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2342-8	7.5	19	
78	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , <b>2018</b> , 78, 4086-4096	10.1	18	
77	Occupational exposure to meat and risk of lymphoma: a multicenter case-control study from Europe. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 2761-6	7.5	18	
76	Clustered protocadherins methylation alterations in cancer. Clinical Epigenetics, 2019, 11, 100	7.7	17	
75	Fear of future violence at work and job burnout: A diary study on the role of psychological violence and job control. <i>Burnout Research</i> , <b>2017</b> , 7, 36-46		17	
74	A pooled analysis of alcohol consumption and risk of multiple myeloma in the international multiple myeloma consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 1620-7	4	17	
73	Reproductive factors and lymphoid neoplasms in Europe: findings from the EpiLymph case-control study. <i>Cancer Causes and Control</i> , <b>2012</b> , 23, 195-206	2.8	16	

72	Multiple myeloma and occupation: a pooled analysis by the International Multiple Myeloma Consortium. <i>Cancer Epidemiology</i> , <b>2013</b> , 37, 300-5	2.8	16
71	A Novel Risk Locus at 6p21.3 for Epstein-Barr Virus-Positive Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2015</b> , 24, 1838-43	4	16
70	Meta-analysis of genome-wide association studies reveals genetic overlap between Hodgkin lymphoma and multiple sclerosis. <i>International Journal of Epidemiology</i> , <b>2016</b> , 45, 728-40	7.8	16
69	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , <b>2019</b> , 43, 844-863	2.6	15
68	Single nucleotide polymorphisms of matrix metalloproteinase 9 (MMP9) and tumor protein 73 (TP73) interact with Epstein-Barr virus in chronic lymphocytic leukemia: results from the European case-control study EpiLymph. <i>Haematologica</i> , <b>2011</b> , 96, 323-7	6.6	15
67	Preliminary results of a geographic correlation study on G6PD deficiency and cancer. <i>Toxicologic Pathology</i> , <b>1987</b> , 15, 106-8	2.1	14
66	Analysis of potential influence factors on background urinary benzene concentration among a non-smoking, non-occupationally exposed general population sample. <i>International Archives of Occupational and Environmental Health</i> , <b>2014</b> , 87, 793-9	3.2	13
65	Occupational exposure to ethylene oxide and risk of lymphoma. <i>Epidemiology</i> , <b>2010</b> , 21, 905-10	3.1	13
64	Association between Work-Related Stress and QT Prolongation in Male Workers. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	13
63	Urinary 6-sulfatoxymelatonin excretion in humans during domestic exposure to 50 hertz electromagnetic fields. <i>Neuroendocrinology Letters</i> , <b>2005</b> , 26, 136-42	0.3	13
62	Role Stress and Emotional Exhaustion Among Health Care Workers: The Buffering Effect of Supportive Coworker Climate in a Multilevel Perspective. <i>Journal of Occupational and Environmental Medicine</i> , <b>2017</b> , 59, e187-e193	2	12
61	Male fertility following occupational exposure to dichlorodiphenyltrichloroethane (DDT). <i>Environment International</i> , <b>2015</b> , 77, 42-7	12.9	11
60	A functional TNFRSF5 polymorphism and risk of non-Hodgkin lymphoma, a pooled analysis. <i>International Journal of Cancer</i> , <b>2011</b> , 128, 1481-5	7.5	11
59	Comparison bias and dilution effect in occupational cohort studies. <i>International Journal of Occupational and Environmental Health</i> , <b>2007</b> , 13, 143-52		11
58	Nitrate in community water supplies and risk of childhood type 1 diabetes in Sardinia, Italy. <i>European Journal of Epidemiology</i> , <b>2006</b> , 21, 245-7	12.1	11
57	Thalassemia intermedia is associated with a proatherogenic biochemical phenotype. <i>Blood Cells, Molecules, and Diseases</i> , <b>2011</b> , 46, 294-9	2.1	10
56	Effects of short-term occupational exposure to lead on erythrocyte glucose-6-phosphate dehydrogenase activity and serum cholesterol. <i>Journal of Applied Toxicology</i> , <b>1995</b> , 15, 375-8	4.1	10
55	Lymphoma risk in livestock farmers: results of the Epilymph study. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 2613-8	7.5	9

54	QTc interval and electrocardiographic changes by type of shift work. <i>American Journal of Industrial Medicine</i> , <b>2013</b> , 56, 1174-9	2.7	9	
53	Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. <i>International Archives of Occupational and Environmental Health</i> , <b>2010</b> , 83, 563-70	3.2	9	
52	Methylation alteration of as a predictive, diagnostic and prognostic biomarker for chronic lymphocytic leukemia. <i>Oncotarget</i> , <b>2019</b> , 10, 4987-5002	3.3	8	
51	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , <b>2018</b> , 75, 798-806	2.1	8	
50	The Metabolomic Profile of Lymphoma Subtypes: A Pilot Study. <i>Molecules</i> , <b>2019</b> , 24,	4.8	8	
49	Occupational exposure to immunologically active agents and risk for lymphoma: the European Epilymph case-control study. <i>Cancer Epidemiology</i> , <b>2013</b> , 37, 378-84	2.8	8	
48	Risk of lymphoma subtypes and dietary habits in a Mediterranean area. <i>Cancer Epidemiology</i> , <b>2015</b> , 39, 1093-8	2.8	8	
47	Ranking occupational contexts associated with risk of non-Hodgkin lymphoma. <i>American Journal of Industrial Medicine</i> , <b>2016</b> , 59, 561-74	2.7	8	
46	Road Traffic Pollution and Childhood Leukemia: A Nationwide Case-control Study in Italy. <i>Archives of Medical Research</i> , <b>2016</b> , 47, 694-705	6.6	8	
45	Environmental Exposure to Ultrafine Particles inside and nearby a Military Airport. <i>Atmosphere</i> , <b>2016</b> , 7, 138	2.7	7	
44	Risk of lymphoma subtypes by occupational exposure in Southern Italy. <i>Journal of Occupational Medicine and Toxicology</i> , <b>2017</b> , 12, 31	2.7	6	
43	Evidence for a proatherogenic biochemical phenotype in beta thalassemia minor and intermedia. <i>Acta Haematologica</i> , <b>2011</b> , 126, 87-94	2.7	6	
42	Reproductive outcomes following environmental exposure to DDT. <i>Reproductive Toxicology</i> , <b>2006</b> , 22, 5-7	3.4	6	
41	Long-term lithium treatment and survival from external causes including suicide. <i>Journal of Clinical Psychopharmacology</i> , <b>2007</b> , 27, 544-6	1.7	6	
40	Occupational lead exposure and screening of glucose-6-phosphate dehydrogenase polymorphism: useful prevention or nonvoluntary discrimination?. <i>International Archives of Occupational and Environmental Health</i> , <b>1998</b> , 71, 148-50	3.2	5	
39	Metabolomic patterns associated to QTc interval in shiftworkers: an explorative analysis. <i>Biomarkers</i> , <b>2016</b> , 21, 607-13	2.6	5	
38	A Pooled Analysis of Reproductive Factors, Exogenous Hormone Use, and Risk of Multiple Myeloma among Women in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2016</b> , 25, 217-21	4	4	
37	Particle Background Levels In Human Tissues PABALIHT project. Part I: a nanometallomic study of metal-based micro- and nanoparticles in liver and kidney in an Italian population group. <i>Journal of Nanoparticle Research</i> , <b>2019</b> , 21, 1	2.3	4	

36	Childhood Acute Lymphoblastic Leukemia: A Cluster in Southwestern Sardinia (Italy). <i>International Journal of Occupational and Environmental Health</i> , <b>1995</b> , 1, 232-238		4
35	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2020</b> , 29, 1074-1078	4	4
34	Ultrafine Particle Distribution and Chemical Composition Assessment during Military Operative Trainings. <i>International Journal of Environmental Research and Public Health</i> , <b>2017</b> , 14,	4.6	3
33	Leukemia in children and youths of the Azuay province, Ecuador: 2000-2010. <i>International Journal of Environmental Health Research</i> , <b>2013</b> , 23, 58-65	3.6	3
32	Household contact with pets and birds and risk of lymphoma. Cancer Causes and Control, 2011, 22, 159-	<b>65</b> .8	3
31	COVID-19: Heterogeneous Excess Mortality and "Burden of Disease" in Germany and Italy and Their States and Regions, January-June 2020. <i>Frontiers in Public Health</i> , <b>2021</b> , 9, 663259	6	3
30	Glucose-6-Phosphate Dehydrogenase Polymorphism and Lymphoma Risk. <i>Tumori</i> , <b>2007</b> , 93, 121-123	1.7	2
29	Causes of death among lead smelters in relation to the glucose-6-phosphate dehydrogenase polymorphism. <i>Occupational and Environmental Medicine</i> , <b>2007</b> , 64, 414-6	2.1	2
28	Haemolymphatic cancer among children in Sardinia, Italy: 1974-2003 incidence. <i>BMJ Open</i> , <b>2020</b> , 10, e0	3₹163	2
27	Silica, silicosis and lung cancer: what level of exposure is acceptable?. <i>Medicina Del Lavoro</i> , <b>2018</b> , 109, 478-480	1.9	2
26	Indexes of cardiac autonomic profile detected with short term Holter ECG in health care shift workers: a cross sectional study. <i>Medicina Del Lavoro</i> , <b>2019</b> , 110, 437-445	1.9	2
25	Response of the Cardiac Autonomic Control to Exposure to Nanoparticles and Noise: A Cross-Sectional Study of Airport Ground Staff. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	2
24	N-acetyltransferase polymorphisms are associated with risk of lymphoma subtypes. <i>Hematological Oncology</i> , <b>2016</b> , 34, 79-83	1.3	2
23	Glucose-6-phosphate dehydrogenase polymorphism and lymphoma risk. <i>Tumori</i> , <b>2007</b> , 93, 121-3	1.7	2
22	Estimation of Source-Specific Occupational Benzene Exposure in a Population-Based Case-Control Study of Non-Hodgkin Lymphoma. <i>Annals of Work Exposures and Health</i> , <b>2019</b> , 63, 842-855	2.4	1
21	Association of ionizing radiation dose from common medical diagnostic procedures and lymphoma risk in the Epilymph case-control study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0235658	3.7	1
20	Matrix is a reasonable method to assess exposures. <i>American Journal of Industrial Medicine</i> , <b>1996</b> , 30, 508-509	2.7	1
19	Activation of the aryl hydrocarbon receptor and risk of lymphoma subtypes. <i>International Journal of Molecular Epidemiology and Genetics</i> , <b>2017</b> , 8, 40-44	0.9	1

## (2022-2020)

Dental caries and quality of life among preschool children: a hospital-based nested case-control study. <i>British Dental Journal</i> , <b>2020</b> ,	1.2	1
Biomarkers of Low-Level Environmental Exposure to Benzene and Oxidative DNA Damage in Primary School Children in Sardinia, Italy. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	1
Occupational exposure to ionizing radiation and risk of lymphoma subtypes: results of the Epilymph European case-control study. <i>Environmental Health</i> , <b>2020</b> , 19, 43	6	O
Incidence of non-Hodgkinß lymphoma among adults in Sardinia, Italy PLoS ONE, 2022, 17, e0260078	3.7	O
Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH caseBontrol study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2021</b> , 47, 42-51	4.3	0
Occupational exposure to glyphosate and risk of lymphoma:results of an Italian multicenter case-control study. <i>Environmental Health</i> , <b>2021</b> , 20, 49	6	O
Occupational insecticide exposure and risk of non-Hodgkin lymphoma: A pooled case-control study from the InterLymph Consortium. <i>International Journal of Cancer</i> , <b>2021</b> , 149, 1768-1786	7.5	О
The determinants of the changing speed of spread of COVID-19 across Italy <i>Epidemiology and Infection</i> , <b>2022</b> , 1-26	4.3	O
The preventable burden of work-related ill-health. Occupational Medicine, 2018, 68, 327-331	2.1	
Do matrix metalloproteinase-1 and glucose-6-phosphate dehydrogenase gene polymorphisms interact in promoting lymphoma development?. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 2734-5	1.9	
Methylene chloride and brain cancer: Interpreting a new study in light of existing literature. <i>American Journal of Industrial Medicine</i> , <b>1996</b> , 30, 506-507	2.7	
Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2021</b> , 47, 42-51	4.3	
Down Regulation of Hepcidin and Interleukin 1-Alpha in Pbmc from Patients with Beta thalassemia. <i>Blood</i> , <b>2008</b> , 112, 2880-2880	2.2	
Prevalence of sleep disruption and determinants of sleepiness in a cohort of Italian hospital physicians: The PRESOMO study. <i>Journal of Sleep Research</i> , <b>2021</b> , e13377	5.8	
Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. <i>Journal of Translational Genetics and Genomics</i> , <b>2021</b> , 5, 200-217	1.7	
Silica and lung cancer: state of the art, practical implications and future research. Foreword. <i>Medicina Del Lavoro</i> , <b>2011</b> , 102, 307-9	1.9	
Time trend and Bayesian mapping of multiple myeloma incidence in Sardinia, Italy <i>Scientific Reports</i> , <b>2022</b> , 12, 2736	4.9	
Cancer incidence among the NATO peacekeeping forces in Bosnia and Kosovo: a systematic review and metanalysis <i>Medicina Del Lavoro</i> , <b>2022</b> , 113, e2022011	1.9	
	Study. British Dental Journal, 2020,  Biomarkers of Low-Level Environmental Exposure to Benzene and Oxidative DNA Damage in Primary School Children in Sardinia, Italy. International Journal of Environmental Research and Public Health, 2021, 18.  Occupational exposure to ionizing radiation and risk of lymphoma subtypes: results of the Epilymph European case-control study. Environmental Health, 2020, 19, 43.  Incidence of non-Hodgkin's lymphoma among adults in Sardinia, Italy PLoS ONE, 2022, 17, e0260078.  Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH caseBontrol study. Scandinavian Journal of Work, Environment and Health, 2021, 47, 42-51.  Occupational exposure to glyphosate and risk of lymphoma: A pooled case-control study. Environmental Health, 2021, 20, 49.  Occupational insecticide exposure and risk of non-Hodgkin lymphoma: A pooled case-control study from the Interlymph Consortium. International Journal of Cancer, 2021, 149, 1768-1786.  The determinants of the changing speed of spread of COVID-19 across Italy Epidemiology and Infection, 2022, 1-26.  The preventable burden of work-related ill-health. Occupational Medicine, 2018, 68, 327-331.  Do matrix metalloproteinase-1 and glucose-6-phosphate dehydrogenase gene polymorphisms interact in promoting lymphoma development?. Leukemia and Lymphoma, 2013, 54, 2734-5.  Methylene chloride and brain cancer: Interpreting a new study in light of existing literature. American Journal of Industrial Medicine, 1996, 30, 506-507.  Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control Study. Scandinavian Journal of Work, Environment and Health, 2021, 47, 42-51.  Down Regulation of Hepcidin and Interleukin 1-Alpha in Pbmc from Patients with Beta thalassemia. Blood, 2008, 112, 2880-2880.  Prevalence of sleep disruption and determinants of sleepiness in a cohort of Italian hospital physicians: The PRESOMO Study. Journal of Steep Research, 2021, e13377.  Genome-wide homozygosity and risk of fou	Biomarkers of Low-Level Environmental Exposure to Benzene and Oxidative DNA Damage in Primary School Children in Sardinia, Italy. International Journal of Environmental Research and Public Health, 2021, 18.  Occupational exposure to ionizing radiation and risk of lymphoma subtypes: results of the Epilymph European case-control study. Environmental Health, 2020, 19, 43  Incidence of non-Hodgkinß lymphoma among adults in Sardinia, Italy PLoS ONE, 2022, 17, e0260078  Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-Bontrol study. Scandinavian Journal of Work, Environment and Health, 2021, 47, 42-51  Occupational exposure to glyphosate and risk of lymphoma-results of an Italian multicenter case-control study. Environmental Health, 2021, 20, 49  Occupational insecticide exposure and risk of non-Hodgkin lymphoma: A pooled case-control study From the Intertymph Consortium. International Journal of Cancer, 2021, 149, 1768-1786  The determinants of the changing speed of spread of COVID-19 across Italy. Epidemiology and Infection, 2022, 1-26  The preventable burden of work-related ill-health. Occupational Medicine, 2018, 68, 327-331  Do matrix metalloproteinase-1 and glucose-6-phosphate dehydrogenase gene polymorphisms interact in promoting lymphoma development?. Leukenia and Lymphoma, 2013, 54, 2734-5  Methylene chloride and brain cancer: Interpreting a new study in light of existing literature. American Journal of Industrial Medicine, 1996, 30, 506-507  Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control study. Scandinavian Journal of Work, Environment and Health, 2021, 47, 42-51  Down Regulation of Hepcidin and Interleukin 1-Alpha in Pbmc from Patients with Beta thalassemia. Blood, 2008, 112, 2880-2880  Prevalence of sleep disruption and determinants of sleepiness in a cohort of Italian hospital physicians: The PRESOMO study. Journal of Sleep Research, 2021, e13377  Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subt