

Pierluigi Cocco

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1560199/pierluigi-cocco-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143 papers	5,657 citations	39 h-index	72 g-index
166 ext. papers	6,388 ext. citations	4.9 avg, IF	4.49 L-index

#	Paper	IF	Citations
143	Incidence of non-Hodgkin lymphoma among adults in Sardinia, Italy.. <i>PLoS ONE</i> , 2022 , 17, e0260078	3.7	0
142	Time trend and Bayesian mapping of multiple myeloma incidence in Sardinia, Italy.. <i>Scientific Reports</i> , 2022 , 12, 2736	4.9	
141	Cancer incidence among the NATO peacekeeping forces in Bosnia and Kosovo: a systematic review and metanalysis.. <i>Medicina Del Lavoro</i> , 2022 , 113, e2022011	1.9	
140	The determinants of the changing speed of spread of COVID-19 across Italy.. <i>Epidemiology and Infection</i> , 2022 , 1-26	4.3	0
139	Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 42-51	4.3	
138	Occupational exposure to organic dust and risk of lymphoma subtypes in the EPILYMPH case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 42-51	4.3	0
137	Response of the Cardiac Autonomic Control to Exposure to Nanoparticles and Noise: A Cross-Sectional Study of Airport Ground Staff. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
136	Biomarkers of Low-Level Environmental Exposure to Benzene and Oxidative DNA Damage in Primary School Children in Sardinia, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
135	Occupational exposure to glyphosate and risk of lymphoma: results of an Italian multicenter case-control study. <i>Environmental Health</i> , 2021 , 20, 49	6	0
134	COVID-19: Heterogeneous Excess Mortality and "Burden of Disease" in Germany and Italy and Their States and Regions, January-June 2020. <i>Frontiers in Public Health</i> , 2021 , 9, 663259	6	3
133	Prevalence of sleep disruption and determinants of sleepiness in a cohort of Italian hospital physicians: The PRESOMO study. <i>Journal of Sleep Research</i> , 2021 , e13377	5.8	
132	Occupational insecticide exposure and risk of non-Hodgkin lymphoma: A pooled case-control study from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2021 , 149, 1768-1786	7.5	0
131	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. <i>Journal of Translational Genetics and Genomics</i> , 2021 , 5, 200-217	1.7	
130	Association of ionizing radiation dose from common medical diagnostic procedures and lymphoma risk in the Epilymph case-control study. <i>PLoS ONE</i> , 2020 , 15, e0235658	3.7	1
129	Occupational exposure to ionizing radiation and risk of lymphoma subtypes: results of the Epilymph European case-control study. <i>Environmental Health</i> , 2020 , 19, 43	6	0
128	Haemolymphatic cancer among children in Sardinia, Italy: 1974-2003 incidence. <i>BMJ Open</i> , 2020 , 10, e037163	3.7	2
127	Dental caries and quality of life among preschool children: a hospital-based nested case-control study. <i>British Dental Journal</i> , 2020 ,	1.2	1

126	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1074-1078	4	4
125	Methylation alteration of as a predictive, diagnostic and prognostic biomarker for chronic lymphocytic leukemia. <i>Oncotarget</i> , 2019 , 10, 4987-5002	3.3	8
124	Estimation of Source-Specific Occupational Benzene Exposure in a Population-Based Case-Control Study of Non-Hodgkin Lymphoma. <i>Annals of Work Exposures and Health</i> , 2019 , 63, 842-855	2.4	1
123	Particle Background Levels In Human TissuesPABALIHT project. Part I: a nanometallomic study of metal-based micro- and nanoparticles in liver and kidney in an Italian population group. <i>Journal of Nanoparticle Research</i> , 2019 , 21, 1	2.3	4
122	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019 , 43, 844-863	2.6	15
121	Clustered protocadherins methylation alterations in cancer. <i>Clinical Epigenetics</i> , 2019 , 11, 100	7.7	17
120	The Metabolomic Profile of Lymphoma Subtypes: A Pilot Study. <i>Molecules</i> , 2019 , 24,	4.8	8
119	Indexes of cardiac autonomic profile detected with short term Holter ECG in health care shift workers: a cross sectional study. <i>Medicina Del Lavoro</i> , 2019 , 110, 437-445	1.9	2
118	Association between Work-Related Stress and QT Prolongation in Male Workers. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	13
117	Assessment of DNA damages in lymphocytes of agricultural workers exposed to pesticides by comet assay in a cross-sectional study. <i>Biomarkers</i> , 2018 , 23, 462-473	2.6	19
116	The preventable burden of work-related ill-health. <i>Occupational Medicine</i> , 2018 , 68, 327-331	2.1	
115	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018 , 78, 4086-4096	10.1	18
114	Pooled study of occupational exposure to aromatic hydrocarbon solvents and risk of multiple myeloma. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 798-806	2.1	8
113	Silica, silicosis and lung cancer: what level of exposure is acceptable?. <i>Medicina Del Lavoro</i> , 2018 , 109, 478-480	1.9	2
112	Work Related Stress, Well-Being and Cardiovascular Risk among Flight Logistic Workers: An Observational Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	20
111	Young Adult and Usual Adult Body Mass Index and Multiple Myeloma Risk: A Pooled Analysis in the International Multiple Myeloma Consortium (IMMC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 876-885	4	21
110	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017 , 8, 14175	17.4	54
109	Risk of lymphoma subtypes by occupational exposure in Southern Italy. <i>Journal of Occupational Medicine and Toxicology</i> , 2017 , 12, 31	2.7	6

108	Role Stress and Emotional Exhaustion Among Health Care Workers: The Buffering Effect of Supportive Coworker Climate in a Multilevel Perspective. <i>Journal of Occupational and Environmental Medicine</i> , 2017 , 59, e187-e193	2	12
107	Fear of future violence at work and job burnout: A diary study on the role of psychological violence and job control. <i>Burnout Research</i> , 2017 , 7, 36-46		17
106	Ultrafine Particle Distribution and Chemical Composition Assessment during Military Operative Trainings. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	3
105	Activation of the aryl hydrocarbon receptor and risk of lymphoma subtypes. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2017 , 8, 40-44	0.9	1
104	A Pooled Analysis of Reproductive Factors, Exogenous Hormone Use, and Risk of Multiple Myeloma among Women in the International Multiple Myeloma Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 217-21	4	4
103	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016 , 7, 10933	17.4	70
102	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. <i>Environmental Health Perspectives</i> , 2016 , 124, 396-405	8.4	27
101	Environmental Exposure to Ultrafine Particles inside and nearby a Military Airport. <i>Atmosphere</i> , 2016 , 7, 138	2.7	7
100	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. <i>British Journal of Haematology</i> , 2016 , 175, 87-101	4.5	23
99	N-acetyltransferase polymorphisms are associated with risk of lymphoma subtypes. <i>Hematological Oncology</i> , 2016 , 34, 79-83	1.3	2
98	Ranking occupational contexts associated with risk of non-Hodgkin lymphoma. <i>American Journal of Industrial Medicine</i> , 2016 , 59, 561-74	2.7	8
97	Road Traffic Pollution and Childhood Leukemia: A Nationwide Case-control Study in Italy. <i>Archives of Medical Research</i> , 2016 , 47, 694-705	6.6	8
96	Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 741-5	5.1	104
95	Metabolomic patterns associated to QTc interval in shiftworkers: an explorative analysis. <i>Biomarkers</i> , 2016 , 21, 607-13	2.6	5
94	Meta-analysis of genome-wide association studies reveals genetic overlap between Hodgkin lymphoma and multiple sclerosis. <i>International Journal of Epidemiology</i> , 2016 , 45, 728-40	7.8	16
93	Associations of non-Hodgkin Lymphoma (NHL) risk with autoimmune conditions according to putative NHL loci. <i>American Journal of Epidemiology</i> , 2015 , 181, 406-21	3.8	42
92	IARC monographs: 40 years of evaluating carcinogenic hazards to humans. <i>Environmental Health Perspectives</i> , 2015 , 123, 507-14	8.4	57
91	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015 , 107, djv279	9.7	107

90	A Novel Risk Locus at 6p21.3 for Epstein-Barr Virus-Positive Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1838-43	4	16
89	Risk of lymphoma subtypes and dietary habits in a Mediterranean area. <i>Cancer Epidemiology</i> , 2015 , 39, 1093-8	2.8	8
88	Male fertility following occupational exposure to dichlorodiphenyltrichloroethane (DDT). <i>Environment International</i> , 2015 , 77, 42-7	12.9	11
87	Etiologic heterogeneity among non-Hodgkin lymphoma subtypes: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 130-44	4.8	199
86	Genome-wide association study identifies five susceptibility loci for follicular lymphoma outside the HLA region. <i>American Journal of Human Genetics</i> , 2014 , 95, 462-71	11	74
85	Medical history, lifestyle, family history, and occupational risk factors for chronic lymphocytic leukemia/small lymphocytic lymphoma: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 41-51	4.8	66
84	Analysis of potential influence factors on background urinary benzene concentration among a non-smoking, non-occupationally exposed general population sample. <i>International Archives of Occupational and Environmental Health</i> , 2014 , 87, 793-9	3.2	13
83	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 1-14	4.8	39
82	Medical history, lifestyle, family history, and occupational risk factors for mycosis fungoides and S�ary syndrome: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 98-105	4.8	27
81	Medical history, lifestyle, family history, and occupational risk factors for follicular lymphoma: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 26-40	4.8	63
80	Medical history, lifestyle, family history, and occupational risk factors for marginal zone lymphoma: the InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 52-65	4.8	55
79	Occupational exposure to immunologically active agents and risk for lymphoma: the European Epilymph case-control study. <i>Cancer Epidemiology</i> , 2013 , 37, 378-84	2.8	8
78	Do matrix metalloproteinase-1 and glucose-6-phosphate dehydrogenase gene polymorphisms interact in promoting lymphoma development?. <i>Leukemia and Lymphoma</i> , 2013 , 54, 2734-5	1.9	
77	Risk of childhood leukaemia and non-Hodgkin lymphoma after parental occupational exposure to solvents and other agents: the SETIL Study. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 648-55	2.1	39
76	Multiple myeloma and occupation: a pooled analysis by the International Multiple Myeloma Consortium. <i>Cancer Epidemiology</i> , 2013 , 37, 300-5	2.8	16
75	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013 , 45, 868-76	36.3	147
74	Leukemia in children and youths of the Azuay province, Ecuador: 2000-2010. <i>International Journal of Environmental Health Research</i> , 2013 , 23, 58-65	3.6	3
73	A pooled analysis of alcohol consumption and risk of multiple myeloma in the international multiple myeloma consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1620-7	4	17

72	Lymphoma risk in livestock farmers: results of the EpiLymph study. <i>International Journal of Cancer</i> , 2013 , 132, 2613-8	7.5	9
71	QTc interval and electrocardiographic changes by type of shift work. <i>American Journal of Industrial Medicine</i> , 2013 , 56, 1174-9	2.7	9
70	Lymphoma risk and occupational exposure to pesticides: results of the EpiLymph study. <i>Occupational and Environmental Medicine</i> , 2013 , 70, 91-8	2.1	69
69	Reproductive factors and lymphoid neoplasms in Europe: findings from the EpiLymph case-control study. <i>Cancer Causes and Control</i> , 2012 , 23, 195-206	2.8	16
68	Genome-wide association study of classical Hodgkin lymphoma and Epstein-Barr virus status-defined subgroups. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 240-53	9.7	117
67	Hepatitis B virus infection and risk of lymphoma: results of a serological analysis within the European case-control study EpiLymph. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012 , 138, 1993-2001	4.9	45
66	Environmental and lifestyle factors affect benzene uptake biomonitoring of residents near a petrochemical plant. <i>Environment International</i> , 2012 , 39, 2-7	12.9	23
65	Self-reported history of infections and the risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>International Journal of Cancer</i> , 2012 , 131, 2342-8	7.5	19
64	A comprehensive study of polymorphisms in the ABCB1, ABCC2, ABCG2, NR112 genes and lymphoma risk. <i>International Journal of Cancer</i> , 2012 , 131, 803-12	7.5	31
63	Increased mitochondrial DNA copy number in occupations associated with low-dose benzene exposure. <i>Environmental Health Perspectives</i> , 2012 , 120, 210-5	8.4	81
62	Thalassemia intermedia is associated with a proatherogenic biochemical phenotype. <i>Blood Cells, Molecules, and Diseases</i> , 2011 , 46, 294-9	2.1	10
61	Single nucleotide polymorphisms of matrix metalloproteinase 9 (MMP9) and tumor protein 73 (TP73) interact with Epstein-Barr virus in chronic lymphocytic leukemia: results from the European case-control study EpiLymph. <i>Haematologica</i> , 2011 , 96, 323-7	6.6	15
60	Association of JAK-STAT pathway related genes with lymphoma risk: results of a European case-control study (EpiLymph). <i>British Journal of Haematology</i> , 2011 , 153, 318-33	4.5	30
59	Household contact with pets and birds and risk of lymphoma. <i>Cancer Causes and Control</i> , 2011 , 22, 159-65	5.8	3
58	A functional TNFRSF5 polymorphism and risk of non-Hodgkin lymphoma, a pooled analysis. <i>International Journal of Cancer</i> , 2011 , 128, 1481-5	7.5	11
57	Evidence for a proatherogenic biochemical phenotype in beta thalassemia minor and intermedia. <i>Acta Haematologica</i> , 2011 , 126, 87-94	2.7	6
56	Silica and lung cancer: state of the art, practical implications and future research. Foreword. <i>Medicina Del Lavoro</i> , 2011 , 102, 307-9	1.9	
55	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010 , 42, 661-4	36.3	137

54	Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 341-7	2.1	87
53	Birth order and risk of non-hodgkin lymphoma--true association or bias?. <i>American Journal of Epidemiology</i> , 2010 , 172, 621-30	3.8	21
52	Tumor necrosis factor (TNF) and lymphotoxin-alpha (LTA) polymorphisms and risk of non-Hodgkin lymphoma in the InterLymph Consortium. <i>American Journal of Epidemiology</i> , 2010 , 171, 267-76	3.8	121
51	Job strain, hypoxia and risk of amyotrophic lateral sclerosis: Results from a death certificate study. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2010 , 11, 430-4		31
50	Occupational exposure to ethylene oxide and risk of lymphoma. <i>Epidemiology</i> , 2010 , 21, 905-10	3.1	13
49	Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. <i>International Archives of Occupational and Environmental Health</i> , 2010 , 83, 563-70	3.2	9
48	Epidemiology, public health, and the rhetoric of false positives. <i>Environmental Health Perspectives</i> , 2009 , 117, 1809-13	8.4	39
47	Atopic disease and risk of non-Hodgkin lymphoma: an InterLymph pooled analysis. <i>Cancer Research</i> , 2009 , 69, 6482-9	10.1	80
46	Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 2008 , 111, 4029-38	2.2	429
45	Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 451-8	6.9	271
44	Personal use of hair dye and the risk of certain subtypes of non-Hodgkin lymphoma. <i>American Journal of Epidemiology</i> , 2008 , 167, 1321-31	3.8	77
43	Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2008 , 122, 2062-70	7.5	88
42	Risk of malignant lymphoma following viral hepatitis infection. <i>International Journal of Hematology</i> , 2008 , 87, 474-483	2.3	25
41	Interleukin-1B (IL1B) and interleukin-6 (IL6) gene polymorphisms are associated with risk of chronic lymphocytic leukaemia. <i>Hematological Oncology</i> , 2008 , 26, 98-103	1.3	41
40	Personal sun exposure and risk of non Hodgkin lymphoma: a pooled analysis from the Interlymph Consortium. <i>International Journal of Cancer</i> , 2008 , 122, 144-54	7.5	140
39	Down Regulation of Hepcidin and Interleukin 1-Alpha in Pbmcs from Patients with Beta thalassemia. <i>Blood</i> , 2008 , 112, 2880-2880	2.2	
38	Glucose-6-Phosphate Dehydrogenase Polymorphism and Lymphoma Risk. <i>Tumori</i> , 2007 , 93, 121-123	1.7	2
37	Occupational exposure to meat and risk of lymphoma: a multicenter case-control study from Europe. <i>International Journal of Cancer</i> , 2007 , 121, 2761-6	7.5	18

36	Causes of death among lead smelters in relation to the glucose-6-phosphate dehydrogenase polymorphism. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 414-6	2.1	2
35	Comparison bias and dilution effect in occupational cohort studies. <i>International Journal of Occupational and Environmental Health</i> , 2007 , 13, 143-52		11
34	Long-term lithium treatment and survival from external causes including suicide. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 544-6	1.7	6
33	Effect of urban traffic, individual habits, and genetic polymorphisms on background urinary 1-hydroxypyrene excretion. <i>Annals of Epidemiology</i> , 2007 , 17, 1-8	6.4	23
32	Glucose-6-phosphate dehydrogenase polymorphism and lymphoma risk. <i>Tumori</i> , 2007 , 93, 121-3	1.7	2
31	Reproductive outcomes following environmental exposure to DDT. <i>Reproductive Toxicology</i> , 2006 , 22, 5-7	3.4	6
30	Genetic variation in TNF and IL10 and risk of non-Hodgkin lymphoma: a report from the InterLymph Consortium. <i>Lancet Oncology</i> , 2006 , 7, 27-38	21.7	322
29	Nitrate in community water supplies and risk of childhood type 1 diabetes in Sardinia, Italy. <i>European Journal of Epidemiology</i> , 2006 , 21, 245-7	12.1	11
28	Reproductive outcomes in DDT applicators. <i>Environmental Research</i> , 2005 , 98, 120-6	7.9	30
27	Cancer mortality among men occupationally exposed to dichlorodiphenyltrichloroethane. <i>Cancer Research</i> , 2005 , 65, 9588-94	10.1	34
26	Urinary 6-sulfatoxymelatonin excretion in humans during domestic exposure to 50 hertz electromagnetic fields. <i>Neuroendocrinology Letters</i> , 2005 , 26, 136-42	0.3	13
25	Serum sex hormones in men occupationally exposed to dichloro-diphenyl-trichloro ethane (DDT) as young adults. <i>Journal of Endocrinology</i> , 2004 , 182, 391-7	4.7	20
24	trans,trans-Muconic acid excretion in relation to environmental exposure to benzene. <i>International Archives of Occupational and Environmental Health</i> , 2003 , 76, 456-60	3.2	20
23	On the rumors about the silent spring. Review of the scientific evidence linking occupational and environmental pesticide exposure to endocrine disruption health effects. <i>Cadernos De Saude Publica</i> , 2002 , 18, 379-402	3.2	74
22	Lung cancer risk, silica exposure, and silicosis in Chinese mines and pottery factories: the modifying role of other workplace lung carcinogens. <i>American Journal of Industrial Medicine</i> , 2001 , 40, 674-82	2.7	28
21	Nutritional factors and worldwide incidence of childhood type 1 diabetes. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 1525-9	7	36
20	Cancer Mortality and Environmental Exposure to DDE in the United States. <i>Environmental Health Perspectives</i> , 2000 , 108, 1	8.4	55
19	Peritoneal cancer and occupational exposure to asbestos: results from the application of a job-exposure matrix. <i>American Journal of Industrial Medicine</i> , 1999 , 35, 9-14	2.7	31

18	Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. <i>American Journal of Industrial Medicine</i> , 1999 , 36, 54-9	2.7	61
17	Occupational risk factors for cancer of the central nervous system (CNS) among US women. <i>American Journal of Industrial Medicine</i> , 1999 , 36, 70-4	2.7	54
16	Risk factors for male breast cancer (United States). <i>Cancer Causes and Control</i> , 1998 , 9, 269-75	2.8	101
15	Occupational risk factors for cancer of the central nervous system: a case-control study on death certificates from 24 U.S. states. <i>American Journal of Industrial Medicine</i> , 1998 , 33, 247-55	2.7	34
14	Occupational lead exposure and screening of glucose-6-phosphate dehydrogenase polymorphism: useful prevention or nonvoluntary discrimination?. <i>International Archives of Occupational and Environmental Health</i> , 1998 , 71, 148-50	3.2	5
13	Long-term health effects of the occupational exposure to DDT. A preliminary report. <i>Annals of the New York Academy of Sciences</i> , 1997 , 837, 246-56	6.5	28
12	Occupational risk factors for gastric cancer: an overview. <i>Epidemiologic Reviews</i> , 1996 , 18, 218-34	4.1	44
11	Methylene chloride and brain cancer: Interpreting a new study in light of existing literature. <i>American Journal of Industrial Medicine</i> , 1996 , 30, 506-507	2.7	
10	Matrix is a reasonable method to assess exposures. <i>American Journal of Industrial Medicine</i> , 1996 , 30, 508-509	2.7	1
9	Childhood Acute Lymphoblastic Leukemia: A Cluster in Southwestern Sardinia (Italy). <i>International Journal of Occupational and Environmental Health</i> , 1995 , 1, 232-238		4
8	Effects of short-term occupational exposure to lead on erythrocyte glucose-6-phosphate dehydrogenase activity and serum cholesterol. <i>Journal of Applied Toxicology</i> , 1995 , 15, 375-8	4.1	10
7	Occupational exposures as risk factors for gastric cancer in Italy. <i>Cancer Causes and Control</i> , 1994 , 5, 241-88	2.8	39
6	Lung cancer mortality and airways obstruction among metal miners exposed to silica and low levels of radon daughters. <i>American Journal of Industrial Medicine</i> , 1994 , 25, 489-506	2.7	28
5	Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. <i>American Journal of Industrial Medicine</i> , 1994 , 26, 155-69	2.7	61
4	A case-control study of gastric cancer and diet in Italy. III. Risk patterns by histologic type. <i>International Journal of Cancer</i> , 1991 , 48, 369-74	7.5	79
3	A case-control study of gastric cancer and diet in Italy: II. Association with nutrients. <i>International Journal of Cancer</i> , 1990 , 45, 896-901	7.5	183
2	A case-control study of gastric cancer and diet in Italy. <i>International Journal of Cancer</i> , 1989 , 44, 611-6	7.5	400
1	Preliminary results of a geographic correlation study on G6PD deficiency and cancer. <i>Toxicologic Pathology</i> , 1987 , 15, 106-8	2.1	14

