

Anna Kiss

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1560926/anna-kiss-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

2,169
citations

28
h-index

39
g-index

134
ext. papers

2,549
ext. citations

4
avg, IF

5.31
L-index

#	Paper	IF	Citations
104	Phytochemical Analysis of Polyphenols in Leaf Extract from Vernonia amygdalina Delile Plant Growing in Uganda. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 912	2.6	1
103	Tentative qualitative and quantitative analysis of phenolic compounds in leaf extract from Carica papaya Linn. plant growing in Uganda. <i>Herba Polonica</i> , 2021 , 67, 1-9	0.9	2
102	Constituents of (L.) Anderb. (Inuleae), and Anti-Inflammatory Activity of 7,10-Diisobutyryloxy-8,9-epoxythymyl Isobutyrate. <i>Molecules</i> , 2020 , 25,	4.8	2
101	Establishment of hairy root cultures of Salvia bulleyana Diels for production of polyphenolic compounds. <i>Journal of Biotechnology</i> , 2020 , 318, 10-19	3.7	11
100	Root Extracts From Inhibit IL-8 Release Interactions With Toll-Like Receptor 4 and Lipopolysaccharide. <i>Frontiers in Pharmacology</i> , 2020 , 11, 889	5.6	3
99	The bioactivity of flavonoid glucuronides and free aglycones in the context of their absorption, II phase metabolism and deconjugation at the inflammation site. <i>Food and Chemical Toxicology</i> , 2020 , 135, 110929	4.7	3
98	Inula helenium and Grindelia squarrosa as a source of compounds with anti-inflammatory activity in human neutrophils and cultured human respiratory epithelium. <i>Journal of Ethnopharmacology</i> , 2020 , 249, 112311	5	15
97	Phytochemical Profile and Antioxidant Activity of Aerial and Underground Parts of Diels. Plants. <i>Metabolites</i> , 2020 , 10,	5.6	7
96	Inhibition of Neutrophil Functions and Antibacterial Effects of Tarragon (L.) Infusion-Phytochemical Characterization. <i>Frontiers in Pharmacology</i> , 2020 , 11, 947	5.6	6
95	A New Diterpene and Anti-inflammatory Sesquiterpene Lactones from Sigesbeckia orientalis. <i>Planta Medica</i> , 2020 , 86, 1108-1117	3.1	3
94	UHPLC-DAD-ESI-MS/MS and HPTLC profiling of ash leaf samples from different commercial and natural sources and their in vitro effects on mediators of inflammation. <i>Phytochemical Analysis</i> , 2020 , 31, 57-67	3.4	7
93	The effect of purine-type cytokinin on the proliferation and production of phenolic compounds in transformed shoots of Dracocephalum forrestii. <i>Journal of Biotechnology</i> , 2019 , 306, 125-133	3.7	8
92	1,2,3,4,6-Penta-O-galloyl-β-D-glucose modulates perivascular inflammation and prevents vascular dysfunction in angiotensin II-induced hypertension. <i>British Journal of Pharmacology</i> , 2019 , 176, 1951-1965	8.6	13
91	Sieb. & Zucc. Revisited: Newly Identified Constituents from Aerial Parts of the Plant and Their Possible Contribution to the Biological Activity of the Plant. <i>Molecules</i> , 2019 , 24,	4.8	5
90	Syringa vulgaris bark as a source of compounds affecting the release of inflammatory mediators from human neutrophils and monocytes/macrophages. <i>Phytochemistry Letters</i> , 2019 , 30, 309-313	1.9	3
89	Accumulation of phenolic compounds in different in vitro cultures of Salvia viridis L. and their antioxidant and antimicrobial potential. <i>Phytochemistry Letters</i> , 2019 , 30, 324-332	1.9	11
88	Caffeic acid derivatives isolated from Galinsoga parviflora herb protected human dermal fibroblasts from UVA-radiation. <i>Phytomedicine</i> , 2019 , 57, 215-222	6.5	13

87	Eupatoriopicrin Inhibits Pro-inflammatory Functions of Neutrophils via Suppression of IL-8 and TNF-alpha Production and p38 and ERK 1/2 MAP Kinases. <i>Journal of Natural Products</i> , 2019 , 82, 375-385	4.9	10
86	The Activity of Urolithin A and M4 Valerolactone, Colonic Microbiota Metabolites of Polyphenols, in a Prostate Cancer In Vitro Model. <i>Planta Medica</i> , 2019 , 85, 118-125	3.1	17
85	Ellagitannins, Gallotannins and their Metabolites- The Contribution to the Anti-Inflammatory Effect of Food Products and Medicinal Plants. <i>Current Medicinal Chemistry</i> , 2018 , 25, 4946-4967	4.3	30
84	Hairy root cultures of <i>Salvia viridis</i> L. for production of polyphenolic compounds. <i>Industrial Crops and Products</i> , 2018 , 117, 235-244	5.9	34
83	Effects of Phytochemically Characterized Extracts From and Isolated Secoiridoids on Mediators of Inflammation in a Human Neutrophil Model. <i>Frontiers in Pharmacology</i> , 2018 , 9, 349	5.6	12
82	Lignans From Leaves and Flowers Attenuate the Pro-inflammatory Function of Leukocytes and Their Interaction With Endothelial Cells. <i>Frontiers in Pharmacology</i> , 2018 , 9, 401	5.6	12
81	Isolation of spilanthol from <i>Acmella oleracea</i> based on Green Chemistry and evaluation of its in vitro anti-inflammatory activity. <i>Journal of Supercritical Fluids</i> , 2018 , 140, 372-379	4.2	10
80	Determination of the Phenolic Profile and Antioxidant Properties of L. Shoots: A Comparison of Aqueous and Hydroethanolic Extracts. <i>Molecules</i> , 2018 , 23,	4.8	27
79	Inhibitory effect of <i>Ligustrum vulgare</i> leaf extract on the development of neuropathic pain in a streptozotocin-induced rat model of diabetes. <i>Phytomedicine</i> , 2018 , 49, 75-82	6.5	13
78	Effect of cytokinins on shoots proliferation and rosmarinic and salvianolic acid B production in shoot culture of <i>Dracocephalum forrestii</i> W. W. Smith. <i>Acta Physiologiae Plantarum</i> , 2018 , 40, 1	2.6	12
77	Inhibition of Pro-Inflammatory Functions of Human Neutrophils by Constituents of <i>Melodorum fruticosum</i> Leaves. <i>Chemistry and Biodiversity</i> , 2018 , 15, e1800269	2.5	4
76	The analysis of phenolic compounds from the aerial parts of <i>Eupatorium cannabinum</i> L. subsp. <i>cannabinum</i> . <i>Biochemical Systematics and Ecology</i> , 2018 , 79, 37-43	1.4	3
75	The effects of urolithins on the response of prostate cancer cells to non-steroidal antiandrogen bicalutamide. <i>Phytomedicine</i> , 2018 , 46, 176-183	6.5	17
74	Evaluation of the Effect of <i>Epilobium angustifolium</i> Aqueous Extract on LNCaP Cell Proliferation in In Vitro and In Vivo Models. <i>Planta Medica</i> , 2017 , 83, 1159-1168	3.1	11
73	Oleacein may inhibit destabilization of carotid plaques from hypertensive patients. Impact on high mobility group protein-1. <i>Phytomedicine</i> , 2017 , 32, 68-73	6.5	25
72	Bioassay-Guided Isolation of Iridoids and Phenylpropanoids from Aerial Parts of <i>Lamium album</i> and Their Anti-inflammatory Activity in Human Neutrophils. <i>Planta Medica</i> , 2017 , 83, 1011-1019	3.1	14
71	Phase II Conjugates of Urolithins Isolated from Human Urine and Potential Role of -Glucuronidases in Their Disposition. <i>Drug Metabolism and Disposition</i> , 2017 , 45, 657-665	4	32
70	Hydroxycinnamoyl derivatives and secoiridoid glycoside derivatives from <i>Syringa vulgaris</i> flowers and their effects on the pro-inflammatory responses of human neutrophils. <i>Phytotherapy Research</i> , 2017 , 121, 194-205	3.2	13

69	Differences in Metabolism of Ellagitannins by Human Gut Microbiota ex Vivo Cultures. <i>Journal of Natural Products</i> , 2016 , 79, 3022-3030	4.9	35
68	The identification and quantitative determination of rosmarinic acid and salvianolic acid B in hairy root cultures of <i>Dracocephalum forrestii</i> W.W. Smith. <i>Industrial Crops and Products</i> , 2016 , 91, 125-131	5.9	22
67	Chemical Composition and UVA-Protecting Activity of Extracts from <i>Ligustrum vulgare</i> and <i>Olea europaea</i> Leaves. <i>Acta Biologica Cracoviensia Series Botanica</i> , 2016 , 58, 45-55		1
66	Caffeic acid derivatives isolated from the aerial parts of <i>Galinsoga parviflora</i> and their effect on inhibiting oxidative burst in human neutrophils. <i>Phytochemistry Letters</i> , 2016 , 16, 303-310	1.9	11
65	Hydroxycinnamates from elecampane (<i>Inula helenium</i> L.) callus culture. <i>Acta Physiologiae Plantarum</i> , 2016 , 38, 1	2.6	12
64	Seasonal variation in secondary metabolites of edible shoots of Buck's beard [<i>Aruncus dioicus</i> (Walter) Fernald (Rosaceae)]. <i>Food Chemistry</i> , 2016 , 202, 23-30	8.5	7
63	5-(3,4,5-Trihydroxyphenyl)-Valerolactone and nasutin A inhibit LNCaP prostate cancer cell proliferation. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	
62	Effects of extracts from leaves and flowers from <i>Syringa vulgaris</i> on mediators of inflammation in a human neutrophils model. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	
61	HPLC-DAD-MS analysis of extracts from flowers, leaves, fruits and branches of <i>Ligustrum vulgare</i> and their effect on cytokines secretion by human neutrophils. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	
60	Metabolic fate of ellagitannins in human gut microbiota ex vivo cultures. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	
59	The anti-inflammatory activity of dietary flavonoid aglycones and their glucuronidated metabolites in human neutrophils (PMNs) and human umbilical vein endothelial cells (HUVECs). <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	
58	Potential anti-inflammatory activity of selected plants from Asteraceae family in in vitro models. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1	
57	Effects of <i>Geum urbanum</i> L. root extracts and its constituents on polymorphonuclear leucocytes functions. Significance in periodontal diseases. <i>Journal of Ethnopharmacology</i> , 2016 , 188, 1-12	5	18
56	Contribution of C-glucosidic ellagitannins to <i>Lythrum salicaria</i> L. influence on pro-inflammatory functions of human neutrophils. <i>Journal of Natural Medicines</i> , 2015 , 69, 100-10	3.3	9
55	Application of HPLC, UHPLC-PDA-ESI-MS3 and HPLC-PDA methods for rapid, one-step preparative separation and quantification of rutin in <i>Forsythia</i> flowers. <i>Industrial Crops and Products</i> , 2015 , 76, 86-94	5.9	18
54	The phytochemical investigation of <i>Agrimonia eupatoria</i> L. and <i>Agrimonia procera</i> Wallr. as valid sources of <i>Agrimoniae herba</i> --The pharmacopoeial plant material. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 114, 272-9	3.5	17
53	<i>Lythrum salicaria</i> L.-Underestimated medicinal plant from European traditional medicine. A review. <i>Journal of Ethnopharmacology</i> , 2015 , 170, 226-50	5	14
52	Quantitative Determination of Secoiridoids and Phenylpropanoids in Different Extracts of <i>Ligustrum Vulgare</i> L. Leaves by a Validated HPTLC-Photodensitometry Method. <i>Phytochemical Analysis</i> , 2015 , 26, 253-60	3.4	9

51	Oleacein enhances anti-inflammatory activity of human macrophages by increasing CD163 receptor expression. <i>Phytomedicine</i> , 2015 , 22, 1255-61	6.5	37
50	Aqueous and ethanolic extracts of <i>Galinsoga parviflora</i> and <i>Galinsoga ciliata</i> . Investigations of caffeic acid derivatives and flavonoids by HPTLC and HPLC-DAD-MS methods. <i>Phytochemistry Letters</i> , 2015 , 11, 394-398	1.9	18
49	Activity-guided isolation, identification and quantification of biologically active isomeric compounds from folk medicinal plant <i>Desmodium adscendens</i> using high performance liquid chromatography with diode array detector, mass spectrometry and multidimensional nuclear magnetic resonance spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 102, 54-63	3.5	15
48	Urolithins, gut microbiota-derived metabolites of ellagitannins, inhibit LPS-induced inflammation in RAW 264.7 murine macrophages. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 2168-77	5.9	76
47	Establishment of hairy root cultures of <i>Rhaponticum carthamoides</i> (Willd.) Iljin for the production of biomass and caffeic acid derivatives. <i>BioMed Research International</i> , 2015 , 2015, 181098	3	34
46	Identification and quantitative determination of pinoresinol in <i>Taxus bhedia</i> Rehder needles, cell suspension and shoot cultures. <i>Acta Societatis Botanicorum Poloniae</i> , 2015 , 84, 125-132	1.5	3
45	Ellagitannins modulate the inflammatory response of human neutrophils ex vivo. <i>Phytomedicine</i> , 2015 , 22, 1215-22	6.5	22
44	Oleacein. translation from Mediterranean diet to potential antiatherosclerotic drug. <i>Current Pharmaceutical Design</i> , 2015 , 21, 1205-12	3.3	27
43	Inhibition of ROS production, photoprotection, and total phenolic, flavonoids and ascorbic acid content of fresh herb juice and extracts from the leaves and flowers of <i>Tropaeolum majus</i> . <i>Industrial Crops and Products</i> , 2014 , 55, 19-24	5.9	15
42	Secondary metabolites from roots of <i>Geum urbanum</i> L.. <i>Biochemical Systematics and Ecology</i> , 2014 , 53, 46-50	1.4	11
41	Role of human gut microbiota metabolism in the anti-inflammatory effect of traditionally used ellagitannin-rich plant materials. <i>Journal of Ethnopharmacology</i> , 2014 , 155, 801-9	5	71
40	Phytochemistry, pharmacology and traditional uses of different <i>Epilobium</i> species (Onagraceae): a review. <i>Journal of Ethnopharmacology</i> , 2014 , 156, 316-46	5	58
39	Influence of gut microbiota-derived ellagitanninsTmetabolites urolithins on pro-inflammatory activities of human neutrophils. <i>Planta Medica</i> , 2014 , 80, 887-95	3.1	45
38	Determination of C-glucosidic ellagitannins in <i>Lythri salicariaeherba</i> by ultra-high performance liquid chromatography coupled with charged aerosol detector: method development and validation. <i>Phytochemical Analysis</i> , 2014 , 25, 201-6	3.4	10
37	Inhibition of human neutrophils NEP activity, CD11b/CD18 expression and elastase release by 3,4-dihydroxyphenylethanol-elenolic acid dialdehyde, oleacein. <i>Food Chemistry</i> , 2014 , 153, 1-8	8.5	31
36	Oleuropein and oleacein may restore biological functions of endothelial progenitor cells impaired by angiotensin II via activation of Nrf2/heme oxygenase-1 pathway. <i>Phytomedicine</i> , 2013 , 20, 1088-94	6.5	74
35	Comparison of antioxidant, anti-inflammatory, antimicrobial activity and chemical composition of aqueous and hydroethanolic extracts of the herb of <i>Tropaeolum majus</i> L.. <i>Industrial Crops and Products</i> , 2013 , 50, 88-94	5.9	22
34	Development and validation of HPLC-DAD-CAD-MS(3) method for qualitative and quantitative standardization of polyphenols in <i>Agrimoniae eupatoriae herba</i> (Ph. Eur). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 86, 112-22	3.5	37

33	Antioxidant and anti-inflammatory flavonol glucuronides from <i>Polygonum aviculare</i> L. <i>Phytotherapy Research</i> , 2013 , 91, 180-188	3.2	44
32	Extracts from <i>Epilobium</i> sp. herbs, their components and gut microbiota metabolites of <i>Epilobium</i> ellagitannins, urolithins, inhibit hormone-dependent prostate cancer cells-(LNCaP) proliferation and PSA secretion. <i>Phytotherapy Research</i> , 2013 , 27, 1842-8	6.7	47
31	Synthesis of imperatorin analogs and their evaluation as acetylcholinesterase and butyrylcholinesterase inhibitors. <i>Archiv Der Pharmazie</i> , 2013 , 346, 775-82	4.3	10
30	C-glucosidic ellagitannins from <i>Lythri herba</i> (European Pharmacopoeia): chromatographic profile and structure determination. <i>Phytochemical Analysis</i> , 2013 , 24, 336-48	3.4	24
29	Novel insight into qualitative standardization of <i>Polygoni avicularis herba</i> (Ph. Eur.). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 72, 216-22	3.5	15
28	Secondary metabolites from aerial parts of <i>Circaea lutetiana</i> L. <i>Biochemical Systematics and Ecology</i> , 2013 , 46, 22-25	1.4	1
27	Chemical composition, antioxidative and anti-inflammatory activity of extracts prepared from aerial parts of <i>Oenothera biennis</i> L. and <i>Oenothera paradoxa</i> Hudziok obtained after seeds cultivation. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 801-10	5.7	49
26	Extracts from <i>Epilobium</i> sp. herbs induce apoptosis in human hormone-dependent prostate cancer cells by activating the mitochondrial pathway. <i>Journal of Pharmacy and Pharmacology</i> , 2013 , 65, 1044-54 ^{4.8}		32
25	Effects of penta-O-galloyl- β -D-glucose on human neutrophil function: significant down-regulation of L-selectin expression. <i>Phytotherapy Research</i> , 2013 , 27, 986-92	6.7	14
24	Effects of an aqueous extract from leaves of <i>Ligustrum vulgare</i> on mediators of inflammation in a human neutrophils model. <i>Planta Medica</i> , 2013 , 79, 924-32	3.1	14
23	Polyphenol Composition of Extract from Aerial Parts of <i>Circaea Lutetiana</i> L. and its Antioxidant and Anti-Inflammatory Activity in Vitro. <i>Acta Biologica Cracoviensia Series Botanica</i> , 2013 , 55,		2
22	Determination of antioxidant activity of extracts and fractions obtained from <i>Galinsoga parviflora</i> and <i>Galinsoga quadriradiata</i> , and a qualitative study of the most active fractions using TLC and HPLC methods. <i>Natural Product Research</i> , 2012 , 26, 1584-93	2.3	16
21	Inhibition of NF- κ B-dependent cytokine and inducible nitric oxide synthesis by the macrocyclic ellagitannin oenothetin B in TLR-stimulated RAW 264.7 macrophages. <i>Journal of Natural Products</i> , 2012 , 75, 870-5	4.9	25
20	Ex vivo effects of an <i>Oenothera paradoxa</i> extract on the reactive oxygen species generation and neutral endopeptidase activity in neutrophils from patients after acute myocardial infarction. <i>Phytotherapy Research</i> , 2012 , 26, 482-7	6.7	6
19	Determination of macrocyclic ellagitannin oenothetin B in plant materials by HPLC-DAD-MS: method development and validation. <i>Phytochemical Analysis</i> , 2012 , 23, 582-7	3.4	24
18	Secondary metabolites from aerial parts of <i>Oenothera hoelscheri</i> Renner ex Rostański. <i>Biochemical Systematics and Ecology</i> , 2012 , 44, 44-47	1.4	9
17	Polyphenolic compounds characterization and reactive nitrogen species scavenging capacity of <i>Oenothera paradoxa</i> defatted seed extracts. <i>Food Chemistry</i> , 2012 , 131, 485-492	8.5	19
16	A comparison of antioxidant activities of oleuropein and its dialdehydic derivative from olive oil, oleacein. <i>Food Chemistry</i> , 2012 , 131, 940-947	8.5	92

15	Epigenetic modulation of mechanisms involved in inflammation: Influence of selected polyphenolic substances on histone acetylation state. <i>Food Chemistry</i> , 2012 , 131, 1015-1020	8.5	39
14	Anti-hyaluronidase and anti-elastase activity screening of tannin-rich plant materials used in traditional Polish medicine for external treatment of diseases with inflammatory background. <i>Journal of Ethnopharmacology</i> , 2011 , 137, 937-41	5	57
13	QUANTITATIVE ANALYSIS OF BIOLOGICALLY ACTIVE POLYPHENOLS IN EVENING PRIMROSE (OENOTHERA PARADOXA) SEEDS AQUEOUS EXTRACTS. <i>Polish Journal of Food and Nutrition Sciences</i> , 2011 , 61, 109-113	3.1	14
12	Determination of huperzine a in <i>Huperzia</i> selagoplants from wild population and obtained in vitro culture by high-performance liquid chromatography using a chaotropic mobile phase. <i>Acta Chromatographica</i> , 2011 , 23, 339-352	1.5	8
11	Oenothien B π contribution to the anti-inflammatory and antioxidant activity of <i>Epilobium</i> sp. <i>Phytomedicine</i> , 2011 , 18, 557-60	6.5	74
10	Bioactivity-guided fractionation for the butyrylcholinesterase inhibitory activity of furanocoumarins from <i>Angelica archangelica</i> L. roots and fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 9186-93	5.7	28
9	<i>Oenothera paradoxa</i> defatted seeds extract and its bioactive component penta-O-galloyl-D-glucose decreased production of reactive oxygen species and inhibited release of leukotriene B ₄ , interleukin-8, elastase, and myeloperoxidase in human neutrophils. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 9960-6	5.7	39
8	Screening of traditional European herbal medicines for acetylcholinesterase and butyrylcholinesterase inhibitory activity. <i>Acta Pharmaceutica</i> , 2010 , 60, 119-28	3.2	52
7	Pro-oxidative and pro-apoptotic action of defatted seeds of <i>Oenothera paradoxa</i> on human skin melanoma cells. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 8282-9	5.7	23
6	Novel biological properties of <i>Oenothera paradoxa</i> defatted seed extracts: effects on metalloproteinase activity. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 7845-52	5.7	29
5	Dual inhibition of metalloproteinases ACE and NEP by extracts, and iridoids from <i>Ligustrum vulgare</i> L. <i>Journal of Ethnopharmacology</i> , 2008 , 120, 220-5	5	30
4	High-performance thin-layer chromatography method for quantitative determination of oenothien B and quercetin glucuronide in aqueous extract of <i>Epilobium angustifolium</i> herba. <i>Journal of Chromatography A</i> , 2007 , 1173, 146-50	4.5	30
3	Densitometric determination of flavonoids in methanolic and aqueous extracts of <i>Epilobium angustifolium</i> herb by use of HPTLC. <i>Journal of Planar Chromatography - Modern TLC</i> , 2007 , 20, 53-56	0.9	8
2	Induction of neutral endopeptidase activity in PC-3 cells by an aqueous extract of <i>Epilobium angustifolium</i> L. and oenothien B. <i>Phytomedicine</i> , 2006 , 13, 284-9	6.5	45
1	Compounds from <i>Epilobium angustifolium</i> inhibit the specific metalloproteinases ACE, NEP and APN. <i>Planta Medica</i> , 2004 , 70, 919-23	3.1	54